

HPE2-T36 Dumps

Using HPE OneView

<https://www.certleader.com/HPE2-T36-dumps.html>



NEW QUESTION 1

Which resource categories can be included in a scope? (Choose two.)

- A. racks
- B. data centers
- C. firmware bundles
- D. enclosures

Answer: AC

NEW QUESTION 2

A customer has a single BladeSystem environment running Virtual Connect and VMware ESXi. The customer wants to manage the enclosure with HPE OneView. What must the customer consider?

- A. The Management Ring cannot talk to the production VLAN.
- B. The HPE OneView appliance cannot reside in an enclosure it manages.
- C. Virtual Connect Enterprise Manager (VCEM) is not supported with VMware.
- D. HPE OneView for VMware vCenter is licensed separately at an additional cost.

Answer: B

NEW QUESTION 3

Refer to the exhibit.

	Value
Name	ProdNet 100
VLAN ID	100
Type	Tagged

What is the PowerShell command to create an Ethernet Network resource?

- A. New-HPOVNetwork -Name "ProdNet 100" -VlanId 100
- B. New-HPOVuplinkSet -Name "ProdNet 100" -Networks (Get-HPOVNetwork -Name "ProdNet 100")
- C. Get-HPOVNetwork -Name "ProdNet 100" | New-HPOVServerProfileConnection -ConnectionID 1-Name "ProdNet 100"
- D. New-HPOVNetworkSet -Name "ProdNet 100"

Answer: A

NEW QUESTION 4

What are Benefits of using HPE OneView along with 3rd Party integrations? (Select two)

- A. Standardized templates to optimize industry standard applications
- B. Faster application development
- C. Simplified Infrastructure lifecycle operations
- D. Integrated management of 3rd Party software licenses
- E. Extensive management of 3rd Party server and storage devices

Answer: BE

NEW QUESTION 5


Match the HPE OneView element to its function.

Element	Function	
enclosure group	conceptual view of a single enclosure within a group.	
logical enclosure		
logical interconnect	provides fabric configurations which are pre-selected before enclosures are added.	
logical interconnect group	template that defines a consistent configuration for a logical enclosure.	
	represents the available networks, uplink sets, and stacking links for a set of physical interconnects.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 6

You have a new HPE BladeSystem C7000 enclosure to add to your existing HPE OneView appliance as a managed resource. What is the proper PowerShell Cmdlet to achieve this task?

- A. Add-HPOVEnclosure –Hostname 192.168.1.100 –Username Administrator –Password MyP@ssw0rd
- B. Add-HPOVServer –Hostname 192.122.8.189 –Username Administrator –Password MyP@ssw0rd
- C. New-HPOVLogicalEnclosure –Name 192.122.8.189
- D. Add-HPOVPowerDevice –Hostname 192.168.1.100 –Username admin –Password MyP@ssw0rd

Answer: A

NEW QUESTION 7

Which enhanced security feature is unavailable within HPE OneView?

- A. configure firewall rules
- B. role-based access control
- C. two-factor authentication
- D. SNMP v3

Answer: A

NEW QUESTION 8

What must be disabled when strict two-factor authentication is enabled?

- A. emergency local login
- B. SSL certificates
- C. local login
- D. REST API

Answer: B

NEW QUESTION 9

You want to get a list of all servers and their serial number from every Synergy enclosure in the "OneView-Prod" Instance. You decide to use the HPE OneView PowerShell Library. What is the first command you should run?

- A. Get-HPOVDataCenter
- B. Get-HPOVEnclosure
- C. Connect-HPOVMgmt
- D. Get-HPOVEnclosureGroup

Answer: C

NEW QUESTION 10

A customer has deployed the HPE OneView virtual appliance and is getting an error message when they attempt to import a Synergy frame for management. What is the most likely cause of the problem?

- A. Synergy frames require additional HA requirements for the virtual appliance.
- B. Synergy frames are managed by the HPE Composer.

- C. The backup IPv6 address of the Frame Link module was used during the import.
- D. The HPE OneView virtual appliance has the wrong database size.

Answer: B

NEW QUESTION 10

A server administrator needs to add a new c7000 enclosure to their HPE Oneview management appliance. What information is required? (Select two)

- A. login credentials for Onboard Administrator
- B. Onboard Administrator IP address
- C. login credentials for Virtual Conned
- D. Virtual Connect IP address

Answer: AB

NEW QUESTION 12

A customer has a four node ESXi cluster. They update drivers via vCenter Update Manager and want use HPE OneView Server Profile Templates to update the firmware while the systems are online. Click on the place they should select within the server profile template to update the firmware while the systems are online.

Edit ESXi on BL460c Gen9 Server Profile ▾

Server Profile	
Firmware	
Firmware baseline	Service Pack for ProLiant version 2017.04.0 ▾
	<input type="checkbox"/> Force installation
Installation Method	<input checked="" type="radio"/> Firmware and OS Drivers using Smart Update Tools <input type="radio"/> Firmware only using Smart Update Tools <input type="radio"/> Firmware only
Activate firmware	<input checked="" type="radio"/> Immediately <input type="radio"/> At a scheduled date and time <input type="radio"/> Not scheduled

Changed: Firmware baseline to "Service Pack for ProLiant version 2017.04.0"

OK Cancel

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Edit ESXi on BL460c Gen9 Server Profile ▾

Server Profile	
Firmware	
Firmware baseline	Service Pack for ProLiant version 2017.04.0 ▾
	<input type="checkbox"/> Force installation
Installation Method	<input checked="" type="radio"/> Firmware and OS Drivers using Smart Update Tools <input type="radio"/> Firmware only using Smart Update Tools <input type="radio"/> Firmware only
Activate firmware	<input type="radio"/> Immediately <input type="radio"/> At a scheduled date and time <input type="radio"/> Not scheduled

Changed: Firmware baseline to "Service Pack for ProLiant version 2017.04.0"

OK Cancel

NEW QUESTION 13

When deploying an HPE OneView virtual appliance in a Microsoft Hyper-V environment, what is the HPE recommendation related to virtual machine disk properties?

- A. Convert the disk to fixed size.
- B. Create the disk as fixed size.

- C. Create the disk as dynamically expanding.
- D. Convert the disk to dynamically expanding.

Answer: B

NEW QUESTION 15

How can HPE OneView help with power management within a datacenter?

- A. by automatically adjusting cooling devices based on calculated heat generation
- B. by disabling servers which are consuming too much power
- C. by providing data center thermal visualization
- D. by enabling power source selection for a specific frame

Answer: C

NEW QUESTION 16

Your customer is planning to use HPE OneView to manage the following environment:

- > 4 HPE BladeSystem c7000 enclosures with BL460c Gen10 and Virtual Connect modules
- > 20 HPE ProLiant DL380 Gen10 servers
- > 1 HPE 3PAR StoreServ array

Which components will need an HPE OneView license? (Choose two.)

- A. 3PAR array
- B. DL380 Gen10 servers
- C. BL460c Gen10 server blades
- D. c7000 enclosures
- E. Virtual Connect modules

Answer: BC

NEW QUESTION 17

Synergy Composer enables remote support of which components? (Choose two.)

- A. HPE Onboard Administrator
- B. HPE Virtual Connect FlexFabric-20/40 F8 Module
- C. HPE Synergy D3940 storage module
- D. HPE Synergy 12000 frames
- E. HPE Synergy compute modules

Answer: CE

NEW QUESTION 18

A customer wants to restrict certain business units from accessing resources owned by other groups, click the area where you would begin to configure this type of security measure.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 23

You decide to take advantage of HPE OneView's ability to virtualize unique identifiers. Which physical hardware identifiers are you able to virtualize? (Choose two.)

- A. MAC address
- B. interconnect serial number
- C. CPU serial number
- D. enclosure serial number
- E. World Wide Name

Answer: AE

NEW QUESTION 26

A systems administrator needs to add a VLAN to a network set to support a new application. They have added the network to the upstream switch and the Logical Interconnect Group in HPE OneView but traffic is not passing. What is the most likely cause of the problem?

- A. Intelligent Management Center (IMC) has not been updated via REST.
- B. The administrator failed to update the state change message bus.
- C. The administrator needs to update the Logical Interconnects from the Logical Interconnect Group.
- D. The upstream switch doesn't have the VLAN enabled.

Answer: D

NEW QUESTION 30

Which feature of HPE OneView for VMware vCenter enables you to create additional nodes for an existing environment?

- A. REST API
- B. VMware autodeploy
- C. Image Streamer
- D. Grow Cluster

Answer: D

NEW QUESTION 34

What functionality does Storm Control provide in HPE OneView?

- A. Prevents malware from hiding embedded code in the network traffic.
- B. Prevents network performance degradation by suppressing excessive inbound broadcasts.
- C. Prevents duplicate MAC addresses and WWNs from occurring in HPE OneView.
- D. Prevents resource exhaustion on the switch by throttling data flow on network interfaces.

Answer: B

Explanation:

Storm Control is a new feature that allows network admin to suppress excessive inbound multicast, broadcast, and destination lookup failure (DLF) packets when user specified threshold is reached

NEW QUESTION 38

Which functionality is enabled when a supported SAN Manager is added to HPE OneView?

- A. local storage management
- B. VSA monitoring
- C. storage replication
- D. automated zoning

Answer: D

NEW QUESTION 40

Which HPE and VMware integration are you licensed to use with the HPE OneView Advanced license? (Choose two.)

- A. VMware vRealize Log Insight
- B. VMware vRealize Operations Manager
- C. VMware vRealize Network Insight
- D. VMware ACE
- E. VMware NSX

Answer: AB

NEW QUESTION 42

What type of default certificate is automatically generated in an HPE OneView appliance?

- A. no certificate is pre-installed
- B. CA generated
- C. self signed
- D. PKI

Answer: C

NEW QUESTION 46

Match the minimum HPE OneView license required to each function. (Matches may be used more than once.)

Answer Area

HPE OneView Standard

HPE OneView Advanced

HPE OneView License

Function

Partner Integrations

Storage provisioning

Firmware Management

Inventory

Health Monitoring

Remote Support

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Partner integration – HPE OneView Advanced Storage provisioning – HPE OneView Advanced Firmware management – HPE OneView Advanced Inventory – HPE OneView Standard Health monitoring – HPE OneView Standard Remote support – HPE OneView Advanced

NEW QUESTION 47

Which component of HPE OneView provides information about temperature and CPU utilization for managed resources?

- A. insight online (IO)
- B. integrated lights out (iLO)

- C. state change message bus (SCMB)
- D. metric streaming message bus (MSMB)

Answer: C

NEW QUESTION 51

Your customer added some Gen10 servers to an environment managed by HPE OneView. The position of the Gen10 servers in the intelligent racks is not automatically detected. What can cause this problem?

- A. Gen10 servers do not support Location Discovery Services.
- B. Location sensor is not enabled for Gen10 servers.
- C. Intelligent Rack is not properly licensed in HPE OneView.
- D. Gen10 servers are mixed with Gen9 or Gen8 servers, which is not supported.

Answer: A

NEW QUESTION 53

What tool can you use to provision hosts using server profiles to create or grow a Hyper-V cluster?

- A. HPE Insight Control Server Provisioning
- B. HPE OneView for Microsoft System Center
- C. HPE iLO Virtual Media
- D. Microsoft Operations Manager

Answer: B

NEW QUESTION 54

Which HPE OneView function can be used on HPE ProLiant DL Gen10 servers with HPE OneView Advanced license applied? (Choose two.)

- A. MAC address virtualization
- B. OS deployment
- C. network connection definition
- D. BIOS configuration
- E. firmware update

Answer: BE

NEW QUESTION 59

Which attributes are required to create a blade server profile? (Choose two.)

- A. BIOS settings
- B. Enclosure Group
- C. local storage configuration
- D. uplink set
- E. server hardware type

Answer: AC

Explanation:

You can assign an unassigned profile only to server hardware that matches the server hardware type and enclosure group. After the profile is created, you cannot change the server hardware type and enclosure group.

NEW QUESTION 61

Which HPE product would you recommend to a customer who is running multiple HPE OneView appliances and Hyper Converged Systems to monitor their entire environment in a single application?

- A. Insight Control
- B. Central Management Console
- C. iLO Amplifier Pack
- D. Global Dashboard

Answer: D

NEW QUESTION 62

What does HPE OneView use for device authentication?

- A. server SSL certificate
- B. scope based access control
- C. two-factor authentication
- D. SSH

Answer: C

NEW QUESTION 67

Match the HPE OneView element to its function.

ELEMENT		FUNCTION
server profile	define server configurations once and provision or update many times	
server profile template	used to simplify and standardize server connections	
network set	specified server configuration that enables quickly bringing new server hardware under management	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

ELEMENT		FUNCTION
server profile	define server configurations once and provision or update many times	server profile
server profile template	used to simplify and standardize server connections	network set
network set	specified server configuration that enables quickly bringing new server hardware under management	server profile template

NEW QUESTION 69

Match the HPE OneView element to its definition.

Element	Definition	
HPE OneView dashboard	HPE OneView hardware appliance.	
HPE OneView Global Dashboard	HPE OneView components that publish state changes and respond to REST API calls.	
HPE OneView OVF	Information aggregation point for multiple HPE OneView environments.	
HPE OneView resource managers	Customizable graphical representation of the health and capacity of data center resources.	
HPE Synergy Composer		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Element	Definition	
HPE OneView dashboard	HPE OneView hardware appliance.	HPE Synergy Composer
HPE OneView Global Dashboard	HPE OneView components that publish state changes and respond to REST API calls.	HPE OneView resource managers
HPE OneView OVF	Information aggregation point for multiple HPE OneView environments.	HPE OneView Global Dashboard
HPE OneView resource managers	Customizable graphical representation of the health and capacity of data center resources.	HPE OneView dashboard
HPE Synergy Composer		

NEW QUESTION 70

Match the HPE management tools to their function.

<u>TOOL</u>	<u>FUNCTION</u>
HPE SUT	Provides health status of multiple servers, profiles, and enclosures across multiple HPE OneView appliance environments
HPE OneView Global Dashboard	Provides HPE OneView management for a Synergy environment
Composer	Enables updates to be staged, scheduled, and installed without rebooting the system into Intelligent Provisioning
HPE iLO	Provides hardware management of and remote console to a server

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<u>TOOL</u>	<u>FUNCTION</u>
HPE SUT	HPE OneView Global Dashboard Provides health status of multiple servers, profiles, and enclosures across multiple HPE OneView appliance environments
HPE OneView Global Dashboard	Composer Provides HPE OneView management for a Synergy environment
Composer	HPE SUT Enables updates to be staged, scheduled, and installed without rebooting the system into Intelligent Provisioning
HPE iLO	HPE iLO Provides hardware management of and remote console to a server

NEW QUESTION 71

Refer to the exhibit.

A solution architect is setting up a Synergy configuration for a customer. The customer wants their redundancy level to be Highly Available. What is preventing this option from being available for the customer?

- A. Synergy doesn't support an HA fabric configuration on the Virtual Connect SE 40GB F8 module for Synergy.
- B. HA is not supported in Interconnect Bay set 3.
- C. HA requires multiple frames in the fabric domain.
- D. HA is only supported in mixed speed environments.

Answer: C

NEW QUESTION 74

Match each task or environment with the most common approach for using HPE OneView. (Matches may be used more than once.)

Answer Area

API GUI

- Traditional NetOps business model simplifying infrastructure lifecycle management.
- DevOps environment that wants to accelerate application delivery.
- Automating management tasks through scripting.
- Enhancing the interaction and collaboration between IT staff.
- Integrating with service desk ticketing function

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

API GUI

Traditional NetOps business model simplifying infrastructure lifecycle management.	GUI
DevOps environment that wants to accelerate application delivery.	API
Automating management tasks through scripting.	API
Enhancing the interaction and collaboration between IT staff.	GUI
Integrating with service desk ticketing function	GUI

NEW QUESTION 79

Which HPE server platforms can be managed using HPE OneView? (Choose two.)

- A. HPE Edgeline
- B. HPE ProLiant DL
- C. HPE ProLiant BL
- D. HPE Integrity
- E. HPE Moonshot

Answer: BC

NEW QUESTION 84

Your customer has multiple c7000 enclosures that will be managed using HPE OneView. At what stage is the license type selected for the enclosures?

- A. after enclosure is updated to the selected firmware baseline
- B. when adding the enclosure to the HPE OneView
- C. when at least one profile is created for this enclosure
- D. after all components are properly discovered in HPE OneView

Answer: D

NEW QUESTION 87

Refer to the exhibit.

The screenshot shows the HPE OneView interface. On the left, under 'Server Profile Templates', there is a list of templates: 'esx 3 based', 'ESX BL460c Gen10 template' (highlighted), and 'HYPERV TEMPLATE'. A green button says '+ Create server profile template'. On the right, the 'ESX BL460c Gen10 template' is selected, showing a status of 'Update Completed 1s'. Below this, the 'Connections' section is expanded, showing a table of network connections:

ID	Name	Network	Port	Boot
1	management	VLAN1	FlexibleLOM 1:1 -a	Not bootable
Interconnect		pending assignment		
Type		Ethernet		
MAC address		pending assignment		
Requested bandwidth		2.5 Gb/s		
2	management	VLAN1	FlexibleLOM 1:2 -a	Not bootable
3	prod_13	VLAN13	FlexibleLOM 1:1 -c	Not bootable
4	prod_13	VLAN13	FlexibleLOM 1:2 -c	Not bootable

A server administrator cannot locate the MAC addresses assigned to the server profile template. What could be the reason?

- A. The server hardware is not supported by HPE OneView.
- B. The Logical interconnect does not contain the VLAN in any defined uplink set.
- C. The server profile template has not yet been assigned to the hardware.
- D. MAC addresses are only assigned when a server profile is created from a template.

Answer: C

NEW QUESTION 90

Your customer is running ESXi on an HPE BladeSystem managed by HPE OneView. They want to be able to add networks to the ESXi system without modifying the Virtual Connect configuration. Which type of network should be used?

- A. mapped
- B. tagged
- C. tunnel
- D. untagged

Answer: C

NEW QUESTION 91


Match the security features of HPE OneView with their use cases.

Feature	Use Case	
Certificate based trust	Identity validation for management network transactions.	
Role based access control	Secure form of user authentication based on "what you know" and "what you have".	
Scope based access control	Restriction of user rights to a subset of resources within the infrastructure.	
Two-factor authentication	Restriction of user rights to perform actions (create, read, update, delete, or use) to specific resources within a category.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 94

A customer is preparing their environment for a new two frame Synergy configuration. They have deployed an HPE OneView virtual appliance on ESXi and are not able to discover the new Synergy frames. What is preventing the discovery of the Synergy frames?

- A. Synergy isn't supported with the HPE OneView appliance.
- B. The IPv6 address of the Frame Link module is entered incorrectly.
- C. The x.509 certificates aren't authenticating with the HPE OneView appliance.
- D. The management ring isn't cabled properly.

Answer: A

NEW QUESTION 96

Your customer needs to downgrade the firmware on a number of blades because they experienced issues with the current firmware. The customer modifies the server profile to the required firmware baseline and selects update, but the firmware downgrade is not successful. What step needs to be taken to ensure the firmware downgrade is applied?

- A. Set the firmware baseline to "Managed Manually"
- B. Select the "Force installation" option to downgrade the firmware
- C. Create and assign a new server profile for the affected servers
- D. Contact HPE support to obtain a one-time password to enable firmware downgrade

Answer: B

NEW QUESTION 99

What tool provides a unified view of aggregated information from multiple OneView appliances?

- A. Redfish management
- B. Intelligent Management Console
- C. Global Dashboard
- D. Integrated Lights Out

Answer: C

NEW QUESTION 101

How does HPE OneView 4.0 along with HPE ProLiant Gen 10 benefit customers who are concerned about malware attacks?

- A. Continuously scans server firmware for malware code.
- B. Introduces Trusted Platform Module 2.0 support.
- C. Provides a Secure Boot option setting as part of the server profile.
- D. Forces secure boot for both Legacy and UEFI BIOS mode.

Answer: D

NEW QUESTION 103

What package type is used for HPE OneView Virtual Appliance deployment in a Red Hat Linux KVM hypervisor environment?

- A. rpm
- B. yum
- C. DNF
- D. qcow2

Answer: D

NEW QUESTION 104

What is a benefit of using HPE OneView UI instead of the REST API when configuring secure boot in a server profile?

- A. Secure boot configuration via REST API is not supported on HPE ProLiant rack servers
- B. HPE OneView automatically disables invalid combinations of settings
- C. REST API does not return configuration validation
- D. Not all configuration settings are available via the REST API

Answer: B

NEW QUESTION 106

Before applying server profiles to a group of servers. What is the first thing you should check?

- A. The servers are powered down.
- B. The servers have the correct firmware installed.
- C. The servers are all Synergy compute modules.
- D. The servers are all the same server hardware type.

Answer: D

NEW QUESTION 108

A server administrator using the REST API is troubleshooting the error seen in the exhibit. What needs to be fixed in the command?

```
curl -X POST http://10.10.10.10/1.2.3.4/login-sessions?token=1234567890 {"userName": "administrator", "password": "iloverest", "authDomain": "LOCAL"}
```

[-] Response

Headers Response Preview

```
{ "errorMessage": null, "nestedErrors": [], "errorCode": "GENERIC_HTTP_403", "data": {}, "recommendedActions": ["Check the request & URL, then resend the request."], "details": "You are not allowed to access the requested resource.", "message": "Forbidden" }
```

- A. add the missing authentication token to the header
- B. change http to https in the URL
- C. change the POST method to PUT
- D. change the "login-sessions" string in the URL to "login-session"

Answer: C

NEW QUESTION 113

What can be used to query the server hardware portion of the HPE OneView appliance database?

- A. SQL Connect Client
- B. REST API
- C. JSON reader
- D. OpenSource Editor

Answer: B

NEW QUESTION 116

How does HPE OneView simplify infrastructure management? (Choose two.)

- A. Provides unified platform that supports management across compute, storage, and fabric
- B. Provides industry leading infrastructure security through hardware root of trust
- C. Manages physical servers and virtual machines
- D. Provides integrations with 3rd party infrastructure automation tools through an API driven interface

Answer: AD

NEW QUESTION 120

A server administrator is integrating HPE OneView authentication with Active Directory and needs to add read-only access to members of a domain group. Which steps are part of the procedure? (Choose two.)

- A. Add the domain group in Users and Groups menu.
- B. Define the Active Directory domain and associated directory server(s) in Directory settings.
- C. Add the domain group as Base DN in Directory settings.
- D. Add the domain group as Organization Unit in Directory settings.
- E. Add the Active directory server in Users and Groups menu.

Answer: BE

NEW QUESTION 123

What is the best place to find installed firmware for all systems managed by HPE OneView?

- A. HPE Service Pack for HPE ProLiant
- B. HPE OneView predefined reports
- C. HPE Insight Online
- D. HPE OneView for Microsoft System Center

Answer: A

NEW QUESTION 124

An administrator needs to add multiple BladeSystem c7000 enclosures to a new instance of HPE OneView. The enclosures are currently being monitored by a different instance of HPE OneView. What must the administrator do before beginning importing the enclosure to the new HPE OneView appliance?

- A. Delete the enclosure from the current OneView Appliance
- B. Edit the Enclosure license to be OneView Advanced
- C. Add Frame Link Module
- D. Add enclosure for management

Answer: C

NEW QUESTION 129

How does HPE OneView simplify infrastructure management?

- A. Provides unified platform that supports management across compute, storage, and fabric.
- B. Manages physical servers and virtual machines.
- C. Provides integrations with 3rd party infrastructure automation tools through an API driven interface.
- D. Provides industry leading infrastructure security through Silicon Root of Trust.

Answer: AC

NEW QUESTION 134

You need to add an HPE ProLiant DL380 Gen10 server to the HPE OneView appliance for monitoring. Which information is required to complete this task? (Choose two.)

- A. HPE OneView Advanced license
- B. firmware baseline
- C. iLO IP address
- D. Enclosure Group name
- E. iLO credentials

Answer: AB

NEW QUESTION 139

A customer has HPE OneView 1.2 and wants to upgrade to 4.0. What is the correct procedure?

- A. import all virtual connect manager environments and then upgrade directly to 4.0
- B. upgrade directly to 4.0
- C. upgrade to 3.1, import all virtual connect manager environments, then upgrade to 4.0
- D. upgrade to 3.1 and then upgrade to 4.0

Answer: B

NEW QUESTION 144

Exhibit:

Refer to the exhibit.



A server administrator is creating a new SAN-attached volume as a part of a server profile definition. What will happen to the volume when the server administrator deletes the profile two weeks later?

- A. The volume will be deleted from HPE OneView and kept at the StoreVirtual array.
- B. The volume will be kept in both HPE OneView and the StoreVirtual array, the presentation to the server will be removed from the array.
- C. The volume will be kept in both HPE OneView and the StoreVirtual array, the presentation to the server will be kept at the array.
- D. The volume will be deleted from both HPE OneView and the StoreVirtual array.

Answer: A

NEW QUESTION 146

A customer has a strict change control environment. How do Server Profile Templates help with change control policies?

- A. They allow users to define configurations once and within minutes.
- B. They help to monitor, flag, and update server profiles in HPE OneView.
- C. They allow server profile mobility.
- D. They provision hardware quickly.

Answer: B

NEW QUESTION 148

Which security feature would you configure to delegate responsibility for a subset of resources to a junior administrator group?

- A. No Password for admin account
- B. RBAC (Role Based Access Control)
- C. SBAC (Scope Based Access Control)
- D. CLI Only Access

Answer: C

NEW QUESTION 150

You assign a server profile to an existing BL Gen 8 server within a managed enclosure with Affinity set to "Device Bay + Server Hardware". What would happen if you replace the server in the enclosure with a new BL Gen 10 server hardware resource?

- A. It will apply the profile if the correct server hardware type is installed.
- B. It will prevent the profile if the server is configured with Secure Boot mode in the BIOS.
- C. It will prevent the profile from being applied if a different server is inserted to that bay.
- D. It will apply the profile if a server with the correct serial number is installed.

Answer: B

NEW QUESTION 155

An administrator needs to customize the BIOS and local RAID configuration for a collection of HPE ProLiant servers. What should the administrator use to accomplish this task?

- A. Server Profile Template
- B. Server hardware
- C. Smart Start Scripting Toolkit
- D. Global Dashboard

Answer: D

NEW QUESTION 159

You plan to add a user account that can only manage a subset of resources. You notice that the Scope field only lists All Resources when creating the user. What is the cause of this behavior?

- A. Scopes can only be assigned when using certain roles.
- B. Scopes can only be assigned after creating the user account.
- C. Scopes cannot be used if roles are assigned to the user account.
- D. Scopes must be defined before assigning them to user accounts.

Answer: B

NEW QUESTION 163

What is the eTag attribute of resource objects used for?

- A. to identify the version of the IP protocol
- B. to identify the current revision of the resource
- C. to identify the server in a bay
- D. to identify the server profile assigned to a bay

Answer: B

NEW QUESTION 164

In addition to the REST client, what is another way to access the HPE REST APIs? (Choose two.)

- A. Windows PowerShell
- B. Unified Extensible Firmware Interface (UEFI)
- C. Native BASH Linux shell
- D. cURL command line utility
- E. PuTTY client

Answer: CD

NEW QUESTION 165

Refer to the exhibit.



An administrator is creating new volumes in preparation for a new Hyper-V cluster. On the Create Volume screen, the storage administrator notices that the capacity of the volume can't be edited. What is preventing the administrator from increasing the volume size?

- A. The administrator doesn't have permissions to create volumes.
- B. The wrong storage system is selected.
- C. The storage pool is out of capacity, so no additional storage can be allocated.
- D. The capacity is a locked value in the volume template.

Answer: B

NEW QUESTION 170

You added an iPDU to an environment managed by HPE OneView. How will servers that are connected to this iPDU be added to HPE OneView?

- A. in an unmanaged state
- B. with the same state (monitored or managed) as the iPDU
- C. as managed devices if they have iLO Advanced license applied
- D. as monitored devices

Answer: C

NEW QUESTION 171

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your HPE2-T36 Exam with Our Prep Materials Via below:

<https://www.certleader.com/HPE2-T36-dumps.html>