

Exam Questions 1Z0-448

Oracle Data Integrator 12c Essentials

<https://www.2passeasy.com/dumps/1Z0-448/>



NEW QUESTION 1

Identify two implementation strategies of changed data capture provided through ODI Knowledge Modules. (Choose two.)

- A. extracting source data to flat files
- B. triggers
- C. Oracle GoldenGate
- D. before-and-after database image comparison

Answer: BC

NEW QUESTION 2

You are a project developer using ODI and want to consolidate your own local metadata repositories. Identify the true statement.(Choose the best answer.)

- A. You must consolidate your own local metadata repository
- B. The local metadata must be transmitted via ftp and synchronized with a dedicated proprietary engine, creating a common metadata model for all the developer
- C. You must consolidate your own local metadata repository
- D. You have to invoke a dedicated web service to synchronize the metadata by using Oracle Service Bus
- E. You need not consolidate your own local metadata repositories, because the ODI proprietary metadata server allows all developers to share the common metadata of a specific project
- F. You need not consolidate your own local metadata repositories, because ODI uses a centralized relational metadata repository that all the developers share

Answer: D

NEW QUESTION 3

Updates have been made to Mappings in a package. What must you do to ensure that the Production team runs a scenario that contains those updates while preserving the existing scenario's schedule?(Choose the best answer.)

- A. Regenerate the existing scenario
- B. Nothing, the existing scenario will automatically be updated
- C. Generate a new scenario and create a new schedule
- D. Generate a new scenario and attach the previous scenario's schedule to it

Answer: A

Explanation:

(<https://docs.oracle.com/middleware/1212/odi/ODIDG/scenarios.htm#ODIDG470>)

NEW QUESTION 4

If multiple changes occur on the source system but have not yet been processed by ODI, the J\$ table contains entries for each change for the records sharing the same PK.

What happens at run time when a Mapping gets executed?(Choose the best answer.)

- A. All distinct entries are processed
- B. Only the latest entry is processed based on the JRN_DATE field
- C. Only the first entry is processed based on the JRN_DATE field
- D. A PK violation occurs due to the duplicated entries and the entries are inserted in the E\$ table

Answer: B

Explanation:

(<http://www.ateam-oracle.com/understanding-the-odi-jkms-and-how-they-work-with-oracle-goldengate/>)

NEW QUESTION 5

Identify two correct Restart values for parallel steps in load plans.(Choose two.)

- A. Restart from new session
- B. Restart from failure
- C. Restart from failed children
- D. Restart all children

Answer: CD

Explanation:

(<https://docs.oracle.com/middleware/1212/odi/ODIDG/loadplans.htm#ODIDG1409>)

NEW QUESTION 6

You need to implement security mechanisms that allow only user "A" to view all the Mappings contained in a specific project named "P1." How must you proceed?(Choose the best answer.)

- A. Go to Security, assign the NG DESIGNER profile to user "A." Next, drag project "P1" to user "A" and finally set View privileges to Active for the Mapping object
- B. Go to Security, assign the DESIGNER profile to user "A." Next, drag project "P1" to user "A" and finally set View privileges to Active for the Mapping object
- C. Go to Security, assign the NG DESIGNER profile to user "A." Next, drag project "P1" to user "A" and finally set View privileges to Active for the Project, Folder, and Mapping object

D. Go to Security, assign the DESIGNER profile to user "A." Next, drag project "P1" to user "A" and finally set View privileges to Active for the Project, Folder, and Mapping object

Answer: D

Explanation:

(https://docs.oracle.com/cd/B12037_01/network.101/b10777/protdata.htm#1006312)

NEW QUESTION 7

Which two statements are true about the Oracle Data Integrator Software Development Kit (ODI SDK)?(Choose two.)

- A. It enables developers to execute most ODI operations through a Java program
- B. It can be used to embed ODI processes into another product
- C. It is used to load data between Teradata and Oracle
- D. It must be used by ETL developers to develop ODI processes

Answer: AD

Explanation:

(<https://foursconsultancy.wordpress.com/odi/oracle-data-integrator-12c-components/>)

NEW QUESTION 8

What must you set on the Definition tab of a variable to protect the variable value from being displayed in the Operator logs?(Choose the best answer.)

- A. Select the Secure Value check box
- B. Select the Hide Value check box
- C. Set the Keep History field to No History
- D. Leave the Default Value field empty

Answer: C

Explanation:

(<https://docs.oracle.com/middleware/1212/odi/ODIDG/procedures.htm#ODIDG464>)

NEW QUESTION 9

Your customer wants a project in ODI, which contains a user function, to translate commands with different syntax for different technologies but with the same functionality.

How can you achieve this?(Choose the best answer.)

- A. The project must be explicitly mapped within an ODI mapping
- B. A customized knowledge module is needed
- C. An ODI procedure must be associated with it
- D. It can be defined for every technology listed in the topology

Answer: D

Explanation:

(http://docs.oracle.com/cd/E23943_01/integrate.1111/e12643/procedures.htm#ODIDG464)

NEW QUESTION 10

Identify two correct exception behavior values for Run Scenario steps in load plans.(Choose two.)

- A. Run Exception and Restart
- B. Run Exception and Continue
- C. Run Exception and Ignore
- D. Run Exception and Fail
- E. Run Exception and Raise

Answer: CE

Explanation:

(<https://docs.oracle.com/middleware/1212/odi/ODIDG/loadplans.htm#ODIDG1350>)

NEW QUESTION 10

How does the data flow when moving records between two servers by using Database Links and an Agent installed on a middle-tier server?(Choose the best answer.)

- A. from the source database into flat files that are then loaded into the target database
- B. directly from the source database to the target database
- C. from the source database onto the server running the Agent and then into the target database
- D. from the source database into the machine running ODI Studio and then into the target database

Answer: B

Explanation:

(<https://docs.oracle.com/middleware/1213/odi/ODIUN.pdf> page 2-3)

NEW QUESTION 15

Which two statements are true about big data support in ODI?(Choose two.)

- A. ODI uses its own transformation engine to process data in a Hadoop cluster
- B. ODI performs data transformations inside a Hadoop cluster
- C. ODI must perform data transformations outside Hadoop in an Oracle database
- D. ODI allows moving data in and out of a Hadoop cluster

Answer: BD

Explanation:

(<https://docs.oracle.com/middleware/1213/odi/develop-app-adapters/hadoop.htm#ODIAA193>)

NEW QUESTION 19

Which two statements are true about ODI web-based components?(Choose two.)

- A. ODI Console allows administrators to edit users' information
- B. Enterprise Manager Cloud Control provides access to ODI data servers' settings
- C. ODI sessions can be monitored in Enterprise Manager Cloud Control
- D. ODI Console provides access to project and mapping details

Answer: AD

Explanation:

(<http://www.oracle.com/technetwork/middleware/data-integrator/overview/oracledi-architecture-1-129425.pdf>)

NEW QUESTION 22

How do you reuse a configuration of OdiSendMail across multiple packages?(Choose the best answer.)

- A. Add a sub-model to a package, set the Sub-model step to Journalizing Sub-model, and select the Extend Window and Lock Subscriber checkboxes
- B. Add an OdiSendMail step to a knowledge module
- C. Duplicate the OdiSendMail step into multiple packages
- D. Create a procedure with a step that uses OdiSendMail and add this procedure into multiple packages

Answer: D

Explanation:

(<https://blogs.perficient.com/oracle/2014/08/26/how-to-create-an-oracle-data-integrator-odi-package/>)

NEW QUESTION 23

You are working with delimited flat files and want to enforce a primary key on a flat file by using a Check Knowledge Modules (CKM). However, you encounter an error.

Why did this happen?(Choose the best answer.)

- A. It is not possible to enforce constraints on some technologies such as flat files and Java Messaging Service (JMS) queries
- B. It is not possible to enforce constraints on any technology
- C. It is only possible to forward-engineer it to the flat file definition
- D. It is possible to enforce a primary key on a flat file by using a CKM; however, you have to save it as a fixed file

Answer: D

Explanation:

(<http://www.oracle.com/technetwork/middleware/data-integrator/learnmore/odi-best-practice-data-warehouse-168255.pdf>)

NEW QUESTION 26

Which tables created by ODI contain error records?(Choose the best answer.)

- A. ERR\$
- B. ERROR\$
- C. ODI_ERR\$
- D. E\$

Answer: D

Explanation:

(<https://docs.oracle.com/middleware/1212/odi/ODIKD/ckm.htm#ODIKD925>)

NEW QUESTION 27

Which statement is true about the need to have a topology with an intermediate server, in order to use ODI correctly in a data warehouse project?(Choose the best answer.)

- A. Data transformation must be distributed across several scalable nodes
- B. It is mandatory to have an intermediate server

- C. It is better to load data directly from sources into a data warehouse serve
- D. It is mandatory to collect data directly from sources to a data warehouse server by using real time replication processe

Answer: C

NEW QUESTION 31

You want to deploy the generated code manually in a source or target server, before executing a mapping in ODI. How can you accomplish this?(Choose the best answer.)

- A. You need not deploy the generated code manually in a source or target serve
- B. ODI Agent coordinates the execution of commands prepared for the job, and executes them on the correct serve
- C. You must deploy the generated code manually in a source or target serve
- D. You must then compile the generated code and then double-check if the code prepared for the development server is the same as the code for the production serve
- E. You need not deploy the generated code manually in a source or target serve
- F. ODI prepares a package for the development environmen
- G. You must deploy the generated code manually in a source or target serve
- H. You must copy all procedures generated into the development, test, and production server

Answer: A

Explanation:

(<https://docs.oracle.com/middleware/1212/odi/ODIDG/intro.htm#ODIDG149>)

NEW QUESTION 36

How should you define the Work Schema of a Physical Schema?(Choose the best answer.)

- A. Use a dedicated schema such asODI_STAGIN
- B. UseTEM
- C. Use the same schema as the Data Schem
- D. Use SYSTE

Answer: A

Explanation:

(<http://www.rittmanmead.com/2014/12/data-integration-tips-one-data-server/>)

NEW QUESTION 41

As part of your QA process you want to view code at the Step level in Operator. How must you proceed?(Choose the best answer.)

- A. It is only possible to see code at the Session leve
- B. It is only possible to view code at the Task leve
- C. Depending on the audit level declared when running the execution, some of the generated code at the step level can be viewe
- D. All generated code can be viewed together at the step level, with a complete list of executed cod

Answer: A

Explanation:

(<https://docs.oracle.com/middleware/1212/odi/ODIDG/debugging.htm#ODIDG1641>)

NEW QUESTION 43

Identify two correct statements about reusable Mappings.(Choose two.)

- A. They can have generic input and output signature
- B. They contain both a Logical and Physical Mapping desig
- C. They can be used within regular Mapping
- D. They can be executed directl
- E. They can be shared across project

Answer: AB

Explanation:

(<https://docs.oracle.com/middleware/1212/odi/ODIDG/mappings.htm#ODIDG1617>)

NEW QUESTION 47

You are defining a data store in ODI metadata and want toadd a primary key even if it does not physically exist on the related database catalog. How can you accomplish this?(Choose the best answer.)

- A. You can add a primary key even if it does not physically exist on the related database catalog, by adding constraintson the data stor
- B. You can add a primary key even if it does not physically exist on the related database catalog, by adding constraints to the data store diagra
- C. You cannot add a primary key if it does not physically exist on the related database catalo
- D. You can flag only non-null conditions to be checke
- E. You cannot add a primary key if it does not physically exist on therelated database catalo
- F. You can reverse engineer only the existing constraint

Answer: D

Explanation:

(<https://docs.oracle.com/middleware/1212/odi/ODIKM/teradata.htm#ODIKM1061>)

NEW QUESTION 52

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 1Z0-448 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 1Z0-448 Product From:

<https://www.2passeasy.com/dumps/1Z0-448/>

Money Back Guarantee

1Z0-448 Practice Exam Features:

- * 1Z0-448 Questions and Answers Updated Frequently
- * 1Z0-448 Practice Questions Verified by Expert Senior Certified Staff
- * 1Z0-448 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 1Z0-448 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year