

Exam Questions 1Z0-447

Oracle GoldenGate 12c Implementation Essentials

<https://www.2passeasy.com/dumps/1Z0-447/>



NEW QUESTION 1

GoldenGate has cached long-running open transactions to disk for an Oracle database. Where can you locate them?

- A. in the checkpoint file area
- B. in the trail files area
- C. in the server temporary file system
- D. in the bounded recovery area

Answer: C

NEW QUESTION 2

You must synchronize the starting point for Replicat with the restore point of the target database. How should you accomplish this?

- A. Use the command optionAFTERCSN.
- B. Use the command optionATCSN.
- C. Use the command optionUNTIL CANCEL.
- D. Use the command optionRESUME.

Answer: A

NEW QUESTION 3

What is the name and the location of the file that lists the key values used by extract for encryptions and Server Collector for decryption?

- A. KEYGEN file in the GoldenGate data location
- B. COBGEN file in the GoldenGate installation location
- C. GGSKEY file in the GoldenGate data location
- D. GGSKEY file in the GoldenGate installation location
- E. ENCKEYS file in the GoldenGate installation location

Answer: E

NEW QUESTION 4

Which three are valid Extract or Replicat statements using the @RANGE function for an Acct table with a Primary Key on the AccountID column? (Select three.)

- A. MAP sales.acct, TARGET sales.acct, FILTER (@RANGE (2, 3, AccountID));
- B. MAP sales.acct, TARGET sales.acct, FILTER (@RANGE (1, 3, ID));
- C. TABLE fin.Sales, FILTER (@RANGE (1, 2));
- D. FILTER (@RANGE (2, 2, AccountID));
- E. FILTER (@RANGE 2, 2, ID);

Answer: ABC

NEW QUESTION 5

In which process should you configure the warning for long-running transactions?

- A. Jagent
- B. Extract
- C. Replicat
- D. Manager

Answer: B

NEW QUESTION 6

If multiple GoldenGate processes are accessing a set of trail files which of the processes should include the PURGEOLDEXTRACTS parameter to trigger trail file clean up?

- A. Manager
- B. Extract
- C. Replicat
- D. Both Extract and Replicat

Answer: A

Explanation:

In reference guide, page 256, and I quote "If multiple groups are reading the same set of trail files, one process could purge a file before another is finished with it. Instead, use theManager version of PURGEOLDEXTRACTS, which is the preferred use of the parameter in all GoldenGate configurationsbecause it allows you to manage trail files in a centralized fashion."

NEW QUESTION 7

What is the key purpose of GoldenGate trail files?

- A. They are a persistent storage area for captured transactions.
- B. They are configuration files for the GoldenGate processes.
- C. They are checkpoint files for the GoldenGate processes.

D. They are database auditing logs where GoldenGate captures changes.

Answer: C

NEW QUESTION 8

If multiple GoldenGate processes are accessing a set of trail files, which process should include the PURGEOLDEXTRACTS parameter to trigger trail file clean-up?

- A. Manager
- B. Replicat
- C. Extract
- D. Extract and Replicat

Answer: A

NEW QUESTION 9

You must implement GoldenGate in a secure environment. How should you proceed in order to protect GoldenGate data from theft?

- A. Implement trail file encryption.
- B. Ensure that passwords are encrypted.
- C. Ensure that network communications are encrypted.
- D. Ensure that table-level Transparent Data Encryption is implemented.

Answer: D

NEW QUESTION 10

Which combination of DBMS, Extract, and GoldenGate version is required to avoid using a DDL trigger?

- A. Oracle Database 11.2.0.3 or greater, Integrated Extract, and GoldenGate 12.1 or greater
- B. any version of Oracle Database, Integrated Extract, and GoldenGate 11.2 or greater
- C. Oracle Database 11.2.0.4 or greater, Integrated Extract, and GoldenGate 12.1 or greater
- D. Oracle Database 12c or greater, Integrated Extract, and GoldenGate 11.2 or greater

Answer: C

NEW QUESTION 10

Which statement is valid for DDL replication?

- A. GoldenGate User Exits are not supported for DDL.
- B. Source and target objects can be different.
- C. Target objects can be different from source when usingSOURCEDEFSin Replicat.
- D. It can useWILDCARDRESOLVE IMMEDIATE.

Answer: B

NEW QUESTION 14

Which three are required to correctly configure an OGG?

- A. A maximum file size
- B. An extract process
- C. A trail file identifier
- D. Designation as local or remote

Answer: BCD

NEW QUESTION 19

Which three types of information are stored in the GoldenGate trial header?

- A. Before or after image indicator
- B. Data type (e.
- C. integer, alphanumeric)
- D. Relative byte address of the commit record
- E. Time of the transaction

Answer: ABC

NEW QUESTION 21

Which three are types of encryption supported by OGG?

- A. Parameter file encryption
- B. Password
- C. Trial file encryption
- D. Message encryption

Answer: ABC

NEW QUESTION 22

You want to increase parallelism for greater integrated Replicat throughput while preserving the original transaction atomicity. How can you achieve this?

- A. You can configure integrated Replicat with two parallel apply servers.
- B. You can configure integrated Replicat with two parallel child servers.
- C. You can configure integrated Replicat with theSPECIALRUNparameter.
- D. You can configure integrated Replicat withASSUMETARGETDEFSandSPECIALRUNparameters.

Answer: A

NEW QUESTION 26

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 1Z0-447 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 1Z0-447 Product From:

<https://www.2passeasy.com/dumps/1Z0-447/>

Money Back Guarantee

1Z0-447 Practice Exam Features:

- * 1Z0-447 Questions and Answers Updated Frequently
- * 1Z0-447 Practice Questions Verified by Expert Senior Certified Staff
- * 1Z0-447 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 1Z0-447 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year