

MuleSoft

Exam Questions MCD-Level-1

MuleSoft Certified Developer - Level 1 (Mule 4)



NEW QUESTION 1

How would you debug Mule applications?

- A. Using breakpoints
- B. Checking RAML
- C. By Deploying apps on production
- D. Cannot do it

Answer: A

NEW QUESTION 2

What is the difference between a subflow and a sync flow?

- A. Sync flow has no error handling of its own and subflow does
- B. Subflow has no error handling of its own and sync flow does.
- C. Subflow is synchronous and sync flow is asynchronous.
- D. No difference.

Answer: B

NEW QUESTION 3

What is the object type returned by the File List operation?

- A. Object of String file names
- B. Array of String file names
- C. Object of Mule event objects
- D. Array of Mule event objects

Answer: D

NEW QUESTION 4

DataWeave is tightly integrated with _____.

- A. Mule runtime
- B. All APIs
- C. Flow Designer
- D. Exchange

Answer: A

NEW QUESTION 5

An API has been created in Design Center.
What is the next step to make the API discoverable?

- A. Deploy the API to a Maven repository.
- B. Publish the API from inside flow designer.
- C. Publish the API to Anypoint Exchange.
- D. Enable autodiscovery in API Manager.

Answer: C

NEW QUESTION 6

What is the use of DevKit in Mule 4?

- A. Facilitates communication between third-party systems and Mule applications.
- B. No use.
- C. Offers connector end user support in a few aspects of Mule app design.
- D. Enables the development of Anypoint Connectors.

Answer: B

NEW QUESTION 7

What are the latest specification of RAML available?

- A. 0.8
- B. 1
- C. 2
- D. 1.8

Answer: B

NEW QUESTION 8

<http://dev.acme.com/api/patients?year=2016>

What should this endpoint return?

- A. Patient with id 2016
- B. All patients
- C. No patients
- D. Patients from year 2016

Answer: D

NEW QUESTION 9

According to MuleSoft, what is the Center for Enablement's role in the new IT operating model?

- A. Implements line of business projects to enforce common security requirements.
- B. Centrally manages partners and consultants to implement line of business projects.
- C. Implements line of business projects to enforce common security requirements.
- D. Creates and manages discoverable assets to be consumed by line of business developers.

Answer: D

NEW QUESTION 10

A flow has a JMS Publish consume operation followed by a JMS Publish operation. Both of these operations have the default configurations. Which operation is asynchronous and which one is synchronous?

- A. Publish consume: Synchronou
- B. Publish: Asynchronous.
- C. Publish consume: Asynchronou
- D. Publish: Synchronous.
- E. Publish consume: Asynchronou
- F. Publish: Asynchronous.
- G. Publish consume: Synchronou
- H. Publish: Synchronous.

Answer: A

NEW QUESTION 10

What is the purpose of API autodiscovery?

- A. Enables API Manager to discover the published API on Anypoint Exchange.
- B. Allows a deployed Mule application to connect with API Manager to download policies and act as its own API proxy.
- C. Enables an API to be directly managed in API Manager.
- D. Allows the Mule application to be automatically discovered on Anypoint Exchange.

Answer: B

NEW QUESTION 13

Why would you use SOAP instead of http?

- A. If the architecture mandates.
- B. It is up to the integration specialist.
- C. Successful/retry logic for reliable messaging functionality.
- D. It is part of agile methodology.

Answer: C

NEW QUESTION 15

What does the Mule runtime use to enforce policies and limit access to APIs?

- A. API Manager
- B. The proxy created by API Manager
- C. The Mule runtime's embedded API Gateway
- D. Anypoint Access Control

Answer: C

NEW QUESTION 18

What is the correct syntax to reference a fragment in RAML?

- A. examples: #include examples/BankAccountsExample.raml
- B. examples: \$include examples/BankAccountsExample.raml
- C. examples: ?include examples/BankAccountsExample.raml
- D. examples: !include examples/BankAccountsExample.raml

Answer: D

NEW QUESTION 19

How would you debug Mule applications?

- A. By Deploying apps on production
- B. Checking RAML
- C. Using logger component
- D. Cannot do it

Answer: C

NEW QUESTION 24

What HTTP method in a RESTful web service is typically used to completely replace an existing resource?

- A. GET
- B. PATCH
- C. POST
- D. PUT

Answer: D

NEW QUESTION 28

What module and operation will throw an error if a Mule event's payload is not a number?

- A. Validation module's Is number operation
- B. Filter module's Is number operation
- C. None of these
- D. Validation module's Is not a number operation

Answer: A

NEW QUESTION 31

What does the minus operator do in DataWeave?

- A. Decrements the value by one.
- B. Removes items from a list.
- C. Increments the value by one.
- D. Removes characters from a string.

Answer: B

NEW QUESTION 34

Does a root element need when creating a response using Dataweave?

- A. None of these
- B. Sometimes
- C. Never
- D. Always

Answer: B

NEW QUESTION 37

What DataWeave 2.0 type can be used as input to a map operation?

- A. Object
- B. Array
- C. String
- D. Map

Answer: B

NEW QUESTION 40

Anypoint MQ FIFO queues are limited to how many in flight messages per queue?

- A. 120000
- B. 10
- C. 100
- D. 1000Correct

Answer: B

NEW QUESTION 44

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

MCD-Level-1 Practice Exam Features:

- * MCD-Level-1 Questions and Answers Updated Frequently
- * MCD-Level-1 Practice Questions Verified by Expert Senior Certified Staff
- * MCD-Level-1 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MCD-Level-1 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The MCD-Level-1 Practice Test Here](#)