

HPE2-T36 Dumps

Using HPE OneView

<https://www.certleader.com/HPE2-T36-dumps.html>



NEW QUESTION 1

A customer has a single BladeSystem environment running Virtual Connect and VMware ESXi. The customer wants to manage the enclosure with HPE OneView. What must the customer consider?

- A. The Management Ring cannot talk to the production VLAN.
- B. The HPE OneView appliance cannot reside in an enclosure it manages.
- C. Virtual Connect Enterprise Manager (VCEM) is not supported with VMware.
- D. HPE OneView for VMware vCenter is licensed separately at an additional cost.

Answer: B

NEW QUESTION 2

A customer has a mixture of Gen8 and newer DL and BL devices. They want to enable support automation and run inventory reports on their devices. They are currently using Insight Control but are considering HPE OneView. They can't have any downtime on the devices if they change management strategies. What option is most efficient for them?

- A. Move to HPE OneView Advanced with Remote Support enabled.
- B. Move to HPE OneView Standard with Remote Support enabled.
- C. Stay on Insight Control and activate a Proactive Care contract.
- D. Stay on Insight Control and enable Insight Online.

Answer: A

NEW QUESTION 3

When deploying the HPE OneView virtual appliance in a VMware ESXi environment, what disk format does HPE recommend to use?

- A. Thick Provision Lazy Zeroed
- B. Full Provision
- C. Thick Provision Eager Zeroed
- D. Thin Provision

Answer: C

NEW QUESTION 4

Your customer reports receiving an error after re-configuring some uplink sets. The error states that their Logical Interconnects are non-compliant with the Logical Interconnect Group. What must they do to clear this error?

- A. Delete the affected Logical Interconnect Group and recreate it.
- B. Go to HPE OneView Dashboard to acknowledge the error.
- C. Update the Enclosure Group configuration with the new uplink set information.
- D. Go to Logical Interconnect and select "update" from the group options.

Answer: D

NEW QUESTION 5

What is the recommended process order for configuring a c-Class BladeSystem in HPE OneView?

Processes	Correct Order
add enclosure	1
create and assign Server Profiles from template	2
create Enclosure Group (EG)	3
create Logical Interconnect Group (LIG)	4
create networks	5
create Server Profile Template	6

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Processes

add enclosure
create and assign Server Profiles from template
create Enclosure Group (EG)
create Logical Interconnect Group (LIG)
create networks
create Server Profile Template

Correct Order

create networks
create Logical Interconnect Group (LIG)
create Enclosure Group (EG)
add enclosure
create Server Profile Template
create and assign Server Profiles from template

NEW QUESTION 6

You have a new HPE BladeSystem C7000 enclosure to add to your existing HPE OneView appliance as a managed resource. What is the proper PowerShell Cmdlet to achieve this task?

- A. Add-HPOVEnclosure –Hostname 192.168.1.100 –Username Administrator –Password MyP@ssw0rd
- B. Add-HPOVServer –Hostname 192.122.8.189 –Username Administrator –Password MyP@ssw0rd
- C. New-HPOVLogicalEnclosure –Name 192.122.8.189
- D. Add-HPOVPowerDevice –Hostname 192.168.1.100 –Username admin –Password MyP@ssw0rd

Answer: A

NEW QUESTION 7

You want to get a list of all servers and their serial number from every Synergy enclosure in the "OneView-Prod" Instance. You decide to use the HPE OneView PowerShell Library. What Is the first command you should run?

- A. Get-HPOVDataCenter
- B. Get-HPOVEnclosure
- C. Connect-HPOVMgmt
- D. Get-HPOVEnclosureGroup

Answer: C

NEW QUESTION 8

What are benefits of using templates with HPE OneView? (Select two.)

- A. to define a standard configuration for storage volumes
- B. to prepare configuration objects that can be easily reused or quickly modified
- C. displays the volumes that are managed by HPE OneView
- D. allow for REST API functions to be used on third party systems
- E. specific WWN and MAC addresses assigned to each server

Answer: AB

NEW QUESTION 9

Match the HPE OneView element to its function.

Element

metric streaming message bus (MSMB)
RESTful API
state change message bus (SCMB)

Function

Used by message bus consumers to carry out CRUD operations

Provide information about changes in managed resources

Provide temperature, power, or CPU utilization for managed resources

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Element	Function
metric streaming message bus (MSMB)	Used by message bus consumers to carry out CRUD operations
RESTful API	
state change message bus (SCMB)	Provide information about changes in managed resources
	Provide temperature, power, or CPU utilization for managed resources

NEW QUESTION 10

A customer has a four node ESXi cluster. They update drivers via vCenter Update Manager and want use HPE OneView Server Profile Templates to update the firmware while the systems are online. Click on the place they should select within the server profile template to update the firmware while the systems are online.

Edit
ESXi on BL460c Gen9
Server Profile ▾

Server Profile

Firmware

Firmware baseline

Installation Method

Activate firmware

Service Pack for ProLiant version 2017.04.0 ▾

☐ Force installation

☒ Firmware and OS Drivers using Smart Update Tools
☐ Firmware only using Smart Update Tools
☐ Firmware only

☐ Immediately ☐ At a scheduled date and time ☐ Not scheduled

Changed: Firmware baseline to "Service Pack for ProLiant version 2017.04.0"

OK
Cancel

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Edit
ESXi on BL460c Gen9
Server Profile ▾

Server Profile

Firmware

Firmware baseline

Installation Method

Activate firmware

Service Pack for ProLiant version 2017.04.0 ▾

☒ Force installation

☒ Firmware and OS Drivers using Smart Update Tools
☐ Firmware only using Smart Update Tools
☐ Firmware only

☐ Immediately ☐ At a scheduled date and time ☐ Not scheduled

Changed: Firmware baseline to "Service Pack for ProLiant version 2017.04.0"

OK
Cancel

NEW QUESTION 10

When deploying an HPE OneView virtual appliance in a Microsoft Hyper-V environment, what is the HPE recommendation related to virtual machine disk

properties?

- A. Convert the disk to fixed size.
- B. Create the disk as fixed size.
- C. Create the disk as dynamically expanding.
- D. Convert the disk to dynamically expanding.

Answer: B

NEW QUESTION 11

How can HPE OneView help with power management within a datacenter?

- A. by automatically adjusting cooling devices based on calculated heat generation
- B. by disabling servers which are consuming too much power
- C. by providing data center thermal visualization
- D. by enabling power source selection for a specific frame

Answer: C

NEW QUESTION 15

Your customer is planning to use HPE OneView to manage the following environment:

- 4 HPE BladeSystem c7000 enclosures with BL460c Gen10 and Virtual Connect modules
- 20 HPE ProLiant DL380 Gen10 servers
- 1 HPE 3PAR StoreServ array

Which components will need an HPE OneView license? (Choose two.)

- A. 3PAR array
- B. DL380 Gen10 servers
- C. BL460c Gen10 server blades
- D. c7000 enclosures
- E. Virtual Connect modules

Answer: BC

NEW QUESTION 19

After a HPE BL460c Gen10 server failure, the system operator quickly replaces the failed server with a new one in the same Day. However, the server profile does not get applied automatically. What may have prevented the profile from being applied?

- A. The Volume Template properties are locked.
- B. The server profile attribute is set to "Occupied".
- C. The firmware "Force installation" option is selected.
- D. The affinity value is set to "device bay + server hardware".

Answer: D

NEW QUESTION 21

An administrator is creating a volume template in HPE OneView to manage storage volumes on an HPE 3PAR StoreServ storage system. In addition to the file storage pool and capacity, which parameters in the template must the administrator specify? (Choose two.)

- A. provisioning type
- B. drive type
- C. sharing mode
- D. storage type
- E. deduplication method

Answer: AC

NEW QUESTION 25

Which HPE and VMware integration are you licensed to use with the HPE OneView Advanced license? (Choose two.)

- A. VMware vRealize Log Insight
- B. VMware vRealize Operations Manager
- C. VMware vRealize Network Insight
- D. VMware ACE
- E. VMware NSX

Answer: AB

NEW QUESTION 26

How does HPE OneView identify the revision of each resource when using REST APIs?

- A. with an eTag for each resource
- B. with a resource revision included in the SSH header
- C. with a Uniform Resource Identifier (URI) for each resource
- D. with direct access requests to the HPE OneView database

Answer: C

NEW QUESTION 29

Which technology does HPE OneView use to discover HPE ProLiant DL, ML, and Apollo servers automatically?

- A. Management Ring discovery protocol
- B. IP range pinging
- C. VXLAN discovery
- D. IP Hash load balancing

Answer: B

NEW QUESTION 32

What type of default certificate is automatically generated in an HPE OneView appliance?

- A. no certificate is pre-installed
- B. CA generated
- C. self signed
- D. PKI

Answer: C

NEW QUESTION 33

Which component of HPE OneView provides information about temperature and CPU utilization for managed resources?

- A. insight online (IO)
- B. integrated lights out (iLO)
- C. state change message bus (SCMB)
- D. metric streaming message bus (MSMB)

Answer: C

NEW QUESTION 38

Refer to the exhibit.

The screenshot shows the HPE OneView interface. At the top, there is a search bar and navigation tabs for 'Server Hardware', 'All statuses', 'All scopes', and 'All labels'. Below this, there is a table of server hardware. The table has columns for Name, Server Name, Server Profile, and Model. The first row is highlighted in green, showing a server with IP 172.18.6.15, model DL360p Gen8. The second row is highlighted in blue, showing a server with IP 172.18.6.16, model DL380p Gen8. To the right of the table, there is a detailed view of the selected server (172.18.6.16). This view shows various attributes such as Server name, State, Server profile, Server power, Model, Server hardware type, Product ID, Serial number, License, UUID, and iLO details (Host name, IPv4, IPv6).

Name	Server Name	Server Profile	Model
172.18.6.15	not set	n/a	DL360p Gen8
172.18.6.16	not set	none	DL380p Gen8
172.18.6.31	not set	n/a	DL360 Gen9
172.18.6.32	not set	none	DL380p Gen8
End1, bay1	not set	Splunk 1	BL660c Gen9
End1, bay2	not set	Splunk 2	BL660c Gen9
End1, bay3	not set	none	BL460c Gen8
End1, bay4	not set	none	BL460c Gen8
End1, bay5	not set	none	BL460c Gen8

Hardware	
Server name	not set
State	No Profile Applied
Server profile	Create profile
Server power	On
Model	ProLiant DL380p Gen8
Server hardware type	DL380p Gen8 1
Product ID	603718-G21
Serial number	MXQ1000307
License	HPE OneView Advanced
UUID	37333036-3831-584D-5131-303030333037
iLO	<div>Host name</div> <div>IPv4</div> <div>IPv6</div>
	<div>172.18.6.16</div> <div>172.18.6.16</div> <div>fe80:0:0:2::fe03:10 Link-local</div>

A customer is having issues assigning a server profile to a DL380 Gen8. Using the following figure, what is the most likely cause preventing the server profile from being assigned?

- A. The server name is not set.
- B. The server is in monitored mode.
- C. Server Profiles are not supported on DL servers.
- D. The server is powered on.

Answer: D

NEW QUESTION 40

Which HPE OneView integration points are available within System Center with the HPE OneView Advanced License? (Choose two.)

- A. Service Manager
- B. Azure Resource Manager
- C. Operations Manager
- D. Data Protection Manager
- E. Virtual Machine Manager

Answer: CE

NEW QUESTION 45

A customer would like to apply a server profile to the server in the exhibit. What is the first action they must take to successfully apply the server profile?

Model	Synergy 480 Gen10
Server hardware type	<u>SY 480 Gen10 - CNA + SmartArray</u>
Serial number	CN771102T9
iLO address	<u>ILOCN771102T9</u>

Ports >

Slot	Model	Port	Interconnect
Mezzanine 1	HPE Smart Array P416ie-m SR G10	1	<u>Rack2-Top-CN7YF38GZBGO.interconnect.1</u>
		2	<u>Rack2-Top-CN7YF38GZBGO.interconnect.4</u>
Mezzanine 2	empty		none
Mezzanine 3	Synergy 3820C 10/20Gb CNA	1	<u>Rack2-Top-CN7YF38GZBGO.interconnect.3</u>
		2	<u>Rack2-Top-CN7YF38GZBGO.interconnect.6</u>

- A. Apply the correct HPE OneView license
- B. Power off the server
- C. Click on the server hardware type.
- D. Click on the create profile hyperlink.

Answer: B

NEW QUESTION 48

Besides SPP's (Service Pack for HPE ProLiant), what else can be uploaded to the firmware repository section in the HPE OneView UI?

- A. operating system patch
- B. third party drivers
- C. Support Dump
- D. Smart Component

Answer: D

NEW QUESTION 51

Match the HPE OneView element to its function.

ELEMENT		FUNCTION
server profile	define server configurations once and provision or update many times	
server profile template	used to simplify and standardize server connections	
network set	specified server configuration that enables quickly bringing new server hardware under management	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

ELEMENT		FUNCTION
server profile	define server configurations once and provision or update many times	server profile
server profile template	used to simplify and standardize server connections	network set
network set	specified server configuration that enables quickly bringing new server hardware under management	server profile template

NEW QUESTION 53

How are HPE OneView Advanced licenses administered?

- A. per bay
- B. per socket
- C. per physical server
- D. per Virtual Connect Domain

Answer: C

NEW QUESTION 56

Refer to the exhibit.

Create Logical Interconnect Group

General

General

Name

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type

Virtual Connect SE 40Gb F8 Module for Synergy

Enclosure count

1

Interconnect bay set

3

Redundancy

Redundant

Non-redundant (A-side only)

Non-redundant (B-side only)

Select interconnects

Create

Create +

Cancel

A solution architect is setting up a Synergy configuration for a customer. The customer wants their redundancy level to be Highly Available. What is preventing this option from being available for the customer?

- A. Synergy doesn't support an HA fabric configuration on the Virtual Connect SE 40GB F8 module for Synergy.

- B. HA is not supported in Interconnect Bay set 3.
- C. HA requires multiple frames in the fabric domain.
- D. HA is only supported in mixed speed environments.

Answer: C

NEW QUESTION 57

Match each task or environment with the most common approach for using HPE OneView. (Matches may be used more than once.)

Answer Area

<div style="border: 1px solid black; padding: 5px; display: inline-block; margin-right: 10px;">API</div> <div style="border: 1px solid black; padding: 5px; display: inline-block;">GUI</div>	<div>Traditional NetOps business model simplifying infrastructure lifecycle management. <div style="border: 1px solid black; width: 80px; height: 30px; display: inline-block; vertical-align: middle;"></div></div> <div>DevOps environment that wants to accelerate application delivery. <div style="border: 1px solid black; width: 80px; height: 30px; display: inline-block; vertical-align: middle;"></div></div> <div>Automating management tasks through scripting. <div style="border: 1px solid black; width: 80px; height: 30px; display: inline-block; vertical-align: middle;"></div></div> <div>Enhancing the interaction and collaboration between IT staff. <div style="border: 1px solid black; width: 80px; height: 30px; display: inline-block; vertical-align: middle;"></div></div> <div>Integrating with service desk ticketing function <div style="border: 1px solid black; width: 80px; height: 30px; display: inline-block; vertical-align: middle;"></div></div>
---	--

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

<div style="border: 2px dashed green; padding: 5px; display: inline-block; margin-right: 10px;">API</div> <div style="border: 2px dashed green; padding: 5px; display: inline-block;">GUI</div>	<div>Traditional NetOps business model simplifying infrastructure lifecycle management. <div style="border: 1px solid black; padding: 2px 10px;">GUI</div></div> <div>DevOps environment that wants to accelerate application delivery. <div style="border: 2px dashed red; padding: 2px 10px;">API</div></div> <div>Automating management tasks through scripting. <div style="border: 2px dashed red; padding: 2px 10px;">API</div></div> <div>Enhancing the interaction and collaboration between IT staff. <div style="border: 2px dashed red; padding: 2px 10px;">GUI</div></div> <div>Integrating with service desk ticketing function <div style="border: 2px dashed red; padding: 2px 10px;">GUI</div></div>
---	--

NEW QUESTION 62

An administrator wants to create new volumes using a server profile. What limitations must the administrator consider?

- A. Only private volumes can be created through a server profile.
- B. Volumes created through the server profile cannot be bigger than 1TB.
- C. A volume template must be used to create new volumes using server profile.
- D. Creating shared volumes using server profiles is possible only with Flat SAN implementation.

Answer: A

NEW QUESTION 67

Which parameter does the server profile assign to a Flex-10 adapter in a blade server profile?

- A. MAC address
- B. Hardware iSCSI initiator name
- C. WWN
- D. iLO IP address

Answer: A

NEW QUESTION 70

Your customer has multiple c7000 enclosures that will be managed using HPE OneView. At what stage is the license type selected for the enclosures?

- A. after enclosure is updated to the selected firmware baseline
- B. when adding the enclosure to the HPE OneView
- C. when at least one profile is created for this enclosure
- D. after all components are properly discovered in HPE OneView

Answer: D

NEW QUESTION 73

Match the HPE OneView interconnect module state to its definition. (Not all states will be used.)

STATE	DEFINITION
Configured	<input type="text"/> The interconnect module is undergoing a procedure and any configuration changes are queued for later application.
Configuring	<input type="text"/> The module in the interconnect bay is not configured
Unmanaged	<input type="text"/> The module in the interconnect bay is not supported
Inventory	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

STATE	DEFINITION
Configured	<input type="text"/> The interconnect module is undergoing a procedure and any configuration changes are queued for later application.
Configuring	<input type="text"/> The module in the interconnect bay is not configured
Unmanaged	<input type="text"/> The module in the interconnect bay is not supported
Inventory	

NEW QUESTION 77

Your customer wants to acquire HPE OneView Advanced licenses for servers they plan to purchase in the future. They would like a pay-as –you-go approach in which they only pay for the licenses as they are used. Which HPE licensing feature addresses this customer's request?

- A. Activation Key Agreement
- B. iLO Advanced
- C. Tracking license
- D. GNU license

Answer: A

NEW QUESTION 80

A customer is preparing their environment for a new two frame Synergy configuration. They have deployed an HPE OneView virtual appliance on ESXi and are not able to discover the new Synergy frames. What is preventing the discovery of the Synergy frames?

- A. Synergy isn't supported with the HPE OneView appliance.
- B. The IPv6 address of the Frame Link module is entered incorrectly.
- C. The x.509 certificates aren't authenticating with the HPE OneView appliance.
- D. The management ring isn't cabled properly.

Answer: A

NEW QUESTION 85

Which HPE tool can be integrated with HPE OneView to provision ToR switch ports automatically for newly added BladeSystem enclosures?

- A. StoreServ Management Console
- B. Synergy Composer
- C. Onboard Administrator
- D. Global Dashboard
- E. Intelligent Management Console

Answer: E

NEW QUESTION 89

Your customer needs to downgrade the firmware on a number of blades because they experienced issues with the current firmware. The customer modifies the server profile to the required firmware baseline and selects update, but the firmware downgrade is not successful. What step needs to be taken to ensure the firmware downgrade is applied?

- A. Set the firmware baseline to "Managed Manually"

- B. Select the “Force installation” option to downgrade the firmware
- C. Create and assign a new server profile for the affected servers
- D. Contact HPE support to obtain a one-time password to enable firmware downgrade

Answer: B

NEW QUESTION 94

Which REST API headers are recommended when creating a new Ethernet network? (Choose two.)

- A. Content-Type
- B. X-API-Version
- C. Accept-Language
- D. Accept-CharSet

Answer: AD

NEW QUESTION 97

Refer to the exhibit.

A server administrator wants to receive all the critical and warning alerts related to server using the profile “APPSRV 2”. What needs to be entered into the “Alert criteria” textbox to receive the right email alerts?

- A. status: critical or status: warning profile:”APPSRV 2”
- B. status:critical status:warning “APPSRV 2”
- C. status: critical or warning “APPSRV 2”
- D. “APPSRV 2”.:” needs attention”

Answer: B

NEW QUESTION 99

What is a benefit of using HPE OneView UI instead of the REST API when configuring secure boot in a server profile?

- A. Secure boot configuration via REST API is not supported on HPE ProLiant rack servers
- B. HPE OneView automatically disables invalid combinations of settings
- C. REST API does not return configuration validation
- D. Not all configuration settings are available via the REST API

Answer: B

NEW QUESTION 103

A server administrator wants to prevent excessive unknown destination frames from affecting the network performance of Synergy compute modules. Which HPE OneView setting at the Logical Interconnect Group level can help?

- A. SNMPv3
- B. loop protection
- C. storm control
- D. IGMP snooping

Answer: C

NEW QUESTION 105

How does HPE OneView simplify infrastructure management? (Choose two.)

- A. Provides unified platform that supports management across compute, storage, and fabric
- B. Provides industry leading infrastructure security through hardware root of trust
- C. Manages physical servers and virtual machines
- D. Provides integrations with 3rd party infrastructure automation tools through an API driven interface

Answer: AD

NEW QUESTION 107

Which actions can be taken on alerts in the Activity page in HPE OneView?

- A. re-send email notification for specific alerts
- B. delete alerts
- C. assigning alerts to a specific user
- D. mark an alert as fixed

Answer: C

NEW QUESTION 111

A server administrator is integrating HPE OneView authentication with Active Directory and needs to add read-only access to members of a domain group. Which steps are part of the procedure? (Choose two.)

- A. Add the domain group in Users and Groups menu.
- B. Define the Active Directory domain and associated directory server(s) in Directory settings.
- C. Add the domain group as Base DN in Directory settings.
- D. Add the domain group as Organization Unit in Directory settings.
- E. Add the Active directory server in Users and Groups menu.

Answer: BE

NEW QUESTION 116

What is the best place to find installed firmware for all systems managed by HPE OneView?

- A. HPE Service Pack for HPE ProLiant
- B. HPE OneView predefined reports
- C. HPE Insight Online
- D. HPE OneView for Microsoft System Center

Answer: A

NEW QUESTION 120

A system administrator needs to update the firmware in all Virtual Connect Flex-10/10D modules. This needs to be done during a maintenance window, when the servers are powered off. Which firmware activation setting performs the update in the shortest possible time?

- A. serial
- B. custom
- C. parallel
- D. odd/even

Answer: C

NEW QUESTION 124

An administrator needs to add multiple BladeSystem c7000 enclosures to a new instance of HPE OneView. The enclosures are currently being monitored by a different instance of HPE OneView. What must the administrator do before beginning importing the enclosure to the new HPE OneView appliance?

- A. Delete the enclosure from the current OneView Appliance
- B. Edit the Enclosure license to be OneView Advanced
- C. Add Frame Link Module
- D. Add enclosure for management

Answer: C

NEW QUESTION 129

You need to add an HPE ProLiant DL380 Gen10 server to the HPE OneView appliance for monitoring. Which information is required to complete this task? (Choose two.)

- A. HPE OneView Advanced license
- B. firmware baseline
- C. iLO IP address
- D. Enclosure Group name
- E. iLO credentials

Answer: AB

NEW QUESTION 130

Exhibit:

Refer to the exhibit.



A server administrator is creating a new SAN-attached volume as a part of a server profile definition. What will happen to the volume when the server administrator deletes the profile two weeks later?

- A. The volume will be deleted from HPE OneView and kept at the StoreVirtual array.
- B. The volume will be kept in both HPE OneView and the StoreVirtual array, the presentation to the server will be removed from the array.
- C. The volume will be kept in both HPE OneView and the StoreVirtual array, the presentation to the server will be kept at the array.
- D. The volume will be deleted from both HPE OneView and the StoreVirtual array.

Answer: A

NEW QUESTION 135

What permissions are included with the user role: "Server profile operator"?

- A. update server profile templates
- B. delete server profiles
- C. create new server profiles
- D. update server profiles

Answer: D

NEW QUESTION 139

A customer is performing lifecycle management on their existing ESXi cluster. They edit the Server Profile Template for the ESXi cluster.

Edit ESXi on BL460c Gen9 Server Profile

Server Profile

Affinity Device bay

Firmware

Firmware baseline managed manually

Service Pack for ProLiant version 2017.04.0

Service Pack for ProLiant version 2017.07.1

Installation Method

☒ Firmware and OS Drivers using Smart Update Tools

☐ Firmware only using Smart Update Tools

☐ Firmware only

Activate firmware

☒ Immediately ☐ At a scheduled date and time ☐ Not scheduled

Connections

Changed: Firmware baseline to "Service Pack for ProLiant version 2017.04.0"

OK Cancel

What will happen to all of the server profiles associated with the template after selecting the "Service Pack for HPE ProLiant 2017.07.1" and clicking OK?

- A. All server hardware associated with the profiles will immediately do a graceful shutdown and boot into Intelligent Provisioning to update the firmware.
- B. The Smart Update Tools will immediately begin to update the firmware and drivers on the systems while the ESXi hosts are still online.
- C. All server profiles associated with the template will be marked as inconsistent with the template.
- D. HPE OneView for vCenter will launch vCenter Update manager to begin updating the systems within the ESXi cluster.

Answer: B

NEW QUESTION 141

A customer is interested in monitoring the hardware health of server blades in a c7000 enclosure equipped with Comware switches, and also wants to use iLO remote console. Which licensing option can you recommend as the lowest price level?

- A. HPE OneView Advanced without iLO Advanced
- B. HPE OneView Standard and iLO Advanced
- C. HPE OneView Advanced with iLO Advanced
- D. HPE OneView Standard and iLO Standard for BladeSystem

Answer: C

NEW QUESTION 142

What types of activities can be displayed in the Activity section of the HPE OneView UI? (Choose two.)

- A. tasks
- B. alerts
- C. connections
- D. deployments
- E. email notifications

Answer: AB

NEW QUESTION 144

What is the eTag attribute of resource objects used for?

- A. to identify the version of the IP protocol
- B. to identify the current revision of the resource
- C. to identify the server in a bay
- D. to identify the server profile assigned to a bay

Answer: B

NEW QUESTION 148

Which string value attribute provides information to the REST client about a resource revision?

- A. client cache
- B. URI
- C. eTag
- D. request header

Answer: C

NEW QUESTION 152

An administrator needs to restore an appliance that was recently updated. What does the administrator need keep in mind regarding restoring from a backup?

- A. The appliance can be restored only from the maintenance console.
- B. A successful appliance restore requires the password configured during backup.
- C. The appliance cannot be restored from a backup older than 180 days.
- D. An appliance can only be restored from a backup created on an appliance of the same version.

Answer: D

NEW QUESTION 157

A server administrator is integrating HPE OneView authentication with Active Directory and needs to add read-only access to members of a domain group. Which step is part of the procedure?

- A. Add the domain group as Organization Unit in Directory settings.
- B. Add the domain group as Base DN in Directory settings.
- C. Define the Active Directory domain and associated directory server(s) in Directory settings.
- D. Add the Active Directory server in Users and Group menus.

Answer: D

NEW QUESTION 160

You added an iPDU to an environment managed by HPE OneView. How will servers that are connected to this iPDU be added to HPE OneView?

- A. in an unmanaged state
- B. with the same state (monitored or managed) as the iPDU
- C. as managed devices if they have iLO Advanced license applied
- D. as monitored devices

Answer: C

NEW QUESTION 163

In HPE OneView, which server profile attributes are configurable on HPE ProLiant server blades but not on HPE ProLiant rack servers? (Choose two.)

- A. Boot order
- B. SAN storage
- C. BIOS settings
- D. Local storage
- E. FlexNICs and FlexHBAs

Answer: BE

NEW QUESTION 166

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your HPE2-T36 Exam with Our Prep Materials Via below:

<https://www.certleader.com/HPE2-T36-dumps.html>