

LPI

Exam Questions 201-450

LPIC-2 Exam 201 Part 1 of 2 version 4.5



NEW QUESTION 1

Which of the following is a side effect of extensive usage of swap space?

- A. The root filesystem may become full because swap space is always located on the system root partition.
- B. The overall system performance may degrade because of heavy hard disk use and memory reorganization.
- C. Since processes always exist completely in either RAM or swap, regular RAM may become unused if the kernel does not move processes back from the swap space to memory.
- D. The memory may become fragmented and slow down the access to memory page
- E. However, this can be kept to a minimum by the regular use of memfrag -d.
- F. Applications need to restart because their virtual memory addresses change to reflect memory relocation to the swap address area.

Answer: B

NEW QUESTION 2

In the following output, what percentage of time was the CPU waiting for pending I/O?

```
# vmstat 1 100
procs -----memory----- ---swap-- ----io---- --system-- ----cpu----
r b swpd free buff cache si so bi bo in cs us sy id wa
0 0 0 282120 134108 5797012 0 0 0 2 0 0 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1007 359 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1117 577 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1007 366 0 0 100 0
```

- A. 100
- B. 35.9
- C. 57.7
- D. 36.6

Answer: A

NEW QUESTION 3

In the below example output, which columns detail the percent of time the CPU spent running non-kernel code and the percent of time the CPU spent running kernel code? (Choose TWO correct answers.)

```
# vmstat 1 100
procs -----memory----- ---swap-- ----io---- --system-- ----cpu----
r b swpd free buff cache si so bi bo in cs us sy id wa
0 0 0 282120 134108 5797012 0 0 0 2 0 0 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1007 359 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1117 577 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1007 366 0 0 100 0
```

- A. id
- B. us
- C. wa
- D. sy

Answer: BD

NEW QUESTION 4

In capacity planning exercises, which tools assist in listing and identifying processes of interest? (Choose TWO correct answers.)

- A. acpid
- B. lsof
- C. pstree
- D. telinit

Answer: BC

NEW QUESTION 5

Which commands are used to load modules into the Linux kernel? (Choose TWO correct answers.)

- A. insmod
- B. loadmod
- C. kernload
- D. modprobe
- E. probemod

Answer: AD

NEW QUESTION 6

A database application requires a maximum shared memory segment (shmmax) of 2GB (2147483648 Bytes). Which configuration file should be modified to set this kernel parameter permanently? (Specify the full name of the file, including path.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/etc/sysctl.conf

NEW QUESTION 7

What is the purpose of the command udevadm monitor?

- A. It listens to kernel events produced by a udev rule and print information to the console.
- B. It monitors the /dev directory for new devices.
- C. It monitors the udev process and prints performance statistics to the console.
- D. It communicates with D-Bus to setup new devices.

Answer: A

NEW QUESTION 8

How can the kernel parameter for the maximum size of the shared memory segment (shmmax) be changed to 2GB (2147483648 Bytes) on a running system? (Choose TWO correct answers.)

- A. Edit /etc/shmmax and set the parameter to 2147483648.
- B. sysctl shmmax=2147483648
- C. sysctl kernel.shmmax=2147483648
- D. echo 2147483648 > /proc/sys/kernel/shmmax
- E. export kernel.shmmax=2147483648

Answer: CD

NEW QUESTION 9

After configuring a new kernel, what file under /usr/src/linux/ contains the configuration?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/usr/src/linux/.config, .config

NEW QUESTION 10

Which of the following command sequences can be used to extract files contained in a initramfs file (/boot/initramfs) which is used by the kernel at boot time?

- A. cp /boot/initramfs /tmp/initramfs.gz; gzip -c /tmp/initramfs.gz; mkdir /tmp/initramfs.dir ; cd/tmp/initramfs.dir ; cpio -i < /tmp/initramfs
- B. cp /boot/initramfs /tmp/initramfs.gz; gunzip /tmp/initramfs.gz; mkdir /tmp/initramfs.dir ; cd/tmp/initramfs.dir ; cpio -i < /tmp/initramfs
- C. cp /boot/initramfs /tmp/initramfs.gz; gunzip /tmp/initramfs.gz; mount /tmp/initramfs /mnt/ -o loop -t initramfs
- D. cp /boot/initramfs /tmp/initramfs.gz; gunzip /tmp/initramfs.gz; mkdir /tmp/initramfs.dir ; cd/tmp/initramfs.dir ; cpio -e /tmp/initramfs
- E. cp /boot/initramfs /tmp/initramfs.gz; gunzip /tmp/initramfs.gz; mount /tmp/initramfs /mnt/ -o loop -t initrd

Answer: B

NEW QUESTION 10

Which of the following terms are used to describe 3.x kernel releases? (Choose TWO correct answers.)

- A. beta
- B. final
- C. longterm
- D. prerelease
- E. stable

Answer: CE

NEW QUESTION 12

Which keyword is used in the /etc/inittab file to define the SysV-init default system runlevel?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

initdefault

NEW QUESTION 13

Which option to the update-rc.d command will cause the removal of all symlinks to /etc/rcX.d/*test2 even when the script /etc/init.d/test2 still exists?

- A. -d

- B. -f
- C. -n
- D. -r

Answer: B

NEW QUESTION 18

Please enter the complete path to the main SysV init process configuration file.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/etc/inittab

NEW QUESTION 19

A Linux server is running in single user mode for regular maintenance. Which commands are used to restore the server to its usual runlevel? (Choose TWO correct answers.)

- A. telinit 0
- B. shutdown -r now
- C. sync
- D. shutdown -h now
- E. reboot

Answer: BE

NEW QUESTION 20

Where is the LILO boot loader code typically installed on a system with only a single Linux installation and no other operating systems?

- A. In the master boot record.
- B. In the boot sector.
- C. In the /boot directory.
- D. At the start of the kernel.

Answer: A

NEW QUESTION 23

After changing the default runlevel in the SysV-init configuration file, the system boots in a different than intended runlevel. Where else could this different runlevel be defined?

- A. In the /etc/sysctl.conf
- B. In the boot loader configuration file
- C. In the /etc/runlevel file
- D. In the /boot/initramfs file
- E. In the /etc/rc.d/rc.local file

Answer: B

NEW QUESTION 28

If all of the following files and/or symlinks exist in a SysV-init runlevel directory, which of the following will be executed first when booting the system directly into the runlevel?

- A. S99lpi
- B. K99lpi
- C. PRE-S99lpi
- D. S98lpi
- E. S99a-lpi

Answer: D

NEW QUESTION 30

During booting, when the Linux kernel loads an initramfs file, which command from the initramfs will be executed first, if present?

- A. /init
- B. /initrd
- C. /linuxrc
- D. /rc.local
- E. /sbin/init

Answer: A

NEW QUESTION 33

The main configuration file for autofs has this entry:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/home /etc/auto.home

NEW QUESTION 35

What keyword is missing in the following line from /etc/fstab in order to make a USB flash device writeable by the user fred when mounted: /dev/sda1 /mnt/usbflash vfat defaults,users, _____ =fred,umask=022, 0 0 (Provide the option name only without any settings)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

uid

NEW QUESTION 38

After a lot of write operations, the administrator want to ensure that the kernel flushes the file system buffers to disk. Which command will accomplish this? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

sync

NEW QUESTION 43

Which files are updated as devices are mounted and unmounted to provide information on the currently mounted devices and the options used? (Choose TWO correct answers.)

- A. /proc/dtab
- B. /etc/mtab
- C. /etc/fstab
- D. /proc/mounts
- E. /proc/devices

Answer: BD

NEW QUESTION 44

What is the main template file used by autofs?

- A. default.maps
- B. auto.conf
- C. auto.master
- D. autofs.master

Answer: C

NEW QUESTION 45

Which directory in /dev/disk/ can be used to determine the UUID of a connected hard disk?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/dev/disk/by-uuid, by-uuid, /dev/disk/by-uuid/

NEW QUESTION 50

What does a 0 in the last field (fsck order) of /etc/fstab indicate about the filesystem?

- A. The filesystem should be checked before filesystems with higher values.
- B. The filesystem should be checked after filesystems with higher values.
- C. The filesystem check counter is ignored.
- D. The filesystem has been disabled from being checked and mounted on the system.
- E. The filesystem does not require an fsck check when being mounted.

Answer: E

NEW QUESTION 54

Consider the following /etc/fstab file:

```
/dev/hda1 swap swap defaults 0 0
```

```
/dev/hda2 / ext2 defaults 1 1
```

```
/dev/hda3 /home ext2 defaults 1 2
```

```
none /proc proc defaults 0 0
```

```
/dev/sdb1 /media/usb0 vfat user,noauto 0 0
```

What is one of the possible commands that an ordinary (non-root) user can use to mount the /dev/sdb1 partition on the /media/usb0 mount point? (Please enter the command with all parameters and/or options but without any file system type options.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

mount /dev/sdb1, mount /media/usb0, /bin/mount /dev/sdb1, /bin/mount /media/usb0, mount /media/usb0/, /bin/mount /media/usb0/

NEW QUESTION 57

Which command is used to create a ISO9660 filesystem? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

mkisofs, genisoimage

NEW QUESTION 62

The main configuration file for autofs has this entry:

```
/home /etc/auto.home
```

What is the meaning of the /etc/auto.home file?

- A. It has the indirect maps for the mounting of file systems.
- B. It has configuration information, such as passwords and keys, for the remote file server.
- C. It has configuration information on settings for the /home mount point.
- D. It is the holds the SSL key to allow authentication to the remote file server.

Answer: A

NEW QUESTION 67

A system has one hard disk and one CD writer which are both connected to SATA controllers. Which device represents the CD writer?

- A. /dev/hdb
- B. /dev/sdd
- C. /dev/scd1
- D. /dev/sr0
- E. /dev/sr1

Answer: D

NEW QUESTION 72

What mount option must be used in /etc/fstab when mounting an iSCSI target?

- A. _santarget
- B. iscsi
- C. waitiscsi
- D. _netdev

Answer: D

NEW QUESTION 76

Which of the following is a CD-ROM filesystem standard?

- A. OSI9660
- B. ISO9660
- C. SR0FS
- D. ISO8859
- E. ROM-EO

Answer: B

NEW QUESTION 80

Which of the following is an example path to a Linux software RAID array?

- A. /dev/raid0
- B. /dev/rd1
- C. /dev/pr0
- D. /dev/md1

Answer: D

NEW QUESTION 81

What command will remove a physical volume from a volume group? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

vgreduce, /sbin/vgreduce

NEW QUESTION 85

What command is used to make an exact copy, at a single point in time, of a logical volume for backup purposes?

- A. lvsnap
- B. lvsnapshot
- C. lvcreate
- D. lvcopy
- E. lvclone

Answer: C

NEW QUESTION 89

Which single command will simulate a failed device within a RAID 5 array?

- A. mdadm --remove /dev/md0 /dev/sdd1
- B. mdadm --zero-superblock /dev/sdf3
- C. mdadm --force-fault /dev/md2 /dev/sde2
- D. mdadm --fail /dev/md0 /dev/sdc1
- E. mdadm /dev/md0 --offline /dev/sdc1

Answer: D

NEW QUESTION 93

Which RAID level value must be used with Linux software RAID in order to create an array of mirrored devices?

- A. 1
- B. 5
- C. 6
- D. container
- E. mirrorstripe

Answer: A

NEW QUESTION 94

Which two LVM commands are missing from the following sequence which is used to create a logical volume and make use of it on a Linux system?
pvcreate, _____, _____, mkfs, mount

- A. lvcreate, mdadm
- B. lvcreate, vgcreate
- C. lvmcreate, vgcreate
- D. vgcreate, lvcreate
- E. vgcreate, mdadm

Answer: D

NEW QUESTION 99

The IDE hard drive /dev/hda does not have DMA enabled. Which command must be run to enable DMA on it?

- A. hdparm -d /dev/hda
- B. hdparm --dma /dev/hda
- C. hdparm --dma /dev/hda1
- D. hdparm -d /dev/hda1
- E. hdparm -d 1 /dev/hda

Answer: E

NEW QUESTION 100

What action should be performed after increasing the size of a logical volume?

- A. Run vgresize.
- B. Increase the size of the filesystem used for the logical volume.
- C. Run lvresize.
- D. Remount the logical volume.

Answer: B

NEW QUESTION 104

Which of the following commands can be used to script interactions with various TCP or UDP services?

- A. ftp
- B. nc
- C. tcpdump
- D. strings
- E. wget

Answer: B

NEW QUESTION 106

Considering the following kernel IP routing table below, which of the following commands must be used to remove the route to the network 10.10.1.0/24? (Select TWO answers)

Kernel IP routing table

Destination	Gateway	Genmask	Flags	Metric	Ref	Use	Iface
203.0.113.162	0.0.0.0	255.255.255.255	UH	0	0	0	ppp0
172.16.87.0	0.0.0.0	255.255.255.0	U	0	0	0	eth0
192.168.246.0	0.0.0.0	255.255.255.0	U	0	0	0	eth1
10.10.1.0	192.168.246.11	255.255.255.0	UG	0	0	0	eth1
127.0.0.0	0.0.0.0	255.0.0.0	U	0	0	0	lo
0.0.0.0	203.0.113.162	0.0.0.0	UG	0	0	0	ppp0

- A. ip net delete 10.10.1.0/24
- B. route del 10.10.1.0/24
- C. route del -net 10.10.1.0/24
- D. route del 10.10.1.0/24 gw 192.168.246.11
- E. ip route delete 10.10.1.0/24

Answer: CE

NEW QUESTION 107

What should be done after updating the configuration file for syslogd in order to make the changes become effective? (Choose TWO correct answers.)

- A. No action is required, syslogd will notice the updated configuration file after a few minutes.
- B. Send the HUP signal to the syslogd process.
- C. Restart the syslogd service.
- D. Run the command syslogd -u.

Answer: BC

NEW QUESTION 111

A correctly formatted entry has been added to /etc/hosts.deny to prevent certain clients from connecting to a service but this is having no effect. What could be the cause of this? (Choose TWO correct answers.)

- A. tcpd needs to be sent the HUP signal.
- B. The service needs to be restarted.
- C. The machine needs to be restarted.
- D. There is a conflicting entry in /etc/hosts.allow.
- E. The service does not support tcpwrapper.

Answer: DE

NEW QUESTION 114

Which command can be used to scan a specified network looking for IP addresses that appear to be in use?

- A. nmap
- B. tcpdump
- C. ip
- D. netscan
- E. hostdiscover

Answer: A

NEW QUESTION 117

Which of the following commands can be used to list IPv4 addresses and MAC addresses for IP devices that the system has seen on the local network?

- A. arp
- B. ifconfig
- C. ipadm
- D. iwlist

Answer: A

NEW QUESTION 121

The following is an excerpt from the output of `tcpdump -nli eth1 'udp': 13:03:17.277327 IP 192.168.123.5.1065 > 192.168.5.112.53: 43653+ A? lpi.org. (25)
13:03:17.598624 IP 192.168.5.112.53 > 192.168.123.5.1065: 43653 1/0/0 A 198.51.100.42 (41)
Which network service or protocol was used?`

- A. FTP
- B. HTTP
- C. SSH
- D. DNS
- E. DHCP

Answer: D

NEW QUESTION 126

Which of the following commands will erase the contents of the `/dev/sdb3` partition?

- A. `rm /dev/sdb3`
- B. `dd if=/dev/zero of=/dev/sdb3`
- C. `dd of=/dev/zero if=/dev/sdb3`
- D. `umount /dev/sdb3`

Answer: B

NEW QUESTION 130

What is the device name for the first SCSI tape drive on a system when used without automatic rewinding after each write operation? (Please specify the full path to the device.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

`/dev/nst0`

NEW QUESTION 132

Which file contains the text message that is displayed after logging into the console? (Specify the full name of the file, including path.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

`/etc/motd`

NEW QUESTION 136

A regular user, joe, has just run:

`./configure && make && make install`

to build and install a program. However, the installation fails. What could be done to install the program? (Choose TWO correct answers.)

- A. Install the binaries manually with `suinstall`.
- B. Run `make install` with root privileges.
- C. Do not run `./configure` in order to maintain the default configuration for correct installation.
- D. Rerun `./configure` with a `--prefix` option where the user has permissions to write.
- E. Run `make install_local` to install into `/usr/local/`.

Answer: BD

NEW QUESTION 137

When a makefile is included in a source code package, what are commonly defined targets in the file?

- A. CFLAGS, CPPFLAGS, LIBS, LDFLAGS
- B. clean, install, uninstall
- C. PATHS, DESTDIR, LIBS, LDFLAGS
- D. prefix, exec_prefix, bindir, mandir

Answer: B

NEW QUESTION 141

Which sub command to cryptsetup shows information about an encrypted LUKS partition?

- A. luksDump
- B. luksInfo
- C. luksDebug
- D. luksLS
- E. luksShow

Answer: A

NEW QUESTION 145

What command discards unused blocks on a mounted file system in order to support SSD devices? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

fstrim

NEW QUESTION 146

Which of the following commands lists IPv4 addresses and MAC addresses of network nodes that the local system has seen on its directly connected IP networks?

- A. arp
- B. ifconfig
- C. ipadm
- D. iwlist

Answer: A

NEW QUESTION 150

Which of the following is a userspace application used to modify EFI entries on a Linux system?

- A. efieditor
- B. configefi
- C. efimanager
- D. efibootmgr
- E. efibootedit

Answer: D

NEW QUESTION 153

What command ensures that the file systems are written to disk after a lot of write operations? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

sync

NEW QUESTION 158

What effect does the -f option to the update-rc.d command have on files in the /etc/rcX.d/ and /etc/init.d/ directories?

- A. It will force the removal of the symlinks in /etc/rcX.d/ even when the links are read only
- B. It will remove both the symlinks in /etc/rcX.d/ and the init script in /etc/init.d/
- C. It will remove the init script in /etc/init.d/ and the symlinks in /etc/rcX.d/ and update the package information of installed files
- D. It will force the removal of symlinks in /etc/rcX.d/ even if the corresponding init script still exists in/etc/init.d/

Answer: D

NEW QUESTION 160

Which of the following commands displays the physical path of the kernel module named dummy?

- A. modprobe -i dummy
- B. modinfo -n dummy
- C. modpath -v dummy
- D. depmod -n dummy
- E. modshow -p dummy

Answer: A

NEW QUESTION 161

What is the purpose of a system mount unit?

- A. It is used by the command systemd-mount and allows users to mount partitions to mount points of their choice
- B. It is used only to mount network file systems to local mount point
- C. It cannot be used for local media
- D. It is created by the command systemd-fstab-generator to integrate entries from /etc/fstab into the system boot process
- E. It is used by the command mount when using system to mount and unmount file systems

Answer: A

NEW QUESTION 164

Which command is used to make an exact copy, at a single point in time, of a logical volume while still allowing the original logical volume to be updated?

- A. lvclone
- B. lvcreate
- C. lvm2
- D. lvsnap
- E. lvsnapshot

Answer: B

NEW QUESTION 166

Which of the following commands adds a static IPv6 address to the network interface eth0?

- A. ip add addr 2001:db8::1337/64 dev eth0
- B. ip -6 add addr 2001:db8::1337/64 dev eth0
- C. ip addr add 2001:db8::1337/64 dev eth0
- D. ip -6 addr add new 2001:db8::1337/64 dev eth0
- E. ip addr add -6 2001:db8::1337/64 dev eth0

Answer: D

NEW QUESTION 171

Which is the main configuration file for the SystemV init process? (Specify the full name of the file, including path.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/etc/inittab

NEW QUESTION 174

Which of the following commands restores only those files containing lpi in their name from the archive lpifiles.tar.gz?

- A. tar xvzf lpifiles.tar.gz --wildcards '*lpi'
- B. tar xvzwf lpifiles.tar.gz '*lpi'
- C. tar -xvzf lpifiles.tar.gz --deep '*lpi'
- D. tar -xvzf lpifiles.tar.gz --subdirs '*lpi'
- E. tar xvzf lpifiles.tar.gz --globbing '*lpi'

Answer: A

NEW QUESTION 178

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

201-450 Practice Exam Features:

- * 201-450 Questions and Answers Updated Frequently
- * 201-450 Practice Questions Verified by Expert Senior Certified Staff
- * 201-450 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 201-450 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 201-450 Practice Test Here](#)