



EMC

Exam Questions DES-6322

Specialist - Implementation Engineer-VxRail Exam

NEW QUESTION 1

An implementation engineer needs to validate the VxRail network configuration. Where can they obtain the NVT for VxRail?

- A. Dell Technologies Central
- B. Dell Technologies Information Hub
- C. Dell VxRail Expert Channel
- D. Dell VxRail Fast Pass

Answer: A

NEW QUESTION 2

A VxRail Test Plan has been completed. What is the protocol for recording the results'?

- A. With the implementation team, complete and document each test, test date, and a screenshot of results
- B. In front of a customer, complete each test and document the test date
- C. With the implementation team, complete each test and document the test date
- D. In front of a customer, complete and document each test, test date, and a screenshot of results

Answer: A

NEW QUESTION 3

An implementation engineer is configuring External SRS. Where can they find the installation files for SRS VE?

- A. VxRail Support Matrix
- B. VxRail Manager
- C. SolVe Online
- D. Dell Support Page

Answer: B

NEW QUESTION 4

A VxRail cluster is being deployed in a DMZ environment. What is the recommended deployment option?

- A. External vCenter Server with customer-supplied VDS
- B. External vCenter Server with VxRail-deployed VDS
- C. Internal vCenter Server with internal DNS
- D. Internal vCenter Server with external DNS

Answer: D

NEW QUESTION 5

What is validated by running the Proactive Network Performance test in vCenter on a VxRail cluster?

- A. Latency and bandwidth measurement to the witness host
- B. Network configuration and performance for vSAN
- C. Network performance for virtual machines
- D. Latency measurement between DCs for Stretched Clusters

Answer: A

NEW QUESTION 6

A VxRail API request has been executed and the user account does not have vCenter privileges to perform the task. What code is returned?

- A. 200
- B. 207
- C. 403
- D. 500

Answer: D

NEW QUESTION 7

Which series of VxRail nodes supports either Intel or AMD processors and either hybrid or All-Flash storage?

- A. G Series
- B. D Series
- C. E Series
- D. V Series

Answer: A

NEW QUESTION 8

An implementation engineer is deploying a new VxRail cluster. What should they confirm before installing the hardware?

- A. Service laptop must be on the same IP network as the iDRACs
- B. At least 36 in (92 cm) clearance exists in front of and behind the cabinet
- C. Power distribution must support the power rating of a single node
- D. Single power zone must be used with adequate power cables

Answer: C

NEW QUESTION 9

For which VxRail models must the iDRAC NIC Selection be set to Dedicated?

- A. D, G, P, S, and V Series
- B. E, P, S, and V Series only
- C. D, E, P, S, and V Series
- D. D, E, and G Series

Answer: D

NEW QUESTION 10

Match each component of the VxRail HCI System Software to its description.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 10

During the activation of Internal SRS, the implementation engineer receives a message that the deployment has failed What is a possible cause?

- A. SRS VE Gateway on the same subnet as the VxRail Manager
- B. VxRail status already set to installed' in IB database
- C. Site ID mismatch between the IB database and the SRS Wizard
- D. Witness Gateway not configured following Dell best practices

Answer: A

NEW QUESTION 15

A VxRail Cluster has just been deployed. Use the VxRail simulator to determine the Service Tag, Model, and ESXJ IP Address of the first node - vcluster730.esx01.edu.local.

Note: It is necessary to dose (x) the simulator window before you can select a response to this question.

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

NEW QUESTION 20

A VxRail E560F model was delivered six months ago and is now scheduled to be installed with the target code. What is the correct order of steps to complete this task?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 21

What is a consideration when performing a VxRail software upgrade from version 4.7.xxx to version 7.0.xxx?

- A. External vCenter server must be upgraded after the VxRail is upgraded
- B. vCenter Server requires a temporary IP address on a different subnet before the upgrade
- C. Secure boot must be enabled on the ESXi hosts for a successful upgrade
- D. VxRail Manager VM must be changed to the default name to avoid an upgrade failure

Answer: A

NEW QUESTION 25

What is a consideration when adding nodes to a VxRail G Series chassis?

- A. G560 and G410 nodes are permitted in the same chassis
- B. In a full G Series chassis, all nodes must have 10GbE ports
- C. Hybrid and All-Flash nodes are permitted, if in different chassis
- D. All nodes in a G Series chassis must be identical

Answer: D

NEW QUESTION 27

Match each IDRAC Maintenance page tab to its description.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 29

An implementation engineer is in the validation phase of a VxRail deployment with two Dell EMC ToR switches. Which command should they run on each of the ToR switches to validate that Link Aggregation has been configured according to Dell best practices for VxRail node interfaces?

- A. show network-policy profile
- B. show interface status
- C. show port-channel summary
- D. show interface

Answer: A

NEW QUESTION 33

What is the correct CLI command to collect only the VxRail Manager logs?

- A. generateFullBundle.py -c
- B. vm-supportsh -c
- C. generateLogBundle.py -v
- D. vc-support sh -v

Answer: A

NEW QUESTION 37

An implementation engineer is expanding an existing VxRail E Series cluster with an additional node. The version of the node is not at the current cluster level and is not compatible.

What action must be performed before adding the node?

- A. Order node with correct image
- B. RASR Factory Reset
- C. RASR Factory Image Upgrade
- D. Compute node expansion

Answer: A

NEW QUESTION 42

A customer has decided that they will be using the Spanning Tree protocol in their Dell EMC ToR switches. How should the switch ports used for VxRail be configured to achieve a successful deployment?

- A. Set the port type to edge
- B. Enable link aggregation for all ports
- C. Set the port mode to access
- D. Enable MLD snooping and querier

Answer: A

NEW QUESTION 46

What is the recommended format for host names when using the VxRail Deployment Wizard for an External vCenter solution?

- A. FQDN for vCenter Server/Host name for VxRail Manager
- B. Host name for both vCenter Server and for VxRail Manager
- C. FQDN for both vCenter Server and for VxRail Manager
- D. Host name for vCenter Server FQDN for VxRail Manager

Answer: A

NEW QUESTION 47

From what location should NVT for VxRail be run?

- A. Jump server on a different network
- B. Workstation on the same network as VxRail Manager
- C. VxRail network Top of Rack switch
- D. Laptop connected to the first VxRail ESXi node

Answer: B

NEW QUESTION 51

The VxRail Deployment Wizard is being used on a VxRail cluster with a customer-supplied VDS. Which settings must be used to ensure successful installation?

- A. Use the VxRail vCenter Server Upload a configuration file (JSON)
- B. Join an external vCenter Server Use the step-by-step method
- C. Use the VxRail vCenter Server Use the step-by-step method
- D. Join an external vCenter Server Upload a configuration file (JSON)

Answer: C

NEW QUESTION 56

Which command is used to restart the Loudmouth process on an ESXi node?

- A. `/usr/libAmiware/loudmouth/bin/loudmouthd restart`
- B. `systemctl restart loudmouth`
- C. `/etc/int.d/loudmouth restart`
- D. `systemctl restart vmware-loudmouth`

Answer: C

NEW QUESTION 60

An implementation engineer is tasked with setting up RecoverPoint for VMs on a new 4-node E Series VxRail cluster. How many VMs are licensed to be protected on the cluster?

- A. 5
- B. 10
- C. 20
- D. 25

Answer: C

NEW QUESTION 61

In a VxRail Stretched Cluster deployment of 8 nodes on between sites?

- A. Primary to Witness site RTT: < 250 ms Secondary to Witness site RTT: < 250 ms Primary to Secondary site RTT: < 5 ms
- B. Primary to Witness site RTT: < 150 ms Secondary to Witness site RTT: < 150 ms Primary to Secondary site RTT: < 10 ms
- C. Primary to Witness site RTT: < 200 ms Secondary to Witness site RTT: < 200 ms Primary to Secondary site RTT: < 5 ms
- D. Primary to Witness site RTT: < 200 ms Secondary to Witness site RTT < 200 ms Primary to Secondary site RTT: < 10 ms

Answer: B

NEW QUESTION 64

How should an administrator manually validate the DNS readiness of a customer network?

- A. Run a traceroute to the DNS server
- B. Generate a Network PEQ
- C. Ping the default gateway of the management VLAN
- D. Run nslookup on server FQDN and IP

Answer: A

NEW QUESTION 65

Which vCenter object is created automatically when deploying VxRail with an external vCenter Server?

- A. Resource Pool
- B. Cluster
- C. Datacenter
- D. VxRail Management user account

Answer: B

NEW QUESTION 66

A 2-node VxRail cluster is being deployed. Due to a preparation mistake, the host section file is missing. Use the VxRail simulator to fully deploy the cluster using the JSON file.

Node Names:

vcluster-esx0 15-vrack

vcluster-esx0 16-vrack

Starting IP

Address: 192.168.10.15
Rack Name: Virtual Rack
Rack Position: 15-16
Passwords: Password123

!

ESXI Management

User: esxmgmt

When you have finished, continue to the next question.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Pending

Send your suggestions for this question.

NEW QUESTION 69

Which VxRail model can only be installed with static rack rails?

- A. D Series
- B. P Series
- C. S Series
- D. G Series

Answer: A

NEW QUESTION 70

Which VxRail model(s) has a non-mirrored IDSDM?

- A. D560/F
- B. All G Series
- C. S570
- D. All E Series

Answer: B

NEW QUESTION 73

An implementation engineer is deploying a VxRail cluster with the VxRail Deployment Wizard Which user accounts must be defined for VxRail Manager?

- A. VxRail Manager root account vCenter service account
- B. VxRail Manager root account VxRail Manager service account
- C. VxRail Manager service account vCenter service account
- D. vCenter root account VxRail Manager service account

Answer: B

NEW QUESTION 77

What is a benefit of using the VxRail REST API?

- A. Remote upgrades of iDRAC related software only
- B. Automated security audit of VxRail clusters
- C. Automated log collection for VxRail clusters
- D. Polling for vSAN performance statistics

Answer: C

NEW QUESTION 81

A VxRail Manager VM must be configured as follows:

- * IP address: 192 168.10.16
- * Net mask: 255.255.255.0
- * Gateway: 192 168 10 254 Which command must be used?

- A. vxrail-network-config --ip 192 168 10.16-netmask 255.255.255.0-gateway 192 168 10.254
- B. vxrail-prrmay -config --ip 192 168 10 16 -netmask 255 255 255 0 -gateway 192 168 10 254
- C. vxrail-primary -config --vxrail-address 192.168.10 16 --vxrail-netmask 255 255 255 0 -vxrail-gateway 192.168,10 254
- D. vxrail-network -config --vxrail-address 192.166 10 16 --vxrail-netmask 255 255.255 0 --vxrail-gateway 192.168.10.254

Answer: C

NEW QUESTION 83

Match each VxRail API request with the information to be retrieved.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 88

An implementation engineer is expanding an existing VxRail S Series cluster with an additional node. The version of the node is not at the current cluster level but is compatible.

What procedure would result in the quickest node addition?

- A. RASR Factory Image Upgrade
- B. Factory Reset
- C. VxRail Node Imaging Management
- D. Compute node expansion

Answer: D

NEW QUESTION 89

Which VxRail Series is designed to support a VDI environment and requires a GPU card in each host?

- A. S Series
- B. V Series
- C. G Series
- D. P Series

Answer: A

NEW QUESTION 92

A systems engineer is performing a VxRail upgrade in a VMware Horizon VDI cluster All hosts are put in Maintenance Mode.

What action does the engineer need to perform on each host once the upgrade has been completed?

- A. From the Connection Server run IcMaintcmd to delete the parent VMs and exit Maintenance Mode for each host
- B. From the Connection Server, run IcMaintcmd to take the hosts out of Maintenance Mode and reboot them
- C. Set the InstantClone Maintenance annotation value to the original value
- D. Set the InstantClone Maintenance annotation value to 2

Answer: A

NEW QUESTION 95

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

DES-6322 Practice Exam Features:

- * DES-6322 Questions and Answers Updated Frequently
- * DES-6322 Practice Questions Verified by Expert Senior Certified Staff
- * DES-6322 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * DES-6322 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The DES-6322 Practice Test Here](#)