

Exam Questions 1Y0-241

Deploy and Manage Citrix ADC with Traffic Management

<https://www.2passeasy.com/dumps/1Y0-241/>



NEW QUESTION 1

How can a Citrix Administrator configure a rewrite policy to change the version of HTTP from 1.1 to 1.0 in every request?

- A. >add rewrite action RW_ACT replace http.res.version "\HTTPS/1.0\"> add rewrite policy RW_POL true RW_ACT
- B. >add rewrite action RW_ACT replace http.req.version "\HTTPS/1.1\"> add rewrite policy RW_POL true RW_ACT
- C. >add rewrite action RW_ACT replace http.res.version "\HTTPS/1.1\"> add rewrite policy RW_POL true RW_ACT
- D. >add rewrite action RW_ACT replace http.req.version "\HTTPS/1.0\"> add rewrite policy RW_POL true RW_ACT

Answer: B

NEW QUESTION 2

Which two policies can a Citrix Administrator configure using only the advanced policy expression? (Choose two.)

- A. DNS
- B. Integrated caching
- C. SSL
- D. System

Answer: AB

Explanation:

Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/appexpert/policies-and-expressions/introduction-to-policies-and-exp/classic-and-advanced-policy.html>

NEW QUESTION 3

A Citrix Administrator configured an external syslog server but is NOT seeing detailed TCP information? What could be causing this?

- A. Log facility is NOT configured.
- B. TCP logging is NOT enabled.
- C. User-defined audit log is NOT configured.
- D. Log level is NOT enabled.

Answer: D

NEW QUESTION 4

A Citrix Administrator is creating a new SSL vServer and notices the ns_default_ssl_profile frontend SSL profile is automatically bound to the SSL vServer. Which two actions can the administrator perform to change or remove the ns_default_ssl_profile_frontend SSL profile once it is enabled? (Choose two.)

- A. Globally unbind the ns_default_ssl_profile_frontend SSL.
- B. Unbind the default SSL profile and bind the newly created SSL profile.
- C. Create a separate SSL profile.
- D. Unbind the ns_default_ssl_profile_frontend SSL profile from the SSL vServer without binding a replacement SSL profile.
- E. Globally disable the ns_default_ssl_profile_frontend SSL profile.

Answer: BE

NEW QUESTION 5

Scenario: A Citrix Administrator configured a global server load balancing (GSLB) setup for internal and external users using the same host name. For internal users, cvad.citrite.net should go to the Citrix StoreFront site; for external users, it should connect to the Citrix ADC Gateway VPN site. Which feature should the administrator configure to accomplish this?

- A. DNS Preferred Location
- B. DNS Record
- C. DNS View
- D. DNS Proxy

Answer: C

Explanation:

Reference: <https://support.citrix.com/article/CTX130163>

NEW QUESTION 6

What is the effect of the "set cs vServer-CS-1 -redirectURL http://www.newdomain.com/mysite/" command?

- A. If the vServer-CS-1 encounters a high connection rate, then users will be redirected to http://www.newdomain.com/mysite/.
- B. If the status of vServer-CS-1 is DOWN, then users will be redirected to http://www.newdomain.com/mysite/.
- C. All the requests to vServer-CS-1 will be redirected to http://www.newdomain.com/mysite/.
- D. All the requests without URL path/mysite/ will be redirected to http://www.newdomain.com/mysite/.

Answer: B

NEW QUESTION 7

Scenario: A Junior Citrix Administrator needs to create a content switching vServer on a Citrix ADC high availability (HA) pair. The NSIP addresses are 192.168.20.10 and 192.168.20.11. The junior administrator connects to NSIP address 192.168.20.10 and saves the changes.

The following day, a Senior Citrix Administrator tests the new content switching vServer, but it is NOT working. The senior administrator connects to the HA pair and discovers that everything the junior administrator configured is NOT visible. Why has the Citrix ADC lost the newly added configurations?

- A. The junior administrator made the changes and did NOT force a failover to save the configuration.
- B. The junior administrator connected to the NSIP of the secondary Citrix ADC in the HA pair.
- C. Both Citrix ADCs in the HA pair restarted overnight.
- D. The Citrix ADC appliances have different firmware versions.

Answer: C

NEW QUESTION 8

Scenario: A Citrix Administrator configured a load-balancing vServer. The URL for this vServer is vpn.citrix.com. The backend server has the host name configured as server1.citrix.com. The administrator needs to implement the policy to change the host name from vpn.citrix.com to server1.citrix.com, and vice versa. Which does the administrator need to configure to meet this requirement?

- A. set transform action "host change" -priority 10 -reqUrlFrom "https://vpn.citrix.com/*" -reqUrlInto "https://server1.citrix.com/*" -resUrlFrom "https://server1.citrix.com/*" -resUrlInto "https://vpn.citrix.com/*"
- B. set transform action "host change" -priority 10 -reqUrlFrom "https://server1.citrix.com/*" -reqUrlInto "https://vpn.citrix.com/*" -resUrlFrom "https://server1.citrix.com/*" -resUrlInto "https://vpn.citrix.com/*"
- C. set transform action "host change" -priority 10 -reqUrlFrom "https://server1.citrix.com/*" -reqUrlInto "https://vpn.citrix.com/*" -resUrlFrom "https://vpn.citrix.com/*" -resUrlInto "https://server1.citrix.com/*"
- D. set transform action "host change" -priority 10 -reqUrlFrom "https://vpn.citrix.com/*" -reqUrlInto "https://server1.citrix.com/*" -resUrlFrom "https://vpn.citrix.com/*" -resUrlInto "https://server1.citrix.com/*"

Answer: D

NEW QUESTION 9

Scenario: A Citrix Administrator made changes to a Citrix ADC, deleting parts of the configuration and saving some new ones. The changes caused an outage that needs to be resolved as quickly as possible. There is no Citrix ADC backup. What does the administrator need to do to recover the configuration quickly?

- A. Restart the Citrix ADC.
- B. Restore from the revision history.
- C. Run saved versus running configuration.
- D. Run highly availability (HA) file synchronization.

Answer: B

NEW QUESTION 10

Scenario: While attempting to access web server that is load balanced by a Citrix ADC using HTTPS, a user receives the message below. SSL/TLS error: You have not chosen to trust "Certificate Authority" the issuer of the server's security certificate. What can a Citrix Administrator do to prevent users from viewing this message?

- A. Ensure that users have the certificate's private key.
- B. Ensure that users have the certificate's public key.
- C. Ensure that the server certificate is linked to its respective intermediate and root certificates.
- D. Ensure that users have the server certificate installed.

Answer: B

Explanation:

Reference: <https://docs.citrix.com/en-us/citrix-gateway/12-1/citrix-gateway-12.1.pdf> (80)

NEW QUESTION 10

A Citrix Administrator needs to configure a rate-limiting policy setting DNS requests to a threshold of 1,000 per second. Which command does the administrator need to run to correctly configure this policy?

- A. HTTP.REQ.LIMIT(<limit_identifier>)
- B. SYS.CHECK.LIMIT(<limit_identifier>)
- C. SYS.CHECK.LIMIT(<limit_identifier>) || CONNECTION.IP.LIMIT(<limit_identifier>)
- D. SYS.CHECK.LIMIT(<limit_identifier>) || HTTP.REQ.LIMIT(<limit_identifier>)

Answer: B

NEW QUESTION 15

Which feature can a Citrix Administrator use to create a consistent set of front-end SSL parameters across multiple SSL vServers?

- A. SSL profile
- B. SSL multiplexing
- C. SSL bridge
- D. SSL policy
- E. SSL policy

Answer: A

Explanation:

Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/ssl/config-ssloffloading.html>

NEW QUESTION 19

Scenario: After deploying a Citrix ADC in production, a Citrix Administrator notices that client requests are NOT being evenly distributed among backend resources. The administrator wants to change from the default load-balancing method to one that will help distribute the load more evenly. Which load-balancing method would ensure that the server with the least amount of network utilization is receiving new connections?

- A. Least connection
- B. Least bandwidth
- C. Least response time
- D. Least packets

Answer: A

Explanation:

Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/getting-started-with-citrix-adc/load-balancing.html>

NEW QUESTION 20

Scenario: A Citrix Administrator executed the command below:

```
> set httpcallout httpcallout1 -cacheForSecs 120
```

This command changes the cache duration of the HTTP _____ to be set to 120 seconds. (Choose the correct option to complete the sentence.)

- A. callout response
- B. request
- C. callout request
- D. response

Answer: A

Explanation:

Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/appexpert/http-callout/caching-http-callout-responses.html>

NEW QUESTION 25

Scenario: A Citrix Administrator is running an e-commerce web service that uses backend SQL and RADIUS servers. The e-commerce platform runs on a web server using port 80, and a website status page on port 99 reports the status of all servers.

Which monitor should the administrator choose to confirm the availability of the e-commerce solution?

- A. HTTP on port 99
- B. HTTP-ECV on port 80
- C. HTTP on port 80
- D. HTTP_ECV on port 99

Answer: D

Explanation:

Reference: <https://support.citrix.com/article/CTX209292>

NEW QUESTION 28

A Citrix Administrator needs to protect the HTTP backend server type without actually removing the header. Which rewrite action type can the administrator apply to the Citrix ADC configuration to accomplish this?

- A. REPLACE
- B. CORRUPT_HTTP_HEADER
- C. REPLACE_HTTP_REQ
- D. REPLACE_ALL

Answer: A

NEW QUESTION 33

Scenario: A Citrix ADC receives packets destined for a MAC address owned by the Citrix ADC. The destination IP address of the packets does NOT belong to the Citrix ADC. Layer 3 mode is enabled by default on the Citrix ADC. The Citrix ADC will _____ the packets in this scenario. (Choose the correct option to complete the sentence.)

- A. route
- B. process
- C. bridge
- D. drop

Answer: A

Explanation:

Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/getting-started-with-citrix-adc/configure-system-settings/configure-modes-packet-forwarding.html>

NEW QUESTION 38

Which two protocols would provide end-to-end data encryption, while allowing a Citrix ADC to optimize the responses? (Choose two.)

- A. HTTP protocol for the services
- B. SSL bridge protocol for the vServer
- C. SSL bridge protocol for the services

- D. SSL protocol for the services
- E. HTTP protocol for the vServer
- F. SSL protocol for the vServer

Answer: DF

NEW QUESTION 41

Scenario: A Citrix Administrator needs to improve website loading speed. End users are reporting slow GIF image rendering speeds as they scroll down a website, which affects overall page load time. Which Citrix ADC feature can the administrator enable to improve website performance?

- A. Domain sharding
- B. Image lazy loading
- C. Image optimization
- D. Image shrink-to attributes

Answer: C

NEW QUESTION 45

A Citrix Administrator needs to confirm that all client certificates presented to the authentication vServer are valid until the year 2023. Which expression can the administrator use to meet this requirement?

- A. CLIENT.SSL.CLIENT_CERT.VALID_NOT_AFTER.EQ(GMT2023)
- B. CLIENT.SSL.CLIENT_CERT.VALID_NOT_BEFORE.EQ(GMT2023)
- C. CLIENT.SSL.ORIGIN_SERVER_CERT.VALID_NOT_AFTER.EQ(GMT2023)
- D. CLIENT.SSL.CLIENT_CERT.DAYS_TO_EXPIRE.EQ(2023)

Answer: A

Explanation:

Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/ssl/ssl-actions-and-policies/config-built-in-ssl-actions.html>

NEW QUESTION 48

Scenario: A Citrix Administrator would like to grant access to a Junior Citrix Administrator on the Citrix ADC. The administrator would like to grant full access to everything except the following:

Shell
User configuration
Partition configuration

Which preexisting command policy would meet the needs of this scenario?

- A. Sysadmin
- B. Operator
- C. Network
- D. Superuser

Answer: A

NEW QUESTION 53

Scenario: A Citrix Administrator manages an environment that has three SSL websites, all serving the same content.

www.company.com
www.company.net
www.company.org

The administrator would like to consolidate the websites into a single, load-balanced SSL vServer. What can the administrator bind to use a single SSL vServer?

- A. A wildcard certificate to a single SSL vServer
- B. A wildcard certificate to a content-switching vServer
- C. The certificate of each website to a single SSL vServer
- D. A multiple SAN certificate to a single SSL vServer

Answer: C

NEW QUESTION 54

A Citrix Network Engineer informs a Citrix Administrator that a data interface used by Citrix ADC SDX is being saturated. Which action could the administrator take to address this bandwidth concern?

- A. Add a second interface to each Citrix ADC VPX instance.
- B. Configure a failover interface set on each Citrix ADC VPX instance.
- C. Configure LACP on the SDX for the data interface.
- D. Configure LACP on the SDX for management interface.

Answer: C

Explanation:

Reference: https://training.citrix.com/public/Exam+Prep+Guides/241/1Y0-241_Exam_Preparation_Guide_v01.pdf

NEW QUESTION 56

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 1Y0-241 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 1Y0-241 Product From:

<https://www.2passeasy.com/dumps/1Y0-241/>

Money Back Guarantee

1Y0-241 Practice Exam Features:

- * 1Y0-241 Questions and Answers Updated Frequently
- * 1Y0-241 Practice Questions Verified by Expert Senior Certified Staff
- * 1Y0-241 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 1Y0-241 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year