

Exam Questions B2C-Commerce-Developer

Salesforce Certified B2C Commerce Developer (WI20)

<https://www.2passeasy.com/dumps/B2C-Commerce-Developer/>



NEW QUESTION 1

Which two methods are efficient and scalable? (Choose two.)

- A. ProductMgr.queryAllSiteProducts()
- B. ProductSearchHit.getRepresentedProducts()
- C. ProductSearchModel.getProductSearchHits()
- D. Category.getProducts()

Answer: CD

NEW QUESTION 2

Universal Containers wants to give customers the ability to refine product search results by a product custom attribute, weightCapacity. Which series of steps should a Digital Developer take to show this refinement on the storefront?

- A. Define a sorting rule for weightCapacity, then rebuild the product search index.
- B. Define a search refinement for weightCapacity, then rebuild the product search index.
- C. Define search-suggestion buckets for weightCapacity, then rebuild the product search index.
- D. Define a search refinement for weightCapacity, then clear the page cache segment for Search-Show.

Answer: B

NEW QUESTION 3

A Digital Developer is working on a multi-site realm. A new site requires a different layout for the account landing page. The business logic and data model remain the same. The existing code is in AccountControl.js and accountlanding.isml in the app_storefront cartridge. The app_storefront cartridge contains code for all other business functions. The cartridge path for the new site is currently int_cybersource:int_paypal:app_storefront. The Developer creates a new cartridge named app_newsite that contains only the accountlanding.isml template for the new site. Which modification should be made to the new cartridge path?

- A. Set the cartridge path so that app_newsite is before app_storefront.
- B. Set the cartridge path so that app_storefront is before int_cybersource.
- C. Set the cartridge path to include only app_newsite.
- D. Set the cartridge path so that app_newsite is after app_storefront.

Answer: B

NEW QUESTION 4

Which three object types can a developer import using the Merchant Tools > Content > Import & Export module in Business Manager? (Choose three.)

- A. Content slots
- B. Images and other static assets
- C. Products
- D. Folders
- E. Content assets

Answer: ACD

NEW QUESTION 5

A digital instance has one site, with one master product catalog separate from the site catalog. Some, but NOT all, products in the master catalog are assigned to categories of the site catalog.

Using Business Manager, how can a Digital Developer create a catalog export file that contains only the products assigned to the site catalog?

- A. Use the Catalog Export module to export the site catalog.
- B. Use the Catalog Export module to export the master catalog, with a category-assignment search to export specific products.
- C. Use the Site Import & Export module to export both the site catalog and the master catalog in a single archive.
- D. Use the Site Import & Export module to export the master catalog, filtered by site catalog categories to export specific products.

Answer: B

NEW QUESTION 6

A Digital Developer needs to add logging to the following code:

```
var Logger = require('dw/system/Logger');

var urlEmail = 'https://api.weibo.com/2/account/profile/email.json' + accessTokenSuffix;

http.open('GET', urlEmail);
http.send();

var resultEmail = http.getText();

if (200 !== http.statusCode) {
    // Log Invalid Status Code
}
```

Which statement logs the HTTP status code to a debug-level custom log file?

- A. `logger.getLogger('profile').debug("Error retrieving profile email, Status Code: ", http.statusCode);`
B. `logger.debug("Error retrieving profile email, Status Code: {0} was returned.", http.statusCode);`
C. `Logger.getLogger().debug("Error retrieving profile email, Status Code: {0} was returned.", http.statusCode);`
D. `Logger.getLogger('profile').debug("Error retrieving profile email, Status Code: {0} was returned.", http.statusCode);`

Answer: B

NEW QUESTION 7

A Digital Developer needs to add a new form to the shopping cart page to allow customers to enter their rewards pass ID. There is already an existing `Cart.js` controller that handles processing of the other cart forms. In addition, a form field node is in the form XML and the necessary form input is present in the ISML template.

The code below is the submit button for the ISML markup.

```
<button type="submit" value="{pdict.CurrentForms.cart.addRewardPass.htmlName}"
name="{pdict.CurrentForms.cart.addRewardPass.htmlName}">
    ${Resource.msg('rewards.apply', 'locale', null)}
</button>
```

What additional steps must occur before the Digital Developer can begin writing the processing code for this request?

A

- Add an `<action />` node to the form definition XML with the attribute `formid="addRewardPass"`
- Add the key `addRewardPass`, with a processing function as a value, to the object passed to the `Form.handleAction()` method in the `Cart.js` controller

B

- Add a `<submit />` node to the form definition XML with the attribute `formid="addRewardPass"`
- Add the key `addRewardPass`, with a processing function as a value, to the object passed to the `Form.handleAction()` method in the `Cart.js` controller

C

- Add the attribute `addtl-form-action="addRewardPass"` to the ISML form
- Add the key `addRewardPass`, with a processing function as a value, to the object passed to the `Form.handleAction()` method in the `Cart.js` controller

D

- Add an `<action />` node to the form definition XML with the attribute `formid="addRewardPass"`
- No change to `Cart.js` controller required

- A. Option A
B. Option B
C. Option C
D. Option D

Answer: C

NEW QUESTION 8

A Digital Developer is inspecting the weekly service status report for a critical internally-hosted web service used in the application and notices that there are too many instances of unavailability.

Which two solutions are possible options to reduce the unavailability of the service? (Choose two.)

- A. Modify the code that makes the request to the external service to be wrapped in a try / catch block.
B. Change the code that makes the request to set the `throwOnError` attribute, of the service, to be true.
C. Increase the web service time out.
D. Update the external service to have a faster response time.

Answer: AD

NEW QUESTION 9

Assume the code below is executing:

```
var log = Logger.getLogger("xyz", "export");
log.info("This is important information");
```

Business Manager has the configuration:

➤ Active Log category is "root" with log level of "info."

Given this information, what is the beginning of the filename in which the log will be written?

- A. xyz

- B. custominfo-blade
- C. custom-export
- D. custom-xyz

Answer: D

NEW QUESTION 10

Universal Containers wants to add a model field to each product. Products will have locale-specific model values. How should the Digital Developer implement the requirement?

- A. Utilize resource bundles for translatable values.
- B. Set the model field as a localizable attribute.
- C. Store translated model values in different fields; one field for each locale.
- D. Add model to a new custom object with localizable attributes.

Answer: C

NEW QUESTION 10

A Digital Developer must give users the ability to choose an occasion (holiday, birthday, anniversary, etc.) for which gifts are currently being selected. The data needs to be persistent throughout the current shopping experience.

Which data store variable is appropriate, assuming there is no need to store the selection in any system or custom objects?

- A. Request scope variable
- B. Page scope variable
- C. Session scope variable
- D. Content slot variable

Answer: C

NEW QUESTION 12

A Digital Developer wants pass control to an ISML template from a JavaScript Controller and load product on the pipeline dictionary with the name myProduct. Which code sample will achieve this?

- A. ISML.renderTemplate ("helloworld.isml", { "myProduct": "product" });
- B. ISML.renderTemplate ("helloworld.isml", { "product": myProduct });
- C. ISML.renderTemplate ("helloworld.isml", { product: myProduct });
- D. ISML.renderTemplate ("helloworld.isml", { myProduct: product });

Answer: A

NEW QUESTION 16

A Digital Developer is working in a sandbox on a site named test-site using the domain test.demandware.net. The Developer needs to compile a url to make an Open Commerce API (OCAPI) request that returns product information.

By default, which URL format is a proper Open Commerce API for Sandbox?

- A. https://test.demandware.com/dw/shop/products/M1355?client_id=aaa...
- B. https://www.test.com/s/test-site/sfc/shop/products/M1355?client_id=aaa...
- C. https://test.demandware.net/s/test-site/dw/shop/v18_3/products/M1355?client_id=aaa...
- D. https://www.test.com/dw/shop/v18_3/products/M1355?client_id=aaa...

Answer: C

NEW QUESTION 21

A Digital Developer selects “Show Orderable Products Only” in the Search > Search Preferences Business Manager module. Which business goal does this accomplish?

- A. Exclude products from search results if Available to Sell (ATS) = 0.
- B. Exclude back-ordered products from showing on the website.
- C. Block displaying the product detail page if Available to Sell (ATS) = 0.
- D. Exclude pre-order products from search results.

Answer: A

NEW QUESTION 25

Universal Containers requires that a new order comments attribute is added to the existing SiteGenesis checkout flow. This new attribute needs to be included as part of the standard order export.

Aside from updating the HTML markup and form definition, which option contains all necessary steps to achieve this task?

A.

Answer: B

NEW QUESTION 30

A Digital Developer needs to check for product inventory in a specific inventory list using the Open Commerce API.

An example request URL is:


```
http://sitegenesis.demandware.net/dw/data/v18_3/inventory_lists/  
ecom-inventory/product_inventory_records/00883408601
```

Which resource_id value enables the appropriate resource?

- A. /inventory_lists/*
- B. /inventory_lists/**
- C. /inventory_list_search
- D. /products/*

Answer: D

NEW QUESTION 35

A Digital Developer extends a system object, Product, and adds a Boolean attribute, “sellable,” to it. Assuming “prod” is the variable name handling the product, what code can the Developer use to access it?

- A. prod.extended.sellable
- B. prod.sellable
- C. prod.persistable.sellable
- D. prod.custom.sellable

Answer: D

NEW QUESTION 40

A Digital Developer adds the following line of code to a script.

```
dw.system.Logger.getLogger('login').debug("Login API has succeeded");
```

The code executes without error; however, the log file on disk does NOT contain the log message. Which two actions should be completed to write the log message to disk? (Choose two.)

- A. Ensure that the debug log level is enabled to write to file in the Custom Log Settings Business Manager module.
- B. Archive old log files to make room in the log directory.
- C. Ensure that the “login” category is added to the Custom Log Filters in the Log Settings Business Manager module.
- D. Ensure that the debug log level has been added to the custom log level types in the Global Preferences business manager module.

Answer: BD

NEW QUESTION 45

The following code ensures that an address ID CANNOT be used if it is already in use by another address in the customer’s address book. There is a problem with the code. The error message for an invalid address ID is never shown to the user on the form field.

```
if (address.ID !== addressForm.addressid.value) {  
    for (var i = 0; i < addressBook.addresses.length; i++) {  
        if (addressBook.addresses[i].ID === addressForm.addressid.value) {  
            addressForm.invalidateFormElement();  
            throw new Error('Address name already exists');  
        }  
    }  
}
```

How should the Digital Developer resolve this issue so that the error message is displayed on the address ID form field?

- A. addressForm.invalidateFormElement("addressid");
- B. addressForm.addresssid.invalidateFormElement = true;
- C. addressForm.invalidateFormElement(addressForm.addressid);
- D. addressForm.addresssid.invalidateFormElement();

Answer: C

NEW QUESTION 46

Universal Containers specifies a new category hierarchy for navigating the digital commerce storefront. A Digital Developer uses Business Manager to manually create a catalog with the specified category hierarchy, then uses the Products & Catalogs > Import & Export module to export the catalog as a file.

How can other Developers with sandboxes on the same realm create the same catalog in their own sandboxes?

- A. Use Business Manager to upload and import a copy of the export file obtained from the original Developer.
- B. Use the remote upload capability of the Site Import & Export module of Business Manager.
- C. Use the import capability of the Site Import & Export module of Business Manager.
- D. Use the Business Manager Data Replication module to replicate the catalog from the original Developer's sandbox.

Answer: C

NEW QUESTION 47

A Digital Developer is tasked with setting up a new Digital Server Connection using UX Studio in their sandbox.

Which three items are required to accomplish this task? (Choose three.)

- A. Instance Version
- B. Instance Hostname

C. Business Manager Username
D. Keystore Password
E. Business Manager Password

Answer: BDE

NEW QUESTION 51

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual B2C-Commerce-Developer Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the B2C-Commerce-Developer Product From:

<https://www.2passeasy.com/dumps/B2C-Commerce-Developer/>

Money Back Guarantee

B2C-Commerce-Developer Practice Exam Features:

- * B2C-Commerce-Developer Questions and Answers Updated Frequently
- * B2C-Commerce-Developer Practice Questions Verified by Expert Senior Certified Staff
- * B2C-Commerce-Developer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * B2C-Commerce-Developer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year