

500-220 Dumps

Engineering Cisco Meraki Solutions

<https://www.certleader.com/500-220-dumps.html>



NEW QUESTION 1

Which information do the MXs in a High Availability pair share?

- A. spanning-tree state
- B. time synchronization state
- C. DHCP association database
- D. stateful firewall database

Answer: A

NEW QUESTION 2

What happens to an unsupervised iOS device when the “Meraki management” profile is removed?

- A. The “Meraki management” profile is remove
- B. All configuration profiles that Systems Manager pushed remain.
- C. The “Meraki management” profile is remove
- D. All configuration profiles that Systems Manager pushed are also removed.
- E. The “Meraki management” profile is removed and then pushed automatically by Systems Manager.
- F. The “Meraki management” profile cannot be removed.

Answer: B

NEW QUESTION 3

Refer to the exhibit.



For an AP that displays this alert, which network access control method must be in use?

- A. preshared key
- B. WPA2-enterprise with my RADIUS server
- C. splash page with my RADIUS server
- D. MAC-based access control with RADIUS server

Answer: A

NEW QUESTION 4

What is the best practice Systems Manager enrollment method when deploying corporate-owned iOS devices?

- A. manual
- B. Apple Configurator
- C. Sentry enrollment
- D. DEP

Answer: B

NEW QUESTION 5

Drag and drop the settings from the left into the boxes on the right to indicate if the setting will be cloned or not cloned using the Cisco Meraki MS switch cloning feature.

switch management IP	Cloned
switch name	
port name	
interface type	
STP bridge property	Not Cloned

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

switch management IP	Cloned
switch name	
port name	
interface type	
STP bridge property	Not Cloned

NEW QUESTION 6

A customer wants to use Microsoft Azure to host corporate application servers.
Which feature does the customer get by using a vMX appliance rather than connecting directly to Azure by VPN?

- A. malware protection
B. SD-WAN
C. next-generation firewall
D. intrusion prevention

Answer: C

NEW QUESTION 7

What occurs when a configuration change is made to an MX network that is bound to a configuration template?

- A. The configuration change in the bound network is combined with the template configuration inside the template.
B. The more restrictive configuration is preferred.
C. The configuration change in the bound network overrides the template configuration.
D. The template configuration overrides the configuration change in the bound network.

Answer: A

NEW QUESTION 8

Which order is accurate for a firmware upgrade on MX appliances in a high-availability configuration?

- A. starts on the secondary MX appliance and then occurs on the primary MX appliance
- B. starts on both MX appliances at the same time and then reboots both appliances after traffic on the primary MX appliance ceases
- C. starts on both MX appliances at the same time and then immediately reboots both appliances
- D. starts on the primary MX appliance and then occurs on the secondary MX appliance

Answer: D

NEW QUESTION 9

Refer to the exhibit.

Security Center the last 2 weeks ▾

Search events Filter 158 matching events

Summary **Events**

Time	Type	Source	Destination	Disposition	Action	Details
May 30 21:22:50	IDS Alert	Desktop [redacted] 10	a104-96-113-137 deploy.static.akamaitech nologies.com	Blocked	MALWARE-CNC	Win.Trojan.Cridex variant outbound connection
May 30 21:22:46	IDS Alert	Desktop [redacted] 10	a104-96-113-137 deploy.static.akamaitech nologies.com	Blocked	MALWARE-CNC	Win.Trojan.Cridex variant outbound connection
May 30 21:22:46	IDS Alert	Desktop [redacted] 10	a104-96-113-137 deploy.static.akamaitech nologies.com	Blocked	MALWARE-CNC	Win.Trojan.Cridex variant outbound connection
May 30 21:22:46	IDS Alert	Desktop [redacted] 10	a104-96-113-137 deploy.static.akamaitech nologies.com	Blocked	MALWARE-CNC	Win.Trojan.Cridex variant outbound connection

MALWARE-CNC Win.Trojan.Cridex variant outbound connection

Rule ID 1-31772

Whitelist ☒ On ☐ Off

Links www.virustotal.com

Actions Rule details

Inspect picklist

Show this signature only

Which IDS/IPS mode is the MX Security Appliance configured for?

- A. quarantine
- B. prevention
- C. detection
- D. blocking

Answer: B

NEW QUESTION 10

Which information is used to calculate whether a WAN link has high usage?

- A. data under Security & SD WAN > Appliance Status > Uplink > Live Data
- B. total historical throughput of an uplink
- C. total number of devices that are actively passing traffic
- D. value under Security & SD WAN > SD WAN & Traffic Shaping > Uplink Configuration

Answer: D

NEW QUESTION 10

A Cisco Meraki MV camera is monitoring an office and its field of vision currently captures work desks and employee computer screens. However, recording employee computer screens is prohibited by local regulation.

Which feature in Dashboard can be used to preserve the current position of the camera while also meeting regulation requirements?

- A. zone exclusion
- B. privacy window
- C. area of interest
- D. sensor crop
- E. restricted mode

Answer: E

NEW QUESTION 12

What are two ways peers interact with ports that Auto VPN uses? (Choose two.)

- A. For IPsec tunneling, peers use high UDP ports within the 32768 to 61000 range.
- B. Peers contact the VPN registry at UDP port 9350.
- C. For IPsec tunneling, peers use high TCP ports within the 32768 to 61000 range.
- D. Peers contact the VPN registry at TCP port 9350.
- E. For IPsec tunneling, peers use UDP ports 500 and 4500.

Answer: BC

NEW QUESTION 13

Company iPads are enrolled in Systems Manager without supervision, and profiles are pushed through Systems Manager. Which outcome occurs when a user attempts to remove the “Meraki Management” profile on an iPad?

- A. The “Meraki Management” profile cannot be removed.
- B. The “Meraki Management” profile is removed and then pushed automatically by Systems Manager.
- C. The “Meraki Management” profile is remove
- D. All the profiles that Systems Manager pushed are also removed.
- E. The “Meraki Management” profile is remove
- F. All the profiles Systems Manager pushed remain.

Answer: C

NEW QUESTION 16

Which two primary metrics does Meraki Insight use to calculate the Application Performance Score? (Choose two.)

- A. Maximum Jitter
- B. Total Bandwidth Usage
- C. Maximum Latency
- D. Per-flow Goodput
- E. Application Response Time

Answer: DE

NEW QUESTION 18

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 500-220 Exam with Our Prep Materials Via below:

<https://www.certleader.com/500-220-dumps.html>