



HP

Exam Questions HPE0-J68

HPE Storage Solutions

NEW QUESTION 1

- (Exam Topic 1)

Which tool is used to configure an HPE MSA 2052?

- A. InfoSight
- B. SMU
- C. CMC
- D. SSMC

Answer: A

NEW QUESTION 2

- (Exam Topic 1)

You deployed and configured an all-flash Nimble array. The customer wants to attach their Windows-based server to the array. Which HPE tool can you use on the host server to make the integration easier?


- A. StorServe Management Console
- B. Channel bonding
- C. Connection Manager
- D. Centralized Management Console

Answer: C

NEW QUESTION 3

- (Exam Topic 1)

A customer has a Nimble HF40 and needs to create a support ticket. Click the option in the InfoSight portal where the customer can perform this task.




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, website, timeline Description automatically generated



NEW QUESTION 4

- (Exam Topic 1)

Match each address with the associated address type.

Type	Address Format
FC	20:32:00:60:69:e2:19:82
IPv6	00:1B:44:11:3A:B7
iSCSI	iqn.2000-05.com.3pardata:20210002ac00851c:15.372.28.0
MAC	fe80::85b0:5df6:1dfb:6793

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

NEW QUESTION 5

- (Exam Topic 1)

You have proposed a Primera array to a customer for new primary storage. The customer currently has an older 3PAR array that they will continue to use moving forward. The customer would like high availability configured.

Which RMC Peer Copy pre-requisites do you need to point out to the customer? (Choose two.)

- A. No license is required
- B. 2-port 10 Gb Ethernet Adapter (NIC) is required
- C. 4-port 1 Gb Ethernet Adapter (NIC) is required in each array
- D. RMC 6.2 is required
- E. Target drive type must match source drive type

Answer: CD

NEW QUESTION 6

- (Exam Topic 1)

A customer is purchasing an HPE MSA 2050 for a branch office. They will use it for critical data services. The customer is concerned that 64 snapshots will not be adequate as they grow.

What can be added to the array to address the customer's concerns?

- A. Advanced Data Services Suite license
- B. All-inclusive Multi-system license
- C. Virtual Copy license
- D. Adaptive Optimization license

Answer: D

NEW QUESTION 7

- (Exam Topic 1)

Match the feature to the appropriate C-Series DCNM license type.

Answer Area

SAN Essentials Edition	<input type="text"/>	Bundled at no charge with the C-series switches
Advanced Edition	<input type="text"/>	Provides configuration, real-time monitoring, and troubleshooting capabilities
	<input type="text"/>	Switch/server-based license
	<input type="text"/>	Historical performance monitoring for network traffic hotspot analysis

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

NEW QUESTION 8

- (Exam Topic 1)

You need to deploy a Recovery Manager Central appliance and integrate it with a customer's 3PAR system. Which information must be collected from the customer in order to proceed with the installer? (Choose two.)

- A. StoreOnce store name
- B. vCenter IP address or hostname
- C. HPE 3PAR used capacity
- D. IP address of the RMC
- E. NFS path

Answer: CD

NEW QUESTION 9

- (Exam Topic 1)

You are proposing a new Nimble solution to a customer that recently experienced data loss in their existing storage array. Which features of the Nimble array should you emphasize to your customer to address their concerns? (Choose two.)

- A. quick RAID rebuild
- B. deduplication
- C. compression
- D. encryption
- E. triple parity

Answer: BC

NEW QUESTION 10

- (Exam Topic 1)

You are configuring a new HPE 3PAR solution and need to create a new disk group with a defined RAID level. Click the appropriate option where the RAID can be selected.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 10

- (Exam Topic 1)

Match the MSA architecture components with their descriptions.

Component	Description
Tier	aggregation of disks of the same type using a specific RAID level
Virtual disk group	automatically assigned performance characteristic
Volume group	collection of virtual volumes allowing group management functions
Virtual pool	collection of virtual disk groups
Virtual volume	logical subdivision of a virtual pool that can be mapped to a host

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface Description automatically generated with medium confidence

NEW QUESTION 13

- (Exam Topic 1)

What is the purpose of WWN in FC SAN? (Choose two.)

- A. Identification of zone members
- B. Identification of entities denied access to a volume
- C. Identification of entities via Storage Name Server (SNS)
- D. Load balanced frame delivery
- E. Forward translation of DNS entries

Answer: CE

NEW QUESTION 17

- (Exam Topic 1)

A customer is planning to replace their existing LTO-6 tape library with a new HPE StoreEver MSL2024 tape library. They want to reuse their existing LTO-6 tape cartridges for reads and writes.

What is the latest tape drive technology that will provide backward compatibility?

- A. LTO8
- B. LTO5
- C. LTO6
- D. LTO7

Answer: D

NEW QUESTION 20

- (Exam Topic 1)

A customer is deploying a new StoreOnce VSA solution.

How can the necessary storage capacity be added to the VSA? (Choose two.)

- A. Verify sufficient capacity LTUs are available
- B. Add a new virtual hard disk to the virtual machine
- C. The Cloud bank container needs to be configured once the VSA boots
- D. The Cloud bank container needs to be configured from the vCenter client

Answer: BD

NEW QUESTION 21

- (Exam Topic 1)

A customer has the following requirements for a storage solution: VMware environment 20 of standard business data 400 TB of video archive files 10 GB iSCSI connectivity

They are most concerned with the cost of the solution.

Which HPE storage solution offers the lowest cost while meeting the customer requirements?

- A. HPE Nimble
- B. HPE SimpliVity
- C. HPE Primera
- D. HPE MSA

Answer: C

NEW QUESTION 25

- (Exam Topic 1)

Match each HPE storage solution to its use case.

Solution	Use Case
Primera	Smaller site traditional deployments
MSA	Complete solution for virtualized environments
Nimble	Enterprise class storage for SMB
Nimble dHCI	Enterprise class storage with Tier-0 features
SimpliVity	hyperconverged control with independent compute and storage scalability

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

NEW QUESTION 26

- (Exam Topic 1)

Which tool is used to determine current compaction ratios on Primera arrays?

- A. WebUI
- B. Storage Management Utility (SMU)
- C. NinjaStars
- D. SSMC System Reporter

Answer: D

NEW QUESTION 27

- (Exam Topic 1)

You have proposed a Primera array to a customer for primary storage. The customer currently has an older HPE 3PAR array and will continue to use it moving forward. The customer would like high availability configured.

Which RMC Peer Copy pre-requisites do you need to point out to the customer? (Choose two.)

- A. 4-port 1 Gb Ethernet Adapter (NIC) is required in each array
- B. Target drive type must match source drive type
- C. 2-port 10 Gb Ethernet Adapter (NIC) is required in each array
- D. Check that the 3PAR OS version is supported
- E. Required license must be provided
- F. RMC 6.2

Answer: AE

NEW QUESTION 31

- (Exam Topic 1)

Which actions can be done within InfoSight Cross-Stack Analytics for VMware and Hyper-V? (Choose two.)

- A. View replication policies
- B. Find noisy neighbors
- C. Locate inactive VMs
- D. Modify administrative privileges
- E. Review backup schedules

Answer: BC

NEW QUESTION 34

- (Exam Topic 1)

A customer successfully implemented an HPE Primera solution.

Which tool can be used to verify performance counters, such as IOPS, match customer requirements?

- A. NinjaCrawler
- B. OneView
- C. Recovery Manager Central
- D. Primera on-node management GUI

Answer: D

NEW QUESTION 39

- (Exam Topic 1)

Which StoreOnce Gen4 features are included with the system software without additional licenses? (Choose two.)

- A. Encryption
- B. Cloud Bank
- C. Catalyst
- D. VTL/NAS replication
- E. Flexible I/O HBAs

Answer: CD

NEW QUESTION 42

- (Exam Topic 1)

A customer asks you for a recommendation on setting up their new StoreOnce appliance. They plan to use NetBackup and need the highest performance setup they can get. Their local hosts are connected via FC and the rest are connected via a WAN. Which backup target type should you recommend?

- A. VTL
- B. S3
- C. CIFS
- D. Catalyst

Answer: A

NEW QUESTION 46

- (Exam Topic 1)

Which of the following are part of the SimpliVity Data Virtualization Platform architecture? (Choose two.)


- A. Presentation Layer
- B. User Management Layer
- C. Security Layer
- D. Data Management Layer

Answer: AD

NEW QUESTION 49

- (Exam Topic 1)

Refer to the exhibit.



You are configuring a new HPE array and verifying properties of a set of volumes. Which RAID level is used on the VMwareDatastores-GF volume?

- A. RAID 0
- B. RAID 6
- C. Triple Parity+
- D. RAID 5

Answer: D

NEW QUESTION 52

- (Exam Topic 1)

A customer is implementing a new high performance database environment. What type of storage should you recommend?

- A. scale-out storage
- B. object store
- C. system-defined storage
- D. network-attached storage

Answer: A

NEW QUESTION 54

- (Exam Topic 1)

A customer has a VMware environment running vSphere 6.5. They are running DL380 Gen10 servers with HPE 82Q adapters connected through a HPE SN3000B switch to a Nimble HF40. They plan to upgrade the hypervisor.

What should they use to identify the latest firmware and compatibility information?

- A. SAN Health Diagnostics
- B. SPOCK
- C. OneView
- D. SAN Design Reference Guide

Answer: B

NEW QUESTION 57

- (Exam Topic 1)

A customer purchased a StoreOnce 3620 earlier in the year and has decided to add a 10GBase- adapter to it, which the customer sourced elsewhere and installed themselves. They complain that the new adapter is not configurable.

What is the most likely reason for this issue?

- A. The StoreOnce software requires updating
- B. Secure boot must be enabled in the BIOS to securely enable HBAs
- C. The customer failed to install a License to Use (LTU) for it
- D. The StoreOnce needs to connect to InfoSight to validate the adapter authenticity

Answer: A

NEW QUESTION 61

- (Exam Topic 2)

A customer is concerned about media and transmission errors caused by any component in the I/O stack from the server host bus adapter (HBA) into the HPE 3PAR StoreServ ports.

Which feature will address the customer's concern?

- A. Persistent Checksum
- B. Persistent Cache
- C. Peer Persistence
- D. Persistent Ports

Answer: A

NEW QUESTION 66

- (Exam Topic 2)

Which storage principle would benefits of customer who has several departments in their organization with different storage needs?

- A. Autonomic Management
- B. Federated storage
- C. Scale out storage
- D. Multi-tenancy

Answer: D

NEW QUESTION 67

- (Exam Topic 2)

Which SAN topology offers the highest centralized data access performance?

- A. Meshed
- B. Cascaded
- C. Core-Edge
- D. Ring

Answer: C

NEW QUESTION 69

- (Exam Topic 2)

Which built-in HPE 3PAR StoreServ technology reduces database transaction logs response time?

- A. Express Writes
- B. Adaptive Flash Cache
- C. Thin provisioning
- D. Thin Deduplication

Answer: B

NEW QUESTION 71

- (Exam Topic 2)

Which value does an HPE Nimble solution provide in addition to other HPE storage solutions

- A. All inclusive software licensing over 5 years and additional capacity upgrades
- B. Upfront option for free controller upgrade after 3 years
- C. Flat support pricing for all hardware components
- D. Tier 1 and tier 2 phone support

Answer: D

NEW QUESTION 76

- (Exam Topic 2)

Which functionality available in an HPE 3 Par StoreServ 8400 system that is not available in an HPE 3par Storesrve 7200

- A. Data at Rest Encryption
- B. Persistent Checksum end-to-end data integrity (correct)
- C. Adaptive optimization and dynamic Optimization
- D. Online import license

Answer: B

NEW QUESTION 78

- (Exam Topic 2)

A customer's environment consists of two HPE Synergy frames running VMware vSphere, HPE FlexFabric 5700 switches, and one HPE Nimble HF-series array connected via 10GbE-T ports to the FlexFabric switches. The customer is concerned about performance management of the whole solution stack. When using infocight with VMvision and analyzing end-to-end latency, which of the components within the stack are displayed? (Choose Three)

- A. ISCSI network(SAN)
- B. Ethernet network (LAN)
- C. storage
- D. application
- E. operating system
- F. host

Answer: ADF

NEW QUESTION 83

- (Exam Topic 2)

Which statement is correct when discussing the RAID layout of an HPE Nimble HF-series storage system?

- A. RAID 6 triple parity is set up -21 data drives are used for RAID stripes.
- B. RAID 6 triple parity is set up -18 data drives are used for RAID stripes.
- C. RAID 6 or RAID 1 can be set up -24 data drives are used for RAID stripes.
- D. RAID 6 or RAID 1 can be set up -18 data drives are used for RAID stripes.

Answer: A

NEW QUESTION 88

- (Exam Topic 2)

A customer needs to add another HPE 3PAR StoreServ system and plans to use the federated storage approach. Which advantages can the customer expect? (Choose two.)

- A. load balancing
- B. reduced power, cooling, and environmental impacts
- C. allows multiple management tools
- D. easier migration
- E. federated deduplication

Answer: AD

Explanation:

Federated storage—Move data between storage systems in a peer-to-peer relationship simply, dynamically, and nondisruptively to improve storage utilization, balance workloads, and ease storage migration.

NEW QUESTION 93

- (Exam Topic 2)

Which storage feature is supported by both the HPE StoreVirtual and the HPE 3PAR StoreServ storage, and is a key differentiator of HPE storage solutions in the industry?

- A. Network RAID
- B. Peer Motion
- C. virtual Copy
- D. Dynamic Optimization

Answer: B

NEW QUESTION 98

- (Exam Topic 2)

Which technology is used in a B-series SAN switch to prevent communicate between unauthorized device?

- A. Port isolation
- B. IVR
- C. Zoning
- D. VSAN

Answer: A

NEW QUESTION 102

- (Exam Topic 2)

Which storage protocol is supported by virtual connect Flex-10?

- A. FCoE
- B. FC
- C. iSCSI
- D. FCIP

Answer: C

NEW QUESTION 104

- (Exam Topic 2)

You are presenting a Nimble solution based on CS3000 hardware to a customer. Which support advantage will be provided with this solution(select two)

- A. Customers always interact with a 3rd level support engineer ,when needed
- B. Customers only have to deploy a service processor for automating support tasks.
- C. Infosight handles the work of 1st and 2nd level support specialist Infosight offers predictive analytics and integration into HPE support center using insight Online.
- D. Infosight performs firmware and software updates without additional administrative support.

Answer: AC

NEW QUESTION 109

- (Exam Topic 2)

Which software feature should an HPE 3PAR Storeserv 8000 customer use to optimize data protection and recovery, Including rapid online recovery for his VMware environment?(select two)

- A. HPE 3PAR Virtual Copy software
- B. HPE 3PAR Remote copy software
- C. HPE 3PAR Security software suite
- D. HPE 3PAR File persona Software suite
- E. HPE StoreOnce recovery manager central for VMware

Answer: AE

NEW QUESTION 111

- (Exam Topic 2)

A customer has a large deployment of HPE Synergy compute modules, HPE 3PAR StoreServ storage, and HPE StoreOnce systems in a single data center. They are concerned about the risk of data loss due to site disaster.

What is the reason to propose HPE CloudBank?

- A. To easily move workloads to AWS or Azure in the event of site disaster.
- B. To improve RPO/RTO objectives by automating snapshot-based integrating between 3PAR and StoreOnce.
- C. To regularly send backups to the cloud for the purposes of DR protection.
- D. To leverage 3PAR snapshots and utilize StoreOnce recovery capabilities to minimize data loss and downtime.

Answer: C

NEW QUESTION 115

- (Exam Topic 2)

While demonstrating an HPE 3PAR StoreServ 9450 array, the customer asks you to demonstrate the File Persona features.

Which objects do you need to create to demonstrate these features? (Choose two.)

- A. File share
- B. Storage container
- C. Host
- D. Remote copy group
- E. Virtual file server

Answer: AE

NEW QUESTION 118

- (Exam Topic 2)

A customer asks for an integrated solution for their remote office with All-Flesh storage and ease of management. Application-aware replication to their main office is an important requirement. Which HPE solution component should you discuss with the customer first?

- A. HPE SimpliVity 380
- B. HPE MSA 2052 Storage
- C. HPE Nimble CS1000 system
- D. HPE 3PAR StoreServ 8200

Answer: A

NEW QUESTION 121

- (Exam Topic 2)

You are demonstrating adding a new virtual volume for an HPE 3PAR Storeserv array for your customer.in addition to the volume name ,What is the minimum information required to create a virtual volume(select two)

- A. Persona type
- B. Domain
- C. Host
- D. Size
- E. CPG

Answer: DE

NEW QUESTION 122

- (Exam Topic 2)

You are designing a new HPE 3PAR StoreServ all-flash array for the customer.. Which ratio should you expect to have the highest efficiency?

- A. Read/write ratio
- B. Reclamation ratio
- C. Compaction Ratio
- D. Thin provisioning ratio

Answer: C

NEW QUESTION 124

- (Exam Topic 2)

A customer with an HPE 3PAR StoreServ needs to upgrade their aging backup solution to a more advanced solution using snapshots and deduplication. Which HPE products would meet the customer's needs? (Choose two.)

- A. HPE 3PAR File Persona
- B. HPE StoreEver
- C. HPE 3PAR Remote Copy
- D. HPE StoreOnce
- E. HPE Recovery Manager Central

Answer: DE

NEW QUESTION 128

- (Exam Topic 2)

A customer has an existing configuration consisting of first class and nearline SAS drive in an 8000 SFF enclosure. They add two SFF 8000enclosure that are fully populated with nearline drives to an existing HPE 3Par storeserv 8400 array. What should the customer do to optimize their storage configuration?

- A. Defrag the CPG and run align drive on their system
- B. Run tunesys and on the array (275)
- C. Enable space reclamation
- D. Create new CPG for the newly installed drivers

Answer: B

NEW QUESTION 132

- (Exam Topic 2)

What performance benefit is provided by using the HPE StoreVirtual DSM for Microsoft MPIO instead of the standard MPIO?

- A. The HPE DSM increases availability and reduces latency and throughput.
- B. The storage system, which holds a copy of the requested data, services the read I/Os.
- C. The iSCSI connections are blocked to non-critical nodes in the cluster by default.
- D. The storage system, which receives a copy of the data, does not service the write I/O.

Answer: B

NEW QUESTION 135

- (Exam Topic 2)

A customer wants to expand his cascaded B-series based SAN but is concerned about latencies within the SAN backend. You recommend changing the topology to a full mesh.

Which switch feature will ensure that the latencies in the backend are at the lowest possible level?

- A. LACP
- B. NPIV
- C. FSPF
- D. VSF

Answer: C

NEW QUESTION 137

- (Exam Topic 2)

Which file protocols are commonly used in HPE StoreOnce environments? (Choose two.)

- A. CIFS
- B. NTFS
- C. VFS
- D. ZFS
- E. NFS

Answer: AE

NEW QUESTION 140

- (Exam Topic 2)

A customer has a SAN infrastructure with the HPE C-class blade Enclosure ,and a mix of proliant G7,gen8 and Ge9 server .They require a new storage platform ... How can you confirm the storage array will be supported in the existing environment?

- A. Check recommended firmware levels in the HP SAN design reference guide to ensure firmware compatibility
- B. Document existing server and SAN information ,and consult SPOCK to ensure firmware compatibility
- C. Design and array with the latest firmware ,and recommend that the customer engage HPE point Next to upgrade the existing hardware
- D. Design an array with older version of the firmware to ensure compatibility

Answer: B

NEW QUESTION 143

- (Exam Topic 2)

A customer has a SAN infrastructure with an HPE C-Class blade enclosure, and a mix of ProLiant G7, Gen8 and Gen9 servers. They require a new storage platform.

How can you confirm the new storage array will be supported in the existing environment?

- A. Design an array with an older version of the firmware to ensure compatibility.
- B. Document existing server and SAN information, and consult SPOCK to ensure firmware compatibility.
- C. Design an array with the latest firmware, and recommend that the customer engage HPE PointNext to upgrade the existing hardware.
- D. Check recommended firmware levels in the HP SAN Design Reference Guide to ensure firmware compatibility.

Answer: B

NEW QUESTION 147

- (Exam Topic 2)

What can move data directly from a snapshot to backup storage independent of backup server software?

- A. SSMC
- B. Virtual Lock
- C. CLI
- D. Express Protect

Answer: D

Explanation:

The Express Protect feature offers data protection by facilitating Express Protect of snapshots from HPE 3PAR StoreServ to HPE StoreOnce.

NEW QUESTION 150

- (Exam Topic 2)

Which function is built into the HPE 3par OS and enable users to move data and workloads between array without impacting applications, users, or services?

- A. Peer persistence
- B. Adaptive optimization
- C. Peer motion
- D. Remote copy

Answer: A

NEW QUESTION 153

- (Exam Topic 2)

What is the benefits of HPE synergy(Select 2)


- A. It can present block storage services from HPE 3par as part of the resource pool
- B. It support up to 3 HPE store Virtual VSA nodes for storage RAID
- C. It can use HPE 3PAR file persona for objet storage
- D. It can compose and reclaim DAS storage
- E. It support HPE blade system C-Class Flex Fabrics Interconnect module (need to check)

Answer: AD

NEW QUESTION 156

- (Exam Topic 2)

Exhibit:



Which fabric design is shown?

- A. meshed
- B. single fabric
- C. cascaded
- D. core-edge

Answer: A

NEW QUESTION 160

- (Exam Topic 2)

Which HPE 3PAR StoreServ feature allows a host to continue I/O uninterrupted during a firmware upgrade?

- A. Peer Persistence
- B. Persistent Ports
- C. Persistent Memory
- D. Persistent Cache

Answer: B

NEW QUESTION 164

- (Exam Topic 2)

An existing Nimble customer is interested in adding storage to their environment to store his Backups, but has a constrained budget and limited personal .The solution must scale to allow for substantial growth over the next five years?

- A. Nimble SF series
- B. Nimble AF series
- C. Nimble cloud volume
- D. Nimble CS series

Answer: B

NEW QUESTION 169

- (Exam Topic 2)

A customer recently acquired another company and found that the existing infrastructure was outdated and costly to maintain. They need to put a complete infrastructure solution in place that minimizes the footprint in the data center as quickly and possible. Which solution you recommend?

- A. Simplicity 380
- B. Bladesystem 7000
- C. Converged systems
- D. Synergy 12000

Answer: A

NEW QUESTION 171

- (Exam Topic 2)

You are adding a new host for an HPE 3PAR StoreServ proof-of-concept .In addition to the host name ,What is the minimum information that is required to create a host profile?

- A. Host Persona
- B. Host MAC
- C. Host set
- D. Host WWN

Answer: D

NEW QUESTION 173

- (Exam Topic 2)

A Company using an existing 1GB ISCSI storage array is experiencing storage access performance issue. They are interested in deploying HPE 3PAR Storeserv with 16GB /S FC end to-end to improve the performance to the minimal changes to the

environment. The existing environment consists of these HPE products

- * HPE C7000 Blade system platinum blade enclosure with HP virtual connect Flex 10 interconnect modules.
- * Configuration of HPE Proliant Gen8 and Gen9 blade servers
- * HPE 2920 Switches

Which HPE products must be included to support new HPE 3PAR Storeserv?(Select two)

- A. HPE B-Series 16GB SAN switch for HPE Blade system C-class series
- B. HPE 16GB/s Fibre channel HBA for Blade servers
- C. HP 5900CP switch series with 16GB/S SFP+ Modules
- D. HPE Flex fabric 20GB,2-Port 630 FLB adapter
- E. HPE Virtual connect Flex fabric 20/40 f8 modules

Answer: AB

NEW QUESTION 174

- (Exam Topic 2)

A customer needs to store a large amount of unstructured data that must be queried quickly. Which type of storage meets the customer's needs?

- A. object
- B. hash
- C. file
- D. flash

Answer: A

NEW QUESTION 178

- (Exam Topic 2)

When using a HPE 3 PAR Storeserv array to enable a user to apply array-based data services to specific application and VM's. What is the benefit of implementing VM-level gradually of Volts?

- A. Data sprawls eliminated by performing the migration functions at the array level using 3PAR HPE Dynamic Optimization
- B. Efficiency is maintained by reclaiming space from deleted or migrated VMs using capabilities built into the storage ASIC
- C. Performing is accelerated by detecting and moving the most frequently –accessed VMs into the fast class tier
- D. Performance is accelerated by leveraging the deduplication capabilities built into the storage ASIC

Answer: B

NEW QUESTION 181

- (Exam Topic 2)

What allows volume level data to be copied between an HPE 3PAR and an HPE store Virtual VSA?

- A. Store virtual Peer motion
- B. HPE 3PAR Remote Copy
- C. Recovery Manager central
- D. StoreServ Peer Motion

Answer: C

NEW QUESTION 183

- (Exam Topic 2)

You are planning a single-site Nimble solution with iSCSI connectivity. Two 10GbE SFP+ dual port NICS are included in the configuration. You designed an intelligent Resilient Framework (IRF) stack with HPE FlexFabric 5900CP switches. Which statements is correct when discussing the IRF limits for this configuration?

- A. When connecting an iSCSI storage to an IRF stack, a minimum of four 10GbE ports must be used per switch.
- B. A maximum of two switches can be used in an IRF stack when connecting storage.
- C. In an IRF stack with storage connectivity, the 40GbE ports cannot be used.
- D. The used IRF ports for iSCSI traffic have to be configured as 10GbE converged ports.

Answer: B

NEW QUESTION 186

- (Exam Topic 2)

A customer is concerned about the business risks of non-compliance for long-term data protection, retention, immutability, and encryption on petabytes of data consisting of millions of objects in a global namespace across multiple geographic locations.

Which products should you recommend to the customer to address their concern? (Choose two.)

- A. HPE StoreOnce Systems
- B. HPE Complete Veeam
- C. HPE Complete iTernity iCAS
- D. HPE Scalify RING on HPE Apollo Servers
- E. HPE 3PAR StoreServ 9000

Answer: AC

NEW QUESTION 188

- (Exam Topic 2)

A customer is interested in integrating their HPE 3PAR StoreServ arrays into their OneView environment to support automated volume provisioning. What must you install to enable the integration?

- A. HPE SAN Network Advisor Enterprise
- B. HPE SAN Network Advisor Professional
- C. 3PAR Host Explorer
- D. OneView Global Dashboard

Answer: A

NEW QUESTION 189

- (Exam Topic 2)

A customer run several HPE 3PAR storeserv system in their environment using data rest encryption .The customer needs to add an HPE 3PAR Storeserv 8000system to the storage pool and an external key manager for all systems.. What is the requirement for this solution?

- A. Boot server for the existing 3PAR storeserv array must be replaced with self-encrypting drive
- B. All drives of the new HPE 3PAR storeserv array must be self-encrypting
- C. HPE ESKM FIPS mode must be disabled by the administrator
- D. Data on the existing HPE 3PAR storeserv array must be decrypted and re-encrypted with new keys

Answer: B

NEW QUESTION 193

- (Exam Topic 2)

A customer need a new storage system for visual desktop infrastructure environment to reduce the time required to provision new desktop. Which HPE solution should you recommended to fulfill this customers requirements?

- A. Snapclones on HPE MSA 2040
- B. SmartClone on HPE store virtual VSA(54)
- C. Storage pool on HPE store Easy
- D. Virtual Copy on HPE 3Par storeServ

Answer: B

NEW QUESTION 196

- (Exam Topic 2)

A large organization is experiencing exponential data growth of object storage due to recent mergers and acquisition .They need an on-premise solution to optimize cost at petabyte scale Which components should you recommend for a software-defined solution ?(select two)

- A. HPE Appolo 4510 server
- B. HPE Complete –Scalability RING
- C. HPE Synergy 660 Gen10 compute modules
- D. HPE complete –CTERA
- E. HPE 3PAR Storeserv 9450c

Answer: AB

NEW QUESTION 197

- (Exam Topic 2)

A customer has a SAN based on HPE B-series switches with Gen6 fibre channel technology. Their workload is continually growing and they are experiencing performance issues. They need a solution to enable real-time monitoring and to speed up troubleshooting in his SAN backend. Which unique feature of the HPE B-series Gen6 switches should you recommend? (Choose two.)

- A. Fabric Watch
- B. MAPS
- C. Advanced Trunking
- D. Fabric Vision
- E. Extended Fabrics

Answer: AD

NEW QUESTION 200

- (Exam Topic 2)

Match the type of storage found in today's market to the HPE storage solution optimized for that capacity?

- A. HPE 3PAR StoreServ - Block
- B. MSA - Block
- C. Nimble - Block
- D. Scalability - Object
- E. StoreEasy - File
- F. StoreVirtual - Block

Answer: A

NEW QUESTION 204

- (Exam Topic 2)

A customer has an HPE 3PAR StoreServ 8200 with eight 3.84 TB SSD's configured with RAID5 7+1. They plan to add four more 3.84 TB SSD's.

What needs to be changed on the configuration once the new SSD's are installed?

- A. Reconfigure the cpg setsize as RAID6 6+2 and wait for tunesys to complete.
- B. Change the availability level from cage to magazine.
- C. Adjust the cpg growth value to match amount of SSD's.
- D. Change the cpg setsize to RAID5 5+1 and run tunesys.

Answer: D

NEW QUESTION 206

- (Exam Topic 2)

A customer has a new Nimble CS3000 21T storage systems and is facing latency issues for his 2TB ERP database. What would be a design approach to solve this issue ?

- A. Perform controller upgrade to a Nimbel CS3000 storage systems
- B. Add additional SSd drives as cache to the system and PIN the volume
- C. Enable storage tiering on the system and map the volume to the new tier
- D. Change RAID of the drives to RAID -1and setup quality of services for the volume

Answer: B

NEW QUESTION 208

- (Exam Topic 2)

Which HPE storage solutions offer a two-tier backup solution for hybrid cloud with optimal recovery time? (Choose two.)

- A. Simplivity 380
- B. Nimble SF series
- C. 3PAR 8000 series
- D. StoreOnce with Catalyst
- E. Nimble CS series

Answer: AD

NEW QUESTION 213

- (Exam Topic 2)

Which statement is true when defining object storage ?

- A. It is most suited for sharing files and characterized by volumes
- B. It is most suited for unstructured data and characterized by file share protocols like NFS
- C. It is most suited for unstructured data and characterized by containers or buckets
- D. suited for database It is most and characterized by containers or buckets

Answer: C

NEW QUESTION 217

- (Exam Topic 2)

In an ISCSI based storage system Proof-Of-Concept project ,the customer is not satisfied with the performance of their video streaming application .What would you recommended to the customer to optimize the excisting environment?

- A. Enable hardware ISCSI initiator
- B. Increase the switch buffer to buffer credits
- C. Enable jumbo frames on required components
- D. Consolidate the heterogeneous switches in the network

Answer: C

NEW QUESTION 219

- (Exam Topic 2)

A customer need to server 40TB via file protocols including SMB and FTP to a board range of client operating system in one location .security protocol dictate that data must be encrypted with FIPS 140-2 compliance. Which HPE storage solution you recommend?

- A. HPE MSA 2052 storage with HPE StoreEasy 3850 Gateway
- B. HPE 3PAR 8200 using self-encrypting drive with 3PAR file persona
- C. HPE StoreOnce 5500with data in fight encryption .
- D. HPE XP7 storage with encryption ready disk adapters

Answer: B

NEW QUESTION 221

- (Exam Topic 2)

Which statement is correct when comparing functionalities of the AF and HF series in the Nimble storage portfolio? (Choose Two)

- A. Zero Copy Clones are a unique feature of All-Flash arrays within the Nimble Portfolio.
- B. >99.9999% availability is measured and guaranteed for AF and HF series arrays.
- C. HF series has a dedicated read cache and AF series does not have a dedicated reach cache.
- D. HF series supports storage snapshots and replication using Veeam Backup & Replication, HF and AF series support storage snapshots only

Answer: BC

NEW QUESTION 223

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

HPE0-J68 Practice Exam Features:

- * HPE0-J68 Questions and Answers Updated Frequently
- * HPE0-J68 Practice Questions Verified by Expert Senior Certified Staff
- * HPE0-J68 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * HPE0-J68 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The HPE0-J68 Practice Test Here](#)