

Cisco

Exam Questions 300-735

Automating and Programming Cisco Security Solutions (SAUTO)



NEW QUESTION 1

DRAG DROP

Drag and drop the code to complete the API call to query all Cisco Stealthwatch Cloud observations. Not all options are used. Select and Place:

/

observations

DELETE

GET

POST

all/

all

obsrv

?query=all

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

https://example.observbl.com/api/v3/

 /

observations

DELETE

GET

POST

all/

all

obsrv

?query=all

NEW QUESTION 2

DRAG DROP

Drag and drop the code to complete the curl command to query the Cisco Umbrella Investigate API for the umbrella popularity list. Not all options are used. Select and Place:

```
curl -H "Authorization:  %YourToken%"
"https://investigate.api.umbrella.com/

```

tophundred

Basic

topmillion

Bearer

topthousand

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

```
curl -H "Authorization:  Bearer %YourToken%"
"https://investigate.api.umbrella.com/ topmillion"
```

tophundred

Basic

topmillion

Bearer

topthousand

NEW QUESTION 3

```
def query(config, secret, url, payload):
    print('query url=' + url)
    print(' request=' + payload)
    handler = urllib.request.HTTPSHandler(context=config.get_ssl_context())
    opener = urllib.request.build_opener(handler)
    rest_request = urllib.request.Request(url=url, data=str.encode(payload))
    rest_request.add_header('Content-Type', 'application/json')
    rest_request.add_header('Accept', 'application/json')
    b64 = base64.b64encode((config.get_node_name() + ':' + secret).encode()).decode()
    rest_request.add_header('Authorization', 'Basic ' + b64)
    rest_response = opener.open(rest_request)
    print(' response status=' + str(rest_response.getcode()))
    print(' response content=' + rest_response.read().decode())
```

Refer to the exhibit. A Python function named "query" has been developed and the goal is to use it to query the service "com.cisco.ise.session" via Cisco pxGrid 2.0 APIs. How is the function called, if the goal is to identify the sessions that are associated with the IP address 10.0.0.50?

- A. query(config, secret, "getSessionByIpAddress/10.0.0.50", "ipAddress")
- B. query(config, "10.0.0.50", url, payload)
- C. query(config, secret, url, "10.0.0.50")
- D. query(config, secret, url, {"ipAddress": "10.0.0.50"})

Answer: D

NEW QUESTION 4

If the goal is to create an access policy with the default action of blocking traffic, using Cisco Firepower Management Center REST APIs, which snippet is used?

- A.
 - API PATH:
/api/fmc_config/v1/domain/<domain_uid>/object/accesspolicies
 - METHOD:
POST
 - INPUT JSON:


```
{
  "type": "AccessPolicy",
  "name": "AccessPolicy-test-1",
  "defaultAction": {
    "action": "BLOCK"
  }
}
```
- B.
 - API PATH:
/api/fmc_config/v1/domain/<domain_uid>/object/securityzones
 - METHOD:
POST
 - INPUT JSON:


```
{
  "type": "AccessPolicy",
  "name": "AccessPolicy-test-1",
  "defaultAction": {
    "action": "BLOCK"
  }
}
```
- C.
 - API PATH:
/api/fmc_config/v1/domain/<domain_uid>/object/accesspolicies
 - METHOD:
PUT
 - INPUT JSON:


```
{
  "type": "AccessPolicy",
  "name": "AccessPolicy-test-1",
  "defaultAction": {
    "action": "BLOCK"
  }
}
```
- D.

```
- API PATH:
/api/fmc_config/v1/domain/<domain_uuid>/object/accesspolicies

- METHOD:
POST

- INPUT JSON:
{
  "type": "AccessPolicy",
  "name": "AccessPolicy-test-1",
  "action": "FASTPATH"
}
```

Answer: D

NEW QUESTION 5

Refer to the exhibit. A network operator wants to add a certain IP to a DMZ tag. Which code segment completes the script and achieves the goal?

- A.

```
tag_data = json.dumps(tag_session)['data']
tag_data['ranges'].append(DMZ_IP)
session.put(TAG_URL, json=tag_data, headers=HEADERS, verify=False)
```
- B.

```
tag_data = json.loads(tag_session)['data']
tag_data['ranges'].append(DMZ_IP)
session.put(TAG_URL, data=tag_data, headers=HEADERS, verify=False)
```
- C.

```
tag_data = json.dumps(tag_session)['data']
tag_data['ranges'].append(DMZ_IP)
session.put(TAG_URL, data=json.loads(tag_data), headers=HEADERS, verify=False)
```
- D.

```
tag_data = json.loads(tag_session)['data']
tag_data['ranges'].append(DMZ_IP)
session.put(TAG_URL, json=tag_data, headers=HEADERS, verify=False)
```

Answer: A

NEW QUESTION 6

```
import requests

API_KEY = "123456789abcdef"

URL = "https://example.observbl.com/api/v3/alerts/alert/"

HEADERS = {"Authorization": "Bearer {}".format(API_KEY)}

response = requests.get(URL, headers=HEADERS)
```

Refer to the exhibit. A security engineer created a script and successfully executed it to retrieve all currently open alerts. Which print command shows the first returned alert?

- A. `print(response[data][0])`
- B. `print(response[results][0])`
- C. `print(response.json()[data][0])`
- D. `print(response.json()[results][0])`

Answer: A

NEW QUESTION 7

Which two statements describe the characteristics of API styles for REST and RPC? (Choose two.)

- A. REST-based APIs function in a similar way to procedures.
- B. REST-based APIs are used primarily for CRUD operations.
- C. REST and RPC API styles are the same.
- D. RPC-based APIs function in a similar way to procedures.
- E. RPC-based APIs are used primarily for CRUD operations.

Answer: BD

NEW QUESTION 8

What are two benefits of Ansible when managing security platforms? (Choose two.)

- A. End users can be identified and tracked across a network.
- B. Network performance issues can be identified and automatically remediated.
- C. Policies can be updated on multiple devices concurrently, which reduces outage windows.
- D. Anomalous network traffic can be detected and correlated.
- E. The time that is needed to deploy a change is reduced, compared to manually applying the change.

Answer: CE

NEW QUESTION 9

The Cisco Security Management Appliance API is used to make a GET call using the URI /sma/api/v2.0/reporting/mail_incoming_traffic_summary/detected_amp?startDate=2016-09-10T19:00:00.000Z&endDate=2018-0924T23:00:00.000Z&device_type=esa&device_name=esa01. What does this GET call return?

- A. values of all counters of a counter group, with the device group name and device type for web
- B. value of a specific counter from a counter group, with the device name and type for email
- C. value of a specific counter from a counter group, with the device name and type for web
- D. values of all counters of a counter group, with the device group name and device type for email

Answer: D

NEW QUESTION 10

DRAG DROP

Drag and drop the code to complete the Cisco Umbrella Investigate WHOIS query that returns a list of domains that are associated with the email address "admin@example.com". Not all options are used.

Select and Place:

"https://investigate.api.umbrella.com/ <input style="border: none; border-bottom: 1px solid black;" type="text" value=""/> /		
<input style="border: none; border-bottom: 1px solid black;" type="text" value=""/> / <input style="border: none; border-bottom: 1px solid black;" type="text" value=""/> "		
email	emails	WHOIS
admin@example.com	whois	{admin@example.com}

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

"https://investigate.api.umbrella.com/ <input style="border: none; border-bottom: 1px solid black;" type="text" value="WHOIS"/> /		
<input style="border: none; border-bottom: 1px solid black;" type="text" value="emails"/> / <input style="border: none; border-bottom: 1px solid black;" type="text" value="admin@example.com"/> "		
email	emails	WHOIS
admin@example.com	whois	{admin@example.com}

NEW QUESTION 10

Which header set should be sent with all API calls to the Cisco Stealthwatch Cloud API?

- A. Content-Type: application/json
 Accept: application/json
 Authorization: Bearer <api_key>
- B. Content-Type: application/json
 Accept: application/json
 Authorization: ApiKey <username>:<api_key>
- C. Content-Type: application/json
 Accept: application/json
 Authorization: Basic <api_key>
- D. Content-Type: application/json
 Accept: application/json
 Authorization: <username>:<api_key>

Answer: B

NEW QUESTION 13

Refer to the exhibit. A network operator wrote a Python script to retrieve events from Cisco AMP.

```
import requests
CLIENT_ID = 'a1b2c3d4e5f6g7h8i9j0'
API_KEY = 'a1b2c3d4-e5f6-g7h8-i9j0-k112m3n4o5p6'
----MISSING CODE----
URL = BASE_URL+'/v1/events'
request = requests.get(url, auth=(amp_client_id, amp_api_key))
```

Against which API gateway must the operator make the request?

- A. BASE_URL = "https://api.amp.cisco.com"
- B. BASE_URL = "https://amp.cisco.com/api"
- C. BASE_URL = "https://amp.cisco.com/api/"
- D. BASE_URL = "https://api.amp.cisco.com/"

Answer: A

NEW QUESTION 17

Which query parameter is required when using the reporting API of Cisco Security Management Appliances?

- A. device_type
- B. query_type
- C. filterValue
- D. startDate + endDate

Answer: D

NEW QUESTION 20

Which step is required by Cisco pxGrid providers to expose functionality to consumer applications that are written in Python? A. Look up the existing service using the /pxgrid/control/ServiceLookup endpoint.

- A. Register the service using the /pxgrid/control/ServiceRegister endpoint.
- B. Configure the service using the /pxgrid/ise/config/profiler endpoint.
- C. Expose the service using the /pxgrid/ise/pubsub endpoint.

Answer: D

NEW QUESTION 21

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

300-735 Practice Exam Features:

- * 300-735 Questions and Answers Updated Frequently
- * 300-735 Practice Questions Verified by Expert Senior Certified Staff
- * 300-735 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 300-735 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 300-735 Practice Test Here](#)