



LPI

Exam Questions 201-450

LPIC-2 Exam 201 Part 1 of 2 version 4.5

NEW QUESTION 1

When is historical data of resource usage important? (Select THREE correct answers.)

- A. Predicting when resources will need to be increased.
- B. Selecting a computer vendor.
- C. Identifying processes killed during out of memory occurrences.
- D. Diagnosing capacity problems.
- E. Troubleshooting a software problem.

Answer: ADE

NEW QUESTION 2

Which of the following is a side effect of extensive usage of swap space?

- A. The root filesystem may become full because swap space is always located on the system root partition.
- B. The overall system performance may degrade because of heavy hard disk use and memory reorganization.
- C. Since processes always exist completely in either RAM or swap, regular RAM may become unused if the kernel does not move processes back from the swap space to memory.
- D. The memory may become fragmented and slow down the access to memory page
- E. However, this can be kept to a minimum by the regular use of memfrag -d.
- F. Applications need to restart because their virtual memory addresses change to reflect memory relocation to the swap address area.

Answer: B

NEW QUESTION 3

Which commands below are useful to collect data about remote filesystem connections? (Choose TWO correct answers.)

- A. pidstat
- B. nfsiostat
- C. sadsf
- D. cifsiosat

Answer: BD

NEW QUESTION 4

When planning a web server which of the following choices will impact system sizing? (Choose THREE correct answers.)

- A. How many concurrent users are expected.
- B. Which hardware vendor has better Linux support.
- C. What type of content will be served.
- D. What scripting languages will the web server support.
- E. Will the OS install be CD, DVD or network based.

Answer: ACD

NEW QUESTION 5

In the following output, what is the 5 minute load average for the system?

```
# uptime  
12:10:05 up 18 days, 19:00, 2 users, load average: 0.47, 24.71, 35.31
```

- A. 0.47
- B. 24.71
- C. 35.31
- D. There is no 5 minute interval
- E. It is some value between 0.47 and 24.71.
- F. There is no 5 minute interval
- G. It is some value between 24.71 and 35.31.

Answer: B

NEW QUESTION 6

Which directory contains the system-specific udev rule files? (Specify the absolute path including the directory name)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/etc/udev/rules.d, /etc/udev/rules.d/

NEW QUESTION 7

On a server running the 3.4.50-11 Linux kernel, which file in the /boot directory contains the kernel configuration parameters?

- A. config-linux-3.4.50-11
- B. config-3.4.50-11
- C. system-3.4.50-11
- D. vmlinuz-3.4.50-11
- E. rc.config-3.4.50-11

Answer: B

NEW QUESTION 8

What happens if the Linux kernel can't mount the root filesystem when booting?

- A. An error message is shown and the administrator is asked by the kernel to specify a valid root filesystem to continue the boot process.
- B. An error message is shown and the system reboots after a keypress.
- C. An error message is shown and the system boots in maintenance mode.
- D. An error message is shown showing which device couldn't be mounted or informing that init couldn't be found.
- E. An error message is shown stating that the corresponding kernel module couldn't be loaded.

Answer: D

NEW QUESTION 9

Which file tells GRUB the paths of the filesystem partitions in both Linux format and in the GRUB syntax? (Specify the file name only with no path information)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

device.map

NEW QUESTION 10

Which command is used to install a new LILO boot loader?

- A. lilo
- B. lilo-config
- C. lilo-install
- D. install-lilo

Answer: A

NEW QUESTION 10

A Linux server is running in single user mode for regular maintenance. Which commands are used to restore the server to its usual runlevel? (Choose TWO correct answers.)

- A. telinit 0
- B. shutdown -r now
- C. sync
- D. shutdown -h now
- E. reboot

Answer: BE

NEW QUESTION 15

A server requires a GRUB2 boot option which will always boot to runlevel 1. Which line of a GRUB2 configuration file starts the beginning of the settings needed to make this new choice available?

- A. initrd
- B. linux
- C. menuentry
- D. runlevel

Answer: B

NEW QUESTION 19

After changing the default runlevel in the SysV-init configuration file, the system boots in a different than intended runlevel. Where else could this different runlevel be defined?

- A. In the /etc/sysctl.conf
- B. In the boot loader configuration file
- C. In the /etc/runlevel file
- D. In the /boot/initramfs file
- E. In the /etc/rc.d/rc.local file

Answer: B

NEW QUESTION 20

Why is the root file system mounted read-only during boot and remounted with write permission later on?

- A. Because if problems with the root file system are detected during the boot, fsck can be run, without risk of damage.
- B. Because this way crackers cannot collect information about root with boot sniffers.
- C. To avoid writing to the disk, unless the root password is known.
- D. To avoid other operating systems overwriting the Linux root partition.
- E. Because the disk has its own write protection that cannot be changed by the operating system.

Answer: A

NEW QUESTION 22

What are the main network services used by the PXE protocol? (Choose TWO correct answers.)

- A. DNS
- B. DHCP
- C. HTTP
- D. TFTP
- E. NFS

Answer: BD

NEW QUESTION 27

How can the label root be added to the ext2 filesystem on /dev/sda1?

- A. relabel /dev/sda1 root
- B. tune2fs -L root /dev/sda1
- C. echo 'root' > /proc/fs/sda1/label
- D. labelfs --device /dev/sda1 root

Answer: B

NEW QUESTION 31

Which command turns an existing ext2 filesystem non-destructively into an ext3 filesystem? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/sbin/tune2fs, tune2fs

NEW QUESTION 34

Which directory in /dev/disk/ can be used to determine the UUID of a connected hard disk?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/dev/disk/by-uuid, by-uuid, /dev/disk/by-uuid/

NEW QUESTION 37

Which of the following is a CD-ROM filesystem standard?

- A. OSI9660
- B. ISO9660
- C. SR0FS
- D. ISO8859
- E. ROM-EO

Answer: B

NEW QUESTION 39

Which command is used to create a ISO9660 filesystem? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

mkisofs, genisoimage

NEW QUESTION 40

The main configuration file for autofs has this entry:

/home /etc/auto.home

What is the meaning of the /etc/auto.home file?

- A. It has the indirect maps for the mounting of file systems.
- B. It has configuration information, such as passwords and keys, for the remote file server.
- C. It has configuration information on settings for the /home mount point.
- D. It is the holds the SSL key to allow authentication to the remote file server.

Answer: A

NEW QUESTION 41

Which file in /proc contains information on the status of local software RAID devices?

- A. /proc/raidstat
- B. /proc/mdstat
- C. /proc/raidstatus
- D. /proc/mdstatus
- E. /proc/raid/status

Answer: B

NEW QUESTION 44

What is the purpose of the command vgextend?

- A. Extend a volume group's footprint on disk.
- B. Add physical volumes to an existing volume group.
- C. Increase the number of days between scheduled error checking.
- D. Create a volume group which uses all available space on disk.

Answer: B

NEW QUESTION 48

Which of the following is an example path to a Linux software RAID array?

- A. /dev/raid0
- B. /dev/rd1
- C. /dev/pr0
- D. /dev/md1

Answer: D

NEW QUESTION 51

What component of a system does smartd monitor?

- A. CPU
- B. RAM
- C. Hard drives
- D. Ethernet traffic

Answer: C

NEW QUESTION 54

What command will remove a physical volume from a volume group? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

vgreduce, /sbin/vgreduce

NEW QUESTION 57

Which program lists information about files and network connections opened by processes? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

lsof, /usr/bin/lsof

NEW QUESTION 60

Considering the following kernel IP routing table below, which of the following commands must be used to remove the route to the network 10.10.1.0/24? (Select TWO answers)

Kernel IP routing table

```
Destination Gateway Genmask Flags Metric Ref Use Iface
203.0.113.162 0.0.0.0 255.255.255.255 UH 0 0 0 ppp0
172.16.87.0 0.0.0.0 255.255.255.0 U 0 0 0 eth0
192.168.246.0 0.0.0.0 255.255.255.0 U 0 0 0 eth1
10.10.1.0 192.168.246.11 255.255.255.0 UG 0 0 0 eth1
127.0.0.0 0.0.0.0 255.0.0.0 U 0 0 0 lo
0.0.0.0 203.0.113.162 0.0.0.0 UG 0 0 0 ppp0
```

- A. ip net delete 10.10.1.0/24
- B. route del 10.10.1.0/24
- C. route del -net 10.10.1.0/24
- D. route del 10.10.1.0/24 gw 192.168.246.11
- E. ip route delete 10.10.1.0/24

Answer: CE

NEW QUESTION 65

A network client has an ethernet interface (eth0) configured with an IP address in the subnet 192.168.0.0/24. This subnet has a router, with the IP address 192.168.0.1, that connects this subnet to the Internet. What needs to be done on the client to enable it to use the router as its default gateway? (Choose TWO correct answers.)

- A. route add default gw 192.168.0.1 eth0
- B. ifconfig eth0 defaultroute 192.168.0.1
- C. ip route add default via 192.168.0.1 dev eth0
- D. echo defaultroute 192.168.0.1 >> /etc/resolv.conf
- E. route add defaultgw=192.168.0.1 if=eth0

Answer: AC

NEW QUESTION 69

Running tcpdump -nli eth1 'tcp' shows the following output:

```
14:41:53.694538 IP 10.1.52.145.51738 > 24.215.7.162.143: Flags [.] , ack 33051, win 1002, options
[nop,nop,TS val 36789130 ecr 1746004159], length 0
```

What is the source IP address of this packet? (Please specify the answer in digits and dots ONLY.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

10.1.52.145

NEW QUESTION 73

The following is an excerpt from the output of tcpdump -nli eth1 'udp': 13:03:17.277327 IP 192.168.123.5.1065 > 192.168.5.112.53: 43653+ A? lpi.org. (25)

```
13:03:17.598624 IP 192.168.5.112.53 > 192.168.123.5.1065: 43653 1/0/0 A 198.51.100.42 (41)
```

Which network service or protocol was used?

- A. FTP
- B. HTTP
- C. SSH
- D. DNS
- E. DHCP

Answer: D

NEW QUESTION 77

What is incorrect about these entries in /etc/hosts which could be causing host name lookup problems with host2?

```
host1 192.168.1.12
host2 192.168.1.12
```

- A. Two host names are using the same IP address.
- B. The server doing the query is on a different subnet.
- C. The fields are out of order.
- D. host2 is not a fully qualified domain name.

Answer: C

NEW QUESTION 79

Which of the following files are used to resolve hostnames to IP addresses? (Choose TWO correct answers.)

- A. /etc/systems
- B. /etc/hosts
- C. /etc/network

- D. /etc/dns.conf
- E. /etc/resolv.conf

Answer: BE

NEW QUESTION 84

What is the command to add another IP address (192.168.1.2) to a network interface (eth0) that already has (at least) one IP address in the 192.168.1.0/24 subnet?

- A. ip add addr 192.168.1.2/32 dev eth0
- B. ifconfig eth0 192.168.1.2 netmask 255.255.255.255
- C. ip addr add 192.168.1.2/32 dev eth0
- D. ipconfig eth0 192.168.1.2

Answer: C

NEW QUESTION 88

Which of the following are common backup systems used in Linux? (Choose TWO correct answers.)

- A. Amanda
- B. Bacula
- C. DrBackup
- D. BREWBackup
- E. SARcheck

Answer: AB

NEW QUESTION 91

Which of the following commands will securely copy the directory ./fyf/ to /var/tmp/ on the remote host deltauur using the remote user account kevin?

- A. rsync -a -e ssh kevin@deltaur:/var/tmp/ fyf/
- B. rsync -a -u kevin -e ssh fyf/ deltauur:/var/tmp/
- C. rsync -a -u kevin -e ssh deltauur:/var/tmp/ fyf/
- D. rsync -a -e ssh fyf/ kevin@deltaur:/var/tmp/

Answer: D

NEW QUESTION 95

A regular user, joe, has just run:

```
./configure && make && make install
```

to build and install a program. However, the installation fails. What could be done to install the program? (Choose TWO correct answers.)

- A. Install the binaries manually with suinstall.
- B. Run make install with root privileges.
- C. Do not run ./configure in order to maintain the default configuration for correct installation.
- D. Rerun ./configure with a --prefix option where the user has permissions to write.
- E. Run make install_local to install into /usr/local/.

Answer: BD

NEW QUESTION 98

Which file contains the message that is displayed above the login prompt of the system console? (Specify the full name of the file, including path.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/etc/issue

NEW QUESTION 102

What command discards unused blocks on a mounted file system in order to support SSD devices? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

fstrim

NEW QUESTION 104

Which of the following properties should be recorded in order to monitor the quality of a network link? (Choose two.)

- A. Bandwidth in both directions
- B. Number of nodes using the link
- C. Effective Latency
- D. Number of IPv4 and IPv6 packets
- E. Number of used TCP ports

Answer: AC

NEW QUESTION 105

On a Linux node with multiple active networks interfaces, each having a default route to the Internet, which default route is preferred?

- A. The default route with the highest metric value
- B. The default route with the highest MTU value
- C. The default route with the lowest TTL value
- D. The default route with the highest TTL value
- E. The default route with the lowest metric value

Answer: E

NEW QUESTION 110

A web application server contains 64GB of RAM and two swap partitions on normal hard disk drives, each with a size of 64 GB. Within the last month, the average number of user sessions on this server has grown by 20 percent. At the same time, the average usage of RAM increased from 65 to 75 percent, while the swap space is almost not used at all. It is expected that the number of user sessions will continue to increase by about 15 to 20 percent each month. Which of the following reactions would be appropriate in response to these observations? (Choose two.)

- A. Delay any hardware upgrade until there is a significant consumption of swap space to ensure an efficient usage of the available hardware
- B. Create a RAID 1 device on the two swap partitions to avoid data loss in case swap space has to be used in the future
- C. Consider the installation of an additional application server to distribute the load if the expected growth continues over several months
- D. Move the web application's scripts and content a ram disk in order to ensure fast access and to avoid the need for swap space
- E. Update the hardware to increase the amount of available RAM to avoid using swap space

Answer: CE

NEW QUESTION 113

Which of the following init systems comes along with an own UEFI boot loader?

- A. systemd
- B. SysVinit
- C. Upstart
- D. OpenRC
- E. launchd

Answer: A

NEW QUESTION 115

Which is the main configuration file for the SystemV init process? (Specify the full name of the file, including path.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/etc/inittab

NEW QUESTION 120

In order to gather performance data with sar over a longer period of time, which command should be run periodically from cron?

- A. sa1
- B. sarmon
- C. sarec
- D. sadf
- E. sarcron

Answer: A

NEW QUESTION 122

.....

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

When is historical data of resource usage important? (Select THREE correct answers.)

- A. Predicting when resources will need to be increased.
- B. Selecting a computer vendor.
- C. Identifying processes killed during out of memory occurrences.
- D. Diagnosing capacity problems.
- E. Troubleshooting a software problem.

Answer: ADE

NEW QUESTION 2

Which of the following is a side effect of extensive usage of swap space?

- A. The root filesystem may become full because swap space is always located on the system root partition.
- B. The overall system performance may degrade because of heavy hard disk use and memory reorganization.
- C. Since processes always exist completely in either RAM or swap, regular RAM may become unused if the kernel does not move processes back from the swap space to memory.
- D. The memory may become fragmented and slow down the access to memory page
- E. However, this can be kept to a minimum by the regular use of memfrag -d.
- F. Applications need to restart because their virtual memory addresses change to reflect memory relocation to the swap address area.

Answer: B

NEW QUESTION 3

Which commands below are useful to collect data about remote filesystem connections? (Choose TWO correct answers.)

- A. pidstat
- B. nfsiostat
- C. sadsf
- D. cifsostat

Answer: BD

NEW QUESTION 4

When planning a web server which of the following choices will impact system sizing? (Choose THREE correct answers.)

- A. How many concurrent users are expected.
- B. Which hardware vendor has better Linux support.
- C. What type of content will be served.
- D. What scripting languages will the web server support.
- E. Will the OS install be CD, DVD or network based.

Answer: ACD

NEW QUESTION 5

In the following output, what is the 5 minute load average for the system?

```
# uptime  
12:10:05 up 18 days, 19:00, 2 users, load average: 0.47, 24.71, 35.31
```

- A. 0.47
- B. 24.71
- C. 35.31
- D. There is no 5 minute interval
- E. It is some value between 0.47 and 24.71.
- F. There is no 5 minute interval
- G. It is some value between 24.71 and 35.31.

Answer: B

NEW QUESTION 6

Which directory contains the system-specific udev rule files? (Specify the absolute path including the directory name)

- A. /usr/share/doc
- B. /etc/udev/rules.d

Answer: B

Explanation:

/etc/udev/rules.d, /etc/udev/rules.d/

NEW QUESTION 7

On a server running the 3.4.50-11 Linux kernel, which file in the /boot directory contains the kernel configuration parameters?

- A. config-linux-3.4.50-11
- B. config-3.4.50-11
- C. system-3.4.50-11
- D. vmlinuz-3.4.50-11
- E. rc.config-3.4.50-11

Answer: B

NEW QUESTION 8

What happens if the Linux kernel can't mount the root filesystem when booting?

- A. An error message is shown and the administrator is asked by the kernel to specify a valid root filesystem to continue the boot process.
- B. An error message is shown and the system reboots after a keypress.
- C. An error message is shown and the system boots in maintenance mode.
- D. An error message is shown showing which device couldn't be mounted or informing that init couldn't be found.
- E. An error message is shown stating that the corresponding kernel module couldn't be loaded.

Answer: D

NEW QUESTION 9

Which file tells GRUB the paths of the filesystem partitions in both Linux format and in the GRUB syntax? (Specify the file name only with no path information)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

device.map

NEW QUESTION 10

Which command is used to install a new LILO boot loader?

- A. lilo
- B. lilo-config
- C. lilo-install
- D. install-lilo

Answer: A

NEW QUESTION 10

A Linux server is running in single user mode for regular maintenance. Which commands are used to restore the server to its usual runlevel? (Choose TWO correct answers.)

- A. telinit 0
- B. shutdown -r now
- C. sync
- D. shutdown -h now
- E. reboot

Answer: BE

NEW QUESTION 15

A server requires a GRUB2 boot option which will always boot to runlevel 1. Which line of a GRUB2 configuration file starts the beginning of the settings needed to make this new choice available?

- A. initrd
- B. linux
- C. menuentry
- D. runlevel

Answer: B

NEW QUESTION 19

After changing the default runlevel in the SysV-init configuration file, the system boots in a different than intended runlevel. Where else could this different runlevel be defined?

- A. In the /etc/sysctl.conf
- B. In the boot loader configuration file
- C. In the /etc/runlevel file
- D. In the /boot/initramfs file
- E. In the /etc/rc.d/rc.local file

Answer: B

NEW QUESTION 20

Why is the root file system mounted read-only during boot and remounted with write permission later on?

- A. Because if problems with the root file system are detected during the boot, fsck can be run, without risk of damage.
- B. Because this way crackers cannot collect information about root with boot sniffers.
- C. To avoid writing to the disk, unless the root password is known.
- D. To avoid other operating systems overwriting the Linux root partition.
- E. Because the disk has its own write protection that cannot be changed by the operating system.

Answer: A

NEW QUESTION 22

What are the main network services used by the PXE protocol? (Choose TWO correct answers.)

- A. DNS
- B. DHCP
- C. HTTP
- D. TFTP
- E. NFS

Answer: BD

NEW QUESTION 27

How can the label root be added to the ext2 filesystem on /dev/sda1?

- A. relabel /dev/sda1 root
- B. tune2fs -L root /dev/sda1
- C. echo 'root' > /proc/fs/sda1/label
- D. labelfs --device /dev/sda1 root

Answer: B

NEW QUESTION 31

Which command turns an existing ext2 filesystem non-destructively into an ext3 filesystem? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/sbin/tune2fs, tune2fs

NEW QUESTION 34

Which directory in /dev/disk/ can be used to determine the UUID of a connected hard disk?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/dev/disk/by-uuid, by-uuid, /dev/disk/by-uuid/

NEW QUESTION 37

Which of the following is a CD-ROM filesystem standard?

- A. OSI9660
- B. ISO9660
- C. SR0FS
- D. ISO8859
- E. ROM-EO

Answer: B

NEW QUESTION 39

Which command is used to create a ISO9660 filesystem? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

mkisofs, genisoimage

NEW QUESTION 40

The main configuration file for autofs has this entry:

/home /etc/auto.home

What is the meaning of the /etc/auto.home file?

- A. It has the indirect maps for the mounting of file systems.
- B. It has configuration information, such as passwords and keys, for the remote file server.
- C. It has configuration information on settings for the /home mount point.
- D. It is the holds the SSL key to allow authentication to the remote file server.

Answer: A

NEW QUESTION 41

Which file in /proc contains information on the status of local software RAID devices?

- A. /proc/raidstat
- B. /proc/mdstat
- C. /proc/raidstatus
- D. /proc/mdstatus
- E. /proc/raid/status

Answer: B

NEW QUESTION 44

What is the purpose of the command vgextend?

- A. Extend a volume group's footprint on disk.
- B. Add physical volumes to an existing volume group.
- C. Increase the number of days between scheduled error checking.
- D. Create a volume group which uses all available space on disk.

Answer: B

NEW QUESTION 48

Which of the following is an example path to a Linux software RAID array?

- A. /dev/raid0
- B. /dev/rd1
- C. /dev/pr0
- D. /dev/md1

Answer: D

NEW QUESTION 51

What component of a system does smartd monitor?

- A. CPU
- B. RAM
- C. Hard drives
- D. Ethernet traffic

Answer: C

NEW QUESTION 54

What command will remove a physical volume from a volume group? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

vgreduce, /sbin/vgreduce

NEW QUESTION 57

Which program lists information about files and network connections opened by processes? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

lsof, /usr/bin/lsof

NEW QUESTION 60

Considering the following kernel IP routing table below, which of the following commands must be used to remove the route to the network 10.10.1.0/24? (Select TWO answers)

Kernel IP routing table

```
Destination Gateway Genmask Flags Metric Ref Use Iface
203.0.113.162 0.0.0.0 255.255.255.255 UH 0 0 0 ppp0
172.16.87.0 0.0.0.0 255.255.255.0 U 0 0 0 eth0
192.168.246.0 0.0.0.0 255.255.255.0 U 0 0 0 eth1
10.10.1.0 192.168.246.11 255.255.255.0 UG 0 0 0 eth1
127.0.0.0 0.0.0.0 255.0.0.0 U 0 0 0 lo
0.0.0.0 203.0.113.162 0.0.0.0 UG 0 0 0 ppp0
```

- A. ip net delete 10.10.1.0/24
- B. route del 10.10.1.0/24
- C. route del -net 10.10.1.0/24
- D. route del 10.10.1.0/24 gw 192.168.246.11
- E. ip route delete 10.10.1.0/24

Answer: CE

NEW QUESTION 65

A network client has an ethernet interface (eth0) configured with an IP address in the subnet 192.168.0.0/24. This subnet has a router, with the IP address 192.168.0.1, that connects this subnet to the Internet. What needs to be done on the client to enable it to use the router as its default gateway? (Choose TWO correct answers.)

- A. route add default gw 192.168.0.1 eth0
- B. ifconfig eth0 defaultroute 192.168.0.1
- C. ip route add default via 192.168.0.1 dev eth0
- D. echo defaultroute 192.168.0.1 >> /etc/resolv.conf
- E. route add defaultgw=192.168.0.1 if=eth0

Answer: AC

NEW QUESTION 69

Running tcpdump -nli eth1 'tcp' shows the following output:

```
14:41:53.694538 IP 10.1.52.145.51738 > 24.215.7.162.143: Flags [.] , ack 33051, win 1002, options [nop,nop,TS val 36789130 ecr 1746004159], length 0
```

What is the source IP address of this packet? (Please specify the answer in digits and dots ONLY.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

10.1.52.145

NEW QUESTION 73

The following is an excerpt from the output of tcpdump -nli eth1 'udp': 13:03:17.277327 IP 192.168.123.5.1065 > 192.168.5.112.53: 43653+ A? lpi.org. (25)

```
13:03:17.598624 IP 192.168.5.112.53 > 192.168.123.5.1065: 43653 1/0/0 A 198.51.100.42 (41)
```

Which network service or protocol was used?

- A. FTP
- B. HTTP
- C. SSH
- D. DNS
- E. DHCP

Answer: D

NEW QUESTION 77

What is incorrect about these entries in /etc/hosts which could be causing host name lookup problems with host2?

```
host1 192.168.1.12
host2 192.168.1.12
```

- A. Two host names are using the same IP address.
- B. The server doing the query is on a different subnet.
- C. The fields are out of order.
- D. host2 is not a fully qualified domain name.

Answer: C

NEW QUESTION 79

Which of the following files are used to resolve hostnames to IP addresses? (Choose TWO correct answers.)

- A. /etc/systems
- B. /etc/hosts
- C. /etc/network

- D. /etc/dns.conf
- E. /etc/resolv.conf

Answer: BE

NEW QUESTION 84

What is the command to add another IP address (192.168.1.2) to a network interface (eth0) that already has (at least) one IP address in the 192.168.1.0/24 subnet?

- A. ip add addr 192.168.1.2/32 dev eth0
- B. ifconfig eth0 192.168.1.2 netmask 255.255.255.255
- C. ip addr add 192.168.1.2/32 dev eth0
- D. ipconfig eth0 192.168.1.2

Answer: C

NEW QUESTION 88

Which of the following are common backup systems used in Linux? (Choose TWO correct answers.)

- A. Amanda
- B. Bacula
- C. DrBackup
- D. BREWBackup
- E. SARcheck

Answer: AB

NEW QUESTION 91

Which of the following commands will securely copy the directory ./fyf/ to /var/tmp/ on the remote host deltauur using the remote user account kevin?

- A. rsync -a -e ssh kevin@deltaur:/var/tmp/ fyf/
- B. rsync -a -u kevin -e ssh fyf/ deltauur:/var/tmp/
- C. rsync -a -u kevin -e ssh deltauur:/var/tmp/ fyf/
- D. rsync -a -e ssh fyf/ kevin@deltaur:/var/tmp/

Answer: D

NEW QUESTION 95

A regular user, joe, has just run:

```
./configure && make && make install
```

to build and install a program. However, the installation fails. What could be done to install the program? (Choose TWO correct answers.)

- A. Install the binaries manually with suinstall.
- B. Run make install with root privileges.
- C. Do not run ./configure in order to maintain the default configuration for correct installation.
- D. Rerun ./configure with a --prefix option where the user has permissions to write.
- E. Run make install_local to install into /usr/local/.

Answer: BD

NEW QUESTION 98

Which file contains the message that is displayed above the login prompt of the system console? (Specify the full name of the file, including path.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/etc/issue

NEW QUESTION 102

What command discards unused blocks on a mounted file system in order to support SSD devices? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

fstrim

NEW QUESTION 104

Which of the following properties should be recorded in order to monitor the quality of a network link? (Choose two.)

- A. Bandwidth in both directions
- B. Number of nodes using the link
- C. Effective Latency
- D. Number of IPv4 and IPv6 packets
- E. Number of used TCP ports

Answer: AC

NEW QUESTION 105

On a Linux node with multiple active networks interfaces, each having a default route to the Internet, which default route is preferred?

- A. The default route with the highest metric value
- B. The default route with the highest MTU value
- C. The default route with the lowest TTL value
- D. The default route with the highest TTL value
- E. The default route with the lowest metric value

Answer: E

NEW QUESTION 110

A web application server contains 64GB of RAM and two swap partitions on normal hard disk drives, each with a size of 64 GB. Within the last month, the average number of user sessions on this server has grown by 20 percent. At the same time, the average usage of RAM increased from 65 to 75 percent, while the swap space is almost not used at all. It is expected that the number of user sessions will continue to increase by about 15 to 20 percent each month. Which of the following reactions would be appropriate in response to these observations? (Choose two.)

- A. Delay any hardware upgrade until there is a significant consumption of swap space to ensure an efficient usage of the available hardware
- B. Create a RAID 1 device on the two swap partitions to avoid data loss in case swap space has to be used in the future
- C. Consider the installation of an additional application server to distribute the load if the expected growth continues over several months
- D. Move the web application's scripts and content a ram disk in order to ensure fast access and to avoid the need for swap space
- E. Update the hardware to increase the amount of available RAM to avoid using swap space

Answer: CE

NEW QUESTION 113

Which of the following init systems comes along with an own UEFI boot loader?

- A. systemd
- B. SysVinit
- C. Upstart
- D. OpenRC
- E. launchd

Answer: A

NEW QUESTION 115

Which is the main configuration file for the SystemV init process? (Specify the full name of the file, including path.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/etc/inittab

NEW QUESTION 120

In order to gather performance data with sar over a longer period of time, which command should be run periodically from cron?

- A. sa1
- B. sarmon
- C. sarec
- D. sadf
- E. sarcron

Answer: A

NEW QUESTION 122

.....

Relate Links

100% Pass Your 201-450 Exam with Examible Prep Materials

<https://www.exambible.com/201-450-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>