

Exam Questions DES-6322

Specialist - Implementation Engineer-VxRail Exam

<https://www.2passeasy.com/dumps/DES-6322/>



NEW QUESTION 1

A VxRail Test Plan has been completed What is the protocol for recording the results'?

- A. With the implementation team, complete and document each test, test date, and a screenshot of results
- B. In front of a customer, complete each test and document the test date
- C. With the implementation team, complete each test and document the test date
- D. In front of a customer, complete and document each test, test date, and a screenshot of results

Answer: A

NEW QUESTION 2

An implementation engineer is configuring External SRS. Where can they find the installation files for SRS VE?

- A. VxRail Support Matrix
- B. VxRail Manager
- C. SolVe Online
- D. Dell Support Page

Answer: B

NEW QUESTION 3

What is the minimum number of VxRail nodes required for a vSAN storage policy with RAID-5 (Erasure Coding)?

- A. 3
- B. 4
- C. 5
- D. 6

Answer: B

NEW QUESTION 4

An implementation engineer is deploying a new VxRail cluster. What should they confirm before installing the hardware?

- A. Service laptop must be on the same IP network as the iDRACs
- B. At least 36 in (92 cm) clearance exists in front of and behind the cabinet
- C. Power distribution must support the power rating of a single node
- D. Single power zone must be used with adequate power cables

Answer: C

NEW QUESTION 5

What is the basis used for VMware vSAN licensing?




- A. TB capacity per node
- B. TB capacity per cluster
- C. Per disk group
- D. Per CPU socket




Answer: D


NEW QUESTION 6

A VxRail Cluster has just been deployed. Use the VxRail simulator to determine the Service Tag, Model, and ESXJ IP Address of the first node - vcluster730.esx01.edu.local.

Note: It is necessary to dose (x) the simulator window before you can select a response to this question.







- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

NEW QUESTION 7

What is a consideration when performing a VxRail software upgrade from version 4.7.xxx to version 7.0.xxx?

- A. External vCenter server must be upgraded after the VxRail is upgraded
- B. vCenter Server requires a temporary IP address on a different subnet before the upgrade
- C. Secure boot must be enabled on the ESXi hosts for a successful upgrade
- D. VxRail Manager VM must be changed to the default name to avoid an upgrade failure

Answer: A

NEW QUESTION 8

What is a consideration when adding nodes to a VxRail G Series chassis?

- A. G560 and G410 nodes are permitted in the same chassis
- B. In a full G Series chassis, all nodes must have 10GbE ports
- C. Hybrid and All-Flash nodes are permitted, if in different chassis
- D. All nodes in a G Series chassis must be identical

Answer: D

NEW QUESTION 9

What Is a supported method for racking nodes for a new VxRail deployment?

- A. In the rack hosting the network equipment used to manage the iDRAC
- B. With PDUs connected to 120v single phase 5-amp electrical circuits
- C. Starting with node 1 at the top of the rack
- D. With server exhaust facing the cold aisle

Answer: A

NEW QUESTION 10

What environmental components of a 3-node VxRail cluster must be assigned IP addresses?

- A. ESXi Mgmt, vCenter, Witness Traffic Separation, and iDRAC
- B. vRealize Log Insign
- C. vSAN, VxRail Manager, and SRS
- D. vSAN, Witness Traffic Separation, vRealize Log Insight, and vMotion
- E. ESXi Mgmt, vSAN, vMotion, and iDRAC

Answer: D

NEW QUESTION 10

Match each VxRail data protection solution with its functionality.

Solution:

Functionality:

PowerProtect	Site protection and failover
Stretched Cluster	Asynchronous replication for VMs
RecoverPoint for VM	Built-in cloud tiering to send data to the cloud
vSphere Replication	Synchronous and asynchronous VM replication

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Solution:

Functionality:

	Stretched Cluster
	vSphere Replication
	PowerProtect
	RecoverPoint for VM

NEW QUESTION 12


Match each VxRail, data protection solution with its functionality.

Solution	Functionality
PowerProtect	Site protection and failover
Stretched Cluster	Asynchronous replication for VMs
RecoverPoint for VM	Built-in cloud tiering to send data to the cloud
vSphere Replication	Synchronous and asynchronous VM replication

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 16

A customer has decided that they will be using the Spanning Tree protocol in their Dell EMC ToR switches. How should the switch ports used for VxRail be configured to achieve a successful deployment?

- A. Set the port type to edge
- B. Enable link aggregation for all ports
- C. Set the port mode to access
- D. Enable MLD snooping and querier

Answer: A

NEW QUESTION 21

A VxRail D560 cluster was delivered six months ago and now needs to be prepared for installation with the target code. What is the correct method to complete the task?

- A. Boot into RASR ISO and perform a RASR Reset
- B. Boot into RASR USB and perform a RASR Reset
- C. Boot into SD card and perform a Factory Reset
- D. Boot into RASR ISO and perform a Factory Reset

Answer: A

NEW QUESTION 23

The VxRail Deployment Wizard is being used on a VxRail cluster with a customer-supplied VDS. Which settings must be used to ensure successful installation?

- A. Use the VxRail vCenter Server Upload a configuration file (JSON)
- B. Join an external vCenter Server Use the step-by-step method
- C. Use the VxRail vCenter Server Use the step-by-step method
- D. Join an external vCenter Server Upload a configuration file (JSON)

Answer: C

NEW QUESTION 28

According to Dell best practices, which VxRail series can be deployed in either datacenters or remote locations?

- A. D Series
- B. V Series
- C. G Series
- D. E Series

Answer: D

NEW QUESTION 33

From what environment must a network administrator run VxRail network validation?

- A. Windows PowerShell command prompt
- B. Same subnet as VxRail Management Network
- C. Top of Rack switches
- D. VxRail Deployment Wizard

Answer: C

NEW QUESTION 38

Which vSAN feature requires an All-Flash cluster?

- A. Deduplication and compression

- B. Data-at-Rest Encryption
- C. Data-in-Transit Encryption
- D. Storage Policy Based Management

Answer: A

NEW QUESTION 41

What must be used when deploying VxRail with a customer-supplied VDS?

- A. Deployment Wizard using the configuration file method
- B. Deployment Wizard using the step-by-step method
- C. VxRail API with configuration file
- D. VxRail PowerShell SysBringUp Module

Answer: B

NEW QUESTION 42

How should an administrator manually validate the DNS readiness of a customer network?

- A. Run a traceroute to the DNS server
- B. Generate a Network PEQ
- C. Ping the default gateway of the management VLAN
- D. Run nslookup on server FQDN and IP

Answer: A

NEW QUESTION 44

A systems engineer is tasked to configure a VxRail cluster and notices that the VxRail Deployment Wizard fails to launch. The engineer discovers that the software is corrupted.

What should the engineer do to address the issue?

- A. Use the VMware Host Client and iDRAC to access the nodes for troubleshooting
- B. Verify that the JSON file is not corrupted and has all the required values
- C. Return the nodes to the original build state
- D. Check vCenter and troubleshoot the build failure

Answer: C

NEW QUESTION 45

A planned VxRail Stretched Cluster will have four All-Flash nodes at each site. What is the recommended storage policy to ensure cross-site and local protection, using storage as efficiently as possible?

- A. Site disaster tolerance - None - keep data on Preferred (stretched cluster) Failures to tolerate - 1 failure - RAID-5 (Erasure Coding)
- B. Site disaster tolerance - Dual site mirroring (stretched cluster) Failures to tolerate - 1 failure - RAID-5 (Erasure Coding)
- C. Site disaster tolerance - Dual site mirroring (stretched cluster) Failures to tolerate - 1 failure - RAID-1 (Mirroring)
- D. Site disaster tolerance - Dual site mirroring (stretched cluster) Failures to tolerate - no data redundancy

Answer: A

NEW QUESTION 48

What is a benefit of using the VxRail REST API?

- A. Remote upgrades of iDRAC related software only
- B. Automated security audit of VxRail clusters
- C. Automated log collection for VxRail clusters
- D. Polling for vSAN performance statistics

Answer: C

NEW QUESTION 53

What guideline should be followed when planning bandwidth between sites hosting VM objects and the witness nodes?

- A. 1500 MTU on the VSAN vmkernel interface
- B. 5 ms with a recommended minimum bandwidth of 10Gbps
- C. 2 Mbps for every 1000 objects on the vSAN
- D. 500 ms roundtrip (< 250 ms one way)

Answer: C

NEW QUESTION 56

Match each VxRail API request with the information to be retrieved.

Request:

Information Retrieved:

get/v1/vc/mode	Latest Day 1 workflow
get/v1/system/initialize/status	VxRail system information
get/v2/system	Current vCenter mode and PSC modes
get/v1/system	vxm system information

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Request:

Information Retrieved:

	get/v2/system
	get/v1/vc/mode
	get/v1/system
	get/v1/system/initialize/status

NEW QUESTION 59

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual DES-6322 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the DES-6322 Product From:

<https://www.2passeasy.com/dumps/DES-6322/>

Money Back Guarantee

DES-6322 Practice Exam Features:

- * DES-6322 Questions and Answers Updated Frequently
- * DES-6322 Practice Questions Verified by Expert Senior Certified Staff
- * DES-6322 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * DES-6322 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year