

**HP**

## **Exam Questions HPE2-T37**

Using HPE OneView



**NEW QUESTION 1**

You want to update the firmware for only two HPE Synergy Virtual Connect SE 32Gb FC Modules of a large environment. From which level must this procedure be initiated?

- A. Logical Enclosure
- B. Logical Interconnect Group
- C. Logical Interconnect
- D. Server Profile

**Answer: A**

**NEW QUESTION 2**

Refer to the exhibit.

**Connections**

ID	Name	Network	Port	Boot
1	e1	Eth-1 Untagged	Mezzanine 3:1-a	Not bootable
		Type	Ethernet	
		MAC address	94:40:C9:6C:24:24 (p)	
		Requested virtual functions	None	
		Requested bandwidth	2.5 Gb/s	
		Link Aggregation group	None	
2	f1	FC-A Fabric Attach	Mezzanine 3:1-b	Not bootable
		Type	Fibre Channel	
		WWPN	20:00:94:40:c9:6c:24:26 (p)	
		WWNN	10:00:94:40:c9:6c:24:26 (p)	
		MAC address	94:40:C9:6C:24:26 (p)	
		Requested bandwidth	2.5 Gb/s	
3	f2	FC-B Fabric Attach	Mezzanine 3:2-b	Not bootable
		Type	Fibre Channel	
		WWPN	20:00:94:40:c9:6c:24:27 (p)	
		WWNN	10:00:94:40:c9:6c:24:27 (p)	
		MAC address	94:40:C9:6C:24:27 (p)	
		Requested bandwidth	2.5 Gb/s	

**Add connection**

Which statement about server connections is true?

- A. LACP on downlinks is configured for Ethernet connection
- B. All connections within the server profile are using physical IDs
- C. Ethernet connection is configured to boot from PXE
- D. Storage array is connected directly to an HPE Synergy frame

**Answer: C**

**NEW QUESTION 3**

Which statement about logical JBODs configured using KPE OneView and D3940 Storage Modules is true?

- A. A logical JBOD lifecycle can be associated with a server profile lifecycle and drives can be securely erased.
- B. A logical JBOD cannot be created during server profile creation and must be prepared in advance
- C. Different types of the drives can be used within a logical JBOD as long as they have the same capacity
- D. Logical JBOD functionality must be enabled on the Enclosure Group level by a storage administrator

**Answer: B**

**NEW QUESTION 4**


How can your customer implement HPE OneView so that it can be used to manage an HPE ProLiant server and HPE BladeSystem?

- A. As an application running on the server with Windows system.
- B. As a physical appliance based on HPE ProLiant 360 Gen 10.
- C. As an application running on the server with CentOS Linux system
- D. As a virtual appliance running on the supported hypervisor.

**Answer: D**

**NEW QUESTION 5**

Refer to the exhibit.



A customer complains that firmware compliance is empty. The customer confirmed that Synergy Service Pack is uploaded to the HPE OneView repository. How should you respond?

- A. The refresh procedure must be performed on each logical enclosure to refresh firmware.
- B. All of the components are up to date and compliant with firmware baseline.
- C. The firmware repository service must be restarted using maintenance connection.
- D. The firmware repository is not defined within firmware compliance report.

Answer: C

**NEW QUESTION 6**

A customer has to deploy 21 HPE Synergy Compute Modules in a boot from SAN setup. How this task can be simplified while keeping the profile consistent?

- A. Boot volumes can be created on demand and defined in the server profile template.
- B. Boot volumes can be prepared in advance and later presented as shared volumes to the Compute Modules.
- C. An existing volume can be replicated automatically when creating a server profile.
- D. single SAN volume can be created and utilized by all HPE Synergy Compute Modules.

Answer: A

**NEW QUESTION 7**


Within HPE OneView you can configure SNMPv1 read community string. What is the purpose of this feature?

- A. This is an SNMP community string that will be used when traps are forwarded to a WBEM Provider
- B. This is an SNMP community string that will be used when traps are forwarded to other SNMP applications
- C. This is an SNMP community string that will be used to receive a trap's SNMP Agent
- D. This is an SNMP community string that will be used to receive traps from HPE Onboard Administrators

Answer: C

**NEW QUESTION 8**

Refer to the exhibit.



Which statement about the storage pools shown is true?

- A. Volumes created on the first storage pool cannot use data reduction technologies
- B. Both storage pools are in a managed state and can be used for volume provisioning
- C. HPE OneView can be used to configure volume replication between these pools
- D. Both storage pools have a license applied that enables management of these pools

Answer: A

**NEW QUESTION 9**

Your customer plans to monitor HPE ProLiant DL systems and HPE BladeSystem using HPE OneView Which license is required to accomplish this task?

- A. HPE One View Global Dashboard license
- B. HPE OneView Advanced license
- C. HPE composer 2 license
- D. HPE OneView standard license

**Answer: D**

**NEW QUESTION 10**

Your customer wants to manage their HPE Superdome Flex using HPE OneView. Which component must be added to HPE OneView to accomplish this task?

- A. Baseboard Management Controller (BMC)
- B. Rack Management Controller (RMC)
- C. all nPARs created within the complex
- D. only the base chassis from the complex

**Answer: A**

**NEW QUESTION 10**


Which statement about managing an HPE BiooeSystem sever is true?

- A. A multi-enclosure Vrtuai Connect domain can be imported to HPE OneView without disrupting servers
- B. An HPE server blade can be removed from HPE OneView by deleting the server from the Server Hardware section
- C. An HPE server blade cannot be deleted from HPE OneView It must be physically removed from the enclosure
- D. Both c3000 and C7000 HPE BladeSystems enclosures can be imported to HPE Oneview for monitoring

**Answer: B**

**NEW QUESTION 13**

Click option that will allow you to select a FlexNIC function for the specified connection.



- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Graphical user interface Description automatically generated

**NEW QUESTION 14**

You ate implementing an HPE Synergy solution with multiple frames in one management ring. Image Streamer is not a part of this solution. How can an IPv4 address pool defined by the administrator be used In HPE OneView?

- A. to provide static IP addresses to IL0 and interconnect modules if applicable
- B. to provide static IP addresses for an operating system running on a Compute Module
- C. to provide static IP addresses for Logical Interconnects and Logical Enclosures
- D. to provide static IP addresses for storage systems managed in HPE OneView

**Answer: A**

**NEW QUESTION 16**

Click the option from the HPE OneView main menu that will allow you to define UPS or other components that will work as a placeholder in a rack system.



- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**



**NEW QUESTION 21**

Which components require an HPE OneView license for management?

- A. HPE Virtual Connect modules
- B. HPE Apollo XL 170r
- C. Brocade and Cisco SAN Manager
- D. HPE Primera and HPE 3PAR

**Answer: A**

**NEW QUESTION 22**

You plan to update HPE OneView to the latest version. What should you do before starting HPE OneView update?

- A. Disable HPE Remote Support at the HPE OneView appliance level

- B. Put all servers managed through HPE OneView to maintenance state
- C. Run the Update Readiness checker tool to evaluate HPE OneView health status
- D. Create a support dump for the appliance and for all managed logical interconnects

**Answer: C**

**NEW QUESTION 27**

You want to add the latest ILO firmware to an HPE OneView firmware repository. How can you complete this task?


- A. A PowerShell script must be used to upload ILO firmware to the Internal or external firmware repository.
- B. A custom SPP iso Image must be created with the new ILO firmware version and uploaded to therepository.
- C. An external repository must be created, because standalone components are supported only In an external repository.
- D. ILO firmware can be marked as a hotnx and uploaded directly to the Internal or external firmware repository.

**Answer: B**

**NEW QUESTION 31**

Refer to the exhibit.

**Logical Interconnect** [Edit](#)



Which statement about the logical interconnect shown is true?

- A. For FC uplink sets, an additional uplink from second module should be added for redundancy.
- B. The maximum supported number of the internal networks for logical interconnect is configured.
- C. Additional uplink ports can be added to ETH-Uplink to increase available bandwidth.
- D. FC uplinks are not supported and will be converted to FCoE or RoCE uplinks.

**Answer: C**

**NEW QUESTION 34**

For each feature, indicate whether it is available with both hpe oneview Standard and hpe oneview Advanced licenses, or only with an hpe oneview Advanced license.

**Answer Area**

License	Feature
<input type="text" value="both Standard and Advanced"/>	Firmware management
<input type="text" value="only Advanced"/>	Remote Support
<input type="text"/>	Reporting
<input type="text"/>	Smart Search, Activity View, Dashboard

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, application Description automatically generated

**NEW QUESTION 38**

Your customer has an environment with five HPE Synergy Composers and 15 HPE OneView appliances managing servers that run VMware. The customer is having a hard time managing their servers.

What can the customer do to simplify management of this complex environment?

- A. deploy HPE OneView for VMware vCenter Server
- B. deploy HPE OneView Global Dashboard
- C. use an Ansible playbook
- D. integrate all HPE OneView appliances and HPE Composers with Active Directory

**Answer:** A

**NEW QUESTION 42**

.....

## **Thank You for Trying Our Product**

### **We offer two products:**

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### **HPE2-T37 Practice Exam Features:**

- \* HPE2-T37 Questions and Answers Updated Frequently
- \* HPE2-T37 Practice Questions Verified by Expert Senior Certified Staff
- \* HPE2-T37 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* HPE2-T37 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The HPE2-T37 Practice Test Here](#)**