

Exam Questions NSE7_PBC-6.4

Fortinet NSE 7 - Public Cloud Security 6.4

https://www.2passeasy.com/dumps/NSE7_PBC-6.4/



NEW QUESTION 1

What is the bandwidth limitation of an Amazon Web Services (AWS) transit gateway VPC attachment?

- A. Up to 1.25 Gbps per attachment
- B. Up to 50 Gbps per attachment
- C. Up to 10 Gbps per attachment
- D. Up to 1 Gbps per attachment

Answer: A

NEW QUESTION 2

Refer to the exhibit.

The screenshot shows the AWS Management Console interface for Route Tables. On the left, the 'Route Tables' menu item is highlighted. The main content area shows a table of route tables for a VPC. The 'Public-route' table is selected, and its details are shown below. The 'Routes' tab is active, displaying a list of routes.

Name	Route Table ID	Explicit subnet associator	Edge associations	Main	VPC ID	Owner
Private-route	rtb-040fce40e7029a32c	subnet-0c67f580822971d87	-	No	vpc-061d585389183ad02 ...	262226454685
Public-route	rtb-051b77e3c10a46085	subnet-08ff4de2fbadfa72	-	Yes	vpc-061d585389183ad02 ...	262226454685

Destination	Target	Status
10.0.0.0/16	local	active
0.0.0.0/0	igw-08e87b162f8182999	active

In your Amazon Web Services (AWS) virtual private cloud (VPC), you must allow outbound access to the internet and upgrade software on an EC2 instance, without using a NAT instance. This specific EC2 instance is running in a private subnet: 10.0.1.0/24. Also, you must ensure that the EC2 instance source IP address is not exposed to the public internet. There are two subnets in this VPC in the same availability zone, named public (10.0.0.0/24) and private (10.0.1.0/24). How do you achieve this outcome with minimum configuration?

- A. Deploy a NAT gateway with an EIP in the private subnet, edit the public main routing table, and change the destination route 0.0.0.0/0 to the target NAT gateway.
- B. Deploy a NAT gateway with an EIP in the public subnet, edit route tables, select Public-route, and delete the route destination 10.0.0.0/16 to target local.
- C. Deploy a NAT gateway with an EIP in the private subnet, edit route tables, select Private-route, and add a new route destination 0.0.0.0/0 to the target internet gateway.
- D. Deploy a NAT gateway with an EIP in the public subnet, edit route tables, select Private-route and add a new route destination 0.0.0.0/0 to target the NAT gateway.

Answer: C

NEW QUESTION 3

Refer to the exhibit.

The output is simplified for clarity.

```
config route
  edit "SSTENTAZFGT-0302-Nic-01"
    config ip
      edit "SSTENTAZFGT-0302-Nic-01"
        set public-ip "SSTENTAZFGT-03-FloatingPIP"
      next
    end
  next
end
config route-table
  edit "FortigateUDR-01"
    config route
      edit "defaultroute"
        set next-hop "172.29.32.71"
      next
      edit "RouteToSST-ENT-AZ-Demo-03-vNet01-Subnet-07"
        set next-hop "172.29.32.71"
      next
      edit "RouteToSST-ENT-AZ-Demo-03-vNet01-Subnet-08"
        set next-hop "172.29.32.71"
      next
    end
  next
end
end
SSTENTAZFGT-0302 #
```


Consider an active-passive HA deployment in Microsoft Azure. The exhibit shows an excerpt from the passive FortiGate-VM node. If the active FortiGate-VM fails, what are the results of the API calls made by the FortiGate named SSTENTAZFGT-0302? (Choose two.)

- A. SSTENTAZFGT-03-FloatingPIP is assigned to the IP configuration with the name SSTENTAZFGT-0302-Nic-01, under the network interface SSTENTAZFGT-0302-Nic-01
- B. 172.29.32.71 is set as a next hop IP for all routes under FortigateUDR-01
- C. The network interface of the active unit moves to itself
- D. SSTENTAZFGT-03-FloatingPIP public IP is assigned to NIC SSTENTAZFGT-0302-Nic-01

Answer: AB

NEW QUESTION 4

Refer to the exhibit.



Summary

Validation failed, see errors below

BadRequest
Offer with PublisherId: fortinet_fortigate-vm_v5 cannot be purchased due to validation errors. See details for more information. [{"Offering doesn't support payment instrument type. Marketplace only accepts credit card for paid purchases. In order to proceed, please switch to an Azure subscription associated to a credit card or choose a free or BYOL Marketplace offer."}: "AzureDataMarket"]

Basics

Subscription	Fortinet Engineering
Resource group	NSE7RG
Location	East US
FortiGate Instance Name	NSE7FortiGate
PAYG/BYOL License	5.6.3 (PAYG)
FortiGate administrative user...	fortiadmin
FortiGate Password	*****

Network and Instance Settings

Virtual network	FortigateProtectedVNet
Outside Subnet	PublicFacingSubnet
Outside Subnet address prefix	10.46.0.0/24
Inside Subnet	InsideSubnet
Inside Subnet address prefix	10.46.1.0/24
Virtual machine size	Standard F2s_v2

You are deploying a FortiGate-VM in Microsoft Azure using the PAYG/On-demand licensing model. After you configure the FortiGate-VM, the validation process fails, displaying the error shown in the exhibit.

What caused the validation process to fail?

- A. You selected the incorrect resource group.
- B. You selected the Bring Your Own License (BYOL) licensing mode.
- C. You selected the PAYG/On-demand licensing model, but did not select correct virtual machine size.
- D. You selected the PAYG/On-demand licensing model, but did not associate a valid Azure subscription.

Answer: A

NEW QUESTION 5

An Amazon Web Services (AWS) auto-scale FortiGate cluster has just experienced a scale-down event, terminating a FortiGate in availability zone C. This has now black-holed the private subnet in this availability zone.

What action will the worker node automatically perform to restore access to the black-holed subnet?

- A. The worker node applies a route table from a non-black-holed subnet to the black-holed subnet.
- B. The worker node moves the virtual IP of the terminated FortiGate to a running FortiGate on the worker node's private subnet interface.
- C. The worker node modifies the route table applied to the black-holed subnet changing its default route to point to a running FortiGate on the worker node's private subnet interface.
- D. The worker node migrates the subnet to a different availability zone.

Answer: D

NEW QUESTION 6

A company deployed a FortiGate-VM with an on-demand license using Amazon Web Services (AWS) Market Place Cloud Formation template. After deployment, the administrator cannot remember the default admin password.

What is the default admin password for the FortiGate-VM instance?

- A. The admin password cannot be recovered and the customer needs to deploy the FortiGate-VM again.
- B. <blank>
- C. admin
- D. The instance-ID value

Answer: D

NEW QUESTION 7

When configuring the FortiCASB policy, which three configuration options are available? (Choose three.)


- A. Intrusion prevention policies

- B. Threat protection policies
- C. Data loss prevention policies
- D. Compliance policies
- E. Antivirus policies

Answer: BCD

NEW QUESTION 8

Refer to the exhibit.



The exhibit shows a topology where multiple connections from clients to the same FortiGate-VM instance, regardless of the protocol being used, are required. Which two statements are correct? (Choose two.)

- A. The design shows an active-active FortiGate-VM architecture.
- B. The Cloud Load Balancer Session Affinity setting should be changed to CLIENT_IP.
- C. The design shows an active-passive FortiGate-VM architecture.
- D. The Cloud Load Balancer Session Affinity setting should use the default value.

Answer: AB

NEW QUESTION 10

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual NSE7_PBC-6.4 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the NSE7_PBC-6.4 Product From:

https://www.2passeasy.com/dumps/NSE7_PBC-6.4/

Money Back Guarantee

NSE7_PBC-6.4 Practice Exam Features:

- * NSE7_PBC-6.4 Questions and Answers Updated Frequently
- * NSE7_PBC-6.4 Practice Questions Verified by Expert Senior Certified Staff
- * NSE7_PBC-6.4 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * NSE7_PBC-6.4 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year