

# Microsoft

## Exam Questions PL-100

Microsoft Power Platform App Maker



**NEW QUESTION 1**

- (Exam Topic 1)

You need to create a flow for sending required emails to the regional manager.

How should you create the flow? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Option	Type
Flow type to use	<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; padding: 2px;">▼</div> <div style="padding: 2px;">Instant</div> <div style="padding: 2px;">Automated</div> <div style="padding: 2px;">Business Process</div> <div style="padding: 2px;">Scheduled</div> </div>
Trigger to start flow	<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; padding: 2px;">▼</div> <div style="padding: 2px;">HTTP Webhook</div> <div style="padding: 2px;">Power Apps</div> <div style="padding: 2px;">Common Data Service when a record is created</div> <div style="padding: 2px;">Office 365 Outlook Send an email</div> </div>

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Graphical user interface, text, application, email Description automatically generated

Box 1: Business Process

Scenario: If a sales representative submits a status report and assigns the At Risk status to a process, the app must prompt the sales representative to enter a detailed description for the risk. This information must be emailed to the regional manager.

Business process flows provide a guide for people to get work done. They provide a streamlined user experience that leads people through the processes their organization has defined for interactions that need to be advanced to a conclusion of some kind. This user experience can be tailored so that people with different security roles can have an experience that best suits the work they do.

Box 2: Common Data Service when a record is created

The Microsoft Dataverse (Common Data Service) connector provides the following triggers to help you define when your flows start:

- > When a row is created, updated, or deleted
- > When an action is performed
- > When a flow step is run from a business process flow Reference:

<https://docs.microsoft.com/en-us/power-automate/flow-types> <https://docs.microsoft.com/en-us/power-automate/dataverse/overview>

**NEW QUESTION 2**

- (Exam Topic 1)

You need to resolve the issue for User1.

What should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Option
Submit a status report.	<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; padding: 2px;">▼</div> <div style="padding: 2px;">Dynamics 365 mobile app</div> <div style="padding: 2px;">Power Apps Studio</div> <div style="padding: 2px;">Power Apps mobile app</div> <div style="padding: 2px;">Azure mobile app</div> </div>
Edit an existing status report.	<div style="border: 1px solid black; padding: 2px;"> <div style="border-bottom: 1px solid black; padding: 2px;">▼</div> <div style="padding: 2px;">Azure SQL Database Connector</div> <div style="padding: 2px;">SQL Lite DB Collections</div> </div>

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Graphical user interface, text, application Description automatically generated

Box 1: Power Apps mobile app Scenario:

User1 often works in a warehouse that does not have internet connectivity. User1 needs to edit an existing status report and submit a new status report.

The app must be able to run both online and offline. If the mobile device on which the app runs is connected to the internet, the app must immediately submit the status report.

You can build offline capabilities in your PowerApps app so your app users can access some data or save some data even when they don't have an internet connection.

Box 2: Connector

Scenario: Azure SQL Database is used to store other data

Use the SQL Server connector to connect to SQL Server, in either Azure or an on-premises database, so that you can manage your data with create, read, update, and delete operations.

Reference:

<https://powerapps.microsoft.com/en-us/blog/implementing-offline-capability-in-your-app/>

**NEW QUESTION 3**

- (Exam Topic 1)

You need to modify the app design to meet the accessibility needs of the sales associates.

Which properties should you configure? To answer, drag the appropriate properties to the correct restrictions. Each property may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Properties	Restriction	Property
TabIndex		
DisplayMode	Design for User2	
AccessibleLabel	Design for User3	
Tooltip		

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Graphical user interface, text, application Description automatically generated

Box 1: AccessibleLabel

Scenario: Before deploying the app to production, you must ensure that the app conforms to Microsoft accessibility and performance guidelines.

User2 is visually impaired and cannot see images. AccessibleLabel is a label for screen readers.

An empty value for Image, Icon, and Shape controls will hide the controls from screen reader users. Box 2: TabIndex

User3 is unable to use a mouse.

TabIndex determines if the control participates in keyboard navigation.

Keyboard navigation is an important aspect of any app. For many, the keyboard is more efficient than using touch or a mouse. The navigation order should:

Mirror what is seen visually.

Only have a tab stop at controls that are interactive.

Follow either an intuitive across and then down "Z" order or a down and then across "reverse-N" order.

**NEW QUESTION 4**

- (Exam Topic 1)

You need to ensure that the app can support the needs of User2 and User3, and meets the production deployment requirements.

Which tools should you use? To answer, select the appropriate tool in the answer area. NOTE: Each correct selection is worth one point.

Tools	Answer Area	
	Requirement	Tool
Solution Checker	Accessibility	
App Checker		
Object Detector	Deployment	
Preview the app		

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Box 1: App Checker

Scenario: Several sales representatives have accessibility restrictions. User2 is visually impaired and cannot see images. User3 is unable to use a mouse. Users who have vision, hearing, or other impairments can use your canvas app more easily and successfully if you consider accessibility as you design how the app looks and behaves. If you're not sure how to make your app more accessible, you can run the AppChecker Accessibility checker in Power Apps Studio.

Box 2: Solution Checker

Scenario: Before deploying the app to production, you must ensure that the app conforms to Microsoft accessibility and performance guidelines.

Use solution checker to validate your model-driven apps in Power Apps. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker> <https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/use-powerapps-checker>

#### NEW QUESTION 5

- (Exam Topic 1)

You need to create the mobile app. Which type of app should you create?

- A. model-driven app
- B. portal app
- C. Microsoft 365 web app
- D. canvas app

**Answer:** D

#### Explanation:

An accessible canvas app will allow users with vision, hearing, and other impairments to successfully use the app. In addition to being a requirement for many governments and organizations, following the below guidelines increases usability for all users, regardless of their abilities.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessible-apps>

#### NEW QUESTION 6

- (Exam Topic 2)

You need to connect to the data source for the Job Setup app. What should you do?

- A. Configure a scheduled synchronization with the Common Data Service database
- B. Configure SQL Server database permissions
- C. Create a stored procedure that retrieves time records for a specific employee
- D. Configure an on-premises data gateway

**Answer:** D

#### Explanation:

Scenario: The Job Setup entity must store its data in the existing on-premises SQL Server instance.

The on-premises data gateway acts as a bridge to provide quick and secure data transfer between on-premises data (data that isn't in the cloud) and several Microsoft cloud services. These cloud services include Power BI, Power Apps, Power Automate, Azure Analysis Services, and Azure Logic Apps. By using a gateway, organizations can keep databases and other data sources on their on-premises networks, yet securely use that on-premises data in cloud services.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/gateway-reference>

#### NEW QUESTION 7

- (Exam Topic 2)

You need to create a flow for moving data from the Sales Log to the Job Setup entity. Which type of flow should you use?

- A. a scheduled flow for the Job Setup entity
- B. an instant (button) flow for the Sales Log
- C. a business process flow for the Job Setup entity
- D. an automated flow for the Sales Log

**Answer:** D

#### Explanation:

Scenario: Automatically perform the following actions immediately when a sale is won:

- > Generate a sequential job number.
- > Copy key sales information to the Job Setup entity used by manufacturing.

#### NEW QUESTION 8

- (Exam Topic 2)

You need to meet the requirement for the time tracking app.

Which controls should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

**Answer Area**

Requirement	Solution
Automatically record the duration of work when a job number is read.	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; font-size: small;">▼</div>                     Card                      Rating                      Slider                      Timer                 </div>
Read the employee's number into the app.	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; font-size: small;">▼</div>                     Barcode-scanner                      Card                      Image                      Shape                 </div>
Display a photo of an employee when the employee badge is read.	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; font-size: small;">▼</div>                     Camera                      Card                      Icon                      Image                 </div>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Timer

A Timer control in Power Apps is a control that can determine how your app responds after a certain amount of time passes.

Box 2: Barcode scanner

The Barcode scanner control for canvas apps scans barcodes, QR codes, and data-matrix codes on an Android or iOS device.

Box 3: Image

Image control in Power Apps is a control that shows an image from, for example, a local file or a data source. If you add one or more Image controls to your app, you can show individual images that aren't part of a data set, or you can incorporate images from records in data sources.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-new-barcode-scanner> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-image>

**NEW QUESTION 9**

- (Exam Topic 2)

You need to implement logic in the app for lost sales. What should you do?

- A. Create a business process flow.
- B. Define a business rule for the Sales Log edit form.
- C. Set the required field property of the Won/Lost field to Required.
- D. Create a formula for the Description field that uses the Update function.

**Answer:** B

**Explanation:**

Scenario: Requests for quotes are currently stored in a Sales Log workbook. The workbook includes the following information:

➤ Status of the Request for Quote (RFQ) with the values of Won, Lost, No Bid, and Cancelled Salespeople often do not set status of RFQs in the Sales Log to Won when a sale is closed and the customer purchase order is received.

You can create business rules and recommendations to apply logic and validations without writing code or creating plug-ins. Business rules provide a simple interface to implement and maintain fast-changing and commonly used rules.

Business rules defined for an entity apply to both canvas apps and model-driven apps if the entity is used in the app.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/data-platform-create-business-rule>

**NEW QUESTION 10**

- (Exam Topic 2)

You need to resolve the user's issue with the time tracking app.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add a component to the time tracking screen for tracking total time.
- B. Create a new component inside of the component library for the time tracking app.
- C. Upload the component to AppSource.
- D. Add the Total Time field to the screen and set the value of the field property to Rollup

**Answer:** AB

**Explanation:**

Scenario Issue: Users want to be able to see their weekly total time entered from all screens.

A component library provides a centralized and managed repository of components for reusability. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/component-library>

**NEW QUESTION 10**

- (Exam Topic 2)

You need to configure the system to meet the requirements.

What should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

**Answer Area**

Feature	Setting
Create the relationship between the Job Setup and Time Tracking entities.	<div style="border: 1px solid black; padding: 2px;">▼</div> <div style="border: 1px solid black; padding: 2px;">1:N</div> <div style="border: 1px solid black; padding: 2px;">N:N</div> <div style="border: 1px solid black; padding: 2px;">Self-referential</div>
Configure ownership for the Time Tracking entity.	<div style="border: 1px solid black; padding: 2px;">▼</div> <div style="border: 1px solid black; padding: 2px;">Business-owned</div> <div style="border: 1px solid black; padding: 2px;">Organization-owned</div> <div style="border: 1px solid black; padding: 2px;">User or Team owned</div>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: 1:N

Scenario: A sortable listing of all in-process jobs from the Job Setup table, by customer, start date, and product.

Box 2: User or Team owned

Scenario: Employees must only be able to access their own time tracking records from the app.

User or team: Data belongs to a user or a team. Actions that can be performed on these records can be controlled on a user level.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/types-of-entities>

**NEW QUESTION 12**

- (Exam Topic 3)

A coworker creates a canvas app.

The canvas app contains the following formula. The formula is attached to the OnVisible property of the first screen that users see:

```
Collect(
Toolbox,
{
  Tool: "Hammer",
  Quantity: 1
},
{
  Tool: "Screwdriver",
  Quantity: 2
}
)
```

You are updating the canvas app.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

**Answer Area**

	Yes	No
The formula will update multiple records in a data source named Toolbox if the records exist.	<input type="radio"/>	<input type="radio"/>
A local collection is created to store data if a data source named Toolbox does not already exist.	<input type="radio"/>	<input type="radio"/>
If a collection named Toolbox exists the formula will clear any existing records before making any changes.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: No

Records are added, not updated. Box 2: Yes

The Collect function adds records to a data source. Syntax: Collect( DataSource, Item, ... )

DataSource – Required. The data source that you want to add data to. If it doesn't already exist, a new collection is created.

Item(s) - Required. One or more records or tables to add to the data source. Box 3: No

No records are cleared. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-clear-collect-clearcollect>

**NEW QUESTION 17**

- (Exam Topic 3)

HOTSPOT

A company is building several Power Apps apps to help with sales operations collaboration. You need to identify the right solution for data storage. Which solution should you use? To answer select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Characteristic	Solution
Limits the number of records that can be added.	<input type="checkbox"/> Microsoft Dataverse for Teams <input type="checkbox"/> Microsoft Dataverse <input checked="" type="checkbox"/> Microsoft Dataverse for Teams
Allows for advanced development tasks for apps specific to Microsoft Teams.	<input type="checkbox"/> Microsoft Dataverse <input checked="" type="checkbox"/> Microsoft Dataverse <input type="checkbox"/> Microsoft Dataverse for Teams
Has the most granular level of security to account for column-level security in Microsoft Teams.	<input type="checkbox"/> Microsoft Dataverse <input checked="" type="checkbox"/> Microsoft Dataverse <input type="checkbox"/> Microsoft Dataverse for Teams

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Characteristic	Solution
Limits the number of records that can be added.	<input type="checkbox"/> Microsoft Dataverse for Teams <input type="checkbox"/> Microsoft Dataverse <input checked="" type="checkbox"/> Microsoft Dataverse for Teams
Allows for advanced development tasks for apps specific to Microsoft Teams.	<input type="checkbox"/> Microsoft Dataverse <input checked="" type="checkbox"/> Microsoft Dataverse <input type="checkbox"/> Microsoft Dataverse for Teams
Has the most granular level of security to account for column-level security in Microsoft Teams.	<input type="checkbox"/> Microsoft Dataverse <input checked="" type="checkbox"/> Microsoft Dataverse <input type="checkbox"/> Microsoft Dataverse for Teams

**NEW QUESTION 21**

- (Exam Topic 3)

An automobile company uses Power Apps. The company uses a model-driven app to manage customers and repairs.

The Customer table has a custom column of type text named Best time to call. On the Repair form, employees require the Best time to call column to be displayed next to the customer name.

You need to modify the model-driven app to display the Best time to call column. Which two steps should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Add The Best time to call column to the quick view Repair form.
- B. Create a quick view form for the Repair table.
- C. Create a quick view form for the Customer table.
- D. Add the Best time to call column to the quick view Customer form.

Answer: CD

**NEW QUESTION 26**

- (Exam Topic 3)

You create an automated flow by using Power Automate. The flow appears under My Flows and is connected to the development environment. The development environment has a solution to move components into a production environment.

You need to ensure that you can transfer the flow to another environment. What should you do?

- A. Add the flow to the default solution of the development environment and export as a managed solution.
- B. Change the environment for the flow.
- C. Add the flow to the existing solution.
- D. Add the flow to the default solution of the production environment.

Answer: A


Explanation:

It is very normal for a developer to build the power automate in one environment and then export that automate & import it to another destination environment.

Exporting our Solution

After validating our flows work in our test environment, we now want to promote it to our production environment. We can export our solution by finding it in our Solutions experience, clicking on the ..., selecting Export.

Graphical user interface, application, Teams Description automatically generated



Reference:  
<https://flow.microsoft.com/en-us/blog/solutions-in-microsoft-flow/>

**NEW QUESTION 30**

- (Exam Topic 3)

**HOTSPOT**

A company uses Power Apps and Microsoft Data verse. You need to perform the following activities:

- \* Create a model-driven app.
- \* Design navigation for the app
- \* Show an approval name field on the form if the amount is greater than \$1,000.

Which features should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

**Answer Area**

Activity	Feature
Create model driven app.	<ul style="list-style-type: none"> <li>App designer</li> <li><b>App designer</b></li> <li>Solution checker</li> <li>App checker</li> </ul>
Design app navigation.	<ul style="list-style-type: none"> <li>Site map</li> <li><b>Site map</b></li> <li>Solutions area</li> <li>Table designer</li> </ul>
Show approval name field if amount > \$1,000.	<ul style="list-style-type: none"> <li>Table designer</li> <li>Form designer</li> <li><b>Table designer</b></li> <li>Business rule designer</li> </ul>

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

**Answer Area**

Activity	Feature
Create model driven app.	<ul style="list-style-type: none"> <li>App designer</li> <li><b>App designer</b></li> <li>Solution checker</li> <li>App checker</li> </ul>
Design app navigation.	<ul style="list-style-type: none"> <li>Site map</li> <li><b>Site map</b></li> <li>Solutions area</li> <li>Table designer</li> </ul>
Show approval name field if amount > \$1,000.	<ul style="list-style-type: none"> <li>Table designer</li> <li>Form designer</li> <li><b>Table designer</b></li> <li>Business rule designer</li> </ul>

**NEW QUESTION 34**

- (Exam Topic 3)

**DRAG DROP**

A commercial bakery uses art inventory system to track ingredients consumed in their production line. The workers use iPads to interact with the system and reserve the ingredients for the next batch. Data from the system is extracted as a .csv file.

You need to create a Power BI report from the extracted data by using only an iPad.

Which five actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Select manual data.	
Log into the Power BI service.	
Install Power BI Desktop and log in.	
Select <b>Create</b> .	
Select <b>Use first row as headers</b> .	
Paste the data.	

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Actions	Answer Area
Select manual data.	
Log into the Power BI service.	
Install Power BI Desktop and log in.	
Select <b>Create</b> .	
Select <b>Use first row as headers</b> .	
Paste the data.	

**NEW QUESTION 35**

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app that displays a list of accounts.

Users must be able to select an account and view details for the account. The app must include a feature that brings the user back to the list of accounts.

You add a blank screen named Screen\_Accounts and add a gallery named Gallery\_Accounts to the screen. You set the data source of Gallery\_Accounts to Accounts and add another blank screen named Screen\_AccountDetail.

You need to complete the app. Solution:

- > Add an edit form to Screen\_AccountDetail and set the Default Mode of the form to New
- > Set the OnSelect property of Gallery\_Accounts to Navigate(Screen\_AccountDetail).
- > Set the data source of the form to Accounts.
- > Set the Item property of the form to Selected.
- > Add a back icon on Screen\_AccountDetail and set its OnSelect property to Navigate(Screen\_Accounts). Does the solution meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

FormMode.New: the form is populated with default values and the user can modify the values of the fields. Once complete, the user can add the record to the data source.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-form>

**NEW QUESTION 38**

- (Exam Topic 3)

**HOTSPOT**

A company is creating an app to manage project status reports.

Users will update a series of controls and click a submit button. The submit button will calculate a risk score for the project and return to the previous screen with that risk score. The risk score will be used in two different forms.

You need to create the formula on the button click. To answer, select the appropriate option in the answer area NOTE: Each correct selection is worth one point.

**Answer Area**

Action	Formula component
Assign the scope for the variable.	Global variable Collection Context variable Global variable Lookups
Separate the calculate action from the previous screen.	: : 
Go to the next page.	Navigate() Navigate() Revert() NewForm() SetFocus()

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**  
 Answer Area

Action	Formula component
Assign the scope for the variable.	Global variable Collection Context variable Global variable Lookups
Separate the calculate action from the previous screen.	: : 
Go to the next page.	Navigate() Navigate() Revert() NewForm() SetFocus()

**NEW QUESTION 42**

- (Exam Topic 3)

A call center manager monitors incoming phone calls. The manager analyzes the performance of phone reps by using a custom view. The view contains a custom field named Phone call Duration in Minutes.

The call center manager must present an Excel spreadsheet daily to upper management. The spreadsheet must contain the call center performance for further trending analysis and corrective actions.

You need to create the spreadsheet.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**Actions**

**Answer Area**

- Create a pivot table, and then use the Phone call Duration in Minutes field as a category area and the Rep field as a series
- Create a pivot table, and then use the Phone Rep field as a category and the Phone call Duration in Minutes field as a series
- Set the formula for phone call duration in minutes to Average and add a pie chart linked the pivot table
- Export the custom view to an Excel dynamic spreadsheet
- Export the custom view to an Excel dynamic pivot table
- Save the spreadsheet and upload it back to the system
- Export the custom view to an Excel template



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Timeline Description automatically generated with low confidence

Step 1: Export the custom view to an Excel dynamic pivot table

You can export app data to an Office Excel PivotTable to see patterns and trends in data. An Excel PivotTable is a great way to summarize, analyze, explore, and present your app data.

Step 2: Create a pivot table, and then use the Phone Rep field as a category and the Phone call Duration in Minutes as field as series

Step 3: Set the formula for phone call duration in minutes to Average and add a pie chart linked to the pivot table

Step 4: Save the spreadsheet and upload it back to the system. Reference:

<https://docs.microsoft.com/en-us/powerapps/user/export-excel-pivottable>

**NEW QUESTION 44**

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You build a canvas app for a manufacturing company. The company receives parts and materials from many vendors. You create a form to collect information from packing slips.

Receivers must be able to take a picture of packing slips to receive materials instead of manually entering data in the app.

You need to ensure that users can scan packing slip information into the form. Proposed solution: Use a Key Phrase Extraction model.

Does the solution meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

The key phrase extraction prebuilt model identifies the main points in a text document. Reference:

<https://docs.microsoft.com/en-us/ai-builder/prebuilt-key-phrase>

**NEW QUESTION 48**

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app.

You need to automatically detect bicycles in pictures taken with the camera. Proposed solution:

- > Create an Object Detection custom model in AI Builder.
- > Train the model with pictures of bicycles and then publish the trained model.
- > Add the Object Detector control to your canvas app.

Does the solution meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:**

To train an object detection model to recognize your objects, you have to gather images that contain those objects. The first thing you'll do when you create an AI Builder object detection model is to define its domain. Upload images. Then Train and publish your object detection model.

The object detector component takes a photo or loads an image file to do an object detection scan. On a mobile device, the user chooses between taking a photo or selecting one already available in the device user interface. When an image is selected, the component automatically scans it to identify objects.

Reference:

<https://docs.microsoft.com/en-us/ai-builder/prediction-overview> <https://docs.microsoft.com/en-us/ai-builder/object-detector-component-in-powerapps>

**NEW QUESTION 51**

- (Exam Topic 3)

You are creating an app for an organization's human resources (HR) department. You create an Employee entity in an unmanaged Common Data Service solution.

Another user creates the following Power Automate flows separately from the solution:

Flow	Description
FlowA	Send email to the HR manager when a new document is uploaded to Microsoft SharePoint.
FlowB	Send email to the HR manager after a user selects a document in Microsoft OneDrive for Business and runs the flow.
FlowC	Send email to the HR manager at 8 AM daily if new documents are uploaded in Microsoft OneDrive for Business since the previous day.
FlowD	Send email to the HR manager when a new employee record is added.

You need to incorporate the flows that can be added to the solution.

Which two flows can you include? Each correct selection presents a complete solution.


NOTE: Each correct selection is worth one point.

- A. FlowA
- B. FlowB
- C. FlowC
- D. FlowD

**Answer:** AD

**Explanation:**

You can add any of these conditions to determine precisely when your flow is triggered.



Reference:

<https://docs.microsoft.com/en-us/power-automate/connection-cds-native>

**NEW QUESTION 54**

- (Exam Topic 3)

You need to create a model-driven app without using code.

Which tools should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Requirement**

**Tool**

Select the forms and views that the app will use.

	▼
Site Map designer	
Solution Explorer	
App designer	
Entity view	

Design the navigation for the app.

	▼
Site Map designer	
Dynamics 365 Admin center	
Microsoft Azure DevOps	

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Graphical user interface, application Description automatically generated

Box 1: App designer

As an app maker, you can create and edit public views by using Power Apps. Box 2: Site Map designer

Site maps define the navigation for your app. Create a site map for your app with ease by using the tile-based site map designer.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/create-edit-views-app-designer> <https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/create-site-map-app>

**NEW QUESTION 59**

- (Exam Topic 3)

DRAG DROP

A company uses Microsoft Power Platform. All users in the company have read/write and create access to SharePoint.

You create a canvas app that displays data from a SharePoint list. A group of users must use the app without the ability to change the data source.

You need to share the app with the users.

What should you do? To answer, drag the appropriate actions to the correct components. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

**Actions**

- Send all users an email invitation.
- Enable Can use permission.
- Set the users as co-owners.
- Enable Can edit permission.

**Answer Area**

Component	Action
Canvas app	
SharePoint connection	

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

**Actions**

- Send all users an email invitation.
- Enable Can use permission.
- Set the users as co-owners.
- Enable Can edit permission.

**Answer Area**

Component	Action
Canvas app	Send all users an email invitation.
SharePoint connection	Enable Can use permission.

**NEW QUESTION 61**

- (Exam Topic 3)

You work in a warehouse. You build an app for physical inventory counts that is used by different staff members. The typical count takes 14 hours.

The app has a warehouse screen with a gallery that contains the aisles in the warehouse. When a staff member selects an aisle record, another screen displays all the items stored in that aisle. The staff must know how long each aisle takes to do a physical inventory count.

You need to add logic to the app. What should you do?

- A. Configure a timer control, add it to the aisle screen, and then reset it when exiting the aisle screen
- B. Create and configure a stopwatch custom control, and then add it to the gallery
- C. Create and configure a stopwatch custom component, and then add it to the aisle screen
- D. Configure a timer control, add it to the gallery, and then reset it when the selection changes

**Answer: C**

**Explanation:**

Reference:  
<https://www.cdata.com/kb/tech/azuredatalake-odata-powerapps.rst>

**NEW QUESTION 63**

- (Exam Topic 3)

DRAG DROP

You develop Microsoft Power Platform solutions for Contoso, Ltd You create a Power Virtual Agents chatbot in a Microsoft Teams team. You need to make the chatbot available to all users in your organization.

Which three actions should you perform in sequence? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

**Actions**

- Access the chatbot in the Teams app store in the Built by your colleagues category.
- Publish the chatbot.
- Access the chatbot in the Teams app store in the Built for Contoso category.
- Submit the chatbot for admin approval.

**Answer area**

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

**Actions**

- Access the chatbot in the Teams app store in the Built by your colleagues category.
- Publish the chatbot.
- Access the chatbot in the Teams app store in the Built for Contoso category.
- Submit the chatbot for admin approval.

**Answer area**

- Publish the chatbot.
- Access the chatbot in the Teams app store in the Built for Contoso category.
- Submit the chatbot for admin approval.

**NEW QUESTION 66**

- (Exam Topic 3)

DRAG DROP

You are creating a Power Automate cloud flow to update a column on each Item in a list of Microsoft Dataverse records. Records are sorted in order of priority. You must use a complex expression to determine the column value. The column value must be stored in a variable to make future maintenance easier. Records must be processed based on the sorted order.

You need to add flow steps to process the list of records.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**Actions**

- Filter the array.
- Use the Apply to each loop running in parallel.
- Initialize the variable.
- Use the Apply to each loop running sequentially.
- Set the variable.
- Update the Microsoft Dataverse row.

**Answer Area**

- A. Mastered

B. Not Mastered

**Answer:** A

**Explanation:**

**NEW QUESTION 71**

- (Exam Topic 3)

A company has an on-premises system that stores product information. The company plans to replace the information with a Power Platform solution that uses the Common Data Service.

The Power Platform solution needs to use data from the product information system. You need to transform and import the data from the product information system. Which two tools should you use? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Dataflow
- B. Business process flow
- C. Power BI Desktop
- D. Data gateway

**Answer:** AD

**Explanation:**

The on-premises data gateway acts as a bridge to provide quick and secure data transfer between onpremises data (data that isn't in the cloud) and several Microsoft cloud services. These cloud services include Power BI, PowerApps, Power Automate, Azure Analysis Services, and Azure Logic Apps. By using a gateway, organizations can keep databases and other data sources on their on-premises networks, yet securely use that on-premises data in cloud services.

Can use the Power Platform dataflows to load entity in CDS with the option to transform data. Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/service-gateway-onprem> <https://nishantrana.me/2020/07/07/load-data-from-sql-on-premise-to-cds-common-data-service-using-powerplat>

**NEW QUESTION 76**

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has locations in multiple countries and regions across four continents.

The company stores the total amount of each order in the local currency of the country/region where the customer is located. The company stores the applicable exchange rates in a custom US dollars (USD) exchange rate table.

You need to create a visualization that displays the total amount of orders by country/region in USD. Proposed solution: Create a model-driven chart on the country/region table that aggregates the total amount of the orders by country/region.

Does the solution meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

Instead use a calculated field.

Need to calculate the exchange rate in USD.

Calculated columns are calculated in real-time when they are retrieved. Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

**NEW QUESTION 78**

- (Exam Topic 3)

You have a Power Automate flow that processes files in a Microsoft SharePoint document library. The flow only needs to be run as required. You add steps to the flow to process the files.

Before leaving the office for the day, the manager must initiate the flow. The flow must not start processing files before 11:00 PM.

You need to configure the flow.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add a recurrence trigger and configure to run daily at 11 00 PM.
- B. Add a Condition action
- C. If the time greater than 11:00 PM use a Terminate action prevent further processing.
- D. Manually trigger the flow.
- E. Add a Delay Until action and enter the timestamp for 11 00 PM.

**Answer:** CD

**Explanation:**

Delay an action until a specific timestamp.

Note: The Microsoft Dataverse connector provides four ways to add wait conditions. Use these wait conditions when you need to delay processing in your flows until a particular condition is met.

- Postpone triggering the flow and the first action until a specific time: Wait condition using Postpone Until.
- Add a fixed delay before the next step.
- Delay an action until a specific timestamp.
- Delay an action until a specific event occurs.

Reference:

<https://docs.microsoft.com/en-us/power-automate/dataverse/wait-conditions>

**NEW QUESTION 83**

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app.

You need to automatically detect bicycles in pictures taken with the camera. Proposed solution:

- Create a Prediction custom model in AI Builder.
- Train the model with pictures of bicycles and then publish the trained model.
- Add the Object Detector control to your canvas app.

Does the solution meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

Instead create an Object Detection custom model

Note: AI Builder prediction models analyze patterns in historical data that you provide. Prediction models learn to associate those patterns with outcomes. Then, we use the power of AI to detect learned patterns in new data, and use them to predict future outcomes.

Reference:

<https://docs.microsoft.com/en-us/ai-builder/prediction-overview>

**NEW QUESTION 87**

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company has locations in multiple countries and regions across four continents.

The company stores the total amount of each order in the local currency of the country/region where the customer is located. The company stores the applicable exchange rates in a custom US dollars (USD) exchange rate table.

You need to create a visualization that displays the total amount of orders by country/region in USD. Proposed solution:

Create a custom rollup field of type currency on the country/region table that aggregates all the total amounts for the orders from that country/region and display this rollup field in a Power BI chart.

Does the solution meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

Instead use a calculated field.

Need to calculate the exchange rate in USD.

Calculated columns are calculated in real-time when they are retrieved. Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

**NEW QUESTION 91**

- (Exam Topic 3)

You are deploying solutions from development environments into test environments. You need to gather solution information.

What should you do? To answer, drag the appropriate actions to the correct scenarios. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Options	Answer Area	
	Scenario	Action
View the history	Find the deployment outcome	Action
Show dependencies	Determine, in which version, a type change occurred	Action
View solution layers	Determine if any components are missing	Action
Run the Solution checker		

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application Description automatically generated

Box 1: View the history

The solution history displays information such as solution version, solution publisher, type of operation, operation start and end time, and operation status.

Box 2: View solution layers

The see solution layers' feature allows you to view all component changes that occur due to solution changes over time. Within a solution layer, you can drill down to view specific changed and unchanged property details for a component.

The see solution layers' feature:

- > Let's you see the order in which a solution changed a component.
- > Let's you view all properties of a component within a specific solution, including the changes to the component.

Box 3: Show dependencies

As a result of dependency tracking the following behaviors are enforced:

- > Export of a solution warns the user if there are any missing components that could cause failure when importing that solution in another system.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/solution-history> <https://docs.microsoft.com/en-us/powerapps/maker/data-platform/solution-layers>  
<https://docs.microsoft.com/en-us/power-platform/alm/dependency-tracking-solution-components>

**NEW QUESTION 93**

- (Exam Topic 3)

In a Common Data Service database, you create a canvas app and a custom entity. The app also reads data from the Account entity in the Common Data Service database.

Entity access permissions will be controlled by the Common Data Service User security role. You create a Common Data Service solution.

You need to replicate the changes to a new Common Data Service database.

Which two components should you include with the canvas app? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Custom entity
- B. Account entity
- C. Common Data Service User security role
- D. Sitemap

**Answer:** BC

**NEW QUESTION 98**

- (Exam Topic 3)

You have a solution that contains a Power Automate flow, an environment variable, and a model-driven app.

Which three steps should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Select the managed solution.	
Adjust the version number.	
Publish all changes.	
Select the unmanaged solution.	

- A. Mastered

B. Not Mastered

**Answer:** A

**Explanation:**

Step 1: Adjust the version number. Step 2: Select the managed solution.

Managed Solution: A managed solution is a finalized solution that can be distributed and installed. They are created by exporting an unmanaged solution by setting restrictions to prevent any further customizations. The whole point of Managed is locking down the Component states so they cannot be edited. Deleting the Managed Solution will remove all its customisations as well as data contained. Managed Solutions become read only once deployed so they cannot be manipulated.

Step 3: Publish all changes. Reference:

<https://powerusers.microsoft.com/t5/Power-Apps-Pro-Dev-ISV/Managed-vs-Unmanaged/td-p/495685>

**NEW QUESTION 102**

- (Exam Topic 3)

A company is building a Power Apps app to track key project tasks.

Users assign three tasks a risk status on a scale of 0 to 100 by using slider input controls named RiskStatus on the app. The highest risks use the risk status value of 100.

Task name	Slider input control name
Task1	RiskStatus1 [0–100]
Task2	RiskStatus2 [0–100]
Task3	RiskStatus3 [0–100]

If the combined value of all the tasks is 150 or above, a header bar on the screen must display the text HIGH RISK.

You need to configure a solution to change the text on the header bar.

How should you configure the app? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Configuration
Where should you apply logic to change the text?	<ul style="list-style-type: none"> <li>On the header control.</li> <li>On each RiskStatus slider input.</li> <li>In the global variables of the Power Apps app.</li> <li>On the OnStart property of the Power Apps app.</li> </ul>
Which formula should you use?	<ul style="list-style-type: none"> <li>SUM(RiskStatus1.value,RiskStatus2.value,RiskStatus3.value)&gt;=150? "HIGH RISK" : ""</li> <li>IF(SUM(RiskStatus1.value,RiskStatus2.value,RiskStatus3.value)&lt;150, "", HIGH RISK")</li> <li>Updateif((RiskStatus1.value+RiskStatus2.value+RiskStatus3.value)&gt;=150, "HIGH RISK")</li> <li>UpdateContext(IF(RiskStatus1.value+RiskStatus2.value+RiskStatus3.value&gt;=150), "HIGH RISK")</li> </ul>

A. Mastered  
 B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, application Description automatically generated

Box 1: On each RiskStatus slider input You can change the value based on input. Box 2: Updateif(..)

Use the Updateif function to modify one or more values in one or more records that match one or more conditions. The condition can be any formula that results in a true or false and can reference columns of the data source by name. The function evaluates the condition for each record and modifies any record for which the result is true.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-formulas#change-a-value-based-> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-update-updateif>

**NEW QUESTION 105**

- (Exam Topic 3)

**HOTSPOT**

A bicycle shop uses Microsoft Dataverse to track bicycle rentals and renter information. The bicycle shop has a standalone tablet with a canvas app. Renters use the app to check out bicycles. Only one renter at a time can check out bicycles.

Multiple renters can rent as a team. You must expand the app to allow team rentals in one step. All team members must be registered under a single phone number.

You need to modify the canvas app to display team and team member information, along with bicycle information

Which UI elements should you use for each requirement? To answer, select the appropriate options in the answer area

NOTE: Each correct selection is worth one point.

**Answer Area**

Requirement	UI element
Phone number lookup	Choice Text input <b>Choice</b> Pen input
Team members and their bicycles	Gallery List box Container Data table <b>Gallery</b>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**  
**Answer Area**

Requirement	UI element
Phone number lookup	Choice Text input <b>Choice</b> Pen input
Team members and their bicycles	Gallery List box Container Data table <b>Gallery</b>

**NEW QUESTION 108**

- (Exam Topic 3)

You have a model-driven app that has an entity named Marinas. You have an entity named Boats that list the boats associated with each marina. You must add a list of boats to the Marinas form. You must also add an option for users to select different views including boat owners and marina members. You need to embed the list of boats associated with a Marina record in the entity form.

In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

**Actions**

**Answer Area**

- Add a Subgrid component to a form
- Select **Show related records** and then select the related entity and default view for the subgrid
- Save and publish the form
- Select the **Allow users to change view** option



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application Description automatically generated

Step 1: Add a Subgrid component to a form

You add a subgrid component the same way as you add any other component.

Step 2: Select Show related records and then select the related entity and default view for the subgrid Configure a subgrid component.

Properties available to configure when using a subgrid component on a form using the form designer include:

➤ Show related rows

When selected, the subgrid displays only rows related to the current row that is displayed on the form.

Step 3: Select the Allow users to change view option

Configure a subgrid component.

Properties available to configure when using a subgrid component on a form using the form designer include:

- > Allow users to change view

When selected, app users can change from the Default view to another view of the table selected in the Table property.

Step 4: Save and publish the form Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/form-designer-add-configure-subgrid>

**NEW QUESTION 109**

- (Exam Topic 3)

DRAG DROP

A company uses data from a publicly available web service. You plan to create a tabular report by using Power BI Desktop to visualize data from the web service. The data returned in one column is numeric and must be converted to a corresponding text value. The most up-to-date version of the data must always be used. You need to create the report and make it available only to co workers.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select

**Actions**

- Create a connection to the web service.
- Publish to the Power BI service.
- Create a table and input the data from the web service.
- Perform data transformation.
- Create the visualization.
- Publish to AppSource.

>

<

**Answer area**

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Actions**

- Create a connection to the web service.
- Publish to the Power BI service.
- Create a table and input the data from the web service.
- Perform data transformation.
- Create the visualization.
- Publish to AppSource.

>

<

**Answer area**

- Create a table and input the data from the web service.
- Perform data transformation.
- Create the visualization.
- Publish to AppSource.

**NEW QUESTION 114**

- (Exam Topic 3)

You create a dashboard in Power BI. You share the dashboard with the sales team. Sales team members report that they can see information for the entire company. You need to ensure that the team is able to see only data for their team.

Where must you configure this restriction?

- A. Dashboard
- B. Report
- C. Dataset
- D. Settings

**Answer:** C

**Explanation:**

Restrict access to the dataset.

Note: Another way of setting access is through manage permission in the dashboard, report, or dataset. If you share a dashboard, by default the report and the dataset will also be shared as read-only for users.

Reference:

<https://radacad.com/dashboard-sharing-and-manage-permissions-in-power-bi-simple-but-useful>

**NEW QUESTION 115**

- (Exam Topic 3)

You design a canvas app for users to search thousands of records. You select a data source that supports delegation to optimize performance. You need to create the app so that it takes advantage of the delegable functionality of the data source. What should you do?

- A. Run multiple processes simultaneously.
- B. Use the query functions the data source provides.
- C. Use the data returned from the data source in multiple languages.
- D. Connect to the same data source as different users at run time.

Answer: B

**NEW QUESTION 120**

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You build a canvas app for a manufacturing company. The company receives parts and materials from many vendors. You create a form to collect information from packing slips.

Receivers must be able to take a picture of packing slips to receive materials instead of manually entering data in the app.

You need to ensure that users can scan packing slip information into the form. Proposed solution: Use an Entity Extraction model.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

**Explanation:**

AI Builder entity extraction models recognize specific data in the text that you target based on your business needs.

The model identifies key elements in the text and then classifies them into predefined categories. This can help you transform unstructured data into structured data that's machine-readable. You can then apply processing to retrieve information, extract facts, and answer questions.

Note: Create a canvas app and add the text recognizer AI Builder component to your screen. This component takes a photo or loads an image from the local device, and then processes it to detect and extract text based on the text recognition prebuilt model. If it detects text in the image, the component outputs the text and identifies the instances by showing a rectangle for each instance in the image.

Reference:

<https://knowledgefrommanish.com/powerplatform/ai-builder-entity-extraction-ai-model/> <https://docs.microsoft.com/en-us/ai-builder/prebuilt-text-recognizer-component-in-powerapps>

**NEW QUESTION 122**

- (Exam Topic 3)

HOTSPOT

A company uses Power Apps. The company has a model-driven app that accesses a Microsoft Dataverse table. The app is shared with all users who all have the Basic User security role.

You must prevent the users from running and sharing the app.

What should you do? To answer, select the appropriate options in the answer area NOTE: Each correct selection is worth one point.

Answer Area

Requirement	Action
Prevent users from running the app.	<input type="checkbox"/> Turn off the app. <input type="checkbox"/> Export the app. <input checked="" type="checkbox"/> Turn off the app. <input type="checkbox"/> Remove access to the table.
Prevent users from sharing the app.	<input checked="" type="checkbox"/> Remove access to the table. <input type="checkbox"/> Export the app. <input type="checkbox"/> Turn off the app. <input checked="" type="checkbox"/> Remove access to the table.

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Answer Area

Requirement	Action
Prevent users from running the app.	<input type="checkbox"/> Turn off the app. <input type="checkbox"/> Export the app. <input checked="" type="checkbox"/> Turn off the app. <input type="checkbox"/> Remove access to the table.
Prevent users from sharing the app.	<input checked="" type="checkbox"/> Remove access to the table. <input type="checkbox"/> Export the app. <input type="checkbox"/> Turn off the app. <input checked="" type="checkbox"/> Remove access to the table.

**NEW QUESTION 125**

- (Exam Topic 3)

DRAG DROP

A company is migrating to a new Microsoft 365 tenant. You create an expense management canvas app and cloud flow in the old Microsoft 365 tenant.

You need to move the latest version of the canvas app and cloud flow to the new tenant.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**NEW QUESTION 129**

- (Exam Topic 3)

A company uses Power Apps and Microsoft Dataverse. The company has a managed solution in the production environment. You make changes to the solution in the development environment. Some components are unused. The changes to the solution must be reflected in the production environment. You need to ensure that all unused components are removed. What should you do?

- A. Create a new solution
- B. Upgrade the solution.
- C. Update the solution.
- D. Patch the solution.

**Answer:** B

**NEW QUESTION 134**

- (Exam Topic 3)

A company has 500 products. Each product is referenced by a product ID. Each product belongs to one of eight product categories. You are creating an app to manage requests for new products. The product categories will never change. Categories are defined in the column itself, not in a separate table. The data must be structured in a way that does not allow for misspellings. Only two new tables should be created in Microsoft Dataverse:

- > Products: Holds the products that can be requested.
- > Requests: Holds the requests for the product ID and quantity. The products are filtered by product category.

You need to identify the data types to use when building the table columns in Dataverse. Which data type should you use? To answer, drag the appropriate data types to the correct requirements. Each data type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

Data types	Answer Area								
<div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;">Lookup</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;">Choice</div> <div style="border: 1px solid black; padding: 2px;">Text</div>	<table border="1"> <thead> <tr> <th>Scenario</th> <th>Data types</th> </tr> </thead> <tbody> <tr> <td>Create a column in the Products table that displays the category of the product</td> <td style="border: 1px dashed black; padding: 5px;">Data type</td> </tr> <tr> <td>Create a column in the Products table for the product ID of the product</td> <td style="border: 1px dashed black; padding: 5px;">Data type</td> </tr> <tr> <td>Create a column in the Requests table that allows the user to select from a list of available products</td> <td style="border: 1px dashed black; padding: 5px;">Data type</td> </tr> </tbody> </table>	Scenario	Data types	Create a column in the Products table that displays the category of the product	Data type	Create a column in the Products table for the product ID of the product	Data type	Create a column in the Requests table that allows the user to select from a list of available products	Data type
Scenario	Data types								
Create a column in the Products table that displays the category of the product	Data type								
Create a column in the Products table for the product ID of the product	Data type								
Create a column in the Requests table that allows the user to select from a list of available products	Data type								

- A. Mastered

B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Text

Text columns can contain text characters. This column type has several format options that will change the presentation of the text.

Box 2: Lookup

When you create a new lookup column you are creating a new Many-to-One (N:1) table relationship between the table you're working with and the Target Row Type defined for the lookup.

Box 3: Choice

You can customize forms (main, quick create, and quick view) and email templates by adding multi-select columns that are called Choices. When you add a choices column, you can specify multiple values that will be available for users to select. When users fill out the form, they can select one, multiple, or all the values displayed in a drop-down list.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/data-platform/types-of-fields>

**NEW QUESTION 139**

- (Exam Topic 3)

A company uses two SQL Server environments and two Common Data Service environments.

The company policy states that only specific administrators can create environments. SQL Server and Common Data Service groups must be distinct.

You need to assign security access.

What should you assign? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Role	Security access
Admin users for SQL environments	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right; margin-bottom: 5px;">▼</div> <div style="border: 1px solid black; padding: 2px;">                     Environment Maker                      Environment Admin                      System Administrator and Environment Security group                      Power Platform Administrator and Environment Security group                 </div> </div>
Admin users for Common Data Service environments	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right; margin-bottom: 5px;">▼</div> <div style="border: 1px solid black; padding: 2px;">                     Environment Maker                      Environment Admin                      Global Administrator                      System Administrator                 </div> </div>
Users that create Common Data Service apps	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right; margin-bottom: 5px;">▼</div> <div style="border: 1px solid black; padding: 2px;">                     System Customizer                      Environment Maker                      Environment Admin                      System Administrator                 </div> </div>
Users that create SQL apps	<div style="border: 1px solid black; padding: 5px;"> <div style="text-align: right; margin-bottom: 5px;">▼</div> <div style="border: 1px solid black; padding: 2px;">                     System Customizer                      Environment Maker                      Environment Admin                      System Administrator                 </div> </div>

A. Mastered

B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application Description automatically generated

Box 1: System Administrator and Environment Security group Security model for the databases

When a database is created, the users who have environment roles assigned to them, will continue to maintain those privileges.

Users with Environment Admin role are now assigned to System Administrator role. Users with Environment Maker continue to possess the same role.

Box 2: Environment Admin

The Environment Admin role can perform all administrative actions on an environment, including the following:

➤ Add or remove a user from either the Environment Admin or Environment Maker role. Box 3: Environment Maker

Environment Maker: Can create new resources associated with an environment, including apps, connections, custom APIs, gateways, and flows using Microsoft Power Automate. However, this role doesn't have any privileges to access data within an environment. More information:

Box 4: System Customizer

System Customizer: Has full permission to customize the environment. However, users with this role can only view records for environment entities that they create.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/database-security>

**NEW QUESTION 142**

- (Exam Topic 3)

A clothing retailer is creating a Power Virtual Agents chatbot in Microsoft Teams. The chatbot will use Microsoft Dataverse for Teams to provide sales metrics by store.

A user wants to be able to ask the chatbot to see all the sales for pants.

You need to configure the chatbot to provide sales data for pants even when a user enters the terms jeans, slacks, or trousers. Which chatbot component should you use?

- A. Skills
- B. Tables
- C. Topics
- D. Supported languages
- E. Entities

**Answer:** E

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/power-virtual-agents/advanced-entities-slot-filling>

**NEW QUESTION 147**

- (Exam Topic 3)

You are an app and report maker. You provide visualizations for two departments in an organization. Each department requires department-specific visualizations:

Department	Requirement
Department1	Provide unstructured answers to free text survey questions.
Department2	Chart real-time data in columns that groups complaints by category, urgency, and status.

You need to create the visualizations.

Which chart type should you use? To answer, drag the appropriate chart type to the correct requirements. Each chart type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Chart types	Requirement	Chart type
<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">Multi-series</div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">Tag</div> <div style="border: 1px solid black; padding: 5px;">Stacked column</div>	<p>Unstructured answers to free text survey questions.</p> <p>Real-time column chart that groups complaints by category, urgency, and status.</p>	<div style="border: 1px solid black; height: 30px; width: 100%; margin-bottom: 10px;"></div> <div style="border: 1px solid black; height: 30px; width: 100%;"></div>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application Description automatically generated

Box 1: Tag

Box 2: Multi-series

Multi-series charts: Charts that display data with multiple series values mapped to a single category value. Reference:  
<https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/understand-charts-underlying-data-ch>

**NEW QUESTION 151**

- (Exam Topic 3)

**HOTSPOT**

A company uses Microsoft Teams and Microsoft 365. Employees use Microsoft Excel to create checklist and capture measurements.

The company requires a Microsoft Power Platform app to consolidate the checklists and perform the measurements- Network connectivity may not be available when measurements are taken.

You need to determine which features to use for the app

Which features should you use? To answer, select the appropriate options in the answer area NOTE: Each correct selection is worth one point.

**Answer Area**

Requirement	Feature
App type	<ul style="list-style-type: none"> <li>Model-driven app</li> <li>Canvas app</li> <li><b>Model-driven app</b></li> </ul>
Data source	<ul style="list-style-type: none"> <li>Cloud Excel table</li> <li>Local Excel table</li> <li><b>Cloud Excel table</b></li> </ul>
Offline mode	<ul style="list-style-type: none"> <li>Power Apps mobile</li> <li>Field Service Mobile</li> <li><b>Power Apps mobile</b></li> <li>Power Apps for Windows</li> <li>Power Apps wrap</li> </ul>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**  
 Answer Area

Requirement	Feature
App type	<ul style="list-style-type: none"> <li>Model-driven app</li> <li>Canvas app</li> <li><b>Model-driven app</b></li> </ul>
Data source	<ul style="list-style-type: none"> <li>Cloud Excel table</li> <li>Local Excel table</li> <li><b>Cloud Excel table</b></li> </ul>
Offline mode	<ul style="list-style-type: none"> <li>Power Apps mobile</li> <li>Field Service Mobile</li> <li><b>Power Apps mobile</b></li> <li>Power Apps for windows</li> <li>Power Apps wrap</li> </ul>

**NEW QUESTION 154**

- (Exam Topic 3)

A company stores sales orders in a Microsoft Excel workbook. The company stores customer data in a SQL Server database. You must import the data into a Microsoft Dataverse instance. You need to define the mapping for the migration.

Which component should you use? To answer, drag the appropriate components to the correct data type. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Components	Answer Area										
<ul style="list-style-type: none"> <li>Column</li> <li>Table</li> <li>Row</li> <li>Data source</li> </ul>	<table border="1"> <thead> <tr> <th>Data</th> <th>Component</th> </tr> </thead> <tbody> <tr> <td>Excel data</td> <td>Component</td> </tr> <tr> <td>Customer data</td> <td>Component</td> </tr> <tr> <td>Customer identifier</td> <td>Component</td> </tr> <tr> <td>Product data</td> <td>Component</td> </tr> </tbody> </table>	Data	Component	Excel data	Component	Customer data	Component	Customer identifier	Component	Product data	Component
Data	Component										
Excel data	Component										
Customer data	Component										
Customer identifier	Component										
Product data	Component										

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Table

Box 2: Data source Box 3: Column

Box 4: Row Reference:

<https://docs.microsoft.com/en-us/power-query/dataflows/add-data-power-query>

**NEW QUESTION 156**

- (Exam Topic 3)

You are creating a model-driven app for onboarding new employees. You need to implement business logic for the app. Which tool should you use? To answer, drag the appropriate tools to the correct requirements. Each tool may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.  
 NOTE: Each correct selection is worth one point.

Tools	Requirement	Tools
Business rule	Guide a user through the set of steps needed for onboarding a new employee.	<input type="text"/>
Power Automate	Make date of birth mandatory when creating a new employee record.	<input type="text"/>
Business process flow	Implement an approval flow for expense reports submitted by employees.	<input type="text"/>

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Graphical user interface, text, application Description automatically generated

Box 1: Business process flow

A business process flow is a visual guide meant to help users complete a business process by using a set of predefined stages. Users are not limited on how long they run a business process or how long they have a stage open.

Box 2: Business rule Box 3: Power Automate

A Power Automate flow does not have any visual components like a business process flow. Power Automate flows can be configured to work with many different data sources, and a flow can connect to many different data sources within the same flow. A flow can be configured to time out if it is not completed in a certain time and can be triggered to move between steps based on data or user interaction.

Reference:

<https://docs.microsoft.com/en-us/learn/modules/intro-business-process-flows/2-differences>

**NEW QUESTION 160**

- (Exam Topic 3)

You create and publish a canvas app component library to perform complex calculations.

You discover an error in one of the calculations. You correct the issue and publish the component library. A co worker uses the original version of the component library in a canvas app.

You need to ensure that the co-worker uses the updated version of the component library. What should you do?

- A. Export the updated component library and instruct the co-worker to import the updated version into the canvas app
- B. Inform the co-worker to edit the canvas app and manually add the updated version of the component library
- C. Instruct the co-worker to edit the canvas app and update the component library


**Answer: C**

**Explanation:**

You can modify an existing component library and save any changes with additional version notes. However, the updated component library version must be published for use in existing apps that use the component library.

Makers of other apps are notified of updated components being available. The notification appears when makers edit the apps in canvas app studio. They can choose to update the components:

Graphical user interface, application Description automatically generated



Select Review, and you'll see the option to update the component: Graphical user interface, application Description automatically generated



Reference:  
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/component-library>

**NEW QUESTION 161**

- (Exam Topic 3)  
 DRAG DROP

A company uses Power Apps and Microsoft Dataverse.

The company has model driven apps across multiple Microsoft Dataverse environments in the same tenant. You must grant privileges to Power Apps makers to achieve the following:

- Share model-driven apps in multiple Microsoft Dataverse environments.
- Share model-driven apps in only one of the Microsoft Dataverse environments and view only table records that they create themselves.

You need to share the model-driven app with users by using the principle of least privilege.

Which security role privilege should you grant for each requirement? To answer, drag the appropriate security roles to the correct requirements. Each security the may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct answer is worth one point.



- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**




**NEW QUESTION 164**

- (Exam Topic 3)

A company uses Power Automate and Power Apps to streamline business processes. You need to use AI Builder to analyze customer reviews of the company's products.

In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.




- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Step 1: Connect data to the model.

First create an AI Builder form processing model for the customer reviews you want to process.



Step 2: Train the model. Step 3: Publish the model.

Step 4: Use the model in a Power Automate flow.

Once you train and publish the model, create a solution-aware flow in Power Automate. Reference:

<https://powerapps.microsoft.com/en-us/blog/introducing-simplified-ai-builder-experience-in-power-automate/>

**NEW QUESTION 166**

- (Exam Topic 3)

A company uses Microsoft Power Platform. You create a solution with components You deploy the solution in the production environment Users report issues with a process. You open the last imported solution. You need to troubleshoot the issue. What should you view?

- A. Solution dependencies
- B. Solution classic view
- C. Solution status overview
- D. History

**Answer: D**

**NEW QUESTION 170**

- (Exam Topic 3)

**HOTSPOT**

Users in your company vote on color choices for marketing materials by using the following canvas app:



Users enter color names into a text control and then select Add color to add the color to the Color options radio control. You must remove all the listed colors when a user selects Clear Selection

You need to implement the functionality.

Which Power Fx formulas should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

**Answer Area**

Action	Power Fx formula
User selects <b>Add color</b> .	<pre>If(txtColor.Value &lt;&gt; "", Collect(ColorList, txtColor.Value)) If(txtColor.Value &lt;&gt; "", Collect(ColorList, txtColor.Value)) If(Value(txtColor.Text) &lt;&gt; "", Collect(ColorList, txtColor.Text)) If(Value(txtColor.Color) &lt;&gt; "", Collect(ColorList, txtColor.Color))</pre>
User selects <b>Clear Selection</b>	<pre>Revert(radioselector); ClearCollect(ColorList, txtColor.Value) Reset(radioselector); Clear(ColorList) Reset(radioselector); Refresh(ColorList) Revert(radioselector); Remove(ColorList) Revert(radioselector); ClearCollect(ColorList, txtColor.Value)</pre>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Action	Power Fx formula
User selects <b>Add color</b> .	<pre>If(txtColor.Value &lt;&gt; "", Collect(ColorList, txtColor.Value)) If(txtColor.Value &lt;&gt; "", Collect(ColorList, txtColor.Value)) If(Value(txtColor.Text) &lt;&gt; "", Collect(ColorList, txtColor.Text)) If(Value(txtColor.Color) &lt;&gt; "", Collect(ColorList, txtColor.Color))</pre>
User selects <b>Clear Selection</b>	<pre>Revert(radioselector); ClearCollect(ColorList, txtColor.Value) Reset(radioselector); Clear(ColorList) Reset(radioselector); Refresh(ColorList) Revert(radioselector); Remove(ColorList) Revert(radioselector); ClearCollect(ColorList, txtColor.Value)</pre>

**NEW QUESTION 171**

- (Exam Topic 3)

An administrator plans to create and deploy dashboards for use only by sales associates. The dashboards will display the current sales pipeline, open cases, recent major wins, and key opportunities by postal code.

Sales associates must be able to act on the specific data displayed in dashboards. You need to create the dashboards.

Which type of dashboards should you create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Requirement**

**Type of dashboard**

Ensure that all sales associates can view the dashboard.

	▼
User	
System	

Ensure that sales associates can interact with data from the dashboards.

	▼
Standard	
Multi-stream	
Single-stream	

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: User

Type of dashboard: If you want your dashboards to be available across the organization and do not want to manage the access levels at a more detailed level, you might want to create an organization-owned dashboard. However, if you are concerned about the access privileges and security of your dashboard, consider creating a user-owned dashboard where you have more control on who can access it.

Box 2: Single-stream

The single-stream dashboards display real-time data over one stream based on an entity view or queue. The single-stream dashboards are typically helpful to Tier 2 service leads or managers, who monitor fewer, but more complex or escalated cases.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/create-dashboard> <https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/configure-interactive-experience-dashbo>

**NEW QUESTION 173**

- (Exam Topic 3)

DRAG DROP

You are creating a model-driven app.

You must create new components to ensure data from related records can be displayed on a record form. You need to select the component types.

Which component types should you use? To answer, drag the appropriate component types to the correct data. Each component type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.  
 NOTE: Each correct selection is worth one point.

**Component types**

- Card form
- System view
- Public view
- Quick view form

**Answer Area**

**Data**

- Columns from a single record found in a lookup
- List of related records

**Component type**

- 
- 

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Component types**

- Card form
- System view
- Public view
- Quick view form

**Answer Area**

**Data**

- Columns from a single record found in a lookup
- List of related records

**Component type**

- System view
- Public view

**NEW QUESTION 177**

- (Exam Topic 3)

A company has hundreds of warehouses. You are developing an app for the shipping department at the company. The app must be able to provide the warehouse address for shipments. You need to create the warehouse field on the app form. Which field type should you use?

- A. Chores
- B. Choice
- C. Text
- D. Lookup

**Answer:** D

**NEW QUESTION 179**

- (Exam Topic 3)

You are creating entities in a Common Data Service database to capture sales data. You create an entity named Sales that includes the following fields:

Field	Description
SalesPerson	The name of the salesperson who made the sale
Quantity	The number of units sold
Rate	The sale price per unit
GrossAmount	A value obtained by multiplying the Quantity times the Rate. This value is for display purposes only
DiscountAmount	An amount that a salesperson enters into the app to discount a sale
NetAmount	A value obtained by subtracting the DiscountAmount from the GrossAmount

You create a new entity that includes a field named TotalSales. The field is used to capture the aggregated sales for each salesperson. You need to configure the fields for the entities.

Which field types should you use? To answer, drag the appropriate field types to the correct field names. Each field type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

**Field types**

- Rollup
- Calculated
- Simple

**Answer Area**

Field name	Field type
GrossAmount	Field type
DiscountAmount	Field type
TotalSales	Field type

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Calculated

Calculated columns are calculated in real-time when they are retrieved. Calculated columns can be composed using different data types. For example, an Integer calculated column may reference values from Decimal or Currency columns.

Box 2: Simple

A simple column isn't defined as a calculated or rollup column. Box 3: Rollup

Because rollup columns persist in the database, they can be used for filtering or sorting just like regular columns.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

**NEW QUESTION 180**

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company is deploying Microsoft Power Platform components to streamline a job candidate screening process.

The human resources (HR) representatives of the company plan to attend school career fairs. The HR representatives must qualify and enter potential job candidates into a Power Apps app. The HR representatives must enter the following information for each candidate:

Field name	Data type	Criteria for follow up
Name	Text	No
Degree	Text	Yes
First available hire date	Date	Yes
Initial impression	Integer 0-10	Yes
Resume	Picture	No
Not currently viable	Boolean	Yes
Follow up	Boolean	NA

If a candidate is currently unqualified for a job position but would eventually qualify based on follow-up criteria, the follow-up checkbox must be selected or cleared in the system immediately.

The company plans to create a similar Power Apps app that will contain the same business use case, but for internal employees and promotions.

You need to create a Power Apps app solution to automatically mark the candidate for follow up. Proposed solution: Create a custom action that has defined dataflows.

Does the solution meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

Instead use Common Data Service workflow with a PowerQuery on the data entity.

Note: Process (Workflow) table/entity reference is a set of logical rules that define the steps necessary to automate a specific business process, task, or set of actions to be performed.

Common Data Service workflow support: Filter triggers based on which attributes change - You can control which field changes trigger your automated flows. For example, trigger your flow only when the status field changes while ignoring all other fields that may change.

Reference:

<https://docs.microsoft.com/en-us/business-applications-release-notes/april19/microsoft-flow/automated-parity-cl>

**NEW QUESTION 184**

- (Exam Topic 3)

A company uses a model-driven app. You create a Power BI sales report.

The executive of the company wants all users to see tiles from the report in the model-driven app. You need to ensure all users can see the tiles.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Step	Setting
Allow addition of Power BI visualization tiles.	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; border-bottom: 1px solid black;">▼</div> <div style="padding: 2px;">Power Platform Environment settings</div> <div style="padding: 2px;">Power Apps settings</div> <div style="padding: 2px;">Power BI Service settings</div> <div style="padding: 2px;">Power BI Desktop settings</div> </div>
Add tiles to a dashboard.	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; border-bottom: 1px solid black;">▼</div> <div style="padding: 2px;">Create a personal dashboard</div> <div style="padding: 2px;">Create a Power BI dashboard.</div> <div style="padding: 2px;">Create a system dashboard.</div> </div>
Allow users to view tiles.	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; border-bottom: 1px solid black;">▼</div> <div style="padding: 2px;">Share tile and share dashboard.</div> <div style="padding: 2px;">Share report and share dashboard.</div> <div style="padding: 2px;">Share tile and publish dashboard.</div> <div style="padding: 2px;">Share report and publish dashboard.</div> </div>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text Description automatically generated

Box 1: Power Platform Environment settings

Before users can embed Power BI visualizations on personal dashboards, the organization-wide setting must be enabled.

- > In the Power Platform admin center, select an environment.
- > Select Settings > Product > Features.
- > Under Embedded content set Power BI visualization embedding to On to enable or Off to disable.
- > Select Save.

Box 2: Create a personal dashboard

You can embed Power BI tiles on your personal dashboard.

- > Open your app and go to Dashboards.
- > Select an existing personal dashboard or select New to create one.
- > On the dashboard, select an area where you want the tile to appear, and then select Power BI Tile on the toolbar.
- > Add new Power BI tile.
- > In the Power BI Tile dialog, select the workspace and then select the Power BI tile that you want to display on your dashboard. Select Enable for mobile if you want to make the tile available for Dynamics 365 for tablets and Dynamics 365 for phones.
- > Select another area of the dashboard and repeat this step to add another Power BI tile, or other component, such as a chart or list, to your dashboard.
- > Select Save to save your dashboard.

Box 3: Share report and share dashboard.

To share your personal dashboard that contains Power BI visualizations you must configure sharing in both Dataverse and Power BI, and the user or group must have the same credentials and appropriate level of access in both services. To share your personal dashboard in your app, go to Dashboards. In the list of dashboards, select the personal dashboard you want, and then select SHARE DASHBOARD.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/use-power-bi#embed--visualizations-on-personal-dashb>

**NEW QUESTION 186**

- (Exam Topic 3)

You are creating a capacity planning dashboard with Power BI desktop.

The dashboard must be able to be used within a model-driven manufacturing planning app as well as be embedded within a Microsoft Teams channel.

The data sources are as follows:

Type of data	Data source
Sales log that show pending sales by product	Microsoft Excel workbook
Work estimates, cost estimates, and start and ending dates for each job activity by employee	Common Data Service entity
Actual work values and associated costs of work to date by job activity and employee	On-premises Microsoft SQL Server-based ERP system
Employee information	On-premises Microsoft SQL Server-based ERP system

You need to determine the appropriate method for accomplishing each task.

Which methods should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Task	Method
Connect to the ERP system.	<div style="border: 1px solid black; padding: 5px;"> <div style="border-bottom: 1px solid black; padding: 2px 5px;">▼</div> <div style="padding: 2px 5px;">Use a Data Gateway</div> <div style="padding: 2px 5px;">Use a Custom Connector</div> <div style="padding: 2px 5px;">Use a Service Content Pack</div> </div>
Create the relationship between the employee file and the work estimates.	<div style="border: 1px solid black; padding: 5px;"> <div style="border-bottom: 1px solid black; padding: 2px 5px;">▼</div> <div style="padding: 2px 5px;">Create a composite model</div> <div style="padding: 2px 5px;">Create an aggregated table</div> <div style="padding: 2px 5px;">Create entity relationships in the CDS Solution Explorer</div> </div>
Create calculations for work remaining, remaining budget.	<div style="border: 1px solid black; padding: 5px;"> <div style="border-bottom: 1px solid black; padding: 2px 5px;">▼</div> <div style="padding: 2px 5px;">Create a Data Analysis Expressions formula</div> <div style="padding: 2px 5px;">Create an aggregated table</div> <div style="padding: 2px 5px;">Create a modeling view</div> </div>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

A picture containing graphical user interface Description automatically generated

Box 1: Use a Date Gateway

You can install an on-premises data gateway on the same local computer as SQL Server (in production, it would typically be a different computer).

Box 2: Create an entity relationship in CDS Solution Explorer You can create relationships with CDS Solution Explorer. Box 3: Create an aggregate table

Rollup columns help users obtain insights into data by monitoring key business metrics. A rollup column contains an aggregate value computed over the rows related to a specified row. This includes regular tables and activity tables such as emails and appointments.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/service-gateway-sql-tutorial> <https://docs.microsoft.com/en-us/powerapps/maker/data-platform/create-edit-entity-relationships> <https://docs.microsoft.com/en-us/powerapps/maker/data-platform/define-rollup-fields>

**NEW QUESTION 190**

- (Exam Topic 3)

A company is building multiple Power Apps apps to support a mobile sales team. The apps must all share a common control that has custom properties.

You need to create a solution for the apps.

Which objects should you use? To answer, drag the appropriate objects to the correct requirements. Each object may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Objects	Requirement	Object
Entity	Reuse the custom control for multiple canvas apps.	
Component		
Component library	Receive input data through a custom property.	
Component framework		

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Component library

Components are reusable building blocks for canvas apps so that app makers can create custom controls to use inside an app, or across apps using a component library. Components can use advanced features such as custom properties and enable complex capabilities.

By creating a component library, app makers easily share and update one or more components with other makers.

Component libraries are containers of component definitions that make it easy to: Discover and search components.

Publish updates.

Notify app makers of available component updates. Box 2: Component

A component can receive input values and emit data if you create one or more custom properties. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/component-library> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/create-component>

**NEW QUESTION 195**

- (Exam Topic 3)

You complete work on a new canvas app in a development environment and add the app to a solution. You export the solution from the development environment and import the solution into a production environment.

After several days you notice that the background color for the canvas app in the production environment has changed from white to grey.

You need to determine why the background color changed.

What are two possible causes for the background color change? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. You recently changed the Office 365 theme.
- B. You exported a managed copy of the solution and imported the solution as an unmanaged solution.
- C. You modified the canvas app in the unmanaged solution.
- D. You exported and imported an unmanaged copy of the solution and a co-worker modified the canvas app.
- E. You chose a different theme from the Theme menu inside the canvas app.

**Answer:** AC

**Explanation:**

A: You can create a custom look and feel (a theme), for your app by making changes to the default colors and visual elements provided in the uncustomized system.

C: Unmanaged Solution: The beginning state of solution is the unmanaged solution state. During this phase, you can add, edit, update, remove, delete, and test any of the components of the solution. You also have the ability to create restrictions on the components within the solution.

Note: Managed Solution: A managed solution is a finalized solution that can be distributed and installed. They are created by exporting an unmanaged solution by setting restrictions to prevent any further customizations. The whole point of Managed is locking down the Component states so they cannot be edited.

Reference:

<https://powerusers.microsoft.com/t5/Power-Apps-Pro-Dev-ISV/Managed-vs-Unmanaged/td-p/495685> <https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/create-themes-organization-branding>

**NEW QUESTION 198**

- (Exam Topic 3)

You have a Power Platform solution that uses Common Data Service. You need to secure all fields that support field-level security.

Which field can you secure?

- A. createdon
- B. accountid
- C. owninguser
- D. cr7b\_accountid

**Answer:** D

**Explanation:**

Which fields can be secured?

Although most attributes can be secured, there are system attributes, such as IDs, timestamps, and record tracking attributes, that can't. Below are a few examples of attributes that can't be enabled for field security. ownerid, processid, stageid, accountid, contactid

createdby, modifiedby, OwningTeam, OwningUser

createdon, EntityImage\_Timestamp, modifiedon, OnHoldTime, overriddencreatedon statecode, statuscode

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/field-level-security>

**NEW QUESTION 202**

- (Exam Topic 3)

You create multiple apps as part of an unmanaged solution. You need to move the apps to another environment.

You need to pick the appropriate solution type for each requirement.

Which types of solutions should you create? To answer, drag the appropriate solution types to the correct requirements. Each solution type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Solution types	Requirement	Solution type
Managed	Edit existing components of the solution.	Solution type
Unmanaged	Add new components to the solution.	Solution type
	Export the solution.	Solution type

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Unmanaged

Unmanaged Solution: The beginning state of solution is the unmanaged solution state. During this phase, you can add, edit, update, remove, delete, and test any of the components of the solution.

Box 2: Unmanaged

Box 3: Managed

Managed Solution: A managed solution is a finalized solution that can be distributed and installed. They are created by exporting an unmanaged solution by setting restrictions to prevent any further customizations. The whole point of Managed is locking down the Component states so they cannot be edited. Deleting the Managed Solution will remove all its customisations as well as data contained. Managed Solutions become read only once deployed so they cannot be manipulated.

Reference:

<https://powerusers.microsoft.com/t5/Power-Apps-Pro-Dev-ISV/Managed-vs-Unmanaged/td-p/495685>

**NEW QUESTION 203**

- (Exam Topic 3)

A company has a Common Data Service custom entity that stores customer account data. You need to create a relationship between the custom entity and the Account entity. Which two tools can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Power Platform Admin center
- B. Power Apps solution explorer
- C. Power Apps Maker portal
- D. SQL Server Management Studio
- E. Visual Studio Code

**Answer:** BC

**Explanation:**

There are two designers you can use to create and edit 1:N (one-to-many) or N:1 (many-to-one) relationships:

- > You can create and edit 1:N (one-to-many) or N:1 (many-to-one) entity relationships in Power Apps portal
- > You can create and edit create and edit 1:N (one-to-many) or N:1 (many-to-one) entity relationships using solution explorer

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/create-edit-1n-relationships>

**NEW QUESTION 204**

- (Exam Topic 3)

You create a new solution publisher and include a publisher prefix value.

Which two actions can you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. You can change contact details of a publisher after you create the publisher
- B. When you change a solution publisher prefix, you can change the schema name for existing components
- C. You can change the schema name of a publisher after creating the publisher
- D. You can add a component from one solution to another solution that has a different publisher

**Answer:** AD

**Explanation:**

Once you introduce a publisher for a component in a managed solution, you can't change the publisher for the component.

Reference:

<https://docs.microsoft.com/en-us/power-platform/alm/solution-concepts-alm#solution-publisher>

**NEW QUESTION 209**

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company is deploying Microsoft Power Platform components to streamline a job candidate screening process.

The human resources (HR) representatives of the company plan to attend school career fairs. The HR representatives must qualify and enter potential job candidates into a Power Apps app. The HR representatives must enter the following information for each candidate:

Field name	Data type	Criteria for follow up
Name	Text	No
Degree	Text	Yes
First available hire date	Date	Yes
Initial impression	Integer 0-10	Yes
Resume	Picture	No
Not currently viable	Boolean	Yes
Follow up	Boolean	NA

If a candidate is currently unqualified for a job position but would eventually qualify based on follow-up criteria, the follow-up checkbox must be selected or cleared in the system immediately.

The company plans to create a similar Power Apps app that will contain the same business use case, but for internal employees and promotions.

You need to create a Power Apps app solution to automatically mark the candidate for follow up. Proposed solution: Create a Power Automate flow with conditions that use entered data as default data. Does the solution meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

Instead use Common Data Service workflow with a PowerQuery on the data entity.

Note: Process (Workflow) table/entity reference is a set of logical rules that define the steps necessary to automate a specific business process, task, or set of actions to be performed.

Common Data Service workflow support: Filter triggers based on which attributes change - You can control which field changes trigger your automated flows. For example, trigger your flow only when the status field changes while ignoring all other fields that may change.

Reference:

<https://docs.microsoft.com/en-us/business-applications-release-notes/april19/microsoft-flow/automated-parity-cl>

**NEW QUESTION 210**

- (Exam Topic 3)

A company has the following divisions: wholesale and retail.

The manufacturer wants to create a single Power BI report to allow users to view data from a Microsoft SQL Server database.

You need to ensure that each user sees data only for the team to which the user is assigned. How should you secure the report?

To answer, drag the appropriate options to the correct action. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Options	Answer Area	
	Action	Option
Power BI Service	Create the team as a role.	Option
Power BI Desktop	Add members to the role.	Option
Common Data Service		
Power Platform Admin center		

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Graphical user interface, application Description automatically generated

Box 1: Power BI Desktop

You can define roles and rules within Power BI Desktop. When you publish to Power BI, it also publishes the role definitions.

To define security roles, follow these steps.

- > Import data into your Power BI Desktop report, or configure a DirectQuery connection.
- > From the Modeling tab, select Manage Roles.
- > From the Manage roles window, select Create.
- > Etc.

Box 2: Power BI Service


After you save your report in Power BI Report Server, you manage security and add or remove members on the server.

\* 1. In Power BI Desktop, save the report to Power BI Report Server. You need to use the version of Power BI Desktop for Power BI Report Server.

\* 2. In Power BI Report Service, select the ellipsis (...) next to the report.

\* 3. Select Manage > Row-level security.

Graphical user interface, text, application, email Description automatically generated



On the Row-level security page, you add members to a role you created in Power BI Desktop. Reference:

<https://docs.microsoft.com/en-us/power-bi/create-reports/desktop-rls>

**NEW QUESTION 213**

- (Exam Topic 3)

You are creating a canvas app. You plan to use variables that are scoped to a screen to store values. You need to create and update the value of the variables.

Which three functions can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Collect
- B. Patch
- C. Navigate
- D. Set
- E. UpdateContext

**Answer:** BCE

**Explanation:**

B: Use the Patch function to modify records in complex situations. Such as, when you do updates that require no user interaction or use forms that span multiple screens.

CE: Context variables are scoped for Screen. They are great for passing values to a screen, much like parameters to a procedure in other languages. Can be referenced from only one screen.

Functions available for context variables: UpdateContext

Navigate Note:

Use the UpdateContext function to create a context variable, which temporarily holds a piece of information, such as the number of times the user has selected a button or the result of a data operation.

Context variables are also preserved when a user navigates between screens. You can use Navigate to set one or more context variables for the screen that the formula will display, which is the only way to set a context variable from outside the screen.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-patch> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-navigate> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-updatecontext>

**NEW QUESTION 215**

- (Exam Topic 3)

Each maker at a company has a separate Common Data Service environment. You are customizing a canvas app. You create two new entities in your environment.

You are leaving for a vacation. Another maker will continue customizing the app in your absence.

You need to transfer the work to the other maker and ensure that you can work on the updated app when you return from your vacation.

What should you export?

- A. unmanaged solution that includes all customizations
- B. the default solution
- C. a managed solution that includes all customizations
- D. the app

**Answer:** A

**Explanation:**

Unmanaged Solution: The beginning state of solution is the unmanaged solution state. During this phase, you can add, edit, update, remove, delete, and test any of the components of the solution.

Reference:

<https://powerusers.microsoft.com/t5/Power-Apps-Pro-Dev-ISV/Managed-vs-Unmanaged/td-p/495685>

**NEW QUESTION 217**

- (Exam Topic 3)

You create a canvas app.

A user is not able to determine which field currently has focus. You run App checker to identify errors. You need to verify that the focused border thickness is set to a value greater than zero.

Which section of the App checker results should you check?

- A. Rules
- B. Performance
- C. Accessibility
- D. Runtime

**Answer:** C

**Explanation:**

The Accessibility checker classifies each issue as an error, a warning, or a tip based the issue's severity.

Issues include:

> Focus isn't showing

When the FocusBorderThickness of a control is set to 0. It is good practice to ensure a proper color-contrast ratio between the focus border and the control itself so it's clearly visible.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker>

**NEW QUESTION 219**

- (Exam Topic 3)

You create a canvas app that connects to a Common Data Service database. Users report that they do not see any data in the app.

You need to ensure that users can view data in the app. What should you do?

- A. Share the app with the users
- B. Add a Power Apps license to the users
- C. Assign a security role to the users
- D. Publish the app

**Answer:** C

**Explanation:**

Sharing access to the data in the Common Data Service. The users need permission to access the entities the app uses. To grant them access, you will need to:

- \* 1. Create a security role
- \* 2. Assign users to the security role

Note: Common Data Service for Apps has a powerful enterprise grade security model that allows you to group users in security roles and give those roles varying levels of access to entities that some of our most sophisticated business apps are built on.

Reference:

<https://powerapps.microsoft.com/en-us/blog/sharing-a-canvas-app-built-on-top-of-common-data-service/> D18912E1457D5D1DDCBD40AB3BF70D5D

**NEW QUESTION 224**

- (Exam Topic 3)

DRAG DROP

A company uses Power Apps. The company has a SharePoint list that contains the names of partner organizations and the country/region of the partners. The company requires a canvas app that has a gallery screen to display the information in the SharePoint list. Users must be able to:

- \* Return results for the exact word that was searched.
- \* View the latest records at the top of the gallery.
- \* Use a dropdown control to list the countries/regions of the partners. The list must display each country/region only once.

You need to create the gallery screen in a canvas app.

Which functions should you use? To answer, drag the appropriate functions to the correct activities. Each function may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**



**NEW QUESTION 228**

- (Exam Topic 3)

DRAG DROP


A company uses Power Automate. You manage two cloud flows named A and B. Users must perform the following activities:

- Manage the properties of cloud flow A.
- Manually trigger cloud flow B

You need to set up privileges for the business users by using the principle of least privilege

Which privilege types should you grant for each activity? To answer, drag the appropriate privilege types to the correct activities. Each privilege type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Note: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Privilege types**

- Microsoft Power Platform Admin
- Co-owner
- Run-only

**Answer Area**

**Activity**

- Manage the properties of cloud flow A.
- Manually trigger cloud flow B.

**Privilege type**

- Co-owner
- Run-only

**NEW QUESTION 231**

- (Exam Topic 3)

You create a canvas app for technicians at a computer store. You assign technicians cases to work on. The technicians update cases at the end of customer site visit.

The manager wants the technicians to sell warranties to the customers. If a customer agrees to purchase a warranty, technicians use the canvas app to immediately alert the sales team, and then the technician records details about the warranty into the app.

You need to create a flow to alert the sales team. Which type of trigger should you use?

- A. Flow button for mobile
- B. Power Apps
- C. Office 365 Outlook
- D. Common Data Service

**Answer: A**

**Explanation:**

Create a button flow to run routine tasks by simply tapping a button. Customize your flow by allowing the user to provide specific details that will be used when the flow runs.

Note: There are many repetitive tasks that we all wish we could run with just a tap of a button. For example, you may need to quickly email your team to remind them to join the daily team sync, or you may want to start a new Visual Studio Codespaces build of your code base after you've been notified that there are no more checkins planned for the day. Button flows allow you to accomplish these and many other tasks simply by tapping a button on your mobile device.

Reference:

<https://docs.microsoft.com/en-us/power-automate/button-flow-with-user-input-tokens>

**NEW QUESTION 234**

- (Exam Topic 3)

You are designing a canvas app that will be used by all users including users who have vision impairments. Which outcome is achieved by each action? To answer, drag the appropriate outcomes to the correct actions.

Each outcome may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

**Outcomes**

- Not visible to any users
- Visible to sighted users only
- Visible to screen-reader users only
- Visible to both sighted and screen-reader users

**Answer Area**

Action	Outcome
Set the values for the X and Y properties of a control to move the control off-screen.	Outcome
Set the Color and other related properties of a control to transparent.	Outcome
Set the Height and Width properties of a control to 1.	Outcome

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Reference:

<https://docs.microsoft.com/sv-se/powerapps/maker/canvas-apps/accessible-apps>

**NEW QUESTION 236**

- (Exam Topic 3)

DRAG DROP

You are designing several new Microsoft Power Platform apps for a company. You have the following requirements:

Department	Requirement
Sales	The app must be able to enforce consistent business processes including native workflows.
Direct marketing	The app must provide a simplistic user interface with three buttons that allow users to navigate to other pages.

All apps must be able to run from the Power Apps mobile app.

You need to determine which app type to create for each department.

Which app type should you use? To answer, drag the appropriate app types to the correct departments. Each app type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

App types	Answer Area	Department	App type
Canvas		Sales	
Model driven		Direct marketing	
Portal			

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

App types	Answer Area	Department	App type
Canvas		Sales	Model driven
Model driven		Direct marketing	Canvas
Portal			

**NEW QUESTION 237**

- (Exam Topic 3)

You plan to create apps for a company.

You need to identify the Power Platform tools required.

What should you use? To answer, drag the appropriate tools to the correct requirements. Each tool may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Tools	Requirement	Tool
Power Virtual Agents bot	Create an app with a customized user interface that allows users to quickly create support tickets.	Tool
Power Automate	Create an app that uses a guided business process to navigate through all records associated with a support ticket.	Tool
Canvas app	Send an email to a customer support manager every time a support ticket is created.	Tool
Model-driven app	Create an automated chat tool that guides a customer through the support ticket creation process.	Tool

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Canvas App

Box 2: Model-driven app

Model-driven app design is a component-focused approach to app development. Model-driven app design doesn't require code and the apps you make can be simple or very complex. Unlike canvas app development where the designer has complete control over app layout, with model-driven apps much of the layout is determined for you and largely designated by the components you add to the app.

Box 3: Power Automate

Power Automate is a service that helps you create automated workflows between your favorite apps and services to synchronize files, get notifications, collect data, and more.

Box 4: Power Virtual Agents bot

When you create bots with Power Virtual Agents, you author and edit topics.

**NEW QUESTION 238**

- (Exam Topic 3)

You have a Power Platform solution that uses Common Data Service. You need to secure all fields that support field-level security.

Which field can you secure?

- A. createdon
- B. accountid
- C. owninguser
- D. description

**Answer:** D

**Explanation:**

Which fields can be secured?

Although most attributes can be secured, there are system attributes, such as IDs, timestamps, and record tracking attributes, that can't. Below are a few examples of attributes that can't be enabled for field security.

ownerid, processid, stageid, accountid, contactid createdby, modifiedby, OwingTeam, OwingUser  
 createdon, EntityImage\_Timestamp, modifiedon, OnHoldTime, overriddencreatedon statecode, statuscode

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/field-level-security>

**NEW QUESTION 242**

- (Exam Topic 3)

A company uses Microsoft platforms for all accessibility, compliance, and security auditing.

The auditing and compliance division of the company flags a newly created Power Apps canvas app due to accessibility issues. The app must be unpublished until it conforms to Microsoft accessibility requirements and recommendations.

You need to identify all accessibility issues for a solution. What should you use?

- A. Microsoft Accessibility Conformance Reports
- B. Microsoft Compliance Center
- C. Power Apps Studio
- D. Microsoft Accessibility Guides
- E. Microsoft Visual Studio

**Answer:** C

**Explanation:**

- Find accessibility issues
- In the upper-right corner of Power Apps Studio, select the icon for the App checker.
- App checker icon.
- In the menu that appears, select Accessibility.
- A list of issues appears, sorted first by severity and then by screen.
- Select the arrow next to an item to show details about it.
- Accessibility checker details.
- Select the back arrow to return to the list of items.
- If you decide to address an issue, select it to open the affected property.
- After you change one or more properties, select Re-check to update the list of issues. Resolved items disappear from the list, and new items may appear.

Reference:


<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker> <https://support.microsoft.com/en-us/accessibility/enterprise-answer-desk>

**NEW QUESTION 246**

- (Exam Topic 3)

You create a canvas app for a service company.

Using the Tree view, you navigate to the ViewServices screen. The screen contains a form named DetailForm1 that only contains Label controls. You add the People icon to the header of the ViewServices screen as shown below:




When you select the icon a new Activity form opens. You must set the value of the Name field on the new Activity form to the value of the name field from DetailForm1.

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.  
 NOTE: Each correct selection is worth one point.

Which formula must you enter in the Name field on the Activity form to default the Name from DetailForm1?



Which action should you perform on the People icon?



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application Description automatically generated

Box 1: Name\_DataCardValue1.Default

Box 2: Move the icon to the Activity form and set the On Select property to the Activity screen.

The Select function simulates a select action on a control as if the user had clicked or tapped the control. As a result, the OnSelect formula on the target control is evaluated.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-select>

**NEW QUESTION 250**

- (Exam Topic 3)

A company is onboarding new workers to the Microsoft Power Platform.

A user reports an access issue with a Power Apps app. The user provides no additional information about the access issue.

You need to troubleshoot the app and data security configurations for the user. Which tool should you use?

- A. Azure AD Security review
- B. User information page
- C. Accessibility checker
- D. Run diagnostics

**Answer:** D

**Explanation:**

User access diagnostic tool in the Power Platform admin center:

Several factors influence user access in a Microsoft Dataverse environment. To help administrators with diagnosing user access to an environment and reasons for access or no access, the new "Run diagnostics" feature in the Power Platform admin center provides basic access diagnostics for individual users in the environment. The feature helps to detect potential causes to user sign-in and other issues and suggests potential mitigations.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/troubleshooting-user-needs-read-write-access-organizat>

**NEW QUESTION 253**

- (Exam Topic 3)

You are configuring security to enable users to analyze data by using Microsoft Excel templates.

You create a security role named TemplateAdministrator and configure the role as shown below and assign the role to a user named User1.

Power Apps

File Save and Close Actions Help

Security role: **TemplateAdministrator** Working on solutions: **Default Solution**

Entity	Create	Read	Write	Delete	Append	Append To	Assign	Share
Business Unit	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Channel Property Group	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>		
Currency	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>		
Document Template	<input type="radio"/>							
Mailbox Auto Tracking Folder	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>					
Organization		<input checked="" type="radio"/>	<input type="radio"/>			<input type="radio"/>		
Personal Document Template	<input checked="" type="radio"/>							

**Privacy Related Privileges**  
 Enabling these privileges will allow users to extract customer data from Microsoft Dynamics 365. For more information, review the corresponding user documentation.

Document Generation	<input checked="" type="radio"/>	Dynamics 365 for mobile	<input checked="" type="radio"/>
Export to Excel	<input type="radio"/>	Go Offline in Outlook	<input checked="" type="radio"/>
Mail Merge	<input checked="" type="radio"/>	Print	<input checked="" type="radio"/>
Sync to Outlook	<input checked="" type="radio"/>	Use Dynamics 365 App for Outlook	<input checked="" type="radio"/>

**Miscellaneous Privileges**

Act on Behalf of Another User	<input type="radio"/>	Approve Email Addresses for Users or Queues	<input type="radio"/>
Assign manager for a user	<input type="radio"/>	Assign position for a user	<input type="radio"/>
Assign Territory to User	<input type="radio"/>	Bulk Edit	<input type="radio"/>

**Key**

- None Selected
- User
- Business Unit
- Parent: Child Business Unit
- Organization

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.  
 NOTE: Each correct selection is worth one point.

You need to ensure that User1 can see the pre-configured example templates.  
 Which permission should you change?

Bulk Edit  
 Export to Excel  
 Read on Document Template  
 Read on Personal Document Template

You need to ensure that User1 can download the file to create an Excel template.  
 Which permission should you change?

Bulk Edit  
 Export to Excel  
 Read on Document Template  
 Read on Personal Document Template

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

You need to ensure that User1 can see the pre-configured example templates.  
 Which permission should you change?

<ul style="list-style-type: none"> <li>Bulk Edit</li> <li>Export to Excel</li> <li>Read on Document Template</li> <li>Read on Personal Document Template</li> </ul>
---

You need to ensure that User1 can download the file to create an Excel template.  
 Which permission should you change?

<ul style="list-style-type: none"> <li>Bulk Edit</li> <li>Export to Excel</li> <li>Read on Document Template</li> <li>Read on Personal Document Template</li> </ul>
---

**NEW QUESTION 257**

- (Exam Topic 3)

You are configuring a new Common Data Service environment by using the Power Apps Maker portal. You need to create an entity that uses the prefix xyz. Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create an entity in the new solution.	
Enter the entity Display Name and use the existing prefix.	
Add a new solution.	
Enter the entity Display Name and modify the prefix to <b>xyz</b> .	
Add a new publisher with the prefix <b>xyz</b> .	

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/data-platform-create-entity>

**NEW QUESTION 261**

- (Exam Topic 3)

You are an app maker.

You want to create apps and track customizations as part of the default solution. You need to determine the impact of performing the work in the default solution. What should you conclude?

- A. The default solution does not contain all components and customizations from all solutions in the environment.
- B. The prefix used when creating components as part of the default solution can be set to a specific value.
- C. The default solution cannot be exported and distributed to another environment.

**Answer:** C

**Explanation:**

Default Solution. This is a special solution that contains all components in the system. The default solution is useful for discovering all the components and configurations in your system.

Why you shouldn't use the default solutions to manage customizations

There are a few reasons why you shouldn't create apps and make customizations in either of the default solutions:

- The default solution can't be exported; therefore, you can't distribute the default solution to another environment.

The default solution contains all components and customizations from all solutions in the environment.

By default, all enabled users can create apps and customize components in the Common Data Services Default Solution.

It's difficult to locate or identify the customizations you've made in the environment by using either default solution.

When you use either default solution to create components, you'll also use the default publisher assigned to the solution. This often results in the wrong publisher prefix being applied to some components.

Reference:

<https://docs.microsoft.com/en-us/power-platform/alm/use-solutions-for-your-customizations>

### NEW QUESTION 266

- (Exam Topic 3)

You create a Power Platform solution. Solution data is stored in a variety of documented cloud services. You need to configure the data sources. What should you do?

- A. Create a data gateway.
- B. Use a content pack.
- C. Create a custom data connector.
- D. Add metadata to standard entities.

**Answer: D**

#### Explanation:

Common Data Model is built upon a rich and extensible metadata definition system that enables you to describe and share your own semantically enhanced data types and structured tags, capturing valuable business insight which can be integrated and enriched with heterogeneous data to deliver actionable intelligence. Common Data Model can be used by various applications and services including Microsoft Dataverse, Dynamics 365, Microsoft Power Platform, and Azure ensuring that all of your services can access the same data.

Note: A wide variety of applications and services can easily access data in a data lake, however, each consumer must understand the format and meaning of the data before it can provide value. The Common Data Model simplifies this process by providing a metadata system that describes the data and standard entities to which producers can map.

Reference:

<https://docs.microsoft.com/en-us/common-data-model/use>

### NEW QUESTION 269

- (Exam Topic 3)

A company plans to roll out several Power Apps apps to multiple business units across international operations.

The apps must be managed through an application lifecycle management (ALM) solution to provide a consistent and predictable use experience. All changes to the app must be traceable and documented in a single location. You must be able to revert to a previous version of an app. The app release cycles must be as streamlined as possible.

You need to create an application for the apps.

Which two tools should you use? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Microsoft Azure DevOps
- B. Microsoft Visual Studio
- C. Lifecycle Services
- D. AppSource
- E. Common Data Service

**Answer: AD**

#### Explanation:

A: DevOps is the combining of two historically disparate disciplines: software development and IT operations. The primary goal of DevOps is to shorten the software development lifecycle and provide continuous integration and continuous delivery (CI/CD) with high software quality. You can use Power Apps build tools to automate common build and deployment tasks related to Power Apps if your DevOps platform is Azure DevOps.

D: Microsoft AppSource is now embedded in the Dynamics 365 home page and throughout the common navigation. It now includes a private gallery of apps available to you within your company. Select Get more apps from the home page or task pane, and navigate to the My Organization tab to see apps that are available to you.

Reference:

<https://docs.microsoft.com/en-us/power-platform/alm/devops-build-tools> <https://docs.microsoft.com/en-us/powerapps/user/app-source>

### NEW QUESTION 273

.....

## **Thank You for Trying Our Product**

### **We offer two products:**

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### **PL-100 Practice Exam Features:**

- \* PL-100 Questions and Answers Updated Frequently
- \* PL-100 Practice Questions Verified by Expert Senior Certified Staff
- \* PL-100 Most Realistic Questions that Guarantee you a Pass on Your First Try
- \* PL-100 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The PL-100 Practice Test Here](#)**