

Exam Questions AZ-305

Designing Microsoft Azure Infrastructure Solutions

<https://www.2passeasy.com/dumps/AZ-305/>



NEW QUESTION 1

- (Exam Topic 5)

You need to deploy resources to host a stateless web app in an Azure subscription. The solution must meet the following requirements:

- Provide access to the full .NET framework.
- Provide redundancy if an Azure region fails.
- Grant administrators access to the operating system to install custom application dependencies. Solution: You deploy a Azure virtual machine scale set that uses autoscaling.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead, you should deploy two Azure virtual machines to two Azure regions, and you create a Traffic Manager profile.

NEW QUESTION 2

- (Exam Topic 5)

You plan to migrate data to Azure.

The IT department at your company identifies the following requirements:

- The storage must support 1 PB of data.
- The data must be stored in blob storage.
- The storage must support three levels of subfolders.
- The storage must support access control lists (ACLs).

You need to meet the requirements. What should you use?

- A. a premium storage account that is configured for block blobs
- B. a general purpose v2 storage account that has hierarchical namespace enabled
- C. a premium storage account that is configured for page blobs
- D. a premium storage account that is configured for files shares and supports large file shares

Answer: B

Explanation:

Microsoft recommends that you use a GPv2 storage account for most scenarios. It supports up to 5 PB, and blob storage including Data Lake storage.

Note: A key mechanism that allows Azure Data Lake Storage Gen2 to provide file system performance at object storage scale and prices is the addition of a hierarchical namespace. This allows the collection of objects/files within an account to be organized into a hierarchy of directories and nested subdirectories in the same way that the file system on your computer is organized. With a hierarchical namespace enabled, a storage account becomes capable of providing the scalability and cost-effectiveness of object storage, with file system semantics that are familiar to analytics engines and frameworks.

References:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-account-overview> <https://docs.microsoft.com/en-us/azure/storage/blobs/data-lake-storage-namespace>

NEW QUESTION 3

- (Exam Topic 5)

Your company has offices in the United States, Europe, Asia, and Australia.

You have an on-premises app named App1 that uses Azure Table storage. Each office hosts a local instance of App1.

You need to upgrade the storage for App1. The solution must meet the following requirements:

- Enable simultaneous write operations in multiple Azure regions.
- Ensure that write latency is less than 10 ms.
- Support indexing on all columns.
- Minimize development effort. Which data platform should you use?

- A. Azure SQL Database
- B. Azure SQL Managed Instance
- C. Azure Cosmos DB
- D. Table storage that uses geo-zone-redundant storage (GZRS) replication

Answer: D

Explanation:

Azure Cosmos DB Table API has

- Single-digit millisecond latency for reads and writes, backed with <10-ms latency reads and <15-ms latency writes at the 99th percentile, at any scale, anywhere in the world.
- Automatic and complete indexing on all properties, no index management.
- Turnkey global distribution from one to 30+ regions. Support for automatic and manual failovers at any time, anywhere in the world.

Reference:

<https://docs.microsoft.com/en-us/azure/cosmos-db/table-support>

NEW QUESTION 4

- (Exam Topic 5)

You have an Azure subscription. The subscription contains Azure virtual machines that run Windows Server 2016 and Linux.

You need to use Azure Log Analytics design an alerting strategy for security-related events.

Which Log Analytics tables should you query? To answer, drag the appropriate tables to the correct log types. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
 NOTE: Each correct selection is worth one point.

Tables	Answer Area
AzureActivity	Events from Windows event logs: <input type="text" value="Table"/>
AzureDiagnostics	Events from Linux system logging: <input type="text" value="Table"/>
Event	
Syslog	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, table Description automatically generated with medium confidence
<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/log-analytics-agent>
 Windows Event logs --> Information sent to the Windows event logging system. Syslog --> Information sent to the Linux event logging system.

NEW QUESTION 5

- (Exam Topic 5)
 You architect a solution that calculates 3D geometry from height-map data. You have the following requirements:
 Perform calculations in Azure.
 Each node must communicate data to every other node.
 Maximize the number of nodes to calculate multiple scenes as fast as possible.
 Require the least amount of effort to implement. You need to recommend a solution.
 Which two actions should you recommend? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Create a render farm that uses Azure Batch.
- B. Enable parallel file systems on Azure.
- C. Enable parallel task execution on compute nodes.
- D. Create a render farm that uses virtual machine (VM) scale sets.
- E. Create a render farm that uses virtual machines (VMs).

Answer: AC

NEW QUESTION 6

- (Exam Topic 5)
 Your company currently has an application that is hosted on their on-premises environment. The application currently connects to two databases in the on-premises environment. The databases are named whizlabdb1 and whizlabdb2.
 You have to move the databases onto Azure. The databases have to support server-side transactions across both of the databases.
 Solution: You decide to deploy the databases to an Azure SQL database-managed instance. Would this fulfill the requirement?

- A. Yes
- B. No

Answer: A

NEW QUESTION 7

- (Exam Topic 5)
 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
 After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
 Your company plans to deploy various Azure App Service instances that will use Azure SQL databases. The App Service instances will be deployed at the same time as the Azure SQL databases.
 The company has a regulatory requirement to deploy the App Service instances only to specific Azure regions. The resources for the App Service instances must reside in the same region.
 You need to recommend a solution to meet the regulatory requirement.
 Solution: You recommend using an Azure policy to enforce the resource group location. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Azure Resource Policy Definitions can be used which can be applied to a specific Resource Group with the App Service instances.
 Reference:
<https://docs.microsoft.com/en-us/azure/governance/policy/overview>

NEW QUESTION 8

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You plan to deploy multiple instances of an Azure web app across several Azure regions.

You need to design an access solution for the app. The solution must meet the following replication requirements:

- > Support rate limiting.
- > Balance requests between all instances.
- > Ensure that users can access the app in the event of a regional outage. Solution: You use Azure Application Gateway to provide access to the app. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 9

- (Exam Topic 5)

You plan to deploy the backup policy shown in the following exhibit.

Policy1

Associated items Delete Save Discard

Backup frequency

Daily 6:00 PM (UTC) Coordinated Universal Time

Retention range

Retention of daily backup point.

* At 6:00 PM For 90 Day(s)

Retention of weekly backup point.

* On Sunday * At 6:00 PM For 26 Week(s)

Retention of monthly backup point.

Week Based Day Based

* On First * Day Sunday * At 6:00 PM For 36 Month(s)

Retention of yearly backup point.

Not Configured

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Virtual machines that are backed up using the policy can be recovered for up to a maximum of [answer choice].

	▼
90 days	
26 weeks	
36 months	
45 months	

The minimum recovery point objective (RPO) for virtual machines that are backed up by using the policy is [answer choice].

	▼
1 hour	
1 day	
1 week	
1 month	
1 year	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

NEW QUESTION 10

- (Exam Topic 5)

A company named Contoso, Ltd. has an Azure Active Directory (Azure AD) tenant that is integrated with Microsoft Office 365 and an Azure subscription. Contoso has an on-premises identity infrastructure. The infrastructure includes servers that run Active Directory Domain Services (AD DS), and Azure AD Connect. Contoso has a partnership with a company named Fabrikam, Inc. Fabrikam has an Active Directory forest and an Office 365 tenant. Fabrikam has the same on-premises identity infrastructure as Contoso.

A team of 10 developers from Fabrikam will work on an Azure solution that will be hosted in the Azure subscription of Contoso. The developers must be added to the Contributor role for a resource in the Contoso subscription.

You need to recommend a solution to ensure that Contoso can assign the role to the 10 Fabrikam developers. The solution must ensure that the Fabrikam developers use their existing credentials to access resources.

What should you recommend?

- A. Configure a forest trust between the on-premises Active Directory forests of Contoso and Fabrikam.
- B. Configure an organization relationship between the Office 365 tenants of Fabrikam and Contoso.
- C. In the Azure AD tenant of Contoso, use MIM to create guest accounts for the Fabrikam developers.
- D. Configure an AD FS relying party trust between the fabrikam and Contoso AD FS infrastructures.

Answer: A

Explanation:

Trust configurations - Configure trust from managed forests(s) or domain(s) to the administrative forest

- > A one-way trust is required from production environment to the admin forest.
- > Selective authentication should be used to restrict accounts in the admin forest to only logging on to the appropriate production hosts.

References:

<https://docs.microsoft.com/en-us/windows-server/identity/securing-privileged-access/securing-privileged-access>

NEW QUESTION 10

- (Exam Topic 5)

Your on-premises network contains a file server named Server1 that stores 500 GB of data. You need to use Azure Data Factory to copy the data from Server1 to Azure Storage.

You add a new data factory.

What should you do next? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

From Server1:

	▼
Install an Azure File Sync agent	
Install a self-hosted integration runtime	
Install the File Server Resource Manager role service	

From the data factory:

	▼
Create a pipeline	
Create an import/export job	
Provision an Azure-SQL Server Integration Services (SSIS) integration runtime	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Box 1: Install a self-hosted integration runtime

The Integration Runtime is a customer-managed data integration infrastructure used by Azure Data Factory to provide data integration capabilities across different network environments.

Box 2: Create a pipeline

With ADF, existing data processing services can be composed into data pipelines that are highly available and managed in the cloud. These data pipelines can be scheduled to ingest, prepare, transform, analyze, and publish data, and ADF manages and orchestrates the complex data and processing dependencies

References:

<https://docs.microsoft.com/en-us/azure/machine-learning/team-data-science-process/move-sql-azure-adf> <https://docs.microsoft.com/pl-pl/azure/data-factory/tutorial-hybrid-copy-data-tool>

syu31svc 3 months, 4 weeks ago

<https://docs.microsoft.com/en-us/azure/data-factory/create-self-hosted-integration-runtime?tabs=data-factory> "A self-hosted integration runtime can run copy activities between a cloud data store and a data store in a private network"

<https://docs.microsoft.com/en-us/azure/data-factory/introduction>

"With Data Factory, you can use the Copy Activity in a data pipeline to move data from both on-premises and cloud source data stores to a centralization data store in the cloud for further analysis"

NEW QUESTION 15

- (Exam Topic 5)

You have the resources shown in the following table.

Name	Type	Resource group
VM1	Azure virtual machine	RG1
VM2	On-premises virtual machine	Not applicable

You create a new resource group in Azure named RG2. You need to move the virtual machines to RG2.

What should you use to move each virtual machine? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

VM1:

- Azure Arc
- Azure Lighthouse
- Azure Migrate
- Azure Resource Mover
- The Data Migration Assistant (DMA)

VM2:

- Azure Arc
- Azure Lighthouse
- Azure Migrate
- Azure Resource Mover
- The Data Migration Assistant (DMA)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

VM1:

- Azure Arc
- Azure Lighthouse
- Azure Migrate
- Azure Resource Mover
- The Data Migration Assistant (DMA)

VM2:

- Azure Arc
- Azure Lighthouse
- Azure Migrate
- Azure Resource Mover
- The Data Migration Assistant (DMA)

NEW QUESTION 17

- (Exam Topic 5)

You plan to archive 10 TB of on-premises data files to Azure.

You need to recommend a data archival solution. The solution must minimize the cost of storing the data files. Which Azure Storage account type should you include in the recommendation?

- A. Standard StorageV2 (general purpose v2)
- B. Standard Storage (general purpose v1)
- C. Premium StorageV2 (general purpose v2)
- D. Premium Storage (general purpose v1)

Answer: A

Explanation:

Standard StorageV2 supports the Archive access tier, which would be the cheapest solution. Reference:
<https://docs.microsoft.com/en-us/azure/storage/common/storage-introduction>

NEW QUESTION 19

- (Exam Topic 5)

You need to deploy resources to host a stateless web app in an Azure subscription. The solution must meet the following requirements:

- Provide access to the full .NET framework.
- Provide redundancy if an Azure region fails.
- Grant administrators access to the operating system to install custom application dependencies.

Solution: You deploy an Azure virtual machine to two Azure regions, and you deploy an Azure Application Gateway.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

You need to deploy two Azure virtual machines to two Azure regions, but also create a Traffic Manager profile.

NEW QUESTION 21

- (Exam Topic 5)

You have the resources shown in the following table.

Name	Type
AS1	Azure Synapse Analytics instance
CDB1	Azure Cosmos DB SQL API account

CDB1 hosts a container that stores continuously updated operational data

You are designing a solution that will use AS1 to analyze the operational data dairy.

You need to recommend a solution to analyze the data without affecting the performance of the operational data store.

What should you include in the recommendation?

- A. Azure Data Factory with Azure Cosmos DB and Azure Synapse Analytics connectors
- B. Azure Synapse Analytics with PolyBase data loading
- C. Azure Cosmos DB change feed

Answer: B

NEW QUESTION 23

- (Exam Topic 5)

You have an Azure App Service web app that uses a system-assigned managed identity.

You need to recommend a solution to store their settings of the web app as secrets in an Azure key vault The solution must meet the following requirements:

- Minimize changes to the app code,
- Use the principle of least privilege.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

Answer Area

Key Vault integration method:

- Key Vault references in Application settings
- Key Vault references in Appsettings.json
- Key Vault references in Web.config
- Key Vault SDK

Key Vault permissions for the managed identity:

- Keys: Get
- Keys: List and Get
- Secrets: Get
- Secrets: List and Get

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area

Key Vault integration method:

```
Key Vault references in Application settings
Key Vault references in Appsettings.json
Key Vault references in Web.config
Key Vault SDK
```

Key Vault permissions for the managed identity:

```
Keys: Get
Keys: List and Get
Secrets: Get
Secrets: List and Get
```

NEW QUESTION 25

- (Exam Topic 5)

You have an Azure subscription. The subscription has a blob container that contains multiple blobs. Ten users in the finance department of your company plan to access the blobs during the month of April. You need to recommend a solution to enable access to the blobs during the month of April only. Which security solution should you include in the recommendation?

- A. shared access signatures (SAS)
- B. access keys
- C. conditional access policies
- D. certificates

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-sas-overview>

This allows for limited-time fine grained access control to resources. So you can generate URL, specify duration (for month of April) and disseminate URL to 10 team members. On May 1, the SAS token is automatically invalidated, denying team members continued access.

NEW QUESTION 27

- (Exam Topic 5)

Your company, named Contoso, Ltd, implements several Azure logic apps that have HTTP triggers: The logic apps provide access to an on-premises web service. Contoso establishes a partnership with another company named Fabrikam, Inc.

Fabrikam does not have an existing Azure Active Directory (Azure AD) tenant and uses third-party OAuth 2.0 identity management to authenticate its users.

Developers at Fabrikam plan to use a subset of the logics apps to build applications that will integrate with the on-premises web service of Contoso.

You need to design a solution to provide the Fabrikam developers with access to the logic apps. The solution must meet the following requirements:

- Requests to the logic apps from the developers must be limited to lower rates than the requests from the users at Contoso.
- The developers must be able to rely on their existing OAuth 2.0 provider to gain access to the logic apps.
- The solution must NOT require changes to the logic apps.
- The solution must NOT use Azure AD guest accounts.

What should you include in the solution?

- A. Azure AD business-to-business (B2B)
- B. Azure Front Door
- C. Azure API Management
- D. Azure AD Application Proxy

Answer: C

Explanation:

API Management helps organizations publish APIs to external, partner, and internal developers to unlock the potential of their data and services.

You can secure API Management using the OAuth 2.0 client credentials flow. Reference:

<https://docs.microsoft.com/en-us/azure/api-management/api-management-key-concepts> <https://docs.microsoft.com/en-us/azure/api-management/api-management-features> <https://docs.microsoft.com/en-us/azure/api-management/api-management-howto-protect-backend-with-aad#ena>

NEW QUESTION 32

- (Exam Topic 5)

You have an Azure subscription.

You need to deploy an Azure Kubernetes Service (AKS) solution that will use Linux nodes. The solution must meet the following requirements:

- Minimize the time it takes to provision compute resources during scale-out operations.
- Support autoscaling of Linux containers.
- Minimize administrative effort.

Which scaling option should you recommend?

- A. Virtual Kubelet

- B. cluster autoscaler
- C. horizontal pod autoscaler
- D. AKS virtual nodes

Answer: D

Explanation:

<https://docs.microsoft.com/en-us/azure/aks/virtual-nodes>

NEW QUESTION 34

- (Exam Topic 5)

You have an Azure subscription that contains a Basic Azure virtual WAN named Virtual/WAN1 and the virtual hubs shown in the following table.

Name	Azure region
Hub1	US East
Hub2	US West

You have an ExpressRoute circuit in the US East region.

You need to create an ExpressRoute association to VirtualWAN1. What should you do first?

- A. Upgrade VirtualWAN1 to Standard.
- B. Create a gateway on Hub1.
- C. Create a hub virtual network in US East.
- D. Enable the ExpressRoute premium add-on.

Answer: A

Explanation:

US East and US West are in the same geopolitical region so there is no need for enabling ExpressRoute premium add-on <https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-about#basicstandard>

The current config of virtual WAN is only Basic as given, so it can connect to only site to site VPN, to connect to express route it needs to be upgraded from basic to standard.

<https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-about>

<https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-about>

NEW QUESTION 35

- (Exam Topic 5)

You have an Azure subscription that is linked to an Azure Active Directory Premium Plan 2 tenant The tenant has multi-factor authentication (MFA) enabled for all users.

You have the named locations shown in the following table.

Name	IP address range	Trusted
NY	192.168.2.0/27	Yes
DC	192.168.1.0/27	No
LA	192.168.3.0/27	No

You have the users shown in the following table.

Name	Device operating system	User-risk level	Matching compliance policies
User1	Windows 10	High	None
User2	Windows 10	Medium	None
User3	macOS	Low	None

You plan to deploy the Conditional Access policies shown in the following table.

Name	Assignment	Conditions: Locations	Conditions: User risk	Conditions: Sign-in risk	Access Control: Grant
CA1	All users	Trusted locations	High, Medium	None	Block access
CA2	All users	NY	None	High, Medium	Block access
CA3	All users	LA	None	None	Grant access: Require device to marked as compliant

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements

Yes

No

To ensure that the conditions in CA1 can be evaluated, you must enforce an Azure Active Directory (Azure AD) Identity Protection user risk policy .

To ensure that the conditions in CA2 can be evaluated, you must enforce an Azure Active Directory (Azure AD) Identity Protection sign-in risk policy.

To ensure that the conditions in CA3 can be evaluated, you must deploy Microsoft Endpoint Manager.

A. Mastered

B. Not Mastered

Answer: A

Explanation:

A screenshot of a computer Description automatically generated with medium confidence

NEW QUESTION 40

- (Exam Topic 5)

You are developing a sates application that will contain several Azure cloud services and handle different components of a transaction. Different cloud services will process customer orders, billing, payment inventory, and shipping.

You need to recommend a solution to enable the cloud services to asynchronously communicate transaction information by using XML messages.

What should you include in the recommendation?

- A. Azure Data Lake
- B. Azure Notification Hubs
- C. Azure Queue Storage
- D. Azure Service Fabric

Answer: D

NEW QUESTION 42

- (Exam Topic 5)

A company needs a datastore created in Azure for an application. Below are the key requirements for the data store.

Ability to store JSON based items

Ability to use SQL like queries on the datastore Ability to provide low latency access to data items

Which of the following would you consider as the data store?

- A. Azure BLOB storage
- B. Azure CosmosDB
- C. Azure HDInsight
- D. Azure Redis

Answer: B

NEW QUESTION 47

- (Exam Topic 5)

You plan to move a web application named App1 from an on-premises data center to Azure. App1 depends on a custom COM component that is installed on the host server.

You need to recommend a solution to host App1 in Azure. The solution must meet the following requirements:

- > App1 must be available to users if an Azure data center becomes unavailable.
- > Costs must be minimized.

What should you include in the recommendation?

- A. In two Azure regions, deploy a load balancer and a virtual machine scale set.
- B. In two Azure regions, deploy a Traffic Manager profile and a web app.
- C. In two Azure regions, deploy a load balancer and a web app.
- D. Deploy a load balancer and a virtual machine scale set across two availability zones.

Answer: D

Explanation:

(<https://docs.microsoft.com/en-us/dotnet/azure/migration/app-service#com-and-com-components>)

Azure App Service does not allow the registration of COM components on the platform. If your app makes use of any COM components, these need to be rewritten in managed code and deployed with the site or application. <https://docs.microsoft.com/en-us/dotnet/azure/migration/app-service>

"Azure App Service with Windows Containers If your app cannot be migrated directly to App Service, consider App Service using Windows Containers, which enables usage of the GAC, COM components, MSIs, full access to .NET FX APIs, DirectX, and more."

NEW QUESTION 51

- (Exam Topic 5)

You have an Azure subscription.

You need to deploy an Azure Kubernetes Service (AKS) solution that will use Windows Server 2019 nodes. The solution must meet the following requirements:

Minimize the time it takes to provision compute resources during scale-out operations. Support autoscaling of Windows Server containers.

Which scaling option should you recommend?

- A. cluster autoscaler
- B. horizontal pod autoscaler
- C. Kubernetes version 1.20.2 or newer
- D. Virtual nodes with Virtual Kubelet ACI

Answer: D


Explanation:

Azure Container Instances (ACI) lets you quickly deploy container instances without additional infrastructure overhead. When you connect with AKS, ACI becomes a secured, logical extension of your AKS cluster. The virtual nodes component, which is based on Virtual Kubelet, is installed in your AKS cluster that presents ACI as a virtual Kubernetes node. Kubernetes can then schedule pods that run as ACI instances through virtual nodes, not as pods on VM nodes directly in your AKS cluster.

Your application requires no modification to use virtual nodes. Deployments can scale across AKS and ACI and with no delay as cluster autoscaler deploys new

nodes in your AKS cluster.

Diagram Description automatically generated



Note: AKS clusters can scale in one of two ways:

- > The cluster autoscaler watches for pods that can't be scheduled on nodes because of resource constraints. The cluster then automatically increases the number of nodes.
- > The horizontal pod autoscaler uses the Metrics Server in a Kubernetes cluster to monitor the resource demand of pods. If an application needs more resources, the number of pods is automatically increased to meet the demand.

Reference:

<https://docs.microsoft.com/en-us/azure/aks/concepts-scale5>

NEW QUESTION 54

- (Exam Topic 5)

You need to recommend a solution to generate a monthly report of all the new Azure Resource Manager resource deployment in your subscription. What should you include in the recommendation?

- A. Azure Activity Log
- B. Azure Monitor action groups
- C. Azure Advisor
- D. Azure Monitor metrics

Answer: A

Explanation:

Activity logs are kept for 90 days. You can query for any range of dates, as long as the starting date isn't more than 90 days in the past.

Through activity logs, you can determine:

- > what operations were taken on the resources in your subscription
- > who started the operation
- > when the operation occurred
- > the status of the operation
- > the values of other properties that might help you research the operation

Reference:
<https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/view-activity-logs> <https://docs.microsoft.com/en-us/azure/automation/change-tracking>

NEW QUESTION 57

- (Exam Topic 5)

You have an application named App1. App1 generates log files that must be archived for five years. The log files must be readable by App1 but must not be modified.

Which storage solution should you recommend for archiving?

- A. Ingest the log files into an Azure Log Analytics workspace
- B. Use an Azure Blob storage account and a time-based retention policy
- C. Use an Azure Blob storage account configured to use the Archive access tier
- D. Use an Azure file share that has access control enabled

Answer: B

Explanation:

Immutable storage for Azure Blob storage enables users to store business-critical data objects in a WORM (Write Once, Read Many) state.

Immutable storage supports:

Time-based retention policy support: Users can set policies to store data for a specified interval. When a time-based retention policy is set, blobs can be created and read, but not modified or deleted. After the retention period has expired, blobs can be deleted but not overwritten.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-immutable-storage>

NEW QUESTION 59

- (Exam Topic 5)

Your company has two on-premises sites in New York and Los Angeles and Azure virtual networks in the East US Azure region and the West US Azure region. Each on-premises site has Azure ExpressRoute circuits to both regions.

You need to recommend a solution that meets the following requirements:

- > Outbound traffic to the Internet from workloads hosted on the virtual networks must be routed through the closest available on-premises site.
- > If an on-premises site fails, traffic from the workloads on the virtual networks to the Internet must reroute automatically to the other site.

What should you include in the recommendation? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Routing from the virtual networks to the on-premises locations must be configured by using:

- Azure default routes
- Border Gateway Protocol (BGP)
- User-defined routes

The automatic routing configuration following a failover must be handled by using:

- Border Gateway Protocol (BGP)
- Hot Standby Routing Protocol (HSRP)
- Virtual Router Redundancy Protocol (VRRP)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

An on-premises network gateway can exchange routes with an Azure virtual network gateway using the border gateway protocol (BGP). Using BGP with an Azure virtual network gateway is dependent on the type you selected when you created the gateway. If the type you selected were: ExpressRoute: You must use BGP to advertise on-premises routes to the Microsoft Edge router. You cannot create user-defined routes to force traffic to the ExpressRoute virtual network gateway if you deploy a virtual network gateway deployed as type: ExpressRoute. You can use user-defined routes for forcing traffic from the Express Route to, for example, a Network Virtual Appliance.

<https://docs.microsoft.com/ja-jp/azure/expressroute/designing-for-disaster-recovery-with-expressroute-privatepe> <https://docs.microsoft.com/en-us/azure/expressroute/expressroute-optimize-routing#suboptimal-routing-from-cu>

NEW QUESTION 62

- (Exam Topic 5)

You have an Azure subscription that contains the SQL servers shown in the following table.

Name	Resource group	Location
SQLsvr1	RG1	East US
SQLsvr2	RG2	West US

The subscription contains the storage accounts shown in the following table.

Name	Resource group	Location	Account kind
storage1	RG1	East US	StorageV2 (general purposev2)
storage2	RG2	Central US	BlobStorage

You create the Azure SQL databases shown in the following table.

Name	Resource group	Server	Pricing tier
SQLdb1	RG1	SQLsvr1	Standard
SQLdb2	RG1	SQLsvr1	Standard
SQLdb3	RG2	SQLsvr2	Premium

Answer Area

Statements

Yes No

- When you enable auditing for SQLdb1, you can store the audit information to storage1. Yes No
- When you enable auditing for SQLdb2, you can store the audit information to storage2. Yes No
- When you enable auditing for SQLdb3, you can store the audit information to storage2. Yes No

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes
 Be sure that the destination is in the same region as your database and server.
 Box 2: No
 Box 3: Yes
<https://docs.microsoft.com/en-us/azure/sql-database/sql-database-auditing>
 Reference:
<https://docs.microsoft.com/en-us/azure/sql-database/sql-database-auditing>
[https://docs.microsoft.com/en-us/previous-versions/azure/dn741340\(v=azure.100\)?redirectedfrom=MSDN](https://docs.microsoft.com/en-us/previous-versions/azure/dn741340(v=azure.100)?redirectedfrom=MSDN)

NEW QUESTION 66

- (Exam Topic 5)

You plan to import data from your on-premises environment to Azure. The data is shown in the following table.

On-premises source	Azure target
A Microsoft SQL Server 2012 database	An Azure SQL database
A table in a Microsoft SQL Server 2014 database	An Azure Cosmos DB account that uses the SQL API

What should you recommend using to migrate the data? To answer, drag the appropriate tools to the correct data sources-Each tool may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Tools

- AzCopy
- Azure Cosmos DB Data Migration Tool
- Data Management Gateway
- Data Migration Assistant

Answer Area

From the SQL Server 2012 database:

From the table in the SQL Server 2014 database:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:
<https://docs.microsoft.com/en-us/azure/dms/tutorial-sql-server-to-azure-sql> <https://docs.microsoft.com/en-us/azure/cosmos-db/import-data>

NEW QUESTION 70

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
 After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
 Your company plans to deploy various Azure App Service instances that will use Azure SQL databases. The App Service instances will be deployed at the same time as the Azure SQL databases.
 The company has a regulatory requirement to deploy the App Service instances only to specific Azure regions. The resources for the App Service instances must reside in the same region.
 You need to recommend a solution to meet the regulatory requirement.
 Solution: You recommend creating resource groups based on locations and implementing resource locks on the resource groups.
 Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Resource locks are not used for compliance purposes. Resource locks prevent changes from being made to resources.
 Reference:
<https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/lock-resources>

NEW QUESTION 75

- (Exam Topic 5)

You have an Azure web app named App1 and an Azure key vault named KV1. App1 stores database connection strings in KV1. App1 performs the following types of requests to KV1:

- > Get
- > List
- > Wrap
- > Delete

- > Unwrap
- > Backup
- > Decrypt
- > Encrypt

You are evaluating the continuity of service for App1.

You need to identify the following if the Azure region that hosts KV1 becomes unavailable:

- > To where will KV1 fail over?
- > During the failover, which request type will be unavailable?

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

To where will KV1 fail over?

A server in the same Availability Set
A server in the same fault domain
A server in the same paired region
A virtual machine in a scale set

During the failover, which request type will be unavailable?

Backup
Decrypt
Delete
Encrypt
Get
List
Unwrap
Wrap

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated

Box 1: A server in the same paired region

The contents of your key vault are replicated within the region and to a secondary region at least 150 miles away, but within the same geography to maintain high durability of your keys and secrets.

Box 2: Delete

During failover, your key vault is in read-only mode. Requests that are supported in this mode are:

- > List certificates
- > Get certificates
- > List secrets
- > Get secrets
- > List keys
- > Get (properties of) keys
- > Encrypt
- > Decrypt
- > Wrap
- > Unwrap
- > Verify
- > Sign
- > Backup

Reference:

<https://docs.microsoft.com/en-us/azure/key-vault/general/disaster-recovery-guidance>

NEW QUESTION 76

- (Exam Topic 5)

You plan to deploy Azure Databricks to support a machine learning application. Data engineers will mount an Azure Data Lake Storage account to the Databricks file system. Permissions to folders are granted directly to the data engineers.

You need to recommend a design for the planned Databrick deployment. The solution must meet the following requirements:

- > Ensure that the data engineers can only access folders to which they have permissions.

- > Minimize development effort.
- > Minimize costs.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Databricks SKU:

	▼
Premium	
Standard	

Cluster configuration:

	▼
Credential passthrough	
Managed identities	
MLflow	
A runtime that contains Photon	
Secret scope	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Standard

Choose Standard to minimize costs.

Box 2: Credential passthrough

Authenticate automatically to Azure Data Lake Storage Gen1 (ADLS Gen1) and Azure Data Lake Storage Gen2 (ADLS Gen2) from Azure Databricks clusters using the same Azure Active Directory (Azure AD) identity that you use to log into Azure Databricks. When you enable Azure Data Lake Storage credential passthrough for your cluster, commands that you run on that cluster can read and write data in Azure Data Lake Storage without requiring you to configure service principal credentials for access to storage.

Reference:

<https://docs.microsoft.com/en-us/azure/databricks/security/credential-passthrough/adls-passthrough>

NEW QUESTION 78

- (Exam Topic 5)

You have an Azure Active Directory (Azure AD) tenant named contoso.com that has a security group named Group1. Group1 is configured for assigned membership. Group1 has 50 members, including 20 guest users.

You need to recommend a solution for evaluating the membership of Group1. The solution must meet the following requirements:

- The evaluation must be repeated automatically every three months
- Every member must be able to report whether they need to be in Group1
- Users who report that they do not need to be in Group1 must be removed from Group1 automatically
- Users who do not report whether they need to be in Group1 must be removed from Group1 automatically. What should you include in the recommendation?

- A. Implement Azure AD Identity Protection.
- B. Change the Membership type of Group1 to Dynamic User.
- C. Implement Azure AD Privileged Identity Management.
- D. Create an access review.

Answer: D

Explanation:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview#learn-about-access-reviews> Have reviews recur periodically: You can set up recurring access reviews of users at set frequencies such as weekly, monthly, quarterly or annually, and the reviewers will be notified at the start of each review. Reviewers can approve or deny access with a friendly interface and with the help of smart recommendations.

An administrator creates an access review of Group C with 50 member users and 25 guest users. Makes it a self-review. 50 licenses for each user as self-reviewers.*

<https://docs.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview#example-license-requirements>

There are 4 requirements and every single one is only met by access reviews.

<https://docs.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview#when-should-you-use-access-reviews>

Dynamic User is needed if a user must be automatically granted access on the basis of its attributes (department, job title, location, etc.)

<https://techcommunity.microsoft.com/t5/itops-talk-blog/dynamic-groups-in-azure-ad-and-microsoft-365/ba-p/22>

Implementing Azure AD PIM is no solution and absolutely not necessary for access reviews. <https://docs.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview#where-do-you-create-access-reviews>

NEW QUESTION 81

- (Exam Topic 5)

You are designing a microservices architecture that will be hosted in an Azure Kubernetes Service (AKS) cluster. Apps that will consume the microservices will be hosted on Azure virtual machines. The virtual machines and the AKS cluster will reside on the same virtual network.

You need to design a solution to expose the microservices to the consumer apps. The solution must meet the following requirements:

- Ingress access to the microservices must be restricted to a single private IP address and protected by using mutual TLS authentication.
- The number of incoming microservice calls must be rate-limited.

- Costs must be minimized.
- What should you include in the solution?

- A. Azure API Management Premium tier with virtual network connection
- B. Azure Front Door with Azure Web Application Firewall (WAF)
- C. Azure API Management Standard tier with a service endpoint
- D. Azure App Gateway with Azure Web Application Firewall (WAF)

Answer: A

Explanation:

One option is to deploy APIM (API Management) inside the cluster VNet.

The AKS cluster and the applications that consume the microservices might reside within the same VNet, hence there is no reason to expose the cluster publicly as all API traffic will remain within the VNet. For these scenarios, you can deploy API Management into the cluster VNet. API Management Premium tier supports VNet deployment.

Reference:

<https://docs.microsoft.com/en-us/azure/api-management/api-management-kubernetes>

NEW QUESTION 82

- (Exam Topic 5)

You have an Azure subscription that contains a custom application named Application1. The application was developed by an external company named Fabric, Ltd. Developers at Fabrikam were assigned role-based access control (RBAC) permissions to the Application1 components. All users are licensed for the Microsoft 365 E5 plan. You need to recommend a solution to verify whether the Fabric developers still require permissions to Application1. The solution must meet the following requirements.

- * To the manager of the developers, send a monthly email message that lists the access permissions to Application1.
- * If the manager does not verify access permission, automatically revoke that permission.
- * Minimize development effort. What should you recommend?

- A. In Azure Active Directory (AD) Privileged Identity Management, create a custom role assignment for the Application1 resources
- B. Create an Azure Automation runbook that runs the Get-AzureADUserAppRoleAssignment cmdlet
- C. Create an Azure Automation runbook that runs the Get-AzureRmRoleAssignment cmdlet
- D. In Azure Active Directory (Azure AD), create an access review of Application1

Answer: D

Explanation:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/manage-user-access-with-access-reviews> Azure Active Directory (Azure AD) access reviews enable organizations to efficiently manage group memberships, access to enterprise applications, and role assignments. User's access can be reviewed on a regular basis to make sure only the right people have continued access. Have reviews recur periodically: You can set up recurring access reviews of users at set frequencies such as weekly, monthly, quarterly or annually, and the reviewers will be notified at the start of each review. Reviewers can approve or deny access with a friendly interface and with the help of smart recommendations.

Why are access reviews important?

"Azure AD enables you to collaborate with users from inside your organization and with external users. Users can join groups, invite guests, connect to cloud apps, and work remotely from their work or personal devices. The convenience of using self-service has led to a need for better access management capabilities."

NEW QUESTION 85

- (Exam Topic 5)

You use Azure virtual machines to run a custom application that uses an Azure SQL database on the back end. The IT department at your company recently enabled forced tunneling. Since the configuration change, developers have noticed degraded performance when they access the database. You need to recommend a solution to minimize latency when accessing the database. The solution must minimize costs. What should you include in the recommendation?

- A. Azure SQL Database Managed instance
- B. Azure virtual machines that run Microsoft SQL Server servers
- C. Always On availability groups
- D. virtual network (VNET) service endpoint

Answer: D

Explanation:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-service-endpoints-overview>

NEW QUESTION 88

- (Exam Topic 5)

You plan to store data in Azure Blob storage for many years. The stored data will be accessed rarely. You need to ensure that the data in Blob storage is always available for immediate access. The solution must minimize storage costs. Which storage tier should you use?

- A. Cool
- B. Archive
- C. Hot

Answer: A

Explanation:

Azure cool tier is equivalent to the Amazon S3 Infrequent Access (S3-IA) storage in AWS that provides a low cost high performance storage for infrequently accessed data.

Note: Azure's cool storage tier, also known as Azure cool Blob storage, is for infrequently-accessed data that needs to be stored for a minimum of 30 days. Typical use cases include backing up data before tiering to archival systems, legal data, media files, system audit information, datasets used for big data analysis and more.

The storage cost for this Azure cold storage tier is lower than that of hot storage tier. Since it is expected that the data stored in this tier will be accessed less frequently, the data access charges are high when compared to hot tier. There are no additional changes required in your applications as these tiers can be accessed using APIs in the same manner that you access Azure storage.

References:

<https://cloud.netapp.com/blog/low-cost-storage-options-on-azure>

NEW QUESTION 90

- (Exam Topic 5)

You plan to deploy a network-intensive application to several Azure virtual machines. You need to recommend a solution that meets the following requirements:

- > Minimizes the use of the virtual machine processors to transfer data
- > Minimizes network latency

Which virtual machine size and feature should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Virtual machine size:

Compute optimized Standard_F8s
General purpose Standard_B8ms
High performance compute Standard_H16r
Memory optimized Standard_E16s_v3

Feature:

Receive side scaling (RSS)
Remote Direct Memory Access (RDMA)
Single root I/O virtualization (SR-IOV)
Virtual Machine Multi-Queue (VMMQ)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/sizes-hpc#h-series>

NEW QUESTION 91

- (Exam Topic 5)

You have an Azure subscription that contains a storage account.

An application sometimes writes duplicate files to the storage account.

You have a PowerShell script that identifies and deletes duplicate files in the storage account. Currently, the script is run manually after approval from the operations manager.

You need to recommend a serverless solution that performs the following actions:

- > Runs the script once an hour to identify whether duplicate files exist
- > Processes an email response from the operations manager specifying whether the deletion was approved
- > Runs the script if the deletion was approved

What should you include in the recommendation?

- A. Azure Logic Apps and Azure Functions
- B. Azure Pipelines and Azure Service Fabric
- C. Azure Logic Apps and Azure Event Grid
- D. Azure Functions and Azure Batch

Answer: A

Explanation:

You can schedule a powershell script with Azure Logic Apps.

When you want to run code that performs a specific job in your logic apps, you can create your own function by using Azure Functions. This service helps you create Node.js, C#, and F# functions so you don't have to build a complete app or infrastructure to run code. You can also call logic apps from inside Azure functions. Azure Functions provides serverless computing in the cloud and is useful for performing tasks such as these examples:

Reference:

<https://docs.microsoft.com/en-us/azure/logic-apps/logic-apps-azure-functions>

NEW QUESTION 92

- (Exam Topic 5)

You have an Azure subscription that contains the storage accounts shown in the following table.

Name	Type	Performance
storage1	StorageV2	Standard
storage2	SrorageV2	Premium
storage3	BlobStorage	Standard
storage4	FileStorage	Premium

You plan to implement two new apps that have the requirements shown in the following table.

Name	Requirement
App1	Use lifecycle management to migrate app data between storage tiers
App2	Store app data in an Azure file share

Which storage accounts should you recommend using for each app? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

App1:

- Storage1 and storage2 only
- Storage1 and storage3 only
- Storage1, storage2, and storage3 only
- Storage1, storage2, storage3, and storage4

App2:

- Storage4 only
- Storage1 and storage4 only
- Storage1, storage2, and storage4 only
- Storage1, storage2, storage3, and storage4

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-account-overview> <https://www.edureka.co/community/40011/different-storage-accounts-there-major-difference-between> <https://insidemstech.com/tag/general-purpose-v2/>
 In conclusion the correct answers are: Box1 --> Storage1 and Storage3 only Box2 --> Storage1 and Storage4 only
<https://docs.microsoft.com/en-us/azure/storage/files/storage-how-to-create-file-share?tabs=azure-portal#basics>

NEW QUESTION 97

- (Exam Topic 5)

The developers at your company are building a containerized Python Django app.

You need to recommend platform to host the app. The solution must meet the following requirements:

- > Support autoscaling.
- > Support continuous deployment from an Azure Container Registry.
- > Provide built-in functionality to authenticate app users by using Azure Active Directory (Azure AD). Which platform should you include in the recommendation?

- A. Azure Container instances
- B. an Azure App Service instance that uses containers
- C. Azure Kubernetes Service (AKS)

Answer: C

Explanation:

To keep up with application demands in Azure Kubernetes Service (AKS), you may need to adjust the number of nodes that run your workloads. The cluster autoscaler component can watch for pods in your cluster that can't be scheduled because of resource constraints. When issues are detected, the number of nodes in a node pool is increased to meet the application demand.

Azure Container Registry is a private registry for hosting container images. It integrates well with orchestrators like Azure Container Service, including Docker Swarm, DC/OS, and the new Azure Kubernetes service.

Moreover, ACR provides capabilities such as Azure Active Directory-based authentication, webhook support, and delete operations.

Reference:

<https://docs.microsoft.com/en-us/azure/aks/cluster-autoscaler>

<https://medium.com/velotio-perspectives/continuous-deployment-with-azure-kubernetes-service-azurecontainer-registry-jenkins-ca337940151b>

NEW QUESTION 102

- (Exam Topic 5)

You have an Azure subscription.

You need to deploy an Azure Kubernetes Service (AKS) solution that will use Windows Server 2019 nodes. The solution must meet the following requirements:

- Minimize the time it takes to provision compute resources during scale-out operations.
- Support autoscaling of Windows Server containers. Which scaling option should you recommend?

- A. horizontal pod autoscaler
- B. Kubernetes version 1.20.2 or newer
- C. cluster autoscaler
- D. Virtual nodes
- E. with Virtual Kubelet ACI

Answer: C

Explanation:

<https://docs.microsoft.com/en-us/azure/aks/cluster-autoscaler#about-the-cluster-autoscaler>

NEW QUESTION 105

- (Exam Topic 5)

You have a multi-tier app named Appl and an Azure SQL database named SQL I. The backend service Of Appl writes data to Users use the Appl client to read the data from SQL 1.

During periods of high utilization the users experience delays retrieving the data. You need to minimize how long it takes for data requests.

What should you include in the solution?

- A. Azure Synapse Analytics
- B. Azure Content Delivery Network (CON)
- C. Azure Data Factory
- D. Azure Cache for Redis

Answer: D

NEW QUESTION 107

- (Exam Topic 5)

You are designing a message application that will run on an on-premises Ubuntu virtual machine. The application will use Azure Storage queues.

You need to recommend a processing solution for the application to interact with the storage queues. The solution must meet the following requirements:

- > Create and delete queues daily.
- > Be scheduled by using a CRON job.
- > Upload messages every five minutes.

What should developers use to interact with the queues?

- A. Azure CLI
- B. AzCopy
- C. Azure Data Factory
- D. .NET Core

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/storage/queues/storage-tutorial-queues>

NEW QUESTION 110

- (Exam Topic 5)

You have an Azure subscription. The subscription has a blob container that contains multiple blobs. Ten users in the finance department of your company plan to access the blobs during the month of April. You need to recommend a solution to enable access to the blobs during the month of April only. Which security solution should you include in the recommendation?

- A. shared access signatures (SAS)
- B. access keys
- C. conditional access policies
- D. certificates

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-sas-overview>

NEW QUESTION 115

- (Exam Topic 5)

You have .NET web service named service1 that has the following requirements.

- > Must read and write to the local file system.
- > Must write to the Windows Application event log.

You need to recommend a solution to host Service1 in Azure . The solution must meet the following requirements:

- > Minimize maintenance overhead.

> Minimize costs.

What should you include in the recommendation?

- A. an Azure App Service web app
- B. an Azure virtual machine scale set
- C. an App Service Environment (ASE)
- D. an Azure Functions app

Answer: A

Explanation:

<https://social.msdn.microsoft.com/Forums/vstudio/en-US/294b9e3e-e89c-4095-b8d0-ee1646e77268/writing-to-l>

NEW QUESTION 120

- (Exam Topic 5)

You have an Azure Active Directory (Azure AD) tenant.

You plan to use Azure Monitor to monitor user sign-ins and generate alerts based on specific user sign-in events.

You need to recommend a solution to trigger the alerts based on the events.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Send Azure AD logs to:

An Azure event hub

An Azure Log Analytics workspace

An Azure Storage account

Signal type to use for triggering the alerts:

Activity log

Log

Metric

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: An Azure Log Analytics workspace

To be able to create an alert we send the Azure AD logs to An Azure Log Analytics workspace.

Note: You can forward your AAD logs and events to either an Azure Storage Account, an Azure Event Hub, Log Analytics, or a combination of all of these.

Box 2: Log

Ensure Resource Type is an analytics source like Log Analytics or Application Insights and signal type as Log.

Reference:

<https://4sysops.com/archives/how-to-create-an-azure-ad-admin-login-alert/> <https://docs.microsoft.com/en-us/azure/azure-monitor/platform/alerts-log>

NEW QUESTION 122

- (Exam Topic 5)

You plan to deploy an app that will use an Azure Storage account.

You need to deploy the storage account. The solution must meet the following requirements:

- Store the data of multiple users.
- Encrypt each user's data by using a separate key.
- Encrypt all the data in the storage account by using Microsoft keys or customer-managed keys. What should you deploy?

- A. files in a general purpose v2 storage account.
- B. blobs in an Azure Data Lake Storage Gen2 account.
- C. files in a premium file share storage account.
- D. blobs in a general purpose v2 storage account

Answer: B

NEW QUESTION 123

- (Exam Topic 5)

Your company, named Contoso, Ltd., implements several Azure logic apps that have HTTP triggers. The logic apps provide access to an on-premises web service.

Contoso establishes a partnership with another company named Fabrikam. Incl

Fabrikam does not have an existing Azure Active Directory (Azure AD) tenant and uses third-party OAuth 2.0 identity management to authenticate its users.

I Developers at Fabrikam plan to use a subset of the logic apps to build applications that will integrate with the on-premises web service of Contoso.

You need to design a solution to provide the Fabrikam developers with access to the logic apps. The solution must meet the following requirements:

- Requests to the logic apps from the developers must be limited to lower rates than the requests from the users at Contoso.
- The developers must be able to rely on their existing OAuth 2.0 provider to gain access to the logic apps.

- The solution must NOT require changes to the logic apps.
- The solution must NOT use Azure AD guest accounts. What should you include in the solution?

- A. Azure AD business-to-business (B2B)
- B. Azure AD Application Proxy
- C. Azure Front Door
- D. Azure API Management

Answer: D

Explanation:

API Management helps organizations publish APIs to external, partner, and internal developers to unlock the potential of their data and services.

You can secure API Management using the OAuth 2.0 client credentials flow. Reference:

<https://docs.microsoft.com/en-us/azure/api-management/api-management-key-concepts> <https://docs.microsoft.com/en-us/azure/api-management/api-management-features> <https://docs.microsoft.com/en-us/azure/api-management/api-management-howto-protect-backend-with-aad#ena>

NEW QUESTION 126

- (Exam Topic 5)

You plan to deploy an Azure web app named App1 that will use Azure Active Directory (Azure AD) authentication.

App1 will be accessed from the internet by the users at your company. All the users have computers that run Windows 10 and are joined to Azure AD.

You need to recommend a solution to ensure that the users can connect to App1 without being prompted for authentication and can access App1 only from company-owned computers.

What should you recommend for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

The users can connect to App1 without being prompted for authentication:

- An Azure AD app registration
- An Azure AD managed identity
- Azure AD Application Proxy

The users can access App1 only from company-owned computers:

- A conditional access policy
- An Azure AD administrative unit
- Azure Application Gateway
- Azure Blueprints
- Azure Policy

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

Box 1: An Azure AD app registration


Azure active directory (AD) provides cloud based directory and identity management services. You can use azure AD to manage users of your application and authenticate access to your applications using azure active directory.

You register your application with Azure active directory tenant. Box 2: A conditional access policy

Conditional Access policies at their simplest are if-then statements, if a user wants to access a resource, then they must complete an action.

By using Conditional Access policies, you can apply the right access controls when needed to keep your organization secure and stay out of your user's way when not needed.

Timeline Description automatically generated



Reference:

<https://codingcanvas.com/using-azure-active-directory-authentication-in-your-web-application/> <https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/overview> <https://docs.microsoft.com/en-us/powerapps/developer/data-platform/walkthrough-register-app-azure-active-dire> "After consenting to use their Dataverse account with the ISV's application, end users can connect to

Dataverse environment from external application. The consent form is not displayed again to other users after the first user who has already consented to use the ISV's app. Apps registered in Azure Active Directory are multi-tenant, which implies that other Dataverse users from other tenant can connect to their environment using the ISV's app."

NEW QUESTION 127

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
 You have an Azure Storage account that contains two 1-GB data files named File1 and File2. The data files are set to use the archive access tier.
 You need to ensure that File1 is accessible immediately when a retrieval request is initiated. Solution: For File1, you set Access tier to Cool.
 Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

The data in the cool tier is "considered / intended to be stored for 30 days". But this is not a must. You can store data indefinitely in the cool tier. The mentioned reference (see below) even gives an example of large scientific or otherwise large data which is stored for long duration in the cool tier.
<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-storage-tiers?tabs=azure-portal>

NEW QUESTION 128

- (Exam Topic 5)

You have an Azure subscription that contains a Basic Azure virtual WAN named Virtual/WAN1 and the virtual hubs shown in the following table.

Name	Azure region
Hub1	US East
Hub2	US West

You have an ExpressRoute circuit in the US East region.
 You need to create an ExpressRoute association to VirtualWAN1. What should you do first?

- A. Upgrade VirtualWAN1 to Standard.
- B. Create a gateway on Hub1.
- C. Create a hub virtual network in US East.
- D. Enable the ExpressRoute premium add-on.

Answer: A

Explanation:

US East and US West are in the same geopolitical region so there is no need for enabling ExpressRoute premium add-on <https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-about#basicstandard>
 The current config of virtual WAN is only Basic as given, so it can connect to only site to site VPN, to connect to express route it needs to be upgraded from basic to standard.
<https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-about>
<https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-about>

NEW QUESTION 130

- (Exam Topic 5)

You plan to create an Azure environment that will contain a root management group and 10 child management groups. Each child management group will contain five Azure subscriptions. You plan to have between 10 and 30 resource groups in each subscription.

You need to design an Azure governance solution. The solution must meet the following requirements:

- Use Azure Blueprints to control governance across all the subscriptions and resource groups.
- Ensure that Blueprints-based configurations are consistent across all the subscriptions and resource groups.
- Minimize the number of blueprint definitions and assignments.

What should you include in the solution? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Level at which to define the blueprints:

The child management groups
 The root management group
 The subscriptions

Level at which to create the blueprint assignments:

The child management groups
 The root management group
 The subscriptions

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- * 1. Root management group
- * 2. The subscriptions

Reference: <https://docs.microsoft.com/en-us/azure/governance/blueprints/create-blueprint-portal> Assign a blueprint After a blueprint has been published, it can be assigned to a subscription. Assign the blueprint that you created to one of the subscriptions under your management group hierarchy. If the blueprint is saved to a subscription, it can only be assigned to that subscription.

NEW QUESTION 132

- (Exam Topic 5)

You plan to deploy an Azure App Service web app that will have multiple instances across multiple Azure regions.
 You need to recommend a load balancing service for the planned deployment. The solution must meet the following requirements:

- > Maintain access to the app in the event of a regional outage.
- >

Support Azure Web Application Firewall (WAF).

- > Support cookie-based affinity.
- > Support URL routing.

What should you include in the recommendation?

- A. Azure Front Door
- B. Azure Load Balancer
- C. Azure Traffic Manager
- D. Azure Application Gateway

Answer: A

Explanation:

Azure Traffic Manager performs the global load balancing of web traffic across Azure regions, which have a regional load balancer based on Azure Application Gateway. This combination gets you the benefits of Traffic Manager many routing rules and Application Gateway's capabilities such as WAF, TLS termination, path-based routing, cookie-based session affinity among others.

Reference:

<https://docs.microsoft.com/en-us/azure/application-gateway/features>

NEW QUESTION 136

- (Exam Topic 5)

You have an app that generates 50,000 events daily.

You plan to Stream the events to an Azure event hub and use Event Hubs Capture to implement cold path processing Of the events Output Of Event Hubs

Capture will be

consumed by a reporting system.

You need to identify which type of Azure storage must be provisioned to support Event Hubs Capture, and which inbound data format the reporting system must support.

What should you identify? To answer. select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Storage type:

Data format:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Storage type:

Data format:

NEW QUESTION 137

- (Exam Topic 5)

You plan to automate the deployment of resources to Azure subscriptions.

What is a difference between using Azure Blueprints and Azure Resource Manager templates?

- A. Azure Resource Manager templates remain connected to the deployed resources.
- B. Only Azure Resource Manager templates can contain policy definitions.
- C. Azure Blueprints remain connected to the deployed resources.
- D. Only Azure Blueprints can contain policy definitions.

Answer: C

Explanation:

With Azure Blueprints, the relationship between the blueprint definition (what should be deployed) and the blueprint assignment (what was deployed) is preserved.

This connection supports improved tracking and auditing of deployments. Azure Blueprints can also upgrade several subscriptions at once that are governed by the same blueprint.

Reference:

<https://docs.microsoft.com/en-us/answers/questions/26851/how-is-azure-blue-prints-different-from-resource-m.h>

NEW QUESTION 140

- (Exam Topic 5)

You plan to deploy multiple instances of an Azure web app across several Azure regions.

You need to design an access solution for the app. The solution must meet the following replication requirements:

- Support rate limiting
- Balance requests between all instances.
- Ensure that users can access the app in the event of a regional outage Solution: You use Azure Load Balancer to provide access to the app. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 143

- (Exam Topic 5)

You have an on-premises database that you plan to migrate to Azure.

You need to design the database architecture to meet the following requirements:

- > Support scaling up and down.
- > Support geo-redundant backups.
- > Support a database of up to 75 TB.
- > Be optimized for online transaction processing (OLTP).

What should you include in the design? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Service:

	▼
Azure SQL Database	
Azure SQL Managed Instance	
Azure Synapse Analytics	
SQL Server on Azure Virtual Machines	

Service tier:

	▼
Basic	
Business Critical	
General Purpose	
Hyperscale	
Premium	
Standard	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Azure SQL Database Azure SQL Database:

Database size always depends on the underlying service tiers (e.g. Basic, Business Critical, Hyperscale). It supports databases of up to 100 TB with Hyperscale service tier model.

Active geo-replication is a feature that lets you to create a continuously synchronized readable secondary database for a primary database. The readable secondary database may be in the same Azure region as the primary, or, more commonly, in a different region. This kind of readable secondary databases are also known as geo-secondaries, or geo-replicas.

Azure SQL Database and SQL Managed Instance enable you to dynamically add more resources to your database with minimal downtime.

Box 2: Hyperscale Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/database/active-geo-replication-overview> <https://medium.com/awesome-azure/azure-difference-between-azure-sql-database-and-sql-server-on-vm-compar>

NEW QUESTION 145

- (Exam Topic 5)

You have an Azure subscription that contains a virtual network named VNET1 and 10 virtual machines. The virtual machines are connected to VNET1.

You need to design a solution to manage the virtual machines from the internet. The solution must meet the following requirements:

- Incoming connections to the virtual machines must be authenticated by using Azure Multi-Factor Authentication (MFA) before network connectivity is allowed.
- Incoming connections must use TLS and connect to TCP port 443.
- The solution must support RDP and SSH.

What should you Include In the solution? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

To provide access to virtual machines on VNET1, use:

- Azure Bastion
- Just-in-time (JIT) VM access
- Azure Web Application Firewall (WAF) in Azure Front Door

To enforce Azure MFA, use:

- An Azure Identity Governance access package
- A Conditional Access policy that has the Cloud apps assignment set to Azure Windows VM Sign-In
- A Conditional Access policy that has the Cloud apps assignment set to Microsoft Azure Management

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

To provide access to virtual machines on VNET1, use:

- Azure Bastion
- Just-in-time (JIT) VM access
- Azure Web Application Firewall (WAF) in Azure Front Door

To enforce Azure MFA, use:

- An Azure Identity Governance access package
- A Conditional Access policy that has the Cloud apps assignment set to Azure Windows VM Sign-in
- A Conditional Access policy that has the Cloud apps assignment set to Microsoft Azure Management

NEW QUESTION 146

- (Exam Topic 5)

You are designing an Azure solution.

The network traffic for the solution must be securely distributed by providing the following features:

- > HTTPS protocol
- > Round robin routing
- > SSL offloading

You need to recommend a load balancing option. What should you recommend?

- A. Azure Load Balancer
- B. Azure Traffic Manager
- C. Azure Internal Load Balancer (ILB)
- D. Azure Application Gateway

Answer: D

Explanation:

If you are looking for Transport Layer Security (TLS) protocol termination ("SSL offload") or per-HTTP/HTTPS request, application-layer processing, review Application Gateway.

Application Gateway is a layer 7 load balancer, which means it works only with web traffic (HTTP, HTTPS, WebSocket, and HTTP/2). It supports capabilities such as SSL termination, cookie-based session affinity, and round robin for load-balancing traffic. Load Balancer load-balances traffic at layer 4 (TCP or UDP).

References:

<https://docs.microsoft.com/en-us/azure/application-gateway/application-gateway-faq>

NEW QUESTION 150

- (Exam Topic 5)

You are designing an Azure governance solution.

All Azure resources must be easily identifiable based on the following operational information environment, owner, department and cost center

You need to ensure that you can use the operational information when you generate reports for the Azure resources.

What should you include in the solution?

- A. Azure Active Directory (Azure AD) administrative units
- B. an Azure data catalog that uses the Azure REST API as a data source
- C. an Azure policy that enforces tagging rules
- D. an Azure management group that uses parent groups to create a hierarchy

Answer: C

Explanation:

You use Azure Policy to enforce tagging rules and conventions. By creating a policy, you avoid the scenario of resources being deployed to your subscription that don't have the expected tags for your organization. Instead of manually applying tags or searching for resources that aren't compliant, you create a policy that automatically applies the needed tags during deployment.

Note: Organizing cloud-based resources is a crucial task for IT, unless you only have simple deployments. Use naming and tagging standards to organize your resources for these reasons:

Resource management: Your IT teams will need to quickly locate resources associated with specific workloads, environments, ownership groups, or other important information. Organizing resources is critical to assigning organizational roles and access permissions for resource management.

Reference:

<https://docs.microsoft.com/en-us/azure/cloud-adoption-framework/decision-guides/resource-tagging> <https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/tag-policies>

NEW QUESTION 152

- (Exam Topic 5)

You have an Azure subscription. The subscription contains an app that is hosted in the East US, Central Europe, and East Asia regions.

You need to recommend a data-tier solution for the app. The solution must meet the following requirements: > Support multiple consistency levels.

- > Be able to store at least 1 TB of data.
- > Be able to perform read and write operations in the Azure region that is local to the app instance. What should you include in the recommendation?

- A. an Azure Cosmos DB database
- B. a Microsoft SQL Server Always On availability group on Azure virtual machines
- C. an Azure SQL database in an elastic pool
- D. Azure Table storage that uses geo-redundant storage (GRS) replication

Answer: A

Explanation:

Azure Cosmos DB approaches data consistency as a spectrum of choices. This approach includes more options than the two extremes of strong and eventual consistency. You can choose from five well-defined levels on the consistency spectrum.

With Cosmos DB any write into any region must be replicated and committed to all configured regions within the account.

Reference:

<https://docs.microsoft.com/en-us/azure/cosmos-db/consistency-levels-tradeoffs>

NEW QUESTION 155

- (Exam Topic 5)

You deploy two instances of an Azure web app. One instance is in the East US Azure region and the other instance is in the West US Azure region. The web app uses Azure Blob storage to deliver large files to end users.

You need to recommend a solution for delivering the files to the users. The solution must meet the following requirements:

- > Ensure that the users receive files from the same region as the web app that they access.
- > Ensure that the files only need to be updated once.
- > Minimize costs.

What should you include in the recommendation?

- A. Azure File Sync
- B. Distributed File System (DFS)
- C. read-access geo-redundant storage (RA-GRS)
- D. geo-redundant storage (GRS)

Answer: C

NEW QUESTION 158

- (Exam Topic 5)

You have an on-premises network that uses an IP address space of 172.16.0.0/16. You plan to deploy 25 virtual machines to a new Azure subscription. You identify the following technical requirements:

- All Azure virtual machines must be placed on the same subnet named Subnet1.
- All the Azure virtual machines must be able to communicate with all on-premises servers.
- The servers must be able to communicate between the on-premises network and Azure by using a site-to-site VPN.

You need to recommend a subnet design that meets the technical requirements.

What should you include in the recommendation? To answer, drag the appropriate network addresses to the correct subnets. Each network address may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content

NOTE: Each correct selection is worth one point.

Network Addresses	Answer Area
172.16.0.0/16	Subnet1: Network address
172.16.1.0/27	Gateway subnet: Network address
192.168.0.0/24	
192.168.1.0/27	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Network Addresses

172.16.0.0/16
172.16.1.0/27
192.168.0.0/24
192.168.1.0/27

Answer Area

Subnet1:	192.168.0.0/24
Gateway subnet:	192.168.1.0/27

NEW QUESTION 159

- (Exam Topic 5)

You have SQL Server on an Azure virtual machine. The databases are written to nightly as part of a batch process. You need to recommend a disaster recovery solution for the data. The solution must meet the following requirements:

- > Provide the ability to recover in the event of a regional outage.
- > Support a recovery time objective (RTO) of 15 minutes.
- > Support a recovery point objective (RPO) of 24 hours.
- > Support automated recovery.
- > Minimize costs.

What should you include in the recommendation?

- A. Azure virtual machine availability sets
- B. Azure Disk Backup
- C. an Always On availability group
- D. Azure Site Recovery

Answer: D

Explanation:

Replication with Azure Site Recover:

- > RTO is typically less than 15 minutes.
- > RPO: One hour for application consistency and five minutes for crash consistency. Reference: <https://docs.microsoft.com/en-us/azure/site-recovery/site-recovery-sql>

NEW QUESTION 160

- (Exam Topic 5)

You have an Azure subscription that contains an Azure SQL database.

You are evaluating whether to use Azure reservations on the Azure SQL database. Which tool should you use to estimate the potential savings?

- A. The Purchase reservations blade in the Azure portal
- B. The Advisor blade in the Azure portal
- C. The SQL database blade in the Azure portal

Answer: A

Explanation:

Buy reserved capacity

- > Sign in to the Azure portal.
 - > Select All services > Reservations.
 - > Select Add and then in the Purchase Reservations pane, select SQL Database to purchase a new reservation for SQL Database.
 - > Fill in the required fields. Existing databases in SQL Database and SQL Managed Instance that match the attributes you select qualify to get the reserved capacity discount. The actual number of databases or managed instances that get the discount depends on the scope and quantity selected.
- Graphical user interface, text Description automatically generated

Select the product you want to purchase

SQL Reserved vCores provide a significant discount over pay-as-you-go prices by allowing you to pre-pay for the future use of compute capacity for your Azure SQL Database (PaaS) deployments. Additional software costs will still apply. For SQL Server on Azure VMs (IaaS), purchase Reserved Virtual Machines Instances. [Learn More](#)

Scope: Single resource group | Subscription: Finance App - Test | Resource Group: cloud-shell-storage-westus

Filter by name... | Region: West US 2 | Term: One Year | Add Filter | Reset filters

PERFORMANCE TIER	REGION	TERM	DEPLOYMENT TYPE
SQL Database Managed Instance Business Critical - Compute Gen4	West US 2	One Year	SQL Database Managed Instance
SQL Database Managed Instance Business Critical - Compute Gen5	West US 2	One Year	SQL Database Managed Instance
SQL Database Managed Instance General Purpose - Compute Gen4	West US 2	One Year	SQL Database Managed Instance
SQL Database Managed Instance General Purpose - Compute Gen5	West US 2	One Year	SQL Database Managed Instance
SQL Database Single/Elastic Pool Business Critical - Compute Gen4	West US 2	One Year	SQL Database Single/Elastic Pool
SQL Database Single/Elastic Pool Business Critical - Compute Gen5	West US 2	One Year	SQL Database Single/Elastic Pool
SQL Database Single/Elastic Pool General Purpose - Compute Gen4	West US 2	One Year	SQL Database Single/Elastic Pool
SQL Database Single/Elastic Pool General Purpose - Compute Gen5	West US 2	One Year	SQL Database Single/Elastic Pool

Select | Cancel

Price per unit: <UnitPrice>
34% Estimated savings

- > Review the cost of the capacity reservation in the Costs section. Select Purchase.
- > Select View this Reservation to see the status of your purchase.
- > Reference:
<https://docs.microsoft.com/en-us/azure/azure-sql/database/reserved-capacity-overview>

NEW QUESTION 164

- (Exam Topic 5)

You plan to automate the deployment of resources to Azure subscriptions.

What is a difference between using Azure Blueprints and Azure Resource Manager (ARM) templates?

- A. ARM templates remain connected to the deployed resources.
- B. Only ARM templates can contain policy definitions.
- C. Blueprints remain connected to the deployed resources.
- D. Only Blueprints can contain policy definitions.

Answer: C

Explanation:

With Azure Blueprints, the relationship between the blueprint definition (what should be deployed) and the blueprint assignment (what was deployed) is preserved. This connection supports improved tracking and auditing of deployments. Azure Blueprints can also upgrade several subscriptions at once that are governed by the same blueprint.

Reference:

<https://docs.microsoft.com/en-us/answers/questions/26851/how-is-azure-blue-prints-different-from-resource-m.h>

NEW QUESTION 168

- (Exam Topic 5)

You are designing a virtual machine that will run Microsoft SQL Server and will contain two data disks. The first data disk will store log files, and the second data disk will store data. Both disks are P40 managed disks.

You need to recommend a caching policy for each disk. The policy must provide the best overall performance for the virtual machine.

Which caching policy should you recommend for each disk? To answer, drag the appropriate policies to the correct disks. Each policy may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Policies

None

ReadOnly

ReadWrite

Answer Area

⏪
Log:

Policy

⏩
Data:

Policy

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

References:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/sql/virtual-machines-windows-sql-performan>

NEW QUESTION 172

- (Exam Topic 5)

You have an Azure subscription that contains two applications named App1 and App2. App1 is a sales processing application. When a transaction in App1 requires shipping, a message is added to an Azure Storage account queue, and then App2 listens to the queue for relevant transactions.

In the future, additional applications will be added that will process some of the shipping requests based on the specific details of the transactions.

You need to recommend a replacement for the storage account queue to ensure that each additional application will be able to read the relevant transactions.

What should you recommend?

- A. one Azure Service Bus queue
- B. one Azure Service Bus topic
- C. one Azure Data Factory pipeline
- D. multiple storage account queues

Answer: B

Explanation:

A queue allows processing of a message by a single consumer. In contrast to queues, topics and subscriptions provide a one-to-many form of communication in a publish and subscribe pattern. It's useful for scaling to large numbers of recipients. Each published message is made available to each subscription registered with the topic. Publisher sends a message to a topic and one or more subscribers receive a copy of the message, depending on filter rules set on these subscriptions.

Reference:

<https://docs.microsoft.com/en-us/azure/service-bus-messaging/service-bus-queues-topics-subscriptions>

NEW QUESTION 177

- (Exam Topic 5)

You plan to move a web application named App1 from an on-premises data center to Azure. App1 depends on a custom COM component that is installed on the host server.

You need to recommend a solution to host App1 in Azure. The solution must meet the following requirements:

- > App1 must be available to users if an Azure data center becomes unavailable.
- > Costs must be minimized.

What should you include in the recommendation?

- A. In two Azure regions, deploy a load balancer and a virtual machine scale set.
- B. In two Azure regions, deploy a Traffic Manager profile and a web app.
- C. In two Azure regions, deploy a load balancer and a web app.
- D. Deploy a load balancer and a virtual machine scale set across two availability zones.

Answer: D

Explanation:

(<https://docs.microsoft.com/en-us/dotnet/azure/migration/app-service#com-and-com-components>)

Azure App Service does not allow the registration of COM components on the platform. If your app makes use of any COM components, these need to be rewritten in managed code and deployed with the site or application. <https://docs.microsoft.com/en-us/dotnet/azure/migration/app-service>

"Azure App Service with Windows Containers If your app cannot be migrated directly to App Service, consider App Service using Windows Containers, which enables usage of the GAC, COM components, MSIs, full access to .NET FX APIs, DirectX, and more."

NEW QUESTION 179

- (Exam Topic 5)

You have data files in Azure Blob Storage.

You plan to transform the files and move them to Azure Data Lake Storage. You need to transform the data by using mapping data flow.

Which service should you use?

- A. Azure Data Box Gateway
- B. Azure Databricks
- C. Azure Data Factory
- D. Azure Storage Sync

Answer: C

Explanation:

You can use Copy Activity in Azure Data Factory to copy data from and to Azure Data Lake Storage Gen2, and use Data Flow to transform data in Azure Data Lake Storage Gen2.

Reference:

<https://docs.microsoft.com/en-us/azure/data-factory/connector-azure-data-lake-storage>

NEW QUESTION 180

- (Exam Topic 5)

You are designing a large Azure environment that will contain many subscriptions. You plan to use Azure Policy as part of a governance solution.

To which three scopes can you assign Azure Policy definitions? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. management groups
- B. subscriptions
- C. Azure Active Directory (Azure AD) tenants
- D. resource groups

- E. Azure Active Directory (Azure AD) administrative units
- F. compute resources

Answer: ABD

Explanation:

Azure Policy evaluates resources in Azure by comparing the properties of those resources to business rules. Once your business rules have been formed, the policy definition or initiative is assigned to any scope of resources that Azure supports, such as management groups, subscriptions, resource groups, or individual resources.

Reference:

<https://docs.microsoft.com/en-us/azure/governance/policy/overview>

NEW QUESTION 182

- (Exam Topic 5)

You have an on-premises network and an Azure subscription. The on-premises network has several branch offices.

A branch office in Toronto contains a virtual machine named VM1 that is configured as a file server. Users access the shared files on VM1 from all the offices.

You need to recommend a solution to ensure that the users can access the shares files as quickly as possible if the Toronto branch office is inaccessible.

What should you include in the recommendation?

- A. a Recovery Services vault and Azure Backup
- B. an Azure file share and Azure File Sync
- C. Azure blob containers and Azure File Sync
- D. a Recovery Services vault and Windows Server Backup

Answer: B

Explanation:

Use Azure File Sync to centralize your organization's file shares in Azure Files, while keeping the flexibility, performance, and compatibility of an on-premises file server. Azure File Sync transforms Windows Server into a quick cache of your Azure file share.

You need an Azure file share in the same region that you want to deploy Azure File Sync.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/files/storage-sync-files-deployment-guide>

NEW QUESTION 186

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company deploys several virtual machines on-premises and to Azure. ExpressRoute is being deployed and configured for on-premises to Azure connectivity.

Several virtual machines exhibit network connectivity issues.

You need to analyze the network traffic to identify whether packets are being allowed or denied to the virtual machines.

Solution: Use Azure Traffic Analytics in Azure Network Watcher to analyze the network traffic. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Azure Network Watcher IP Flow Verify, which allows you to detect traffic filtering issues at a VM level.

Note: IP flow verify checks if a packet is allowed or denied to or from a virtual machine. The information consists of direction, protocol, local IP, remote IP, local port, and remote port. If the packet is denied by a security group, the name of the rule that denied the packet is returned. While any source or destination IP can be chosen, IP flow verify helps administrators quickly diagnose connectivity issues from or to the internet and from or to the on-premises environment.

Reference:

<https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-ip-flow-verify-overview> <https://docs.microsoft.com/en-us/azure/network-watcher/traffic-analytics>

NEW QUESTION 188

- (Exam Topic 5)

You are planning an Azure Storage solution for sensitive data. The data will be accessed daily. The data set is less than 10 GB.

You need to recommend a storage solution that meets the following requirements:

- All the data written to storage must be retained for five years.
- Once the data is written, the data can only be read. Modifications and deletion must be prevented.
- After five years, the data can be deleted, but never modified.
- Data access charges must be minimized

What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Storage account type:

- General purpose v2 with Archive access tier for blobs
- General purpose v2 with Cool access tier for blobs
- General purpose v2 with Hot access tier for blobs

Configuration to prevent modifications and deletions:

- Container access level
- Container access policy
- Storage account resource lock

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: General purpose v2 with Archive access tier for blobs

Archive - Optimized for storing data that is rarely accessed and stored for at least 180 days with flexible latency requirements, on the order of hours.

Cool - Optimized for storing data that is infrequently accessed and stored for at least 30 days. Hot - Optimized for storing data that is accessed frequently.

Box 2: Storage account resource lock

As an administrator, you can lock a subscription, resource group, or resource to prevent other users in your organization from accidentally deleting or modifying critical resources. The lock overrides any permissions the user might have.

Note: You can set the lock level to CanNotDelete or ReadOnly. In the portal, the locks are called Delete and Read-only respectively.

> CanNotDelete means authorized users can still read and modify a resource, but they can't delete the resource.

> ReadOnly means authorized users can read a resource, but they can't delete or update the resource.

Applying this lock is similar to restricting all authorized users to the permissions granted by the Reader role.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-storage-tiers>

NEW QUESTION 189

- (Exam Topic 5)

You have an Azure subscription that contains the resources shown in the following table.

Name	Type	Kind	Location
storage1	Azure Storage account	Storage	East US
storage2	Azure Storage account	StorageV2	East US
Workspace1	Azure Log Analytics workspace	Not applicable	East US
Workspace2	Azure Log Analytics workspace	Not applicable	East US
Hub1	Azure event hub	Not applicable	East US

You create an Azure SQL database named DB1 that is hosted in the East US region.

To DB1, you add a diagnostic setting named Settings1. Settings1 archives SQLInsights to storage1 and sends SQLInsights to Workspace1.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
You can add a new diagnostic setting that archives SQLInsights logs to storage2.	<input type="radio"/>	<input type="radio"/>
You can add a new diagnostic setting that sends SQLInsights logs to Workspace2.	<input type="radio"/>	<input type="radio"/>
You can add a new diagnostic setting that sends SQLInsights logs to Hub1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

Box 2: Yes

Box 3: Yes

For more information on Azure SQL diagnostics , you can visit the below link
<https://docs.microsoft.com/en-us/azure/azure-sql/database/metrics-diagnostic-telemetry-logging-streaming-expo>

NEW QUESTION 192

- (Exam Topic 5)

Your network contains an on-premises Active Directory forest.

You discover that when users change jobs within your company, the membership of the user groups are not being updated. As a result, the users can access resources that are no longer relevant to their job.

You plan to integrate Active Directory and Azure Active Directory (Azure AD) by using Azure AD Connect. You need to recommend a solution to ensure that group owners are emailed monthly about the group memberships they manage.

What should you include in the recommendation?

- A. conditional access policies
- B. Tenant Restrictions
- C. Azure AD access reviews
- D. Azure AD Identity Protection

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview>

NEW QUESTION 194

- (Exam Topic 5)

You have the Free edition of a hybrid Azure Active Directory (Azure AD) tenant. The tenant uses password hash synchronization.

You need to recommend a solution to meet the following requirements:

- > Prevent Active Directory domain user accounts from being locked out as the result of brute force attacks targeting Azure AD user accounts.
- > Block legacy authentication attempts to Azure AD integrated apps.
- > Minimize costs.

What should you recommend for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

To protect against brute force attacks:

	▼
Azure AD Password Protection	
Conditional access policies	
Pass-through authentication	
Smart lockout	

To block legacy authentication attempts:

	▼
Azure AD Application Proxy	
Azure AD Password Protection	
Conditional access policies	
Enable Security defaults	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Smart lockout

Smart lockout helps lock out bad actors that try to guess your users' passwords or use brute-force methods to get in. Smart lockout can recognize sign-ins that come from valid users and treat them differently than ones of attackers and other unknown sources. Attackers get locked out, while your users continue to access their accounts and be productive.

Box 2: Conditional access policies

If your environment is ready to block legacy authentication to improve your tenant's protection, you can accomplish this goal with Conditional Access.

How can you prevent apps using legacy authentication from accessing your tenant's resources? The recommendation is to just block them with a Conditional Access policy. If necessary, you allow only certain users and specific network locations to use apps that are based on legacy authentication.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-password-smart-lockout> <https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/block-legacy-authentication>

NEW QUESTION 195

- (Exam Topic 5)

You have an on-premises file server that stores 2 TB of data files.

You plan to move the data files to Azure Blob Storage In the West Europe Azure region,

You need to recommend a storage account type to store the data files and a replication solution for the storage account. The solution must meet the following requirements:

- Be available if a single Azure datacenter fails.
- Support storage tiers.
- Minimize cost.

What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Storage Account type:

Premium block blobs
Standard general-purpose v1
Standard general-purpose v2

Redundancy:

Geo-redundant storage (GRS)
Zone-redundant storage (ZRS)
Locally-redundant storage (LRS)
Read-access geo-redundant storage (RA-GRS)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Account Type: StorageV2

Replication solution: Zone-redundant storage (ZRS) <https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy>

<https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy#supported-azure-storage-services> <https://docs.microsoft.com/en-us/azure/storage/common/storage-account-overview#types-of-storage-accounts>

Data must be available if a single Azure datacenter fails. It means the storage account must support ZRS replication. Also, solution should support storage tiers. Only General-purpose V2 supports ZRS and storage tiers.

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-storage-tiers>

NEW QUESTION 197

- (Exam Topic 5)

You need to design a storage solution for an app that will store large amounts of frequently used data. The solution must meet the following requirements:

- > Maximize data throughput.
- > Prevent the modification of data for one year.
- > Minimize latency for read and write operations.

Which Azure Storage account type and storage service should you recommend? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Storage account type:

▼
BlobStorage
BlockBlobStorage
FileStorage
StorageV2 with Premium performance
StorageV2 with Standard performance

Storage service:

▼
Blob
File
Table

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: BlockBlobStorage

Block Blob is a premium storage account type for block blobs and append blobs. Recommended for scenarios with high transactions rates, or scenarios that use smaller objects or require consistently low storage latency.

Box 2: Blob

The Archive tier is an offline tier for storing blob data that is rarely accessed. The Archive tier offers the lowest storage costs, but higher data retrieval costs and latency compared to the online tiers (Hot and Cool). Data must remain in the Archive tier for at least 180 days or be subject to an early deletion charge.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/blobs/archive-blob>

NEW QUESTION 202

- (Exam Topic 5)

You plan to migrate App1 to Azure. The solution must meet the authentication and authorization requirements. Which of the endpoint should App1 use to obtain an access token?

- A. Microsoft identify platform
- B. Azure AD
- C. Azure instance Service (IMDS)
- D. Azure Service management

Answer: A

NEW QUESTION 206

- (Exam Topic 5)

Your company has an Azure Web App that runs via the Premium App Service Plan. A development team will be using the Azure Web App. You have to configure the Azure Web app so that it can fulfil the below requirements.

Provide the ability to switch the web app from the current version to a newer version

Provide developers with the ability to test newer versions of the application before the switch to the newer version occurs

Ensure that the application version can be rolled back Minimize downtime

Which of the following can be used for this requirement?

- A. Create a new App Service Plan
- B. Make use of deployment slots
- C. Map a custom domain
- D. Backup the Azure Web App

Answer: B

NEW QUESTION 210

- (Exam Topic 5)

You are planning an Azure IoT Hub solution that will include 50,000 IoT devices.

Each device will stream data, including temperature, device ID, and time data. Approximately 50,000 records will be written every second. The data will be visualized in near real time.

You need to recommend a service to store and query the data.

Which two services can you recommend? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Azure Table Storage
- B. Azure Event Grid
- C. Azure Cosmos DB SQL API
- D. Azure Time Series Insights

Answer: CD

Explanation:

D: Time Series Insights is a fully managed service for time series data. In this architecture, Time Series Insights performs the roles of stream processing, data store, and analytics and reporting. It accepts streaming data from either IoT Hub or Event Hubs and stores, processes, analyzes, and displays the data in near real time.

C: The processed data is stored in an analytical data store, such as Azure Data Explorer, HBase, Azure Cosmos DB, Azure Data Lake, or Blob Storage.

Reference:

<https://docs.microsoft.com/en-us/azure/architecture/data-guide/scenarios/time-series>

NEW QUESTION 214

- (Exam Topic 5)

You plan to deploy an application named App1 that will run on five Azure virtual machines. Additional virtual machines will be deployed later to run App1.

You need to recommend a solution to meet the following requirements for the virtual machines that will run App1:

- Ensure that the virtual machines can authenticate to Azure Active Directory (Azure AD) to gain access to an Azure key vault, Azure Logic Apps instances, and an Azure SQL database.
- Avoid assigning new roles and permissions for Azure services when you deploy additional virtual machines.
- Avoid storing secrets and certificates on the virtual machines.

Which type of identity should you include in the recommendation?

- A. a service principal that is configured to use a certificate
- B. a system-assigned managed identity
- C. a service principal that is configured to use a client secret
- D. a user-assigned managed identity

Answer: D

Explanation:

Managed identities for Azure resources is a feature of Azure Active Directory.

User-assigned managed identity can be shared. The same user-assigned managed identity can be associated with more than one Azure resource.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/overview>

NEW QUESTION 216

- (Exam Topic 5)

You need to recommend an Azure Storage Account configuration for two applications named Application1 and Applications. The configuration must meet the following requirements:

- Storage for Application1 must provide the highest possible transaction rates and the lowest possible latency.
- Storage for Application2 must provide the lowest possible storage costs per GB.
- Storage for both applications must be optimized for uploads and downloads.
- Storage for both applications must be available in an event of datacenter failure.

What should you recommend ? To answer, select the appropriate options in the answer area NOTE: Each correct selection is worth one point

Answer Area

Application1:

BlobStorage with Standard performance, Hot access tier, and Read-access geo-redundant storage (RA-GRS) replication

BlockBlobStorage with Premium performance and Zone-redundant storage (ZRS) replication

General purpose v1 with Premium performance and Locally-redundant storage (LRS) replication

General purpose v2 with Standard performance, Hot access tier, and Locally-redundant storage (LRS) replication

Application2:

BlobStorage with Standard performance, Cool access tier, and Geo-redundant storage (GRS) replication

BlockBlobStorage with Premium performance and Zone-redundant storage (ZRS) replication

General purpose v1 with Standard performance and Read-access geo-redundant storage (RA-GRS) replication

General purpose v2 with Standard performance, Cool access tier, and Read-access geo-redundant storage (RA-GRS) replication

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: BlobStorage with Premium performance and Zone-redundant storage (ZRS) replication.

BlockBlobStorage accounts: Storage accounts with premium performance characteristics for block blobs and append blobs. Recommended for scenarios with high transactions rates, or scenarios that use smaller objects or require consistently low storage latency.

Premium: optimized for high transaction rates and single-digit consistent storage latency. Box 2: General purpose v2 with Standard performance..

General-purpose v2 accounts: Basic storage account type for blobs, files, queues, and tables. Recommended for most scenarios using Azure Storage.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-account-overview>

<https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy>

NEW QUESTION 218

- (Exam Topic 5)

You plan to deploy an Azure SQL database that will store Personally Identifiable Information (PII). You need to ensure that only privileged users can view the PII. What should you include in the solution?

- A. Transparent Data Encryption (TDE)
- B. Data Discovery & Classification
- C. dynamic data masking
- D. role-based access control (RBAC)

Answer: D

NEW QUESTION 223

- (Exam Topic 5)

You have the Azure resources shown in the following table.

Name	Type	Location
US-Central-Firewall-policy	Azure Firewall policy	Central US
US-East-Firewall-policy	Azure Firewall policy	East US
EU-Firewall-policy	Azure Firewall policy	West Europe
USEastfirewall	Azure Firewall	Central US
USWestfirewall	Azure Firewall	East US
EUFirewall	Azure Firewall	West Europe

You need to deploy a new Azure Firewall policy that will contain mandatory rules for all Azure Firewall deployments. The new policy will be configured as a parent policy for the existing policies.

What is the minimum number of additional Azure Firewall policies you should create?

- A. 1
- B. 2
- C. 3

Answer: B

Explanation:

Firewall policies work across regions and subscriptions. Place all your global configurations in the parent policy.

Note: Policies can be created in a hierarchy. You can create a parent/global policy that will contain configurations and rules that will apply to all/a number of firewall instances. Then you create a child policy that inherits from the parent; note that rules changes in the parent instantly appear in the child. The child is associated with a firewall and applies configurations/rules from the parent policy and the child policy instantly to the firewall.

Reference: <https://aidanfinn.com/?p=22006>

NEW QUESTION 226

- (Exam Topic 5)

You need to design a highly available Azure SQL database that meets the following requirements:

- * Failover between replicas of the database must occur without any data loss.
- * The database must remain available in the event of a zone outage.
- * Costs must be minimized.

Which deployment option should you use?

- A. Azure SQL Database Business Critical
- B. Azure SQL Database Managed Instance Business Critical
- C. Azure SQL Database Hyperscale
- D. Azure SQL Database Standard

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/database/service-tier-business-critical>

NEW QUESTION 229

- (Exam Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has deployed several virtual machines (VMs) on-premises and to Azure. Azure ExpressRoute has been deployed and configured for on-premises to Azure connectivity.

Several VMs are exhibiting network connectivity issues.

You need to analyze the network traffic to determine whether packets are being allowed or denied to the VMs. Solution: Install and configure the Microsoft Monitoring Agent and the Dependency Agent on all VMs. Use the Wire Data solution in Azure Monitor to analyze the network traffic.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Azure Network Watcher to run IP flow verify to analyze the network traffic.

Note: Wire Data looks at network data at the application level, not down at the TCP transport layer. The solution doesn't look at individual ACKs and SYNs.

Reference:

<https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-monitoring-overview> <https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-ip-flow-verify-overview>

NEW QUESTION 233

- (Exam Topic 5)

You have the resources shown in the following table.

Name	Type
AS1	Azure Synapse Analytics instance
CDB1	Azure Cosmos DB SQL API account

CDB1 hosts a container that stores continuously updated operational data. You are designing a solution that will use ASI to analyze the operational data daily. You need to recommend a solution to analyze the data without affecting the performance of the operational data store. What should you include in the recommendation?

- A. Azure Cosmos DB change feed
- B. Azure Data Factory with Azure Cosmos DB and Azure Synapse Analytics connectors
- C. Azure Synapse Analytics with PolyBase data loading
- D. Azure Synapse Link for Azure Cosmos DB

Answer: D

NEW QUESTION 237

- (Exam Topic 4)

A company has an on-premises file server cblserver that runs Windows Server 2019. Windows Admin Center manages this server. The company owns an Azure subscription. You need to provide an Azure solution to prevent data loss if the file server fails.

Solution: You decide to create an Azure Recovery Services vault. You then decide to install the Azure Backup agent and then schedule the backup. Would this meet the requirement?

- A. Yes
- B. No

Answer: A

NEW QUESTION 240

- (Exam Topic 4)

What two parameters would you recommend set up to ensure that the new IPSCustomers database will scale to meet the workload demands?

- A. Define the maximum of CPU cores
- B. Define the maximum resource limit per group of databases
- C. Define the maximum of Database Transaction Units
- D. Define the maximum of the allocated storage
- E. Define the maximum size for a database

Answer: CE

NEW QUESTION 241

- (Exam Topic 3)

You need to recommend a solution that meets the file storage requirements for App2.

What should you deploy to the Azure subscription and the on-premises network? To answer, drag the appropriate services to the correct locations. Each service may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Services	Answer Area
Azure Blob Storage	Azure subscription: Service
Azure Data Box	On-premises network: Service
Azure Data Box Gateway	
Azure Data Lake Storage	
Azure File Sync	
Azure Files	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

Box 1: Azure Files

Scenario: App2 has the following file storage requirements:

- > Save files to an Azure Storage account.
- > Replicate files to an on-premises location.
- > Ensure that on-premises clients can read the files over the LAN by using the SMB protocol.

Box 2: Azure File Sync

Use Azure File Sync to centralize your organization's file shares in Azure Files, while keeping the flexibility, performance, and compatibility of an on-premises file server. Azure File Sync transforms Windows Server into a quick cache of your Azure file share. You can use any protocol that's available on Windows Server to access your data locally, including SMB, NFS, and FTPS. You can have as many caches as you need across the world.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/file-sync/file-sync-deployment-guide>

NEW QUESTION 246

- (Exam Topic 3)

You need to recommend an App Service architecture that meets the requirements for Appl. The solution must minimize costs. What should you recommend?

- A. one App Service Environment (ASE) per availability zone
- B. one App Service plan per availability zone
- C. one App Service plan per region
- D. one App Service Environment (ASE) per region

Answer: A

NEW QUESTION 248

- (Exam Topic 2)

You need to recommend a data storage strategy for WebApp1. What should you include in the recommendation?

- A. an Azure SQL Database elastic pool
- B. a vCore-based Azure SQL database
- C. an Azure virtual machine that runs SQL Server
- D. a fixed-size DTU AzureSQL database.

Answer: B

NEW QUESTION 251

- (Exam Topic 2)

You need to recommend a solution to meet the database retention requirement. What should you recommend?

- A. Configure a long-term retention policy for the database.
- B. Configure Azure Site Recovery.
- C. Configure geo replication of the database.
- D. Use automatic Azure SQL Database backups.

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/azure/azure-sql/database/long-term-retention-overview>

In Azure SQL Database, you can configure a database with a long-term backup retention policy (LTR) to automatically retain the database backups in separate Azure Blob storage containers for up to 10 years

NEW QUESTION 252

- (Exam Topic 1)

You plan to migrate DB1 and DB2 to Azure.

You need to ensure that the Azure database and the service tier meet the resiliency and business requirements. What should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Database:
 A single Azure SQL database
 Azure SQL Managed Instance
 An Azure SQL Database elastic pool

Service tier:
 Hyperscale
 Business Critical
 General Purpose

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Database:

A single Azure SQL database
Azure SQL Managed Instance
An Azure SQL Database elastic pool

Service tier:

Hyperscale
Business Critical
General Purpose

NEW QUESTION 253

- (Exam Topic 2)

To meet the authentication requirements of Fabrikam, what should you include in the solution? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Minimum number of Azure AD tenants:

0
1
2
3
4

Minimum number of custom domains to add:

0
1
2
3
4

Minimum number of conditional access policies to create:

0
1
2
3
4

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

1
1

NEW QUESTION 255

- (Exam Topic 2)

You need to recommend a strategy for the web tier of WebApp1. The solution must minimize What should you recommend?

- A. Create a runbook that resizes virtual machines automatically to a smaller size outside of business hours.
- B. Configure the Scale Up settings for a web app.
- C. Deploy a virtual machine scale set that scales out on a 75 percent CPU threshold.
- D. Configure the Scale Out settings for a web app.

Answer: A

NEW QUESTION 258

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual AZ-305 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the AZ-305 Product From:

<https://www.2passeasy.com/dumps/AZ-305/>

Money Back Guarantee

AZ-305 Practice Exam Features:

- * AZ-305 Questions and Answers Updated Frequently
- * AZ-305 Practice Questions Verified by Expert Senior Certified Staff
- * AZ-305 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AZ-305 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year