

Exam Questions 300-715

Implementing and Configuring Cisco Identity Services Engine (SISE)

<https://www.2passeasy.com/dumps/300-715/>



NEW QUESTION 1

Which personas can a Cisco ISE node assume?

- A. policy service, gatekeeping, and monitoring
- B. administration, monitoring, and gatekeeping
- C. administration, policy service, and monitoring
- D. administration, policy service, gatekeeping

Answer: C

Explanation:

Reference: https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_dis_deploy.html

NEW QUESTION 2

What occurs when a Cisco ISE distributed deployment has two nodes and the secondary node is deregistered?

- A. The secondary node restarts.
- B. The primary node restarts.
- C. Both nodes restart.
- D. The primary node becomes standalone.

Answer: C

NEW QUESTION 3

Which two features are available when the primary admin node is down and the secondary admin node has not been promoted? (Choose two.)

- A. new AD user 802.1X authentication
- B. hotspot
- C. posture
- D. guest AUP
- E. BYOD

Answer: BD

NEW QUESTION 4

Which supplicant(s) and server(s) are capable of supporting EAP-CHAINING?

- A. Cisco Secure Services Client and Cisco Access Control Server
- B. Cisco AnyConnect NAM and Cisco Identity Service Engine
- C. Cisco AnyConnect NAM and Cisco Access Control Server
- D. Windows Native Supplicant and Cisco Identity Service Engine

Answer: B

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/wireless-mobility/eap-fast/200322-Understanding-EAP-FAST-and-Chaining-imp.html>

NEW QUESTION 5

What is a requirement for Feed Service to work?

- A. TCP port 8080 must be opened between Cisco ISE and the feed server.
- B. Cisco ISE has access to an internal server to download feed update.
- C. Cisco ISE has a base license.
- D. Cisco ISE has Internet access to download feed update.

Answer: B

NEW QUESTION 6

Which RADIUS attribute is used to dynamically assign the Inactivity active timer for MAB users from the Cisco ISE node?

- A. session-timeout
- B. termination-action
- C. radius-server timeout
- D. idle-timeout

Answer: D

NEW QUESTION 7

Which command displays all 802.1X/MAB sessions that are active on the switch ports of a Cisco Catalyst switch?

- A. show authentication sessions interface Gi1/0/x output
- B. show authentication sessions
- C. show authentication sessions output
- D. show authentication sessions interface Gi 1/0/x

Answer: D

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/security/s1/sec-s1-xe-3se-3850-cr-book/sec-s1-xe-3se-3850-cr-book_chapter_01.html#wp3404908137

NEW QUESTION 8

What gives Cisco ISE an option to scan endpoints for vulnerabilities?

- A. authentication policy
- B. authorization profile
- C. authentication profile
- D. authorization policy

Answer: B

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/2-2/admin_guide/b_ise_admin_guide_22/b_ise_admin_guide_22_chapter_010100.html

NEW QUESTION 9

Which two values are compared by the binary comparison function in authentication that is based on Active Directory?

- A. user-presented certificate and a certificate stored in Active Directory
- B. MS-CHAPv2 provided machine credentials and credentials stored in Active Directory
- C. user-presented password hash and a hash stored in Active Directory
- D. subject alternative name and the common name

Answer: D

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/ISE-ADIntegrationDoc/b_ISE-ADIntegration.html

NEW QUESTION 10

What is needed to configure wireless guest access on the network?

- A. endpoint already profiled in ISE
- B. WEBAUTH ACL for redirection
- C. Captive Portal Bypass turned on
- D. valid user account in Active Directory

Answer: C

NEW QUESTION 10

Which two methods should a sponsor select to create bulk guest accounts from the sponsor portal? (Choose two.)

- A. Known
- B. Monthly
- C. Daily
- D. Imported
- E. Random

Answer: AE

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/sponsor_guide/b_spons_SponsorPortalUserGuide_13/b_spons_SponsorPortalUserGuide_13_chapter_01.html

NEW QUESTION 11

What is a valid guest portal type?

- A. Sponsor
- B. Sponsored-Guest
- C. Captive-Guest
- D. My Devices

Answer: B

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/admin_guide/b_ise_admin_guide_13/b_ise_admin_guide_sample_chapter_01111.html

NEW QUESTION 12

Which configuration is required in the Cisco ISE authentication policy to allow Central Web Authentication?

- A. MAB and if user not found, continue
- B. MAB and if authentication failed, continue
- C. Dot1x and if authentication failed, continue

D. Dot1x and if user not found, continue

Answer: A

NEW QUESTION 16

Which profiling probe collects the user-agent string?

- A. DHCP
- B. HTTP
- C. NMAP
- D. AD

Answer: B

NEW QUESTION 18

Which use case validates a change of authorization?

- A. An endpoint that is disconnected from the network is discovered.
- B. Endpoints are created through device registration for the guests.
- C. An endpoint profiling policy is changed for authorization policy.
- D. An authenticated, wired EAP-capable endpoint is discovered.

Answer: C

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/1-2/user_guide/ise_user_guide/ise_prof_pol.html

NEW QUESTION 22

Which default endpoint identity group does an endpoint that does not match any profile in Cisco ISE become a member of?

- A. blacklist
- B. unknown
- C. whitelist
- D. profiled
- E. endpoint

Answer: B

Explanation:

Reference: https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_man_identities.html

NEW QUESTION 25

What service can be enabled on the Cisco ISE node to identify the types of devices connecting to a network?

- A. profiling
- B. central web authentication
- C. MAB
- D. posture

Answer: A

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/2-1/admin_guide/b_ise_admin_guide_21/b_ise_admin_guide_20_chapter_010100.html

NEW QUESTION 26

Which two probes must be enabled for the ARP cache to function in the Cisco ISE profiling service so that a user can reliably bind the IP addresses and MAC addresses of endpoints? (Choose two.)

- A. SNMP
- B. HTTP
- C. RADIUS
- D. DHCP
- E. NetFlow

Answer: CD

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/2-1/admin_guide/b_ise_admin_guide_21/b_ise_admin_guide_20_chapter_010100.html

NEW QUESTION 29

Which two ports do network devices typically use for CoA? (Choose two.)

- A. 19005
- B. 443
- C. 3799
- D. 8080

E. 1700

Answer: CE

Explanation:

Reference: [https://documentation.meraki.com/MR/Encryption_and_Authentication/Change_of_Authorization_with_RADIUS_\(CoA\)_on_MR_Access_Points](https://documentation.meraki.com/MR/Encryption_and_Authentication/Change_of_Authorization_with_RADIUS_(CoA)_on_MR_Access_Points)

NEW QUESTION 30

During BYOD flow, from where does a Microsoft Windows PC download the Network Setup Assistant?

- A. Microsoft App Store
- B. Cisco App Store
- C. Cisco ISE directly
- D. Native OTA functionality

Answer: C

Explanation:

Reference: <https://ciscocustomer.lookbookhq.com/iseguidedjourney/BYOD-configuration>

NEW QUESTION 33

What allows an endpoint to obtain a digital certificate from Cisco ISE during a BYOD flow?

- A. Application Visibility and Control
- B. Supplicant Provisioning Wizard
- C. My Devices Portal
- D. Network Access Control

Answer: C

NEW QUESTION 37

Which protocol must be allowed for a BYOD device to access the BYOD portal?

- A. HTTPS
- B. HTTP
- C. SSH
- D. SMTP

Answer: A

NEW QUESTION 39

If a user reports a device lost or stolen, which portal should be used to prevent the device from accessing the network while still providing information about why the device is blocked?

- A. Client Provisioning
- B. BYOD
- C. Guest
- D. Blacklist

Answer: D

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/admin_guide/b_ise_admin_guide_13/b_ise_admin_guide_sample_chapter_010000.html

NEW QUESTION 41

Which Cisco ISE service allows an engineer to check the compliance of endpoints before connecting to the network?

- A. qualys
- B. posture
- C. personas
- D. nexpose

Answer: B

NEW QUESTION 42

What are two components of the posture requirement when configuring Cisco ISE posture? (Choose two.)

- A. Client Provisioning portal
- B. remediation actions
- C. updates
- D. access policy
- E. conditions

Answer: BE

NEW QUESTION 47

What must match between Cisco ISE and the network access device to successfully authenticate endpoints?

- A. shared secret
- B. profile
- C. certificate
- D. SNMP version

Answer: A

Explanation:

Reference: https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_man_network_devices.html

NEW QUESTION 52

Which two responses from the RADIUS server to NAS are valid during the authentication process? (Choose two.)

- A. access-challenge
- B. access-accept
- C. access-request
- D. access-reserved
- E. access-response

Answer: AB

NEW QUESTION 54

What is a characteristic of the UDP protocol?

- A. UDP can detect when a server is down.
- B. UDP can detect when a server is slow.
- C. UDP offers best-effort delivery.
- D. UDP offers information about a non-existent server.

Answer: C

NEW QUESTION 58

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 300-715 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 300-715 Product From:

<https://www.2passeasy.com/dumps/300-715/>

Money Back Guarantee

300-715 Practice Exam Features:

- * 300-715 Questions and Answers Updated Frequently
- * 300-715 Practice Questions Verified by Expert Senior Certified Staff
- * 300-715 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 300-715 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year