

## DOP-C02 Dumps

### AWS Certified DevOps Engineer - Professional

<https://www.certleader.com/DOP-C02-dumps.html>



**NEW QUESTION 1**

A company has multiple AWS accounts. The company uses AWS IAM Identity Center (AWS Single Sign-On) that is integrated with AWS Toolkit for Microsoft Azure DevOps. The attributes for access control feature is enabled in IAM Identity Center. The attribute mapping list contains two entries. The department key is mapped to `${path:enterprise.department}`. The costCenter key is mapped to `${path:enterprise.costCenter}`. All existing Amazon EC2 instances have a department tag that corresponds to three company departments (d1, d2, d3). A DevOps engineer must create policies based on the matching attributes. The policies must minimize administrative effort and must grant each Azure AD user access to only the EC2 instances that are tagged with the user's respective department name. Which condition key should the DevOps engineer include in the custom permissions policies to meet these requirements?

- A. 

```
"Condition": {
  "ForAllValues:StringEquals": {
    "aws:TagKeys": ["department"]
  }
}
```
- B. 

```
"Condition": {
  "StringEquals": {
    "aws:PrincipalTag/department": "${aws:ResourceTag/department}"
  }
}
```
- C. 

```
"Condition": {
  "StringEquals": {
    "ec2:ResourceTag/department": "${aws:PrincipalTag/department}"
  }
}
```
- D. 

```
"Condition": {
  "ForAllValues:StringEquals": {
    "ec2:ResourceTag/department": ["d1", "d2", "d3"]
  }
}
```

**Answer: C**

**Explanation:**

<https://docs.aws.amazon.com/singlesignon/latest/userguide/configure-abac.html>

**NEW QUESTION 2**

A company provides an application to customers. The application has an Amazon API Gateway REST API that invokes an AWS Lambda function. On initialization, the Lambda function loads a large amount of data from an Amazon DynamoDB table. The data load process results in long cold-start times of 8-10 seconds. The DynamoDB table has DynamoDB Accelerator (DAX) configured. Customers report that the application intermittently takes a long time to respond to requests. The application receives thousands of requests throughout the day. In the middle of the day, the application experiences 10 times more requests than at any other time of the day. Near the end of the day, the application's request volume decreases to 10% of its normal total. A DevOps engineer needs to reduce the latency of the Lambda function at all times of the day. Which solution will meet these requirements?

- A. Configure provisioned concurrency on the Lambda function with a concurrency value of 1. Delete the DAX cluster for the DynamoDB table.
- B. Configure reserved concurrency on the Lambda function with a concurrency value of 0.
- C. Configure provisioned concurrency on the Lambda function.
- D. Configure AWS Application Auto Scaling on the Lambda function with provisioned concurrency values set to a minimum of 1 and a maximum of 100.
- E. Configure reserved concurrency on the Lambda function.
- F. Configure AWS Application Auto Scaling on the API Gateway API with a reserved concurrency maximum value of 100.

**Answer: C**

**Explanation:**

The following are the steps that the DevOps engineer should take to reduce the latency of the Lambda function at all times of the day:

- Configure provisioned concurrency on the Lambda function.
- Configure AWS Application Auto Scaling on the Lambda function with provisioned concurrency values set to a minimum of 1 and a maximum of 100.

The provisioned concurrency setting ensures that there is always a minimum number of Lambda function instances available to handle requests. The Application Auto Scaling setting will automatically scale the number of Lambda function instances up or down based on the demand for the application.

This solution will ensure that the Lambda function is able to handle the increased load during the middle of the day, while also keeping the cold-start latency low. The following are the reasons why the other options are not correct:

- Option A is incorrect because it will not reduce the cold-start latency of the Lambda function.
- Option B is incorrect because it will not scale the number of Lambda function instances up or down based on demand.
- Option D is incorrect because it will only configure reserved concurrency on the API Gateway API, which will not affect the Lambda function.

**NEW QUESTION 3**

A company deploys updates to its Amazon API Gateway API several times a week by using an AWS CodePipeline pipeline. As part of the update process the company exports the JavaScript SDK for the API from the API Gateway console and uploads the SDK to an Amazon S3 bucket. The company has configured an Amazon CloudFront distribution that uses the S3 bucket as an origin. Web clients then download the SDK by using the CloudFront distribution's endpoint. A DevOps engineer needs to implement a solution to make the new SDK available automatically during new API deployments. Which solution will meet these requirements?

- A. Create a CodePipeline action immediately after the deployment stage of the API.
- B. Configure the action to invoke an AWS Lambda function.
- C. Configure the Lambda function to download the SDK from API Gateway, upload the SDK to the S3 bucket and create a CloudFront invalidation for the SDK path.
- D. Create a CodePipeline action immediately after the deployment stage of the API. Configure the action to use the CodePipeline integration with API Gateway to export the SDK to Amazon S3. Create another action that uses the CodePipeline integration with Amazon S3 to invalidate the cache for the SDK path.
- E. Create an Amazon EventBridge rule that reacts to UpdateStage events from aws:apigateway. Configure the rule to invoke an AWS Lambda function to download the SDK from API Gateway, upload the SDK to the S3 bucket and call the CloudFront API to create an invalidation for the SDK path.
- F. Create an Amazon EventBridge rule that reacts to CreateDeployment events from aws:apigateway. Configure the rule to invoke an AWS Lambda function to download the SDK from API Gateway, upload the SDK to the S3 bucket and call the S3 API to invalidate the cache for the SDK path.
- G. Create an Amazon EventBridge rule that reacts to CreateDeployment events from aws:apigateway. Configure the rule to invoke an AWS Lambda function to download the SDK from API Gateway, upload the SDK to the S3 bucket and call the S3 API to invalidate the cache for the SDK path.
- H. Deployment events from aws:apigateway. Configure the rule to invoke an AWS Lambda function to download the SDK from API Gateway, upload the SDK to the S3 bucket and call the S3 API to invalidate the cache for the SDK path.
- I. Gateway upload the SDK to the S3 bucket and call the S3 API to invalidate the cache for the SDK path.

**Answer:** A

**Explanation:**

This solution would allow the company to automate the process of updating the SDK and making it available to web clients. By adding a CodePipeline action immediately after the deployment stage of the API, the Lambda function will be invoked automatically each time the API is updated. The Lambda function should be able to download the new SDK from API Gateway, upload it to the S3 bucket and also create a CloudFront invalidation for the SDK path so that the latest version of the SDK is available for the web clients. This is the most straightforward solution and it will meet the requirements.

**NEW QUESTION 4**

A company uses AWS CodeArtifact to centrally store Python packages. The CodeArtifact repository is configured with the following repository policy.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Action": [
        "codeartifact:DescribePackageVersion",
        "codeartifact:DescribeRepository",
        "codeartifact:GetPackageVersionReadme",
        "codeartifact:GetRepositoryEndpoint",
        "codeartifact:ListPackageVersionAssets",
        "codeartifact:ListPackageVersionDependencies",
        "codeartifact:ListPackageVersions",
        "codeartifact:ListPackages",
        "codeartifact:ReadFromRepository"
      ],
      "Effect": "Allow",
      "Resource": "*",
      "Principal": "*",
      "Condition": {
        "StringEquals": {
          "aws:PrincipalOrgID": [
            "o-xxxxxxxxxxxx"
          ]
        }
      }
    }
  ]
}
```

A development team is building a new project in an account that is in an organization in AWS Organizations. The development team wants to use a Python library that has already been stored in the CodeArtifact repository in the organization. The development team uses AWS CodePipeline and AWS CodeBuild to build the new application. The CodeBuild job that the development team uses to build the application is configured to run in a VPC. Because of compliance requirements, the VPC has no internet connectivity.

The development team creates the VPC endpoints for CodeArtifact and updates the CodeBuild buildspec.yml file. However, the development team cannot download the Python library from the repository.

Which combination of steps should a DevOps engineer take so that the development team can use CodeArtifact? (Select TWO.)

- A. Create an Amazon S3 gateway endpoint. Update the route tables for the subnets that are running the CodeBuild job.
- B. Update the repository policy's Principal statement to include the ARN of the role that the CodeBuild project uses.
- C. Share the CodeArtifact repository with the organization by using AWS Resource Access Manager (AWS RAM).
- D. Update the role that the CodeBuild project uses so that the role has sufficient permissions to use the CodeArtifact repository.
- E. Specify the account that hosts the repository as the delegated administrator for CodeArtifact in the organization.

**Answer:** AD

**Explanation:**

"AWS CodeArtifact operates in multiple Availability Zones and stores artifact data and metadata in Amazon S3 and Amazon DynamoDB. Your encrypted data is redundantly stored across multiple facilities and multiple devices in each facility, making it highly available and highly durable."

<https://aws.amazon.com/codeartifact/features/> With no internet connectivity, a gateway endpoint becomes necessary to access S3.

#### NEW QUESTION 5

A company has deployed an application in a production VPC in a single AWS account. The application is popular and is experiencing heavy usage. The company's security team wants to add additional security, such as AWS WAF, to the application deployment. However, the application's product manager is concerned about cost and does not want to approve the change unless the security team can prove that additional security is necessary. The security team believes that some of the application's demand might come from users that have IP addresses that are on a deny list. The security team provides the deny list to a DevOps engineer. If any of the IP addresses on the deny list access the application, the security team wants to receive automated notification in near real time so that the security team can document that the application needs additional security. The DevOps engineer creates a VPC flow log for the production VPC.

Which set of additional steps should the DevOps engineer take to meet these requirements MOST cost-effectively?

- A. Create a log group in Amazon CloudWatch Log
- B. Configure the VPC flow log to capture accepted traffic and to send the data to the log grou
- C. Create an Amazon CloudWatch metric filter for IP addresses on the deny lis
- D. Create a CloudWatch alarm with the metric filter as input
- E. Set the period to 5 minutes and the datapoints to alarm to 1. Use an Amazon Simple Notification Service (Amazon SNS) topic to send alarm notices to the security team.
- F. Create an Amazon S3 bucket for log file
- G. Configure the VPC flow log to capture all traffic and to send the data to the S3 bucke
- H. Configure Amazon Athena to return all log files in the S3 bucket for IP addresses on the deny lis
- I. Configure Amazon QuickSight to accept data from Athena and to publish the data as a dashboard that the security team can acces
- J. Create a threshold alert of 1 for successful acces
- K. Configure the alert to automatically notify the security team as frequently as possible when the alert threshold is met.
- L. Create an Amazon S3 bucket for log file
- M. Configure the VPC flow log to capture accepted traffic and to send the data to the S3 bucke
- N. Configure an Amazon OpenSearch Service cluster and domain for the log file
- O. Create an AWS Lambda function to retrieve the logs from the S3 bucket, format the logs, and load the logs into the OpenSearch Service cluste
- P. Schedule the Lambda function to run every 5 minute
- Q. Configure an alert and condition in OpenSearch Service to send alerts to the security team through an Amazon Simple Notification Service (Amazon SNS) topic when access from the IP addresses on the deny list is detected.
- R. Create a log group in Amazon CloudWatch Log
- S. Create an Amazon S3 bucket to hold query results. Configure the VPC flow log to capture all traffic and to send the data to the log grou
- T. Deploy an Amazon Athena CloudWatch connector in AWS Lambd
- . Connect the connector to the log grou
- . Configure Athena to periodically query for all accepted traffic from the IP addresses on the deny list and to store the results in the S3 bucke
- . Configure an S3 event notification to automatically notify the security team through an Amazon Simple Notification Service (Amazon SNS) topic when new objects are added to the S3 bucket.

**Answer:** A

#### NEW QUESTION 6

A development team uses AWS CodeCommit for version control for applications. The development team uses AWS CodePipeline, AWS CodeBuild, and AWS CodeDeploy for CI/CD infrastructure. In CodeCommit, the development team recently merged pull requests that did not pass long-running tests in the code base. The development team needed to perform rollbacks to branches in the codebase, resulting in lost time and wasted effort.

A DevOps engineer must automate testing of pull requests in CodeCommit to ensure that reviewers more easily see the results of automated tests as part of the pull request review.

What should the DevOps engineer do to meet this requirement?

- A. Create an Amazon EventBridge rule that reacts to the pullRequestStatusChanged even
- B. Create an AWS Lambda function that invokes a CodePipeline pipeline with a CodeBuild action that runs the tests for the applicatio
- C. Program the Lambda function to post the CodeBuild badge as a comment on the pull request so that developers will see the badge in their code review.
- D. Create an Amazon EventBridge rule that reacts to the pullRequestCreated even
- E. Create an AWS Lambda function that invokes a CodePipeline pipeline with a CodeBuild action that runs the tests for the applicatio
- F. Program the Lambda function to post the CodeBuild test results as a comment on the pull request when the test results are complete.
- G. Create an Amazon EventBridge rule that reacts to pullRequestCreated and pullRequestSourceBranchUpdated event
- H. Create an AWS Lambda function that invokes a CodePipeline pipeline with a CodeBuild action that runs the tests for the applicatio
- I. Program the Lambda function to post the CodeBuild badge as a comment on the pull request so that developers will see the badge in their code review.
- J. Create an Amazon EventBridge rule that reacts to the pullRequestStatusChanged even
- K. Create an AWS Lambda function that invokes a CodePipeline pipeline with a CodeBuild action that runs the tests for the applicatio
- L. Program the Lambda function to post the CodeBuild test results as a comment on the pullrequest when the test results are complete.

**Answer:** B

#### Explanation:

<https://aws.amazon.com/es/blogs/devops/complete-ci-cd-with-aws-codecommit-aws-codebuild-aws-codedeploy>

#### NEW QUESTION 7

A DevOps engineer has automated a web service deployment by using AWS CodePipeline with the following steps:

- 1) An AWS CodeBuild project compiles the deployment artifact and runs unit tests.
- 2) An AWS CodeDeploy deployment group deploys the web service to Amazon EC2 instances in the staging environment.
- 3) A CodeDeploy deployment group deploys the web service to EC2 instances in the production environment. The quality assurance (QA) team requests permission to inspect the build artifact before the deployment to the production environment occurs. The QA team wants to run an internal penetration testing tool to conduct manual tests. The tool will be invoked by a REST API call.

Which combination of actions should the DevOps engineer take to fulfill this request? (Choose two.)

- A. Insert a manual approval action between the test actions and deployment actions of the pipeline.
- B. Modify the buildspec.yml file for the compilation stage to require manual approval before completion.
- C. Update the CodeDeploy deployment groups so that they require manual approval to proceed.

- D. Update the pipeline to directly call the REST API for the penetration testing tool.
- E. Update the pipeline to invoke an AWS Lambda function that calls the REST API for the penetration testing tool.

**Answer:** AE

#### NEW QUESTION 8

A company requires an RPO of 2 hours and an RTO of 10 minutes for its data and application at all times. An application uses a MySQL database and Amazon EC2 web servers. The development team needs a strategy for failover and disaster recovery. Which combination of deployment strategies will meet these requirements? (Select TWO.)

- A. Create an Amazon Aurora cluster in one Availability Zone across multiple Regions as the data store Use Aurora's automatic recovery capabilities in the event of a disaster
- B. Create an Amazon Aurora global database in two Regions as the data stor
- C. In the event of a failure promote the secondary Region as the primary for the application.
- D. Create an Amazon Aurora multi-master cluster across multiple Regions as the data stor
- E. Use a Network Load Balancer to balance the database traffic in different Regions.
- F. Set up the application in two Regions and use Amazon Route 53 failover-based routing that points to the Application Load Balancers in both Region
- G. Use health checks to determine the availability in a givenRegio
- H. Use Auto Scaling groups in each Region to adjust capacity based on demand.
- I. Set up the application m two Regions and use a multi-Region Auto Scaling group behind Application Load Balancers to manage the capacity based on deman
- J. In the event of a disaster adjust the Auto Scaling group's desired instance count to increase baseline capacity in the failover Region.

**Answer:** BD

#### NEW QUESTION 9

A large enterprise is deploying a web application on AWS. The application runs on Amazon EC2 instances behind an Application Load Balancer. The instances run in an Auto Scaling group across multiple Availability Zones. The application stores data in an Amazon RDS for Oracle DB instance and Amazon DynamoDB. There are separate environments for development testing and production. What is the MOST secure and flexible way to obtain password credentials during deployment?

- A. Retrieve an access key from an AWS Systems Manager securestring parameter to access AWS services.Retrieve the database credentials from a Systems Manager SecureString parameter.
- B. Launch the EC2 instances with an EC2 1AM role to access AWS services Retrieve the database credentials from AWS Secrets Manager.
- C. Retrieve an access key from an AWS Systems Manager plaintext parameter to access AWS services.Retrieve the database credentials from a Systems Manager SecureString parameter.
- D. Launch the EC2 instances with an EC2 1AM role to access AWS services Store the database passwords in an encrypted config file with the application artifacts.

**Answer:** B

#### Explanation:

AWS Secrets Manager is a secrets management service that helps you protect access to your applications, services, and IT resources. This service enables you to easily rotate, manage, and retrieve database credentials, API keys, and other secrets throughout their lifecycle. Using Secrets Manager, you can secure and manage secrets used to access resources in the AWS Cloud, on third-party services, and on-premises. SSM parameter store and AWS Secret manager are both a secure option. However, Secrets manager is more flexible and has more options like password generation. Reference: <https://www.1strategy.com/blog/2019/02/28/aws-parameter-store-vs-aws-secrets-manager/>

#### NEW QUESTION 10

A company is adopting AWS CodeDeploy to automate its application deployments for a Java-Apache Tomcat application with an Apache Webserver. The development team started with a proof of concept, created a deployment group for a developer environment, and performed functional tests within the application. After completion, the team will create additional deployment groups for staging and production. The current log level is configured within the Apache settings, but the team wants to change this configuration dynamically when the deployment occurs, so that they can set different log level configurations depending on the deployment group without having a different application revision for each group. How can these requirements be met with the LEAST management overhead and without requiring different script versions for each deployment group?

- A. Tag the Amazon EC2 instances depending on the deployment grou
- B. Then place a script into the application revision that calls the metadata service and the EC2 API to identify which deployment group the instance is part o
- C. Use this information to configure the log level setting
- D. Reference the script as part of the AfterInstall lifecycle hook in the appspec.yml file.
- E. Create a script that uses the CodeDeploy environment variable DEPLOYMENT\_GROUP\_NAME to identify which deployment group the instance is part o
- F. Use this information to configure the log level setting
- G. Reference this script as part of the BeforeInstall lifecycle hook in the appspec.yml file.
- H. Create a CodeDeploy custom environment variable for each environmen
- I. Then place a script into the application revision that checks this environment variable to identify which deployment group the instance is part o
- J. Use this information to configure the log level setting
- K. Reference this script as part of the ValidateService lifecycle hook in the appspec.yml file.
- L. Create a script that uses the CodeDeploy environment variable DEPLOYMENT\_GROUP\_ID to identify which deployment group the instance is part of to configure the log level setting
- M. Reference this script as part of the Install lifecycle hook in the appspec.yml file.

**Answer:** B

#### Explanation:

The following are the steps that the company can take to change the log level dynamically when the deployment occurs:

- Create a script that uses the CodeDeploy environment variable DEPLOYMENT\_GROUP\_NAME to identify which deployment group the instance is part of.
- Use this information to configure the log level settings.
- Reference this script as part of the BeforeInstall lifecycle hook in the appspec.yml file.

The DEPLOYMENT\_GROUP\_NAME environment variable is automatically set by CodeDeploy when the deployment is triggered. This means that the script does not need to call the metadata service or the EC2 API to identify the deployment group.

This solution is the least complex and requires the least management overhead. It also does not require different script versions for each deployment group. The following are the reasons why the other options are not correct:

- Option A is incorrect because it would require tagging the Amazon EC2 instances, which would be a manual and time-consuming process.
- Option C is incorrect because it would require creating a custom environment variable for each environment. This would be a complex and error-prone process.
- Option D is incorrect because it would use the `DEPLOYMENT_GROUP_ID` environment variable.

However, this variable is not automatically set by CodeDeploy, so the script would need to call the metadata service or the EC2 API to get the deployment group ID. This would add complexity and overhead to the solution.

#### NEW QUESTION 10

A company runs an application on Amazon EC2 instances. The company uses a series of AWS CloudFormation stacks to define the application resources. A developer performs updates by building and testing the application on a laptop and then uploading the build output and CloudFormation stack templates to Amazon S3. The developer's peers review the changes before the developer performs the CloudFormation stack update and installs a new version of the application onto the EC2 instances.

The deployment process is prone to errors and is time-consuming when the developer updates each EC2 instance with the new application. The company wants to automate as much of the application deployment process as possible while retaining a final manual approval step before the modification of the application or resources.

The company already has moved the source code for the application and the CloudFormation templates to AWS CodeCommit. The company also has created an AWS CodeBuild project to build and test the application.

Which combination of steps will meet the company's requirements? (Choose two.)

- A. Create an application group and a deployment group in AWS CodeDeplo
- B. Install the CodeDeploy agent on the EC2 instances.
- C. Create an application revision and a deployment group in AWS CodeDeplo
- D. Create an environment in CodeDeplo
- E. Register the EC2 instances to the CodeDeploy environment.
- F. Use AWS CodePipeline to invoke the CodeBuild job, run the CloudFormation update, and pause for a manual approval ste
- G. After approval, start the AWS CodeDeploy deployment.
- H. Use AWS CodePipeline to invoke the CodeBuild job, create CloudFormation change sets for each of the application stacks, and pause for a manual approval ste
- I. After approval, run the CloudFormation change sets and start the AWS CodeDeploy deployment.
- J. Use AWS CodePipeline to invoke the CodeBuild job, create CloudFormation change sets for each of the application stacks, and pause for a manual approval ste
- K. After approval, start the AWS CodeDeploy deployment.

**Answer:** AD

#### Explanation:

A- <https://docs.aws.amazon.com/codedeploy/latest/userguide/codedeploy-agent.html> D - This option correctly utilizes AWS CodePipeline to invoke the CodeBuild job and create CloudFormation change sets. It adds a manual approval step before executing the change sets and starting the AWS CodeDeploy deployment. This ensures that the deployment process is automated while retaining the final manual approval step.

#### NEW QUESTION 13

A DevOps team is merging code revisions for an application that uses an Amazon RDS Multi-AZ DB cluster for its production database. The DevOps team uses continuous integration to periodically verify that the application works. The DevOps team needs to test the changes before the changes are deployed to the production database.

Which solution will meet these requirements'?

- A. Use a buildspec file in AWS CodeBuild to restore the DB cluster from a snapshot of the production database run integration tests, and drop the restored database after verification.
- B. Deploy the application to productio
- C. Configure an audit log of data control language (DCL) operations to capture database activities to perform if verification fails.
- D. Create a snapshot of the DB duster before deploying the application Use the Update requires Replacement property on the DB instance in AWS CloudFormation to deploy the application and apply the changes.
- E. Ensure that the DB cluster is a Multi-AZ deploymen
- F. Deploy the application with the update
- G. Fail over to the standby instance if verification fails.

**Answer:** A

#### Explanation:

This solution will meet the requirements because it will create a temporary copy of the production database using a snapshot, run the integration tests on the copy, and delete the copy after the tests are done. This way, the production database will not be affected by the code revisions, and the DevOps team can test the changes before deploying them to production. A buildspec file is a YAML file that contains the commands and settings that CodeBuild uses to run a build1. The buildspec file can specify the steps to restore the DB cluster from a snapshot, run the integration tests, and drop the restored database2

#### NEW QUESTION 18

A DevOps engineer is architecting a continuous development strategy for a company's software as a service (SaaS) web application running on AWS. For application and security reasons users subscribing to this application are distributed across multiple. Application Load Balancers (ALBs) each of which has a dedicated Auto Scaling group and fleet of Amazon EC2 instances The application does not require a build stage and when it is committed to AWS CodeCommit, the application must trigger a simultaneous deployment to all ALBs Auto Scaling groups and EC2 fleets.

Which architecture will meet these requirements with the LEAST amount of configuration?

- A. Create a single AWS CodePipeline pipeline that deploys the application in parallel using unique AWS CodeDeploy applications and deployment groups created for each ALB-Auto Scaling group pair.
- B. Create a single AWS CodePipeline pipeline that deploys the application using a single AWSCodeDeploy application and single deployment group.
- C. Create a single AWS CodePipeline pipeline that deploys the application in parallel using a single AWS CodeDeploy application and unique deployment group for each ALB-Auto Scaling group pair.
- D. Create an AWS CodePipeline pipeline for each ALB-Auto Scaling group pair that deploys the application using an AWS CodeDeploy application and

deployment group created for the same ALB-Auto Scaling group pair.

**Answer:** C

**Explanation:**

<https://docs.aws.amazon.com/codedeploy/latest/userguide/deployment-groups.html>

#### NEW QUESTION 23

A company is divided into teams. Each team has an AWS account and all the accounts are in an organization in AWS Organizations. Each team must retain full administrative rights to its AWS account. Each team also must be allowed to access only AWS services that the company approves for use. AWS services must gain approval through a request and approval process.

How should a DevOps engineer configure the accounts to meet these requirements?

- A. Use AWS CloudFormation StackSets to provision IAM policies in each account to deny access to restricted AWS service.
- B. In each account, configure AWS Config rules that ensure that the policies are attached to IAM principals in the account.
- C. Use AWS Control Tower to provision the accounts into OUs within the organization. Configure AWS Control Tower to enable AWS IAM Identity Center (AWS Single Sign-On). Configure IAM Identity Center to provide administrative access. Include deny policies on user roles for restricted AWS services.
- D. Place all the accounts under a new top-level OU within the organization. Create an SCP that denies access to restricted AWS services. Attach the SCP to the OU.
- E. Create an SCP that allows access to only approved AWS service.
- F. Attach the SCP to the root OU of the organization.
- G. Remove the FullAWSAccess SCP from the root OU of the organization.

**Answer:** C

**Explanation:**

<https://docs.aws.amazon.com/vpc/latest/userguide/managed-prefix-lists.html> A managed prefix list is a set of one or more CIDR blocks. You can use prefix lists to make it easier to configure and maintain your security groups and route tables. <https://docs.aws.amazon.com/vpc/latest/userguide/sharing-managed-prefix-lists.html> With AWS Resource Access Manager (AWS RAM), the owner of a prefix list can share a prefix list with the following: Specific AWS accounts inside or outside of its organization in AWS Organizations. An organizational unit inside its organization in AWS Organizations. An entire organization in AWS Organizations.

#### NEW QUESTION 28

A company uses AWS Storage Gateway in file gateway mode in front of an Amazon S3 bucket that is used by multiple resources. In the morning when business begins, users do not see the objects processed by a third party the previous evening. When a DevOps engineer looks directly at the S3 bucket, the data is there, but it is missing in Storage Gateway.

Which solution ensures that all the updated third-party files are available in the morning?

- A. Configure a nightly Amazon EventBridge event to invoke an AWS Lambda function to run the RefreshCache command for Storage Gateway.
- B. Instruct the third party to put data into the S3 bucket using AWS Transfer for SFTP.
- C. Modify Storage Gateway to run in volume gateway mode.
- D. Use S3 Same-Region Replication to replicate any changes made directly in the S3 bucket to Storage Gateway.

**Answer:** A

**Explanation:**

[https://docs.aws.amazon.com/storagegateway/latest/APIReference/API\\_RefreshCache.html](https://docs.aws.amazon.com/storagegateway/latest/APIReference/API_RefreshCache.html) "It only updates the cached inventory to reflect changes in the inventory of the objects in the S3 bucket. This operation is only supported in the S3 File Gateway types."

#### NEW QUESTION 30

An ecommerce company is receiving reports that its order history page is experiencing delays in reflecting the processing status of orders. The order processing system consists of an AWS Lambda function that uses reserved concurrency. The Lambda function processes order messages from an Amazon Simple Queue Service (Amazon SQS) queue and inserts processed orders into an Amazon DynamoDB table. The DynamoDB table has auto scaling enabled for read and write capacity.

Which actions should a DevOps engineer take to resolve this delay? (Choose two.)

- A. Check the ApproximateAgeOfOldestMessage metric for the SQS queue.
- B. Increase the Lambda function concurrency limit.
- C. Check the ApproximateAgeOfOldestMessage metric for the SQS queue. Configure a redrive policy on the SQS queue.
- D. Check the NumberOfMessagesSent metric for the SQS queue.
- E. Increase the SQS queue visibility timeout.
- F. Check the WriteThrottleEvents metric for the DynamoDB table.
- G. Increase the maximum write capacity units (WCUs) for the table's scaling policy.
- H. Check the Throttles metric for the Lambda function.
- I. Increase the Lambda function timeout.

**Answer:** AD

**Explanation:**

A: If the ApproximateAgeOfOldestMessages indicate that orders are remaining in the SQS queue for longer than expected, the reserved concurrency limit may be set too small to keep up with the number of orders entering the queue and is being throttled. D: The DynamoDB table is using Auto Scaling. With Auto Scaling, you create a scaling policy that specifies whether you want to scale read capacity or write capacity (or both), and the minimum and maximum provisioned capacity unit settings for the table. The ThrottledWriteRequests metric will indicate if there is a throttling issue on the DynamoDB table, which can be resolved by increasing the maximum write capacity units for the table's Auto Scaling policy. <https://docs.aws.amazon.com/amazondynamodb/latest/developerguide/AutoScaling.html>

#### NEW QUESTION 33

A company must encrypt all AMIs that the company shares across accounts. A DevOps engineer has access to a source account where an unencrypted custom AMI has been built. The DevOps engineer also has access to a target account where an Amazon EC2 Auto Scaling group will launch EC2 instances from the AMI. The DevOps engineer must share the AMI with the target account.

The company has created an AWS Key Management Service (AWS KMS) key in the source account. Which additional steps should the DevOps engineer perform?

to meet the requirements? (Choose three.)

- A. In the source account, copy the unencrypted AMI to an encrypted AM
- B. Specify the KMS key in the copy action.
- C. In the source account, copy the unencrypted AMI to an encrypted AM
- D. Specify the default Amazon Elastic Block Store (Amazon EBS) encryption key in the copy action.
- E. In the source account, create a KMS grant that delegates permissions to the Auto Scaling group service-linked role in the target account.
- F. In the source account, modify the key policy to give the target account permissions to create a gran
- G. In the target account, create a KMS grant that delegates permissions to the Auto Scaling groupservice-linked role.
- H. In the source account, share the unencrypted AMI with the target account.
- I. In the source account, share the encrypted AMI with the target account.

**Answer:** ADF

**Explanation:**

The Auto Scaling group service-linked role must have a specific grant in the source account in order to decrypt the encrypted AMI. This is because the service-linked role does not have permissions to assume the default IAM role in the source account.

The following steps are required to meet the requirements:

- In the source account, copy the unencrypted AMI to an encrypted AMI. Specify the KMS key in the copy action.
- In the source account, create a KMS grant that delegates permissions to the Auto Scaling group service-linked role in the target account.
- In the source account, share the encrypted AMI with the target account.
- In the target account, attach the KMS grant to the Auto Scaling group service-linked role.

The first three steps are the same as the steps that I described earlier. The fourth step is required to grant the Auto Scaling group service-linked role permissions to decrypt the AMI in the target account.

**NEW QUESTION 38**

A company wants to ensure that their EC2 instances are secure. They want to be notified if any new vulnerabilities are discovered on their instances and they also want an audit trail of all login activities on the instances.

Which solution will meet these requirements'?

- A. Use AWS Systems Manager to detect vulnerabilities on the EC2 instances Install the Amazon Kinesis Agent to capture system logs and deliver them to Amazon S3.
- B. Use AWS Systems Manager to detect vulnerabilities on the EC2 instances Install the Systems Manager Agent to capture system logs and view login activity in the CloudTrail console.
- C. Configure Amazon CloudWatch to detect vulnerabilities on the EC2 instances Install the AWS Config daemon to capture system logs and view them in the AWS Config console.
- D. Configure Amazon Inspector to detect vulnerabilities on the EC2 instances Install the Amazon CloudWatch Agent to capture system logs and record them via Amazon CloudWatch Logs.

**Answer:** D

**Explanation:**

This solution will meet the requirements because it will use Amazon Inspector to scan the EC2 instances for any new vulnerabilities and generate findings that can be viewed in the Inspector console or sent as notifications via Amazon Simple Notification Service (SNS). It will also use the Amazon CloudWatch Agent to collect and send system logs from the EC2 instances to Amazon CloudWatch Logs, where they can be stored, searched, and analyzed. The system logs can provide an audit trail of all login activities on the instances, as well as other useful information such as performance metrics, errors, and events.

<https://docs.aws.amazon.com/inspector/latest/user/what-is-inspector.html>

**NEW QUESTION 40**

A development team manually builds an artifact locally and then places it in an Amazon S3 bucket. The application has a local cache that must be cleared when a deployment occurs. The team runs a command to do this downloads the artifact from Amazon S3 and unzips the artifact to complete the deployment.

A DevOps team wants to migrate to a CI/CD process and build in checks to stop and roll back the deployment when a failure occurs. This requires the team to track the progression of the deployment.

Which combination of actions will accomplish this? (Select THREE)

- A. Allow developers to check the code into a code repository Using Amazon EventBridge on every pull into the mam branch invoke an AWS Lambda function to build the artifact and store it in Amazon S3.
- B. Create a custom script to clear the cache Specify the script in the BeforeInstall lifecycle hook in the AppSpec file.
- C. Create user data for each Amazon EC2 instance that contains the clear cache script Once deployed test the application If it is not successful deploy it again.
- D. Set up AWS CodePipeline to deploy the application Allow developers to check the code into a code repository as a source for the pipeline.
- E. Use AWS CodeBuild to build the artifact and place it in Amazon S3 Use AWS CodeDeploy to deploy the artifact to Amazon EC2 instances.
- F. Use AWS Systems Manager to fetch the artifact from Amazon S3 and deploy it to all the instances.

**Answer:** BDE

**NEW QUESTION 44**

A company's DevOps engineer is working in a multi-account environment. The company uses AWS Transit Gateway to route all outbound traffic through a network operations account. In the network operations account all account traffic passes through a firewall appliance for inspection before the traffic goes to an internet gateway.

The firewall appliance sends logs to Amazon CloudWatch Logs and includes event severities of CRITICAL, HIGH, MEDIUM, LOW, and INFO. The security team wants to receive an alert if any CRITICAL events occur.

What should the DevOps engineer do to meet these requirements?

- A. Create an Amazon CloudWatch Synthetics canary to monitor the firewall stat
- B. If the firewall reaches a CRITICAL state or logs a CRITICAL event use a CloudWatch alarm to publish a notification to an Amazon Simple Notification Service (Amazon SNS) topic Subscribe the security team's email address to the topic.
- C. Create an Amazon CloudWatch metric filter by using a search for CRITICAL events Publish a custom metric for the findin
- D. Use a CloudWatch alarm based on the custom metric to publish a notification to an Amazon Simple Notification Service (Amazon SNS) topi

- E. Subscribe the security team's email address to the topic.
- F. Enable Amazon GuardDuty in the network operations account
- G. Configure GuardDuty to monitor flow logs Create an Amazon EventBridge event rule that is invoked by GuardDuty events that are CRITICAL Define an Amazon Simple Notification Service (Amazon SNS) topic as a target Subscribe the security team's email address to the topic.
- H. Use AWS Firewall Manager to apply consistent policies across all account
- I. Create an Amazon.EventBridge event rule that is invoked by Firewall Manager events that are CRITICAL Define an Amazon Simple Notification Service (Amazon SNS) topic as a target Subscribe the security team's email address to the topic.

**Answer:** B

**Explanation:**

"The firewall appliance sends logs to Amazon CloudWatch Logs and includes event severities of CRITICAL, HIGH, MEDIUM, LOW, and INFO"

**NEW QUESTION 46**

A company has migrated its container-based applications to Amazon EKS and want to establish automated email notifications. The notifications sent to each email address are for specific activities related to EKS components. The solution will include Amazon SNS topics and an AWS Lambda function to evaluate incoming log events and publish messages to the correct SNS topic.

Which logging solution will support these requirements?

- A. Enable Amazon CloudWatch Logs to log the EKS component
- B. Create a CloudWatch subscription filter for each component with Lambda as the subscription feed destination.
- C. Enable Amazon CloudWatch Logs to log the EKS component
- D. Create CloudWatch Logs Insights queries linked to Amazon EventBridge events that invoke Lambda.
- E. Enable Amazon S3 logging for the EKS component
- F. Configure an Amazon CloudWatch subscription filter for each component with Lambda as the subscription feed destination.
- G. Enable Amazon S3 logging for the EKS component
- H. Configure S3 PUT Object event notifications with AWS Lambda as the destination.

**Answer:** A

**Explanation:**

<https://docs.aws.amazon.com/AmazonCloudWatch/latest/logs/SubscriptionFilters.html#LambdaFunctionExamp>

<https://docs.aws.amazon.com/AmazonCloudWatch/latest/logs/SubscriptionFilters.html>

**NEW QUESTION 47**

A company has an organization in AWS Organizations. The organization includes workload accounts that contain enterprise applications. The company centrally manages users from an operations account. No users can be created in the workload accounts. The company recently added an operations team and must provide the operations team members with administrator access to each workload account.

Which combination of actions will provide this access? (Choose three.)

- A. Create a SysAdmin role in the operations account
- B. Attach the AdministratorAccess policy to the role.Modify the trust relationship to allow the sts:AssumeRole action from the workload accounts.
- C. Create a SysAdmin role in each workload account
- D. Attach the AdministratorAccess policy to the role.Modify the trust relationship to allow the sts:AssumeRole action from the operations account.
- E. Create an Amazon Cognito identity pool in the operations account
- F. Attach the SysAdmin role as an authenticated role.
- G. In the operations account, create an IAM user for each operations team member.
- H. In the operations account, create an IAM user group that is named SysAdmin
- I. Add an IAM policy that allows the sts:AssumeRole action for the SysAdmin role in each workload account
- J. Add all operations team members to the group.
- K. Create an Amazon Cognito user pool in the operations account
- L. Create an Amazon Cognito user for each operations team member.

**Answer:** BDE

**Explanation:**

[https://docs.aws.amazon.com/IAM/latest/UserGuide/tutorial\\_cross-account-with-roles.html](https://docs.aws.amazon.com/IAM/latest/UserGuide/tutorial_cross-account-with-roles.html)

**NEW QUESTION 51**

A company that uses electronic health records is running a fleet of Amazon EC2 instances with an Amazon Linux operating system. As part of patient privacy requirements, the company must ensure continuous compliance for patches for operating system and applications running on the EC2 instances.

How can the deployments of the operating system and application patches be automated using a default and custom repository?

- A. Use AWS Systems Manager to create a new patch baseline including the custom repositor
- B. Run the AWS-RunPatchBaseline document using the run command to verify and install patches.
- C. Use AWS Direct Connect to integrate the corporate repository and deploy the patches using Amazon CloudWatch scheduled events, then use the CloudWatch dashboard to create reports.
- D. Use yum-config-manager to add the custom repository under /etc/yum.repos.d and run yum-config-manager-enable to activate the repository.
- E. Use AWS Systems Manager to create a new patch baseline including the corporate repositor
- F. Run the AWS-AmazonLinuxDefaultPatchBaseline document using the run command to verify and install patches.

**Answer:** A

**Explanation:**

<https://docs.aws.amazon.com/systems-manager/latest/userguide/patch-manager-how-it-works-alt-source-reposit>

**NEW QUESTION 55**

A company has developed an AWS Lambda function that handles orders received through an API. The company is using AWS CodeDeploy to deploy the Lambda function as the final stage of a CI/CD pipeline.

A DevOps engineer has noticed there are intermittent failures of the ordering API for a few seconds after deployment. After some investigation the DevOps engineer believes the failures are due to database changes not having fully propagated before the Lambda function is invoked. How should the DevOps engineer overcome this?

- A. Add a BeforeAllowTraffic hook to the AppSpec file that tests and waits for any necessary database changes before traffic can flow to the new version of the Lambda function.
- B. Add an AfterAllowTraffic hook to the AppSpec file that forces traffic to wait for any pending database changes before allowing the new version of the Lambda function to respond.
- C. Add a BeforeAllowTraffic hook to the AppSpec file that tests and waits for any necessary database changes before deploying the new version of the Lambda function.
- D. Add a validateService hook to the AppSpec file that inspects incoming traffic and rejects the payload if dependent services such as the database are not yet ready.

**Answer:** A

**Explanation:**

<https://docs.aws.amazon.com/codedeploy/latest/userguide/reference-appspec-file-structure-hooks.html#appspec>

**NEW QUESTION 57**

A company uses AWS Organizations to manage multiple accounts. Information security policies require that all unencrypted Amazon EBS volumes be marked as non-compliant. A DevOps engineer needs to automatically deploy the solution and ensure that this compliance check is always present. Which solution will accomplish this?

- A. Create an AWS CloudFormation template that defines an AWS Inspector rule to check whether EBS encryption is enable
- B. Save the template to an Amazon S3 bucket that has been shared with all accounts within the compan
- C. Update the account creation script pointing to the CloudFormation template in Amazon S3.
- D. Create an AWS Config organizational rule to check whether EBS encryption is enabled and deploy the rule using the AWS CL
- E. Create and apply an SCP to prohibit stopping and deleting AWS Config across the organization.
- F. Create an SCP in Organization
- G. Set the policy to prevent the launch of Amazon EC2 instances without encryption on the EBS volumes using a conditional expressio
- H. Apply the SCP to all AWS accounts. Use Amazon Athena to analyze the AWS CloudTrail output, looking for events that deny an ec2:RunInstances action.
- I. Deploy an IAM role to all accounts from a single trusted accoun
- J. Build a pipeline with AWS CodePipeline with a stage in AWS Lambda to assume the IAM role, and list all EBS volumes in the accoun
- K. Publish a report to Amazon S3.

**Answer:** B

**Explanation:**

<https://docs.aws.amazon.com/config/latest/developerguide/ec2-ebs-encryption-by-default.html>

**NEW QUESTION 58**

A company manages a web application that runs on Amazon EC2 instances behind an Application Load Balancer (ALB). The EC2 instances run in an Auto Scaling group across multiple Availability Zones. The application uses an Amazon RDS for MySQL DB instance to store the data. The company has configured Amazon Route 53 with an alias record that points to the ALB.

A new company guideline requires a geographically isolated disaster recovery (DR) site with an RTO of 4 hours and an RPO of 15 minutes.

Which DR strategy will meet these requirements with the LEAST change to the application stack?

- A. Launch a replica environment of everything except Amazon RDS in a different Availability Zone. Create an RDS read replica in the new Availability Zone: and configure the new stack to point to the local RDS DB instanc
- B. Add the new stack to the Route 53 record set by using a health check to configure a failover routing policy.
- C. Launch a replica environment of everything except Amazon RDS in a different AW
- D. Region. Create an RDS read replica in the new Region and configure the new stack to point to the local RDS DB instanc
- E. Add the new stack to the Route 53 record set by using a health check to configure a latency routing policy.
- F. Launch a replica environment of everything except Amazon RDS in a different AWS Regio
- G. In the event of an outage copy and restore the latest RDS snapshot from the primar
- H. Region to the DR Region. Adjust the Route 53 record set to point to the ALB in the DR Region.
- I. Launch a replica environment of everything except Amazon RDS in a different AWS Regio
- J. Create an RDS read replica in the new Region and configure the new environment to point to the local RDS DB instanc
- K. Add the new stack to the Route 53 record set by using a health check to configure a failover routing polic
- L. In the event of an outage promote the read replica to primary.

**Answer:** D

**NEW QUESTION 62**

A company's production environment uses an AWS CodeDeploy blue/green deployment to deploy an application. The deployment includes Amazon EC2 Auto Scaling groups that launch instances that run Amazon Linux 2.

A working appspec.yml file exists in the code repository and contains the following text.

```
version: 0.0
os: linux
files:
- source: /
  destination: /var/www/html/application
```

A DevOps engineer needs to ensure that a script downloads and installs a license file onto the instances before the replacement instances start to handle request traffic. The DevOps engineer adds a hooks section to the appspec.yml file.

Which hook should the DevOps engineer use to run the script that downloads and installs the license file?

- A. AfterBlockTraffic

- B. BeforeBlockTraffic
- C. BeforeInstall
- D. Down load Bundle

**Answer: C**

**Explanation:**

This hook runs before the new application version is installed on the replacement instances. This is the best place to run the script because it ensures that the license file is downloaded and installed before the replacement instances start to handle request traffic. If you use any other hook, you may encounter errors or inconsistencies in your application.

**NEW QUESTION 66**

A company uses a series of individual Amazon Cloud Formation templates to deploy its multi-Region Applications. These templates must be deployed in a specific order. The company is making more changes to the templates than previously expected and wants to deploy new templates more efficiently. Additionally, the data engineering team must be notified of all changes to the templates.

What should the company do to accomplish these goals?

- A. Create an AWS Lambda function to deploy the Cloud Formation templates in the required order Use stack policies to alert the data engineering team.
- B. Host the Cloud Formation templates in Amazon S3 Use Amazon S3 events to directly trigger CloudFormation updates and Amazon SNS notifications.
- C. Implement CloudFormation StackSets and use drift detection to trigger update alerts to the data engineering team.
- D. Leverage CloudFormation nested stacks and stack sets (or deployments Use Amazon SNS to notify the data engineering team.

**Answer: D**

**Explanation:**

This solution will meet the requirements because it will use CloudFormation nested stacks and stack sets to deploy the templates more efficiently and consistently across multiple regions. Nested stacks allow the company to separate out common components and reuse templates, while stack sets allow the company to create stacks in multiple accounts and regions with a single template. The company can also use Amazon SNS to send notifications to the data engineering team whenever a change is made to the templates or the stacks. Amazon SNS is a service that allows you to publish messages to subscribers, such as email addresses, phone numbers, or other AWS services. By using Amazon SNS, the company can ensure that the data engineering team is aware of all changes to the templates and can take appropriate actions if needed. What is Amazon SNS? - Amazon Simple Notification Service

**NEW QUESTION 68**

A company recently migrated its legacy application from on-premises to AWS. The application is hosted on Amazon EC2 instances behind an Application Load Balancer which is behind Amazon API Gateway. The company wants to ensure users experience minimal disruptions during any deployment of a new version of the application. The company also wants to ensure it can quickly roll back updates if there is an issue.

Which solution will meet these requirements with MINIMAL changes to the application?

- A. Introduce changes as a separate environment parallel to the existing one Configure API Gateway to use a canary release deployment to send a small subset of user traffic to the new environment.
- B. Introduce changes as a separate environment parallel to the existing one Update the application's DNS alias records to point to the new environment.
- C. Introduce changes as a separate target group behind the existing Application Load Balancer Configure API Gateway to route user traffic to the new target group in steps.
- D. Introduce changes as a separate target group behind the existing Application Load Balancer Configure API Gateway to route all traffic to the Application Load Balancer which then sends the traffic to the new target group.

**Answer: A**

**Explanation:**

API Gateway supports canary deployment on a deployment stage before you direct all traffic to that stage. A parallel environment means we will create a new ALB and a target group that will target a new set of EC2 instances on which the newer version of the app will be deployed. So the canary setting associated to the new version of the API will connect with the new ALB instance which in turn will direct the traffic to the new EC2 instances on which the newer version of the application is deployed.

**NEW QUESTION 70**

A company's DevOps engineer uses AWS Systems Manager to perform maintenance tasks during maintenance windows. The company has a few Amazon EC2 instances that require a restart after notifications from AWS Health. The DevOps engineer needs to implement an automated solution to remediate these notifications. The DevOps engineer creates an Amazon EventBridge rule.

How should the DevOps engineer configure the EventBridge rule to meet these requirements?

- A. Configure an event source of AWS Health, a service of EC2. and an event type that indicates instance maintenance
- B. Target a Systems Manager document to restart the EC2 instance.
- C. Configure an event source of Systems Manager and an event type that indicates a maintenance window. Target a Systems Manager document to restart the EC2 instance.
- D. Configure an event source of AWS Health, a service of EC2, and an event type that indicates instance maintenance
- E. Target a newly created AWS Lambda function that registers an automation task to restart the EC2 instance during a maintenance window.
- F. Configure an event source of EC2 and an event type that indicates instance maintenance
- G. Target a newly created AWS Lambda function that registers an automation task to restart the EC2 instance during a maintenance window.

**Answer: C**

**Explanation:**

AWS Health provides real-time events and information related to your AWS infrastructure. It can be integrated with Amazon EventBridge to act upon the health events automatically. If the maintenance notification from AWS Health indicates that an EC2 instance requires a restart, you can set up an EventBridge rule to respond to such events. In this case, the target of this rule would be a Lambda function that would trigger a Systems Manager automation to restart the EC2 instance during a maintenance window. Remember, AWS Health is the source of the events (not EC2 or Systems Manager), and AWS Lambda can be used to execute complex remediation tasks, such as scheduling maintenance tasks via Systems Manager.

The following are the steps involved in configuring the EventBridge rule to meet these requirements:

- Configure an event source of AWS Health, a service of EC2, and an event type that indicates instance maintenance.

➤ Target a newly created AWS Lambda function that registers an automation task to restart the EC2 instance during a maintenance window. The AWS Lambda function will be triggered by the event from AWS Health. The function will then register an automation task to restart the EC2 instance during the next maintenance window.

**NEW QUESTION 75**

A production account has a requirement that any Amazon EC2 instance that has been logged in to manually must be terminated within 24 hours. All applications in the production account are using Auto Scaling groups with the Amazon CloudWatch Logs agent configured. How can this process be automated?

- A. Create a CloudWatch Logs subscription to an AWS Step Functions applicatio
- B. Configure an AWS Lambda function to add a tag to the EC2 instance that produced the login event and mark the instance to be decommissioned
- C. Create an Amazon EventBridge rule to invoke a second Lambda function once a day that will terminate all instances with this tag.
- D. Create an Amazon CloudWatch alarm that will be invoked by the login even
- E. Send the notification to an Amazon Simple Notification Service (Amazon SNS) topic that the operations team is subscribed to, and have them terminate the EC2 instance within 24 hours.
- F. Create an Amazon CloudWatch alarm that will be invoked by the login even
- G. Configure the alarm to send to an Amazon Simple Queue Service (Amazon SQS) queue
- H. Use a group of worker instances to process messages from the queue, which then schedules an Amazon EventBridge rule to be invoked.
- I. Create a CloudWatch Logs subscription to an AWS Lambda function
- J. Configure the function to add a tag to the EC2 instance that produced the login event and mark the instance to be decommissioned. Create an Amazon EventBridge rule to invoke a daily Lambda function that terminates all instances with this tag.

**Answer: D**

**Explanation:**

"You can use subscriptions to get access to a real-time feed of log events from CloudWatch Logs and have it delivered to other services such as an Amazon Kinesis stream, an Amazon Kinesis Data Firehose stream, or AWS Lambda for custom processing, analysis, or loading to other systems. When log events are sent to the receiving service, they are Base64 encoded and compressed with the gzip format." See <https://docs.aws.amazon.com/AmazonCloudWatch/latest/logs/Subscriptions.html>

**NEW QUESTION 77**

An AWS CodePipeline pipeline has implemented a code release process. The pipeline is integrated with AWS CodeDeploy to deploy versions of an application to multiple Amazon EC2 instances for each CodePipeline stage.

During a recent deployment the pipeline failed due to a CodeDeploy issue. The DevOps team wants to improve monitoring and notifications during deployment to decrease resolution times.

What should the DevOps engineer do to create notifications. When issues are discovered?

- A. Implement Amazon CloudWatch Logs for CodePipeline and CodeDeploy create an AWS Config rule to evaluate code deployment issues, and create an Amazon Simple Notification Service (Amazon SNS) topic to notify stakeholders of deployment issues.
- B. Implement Amazon EventBridge for CodePipeline and CodeDeploy create an AWS Lambda function to evaluate code deployment issues, and create an Amazon Simple Notification Service (Amazon SNS) topic to notify stakeholders of deployment issues.
- C. Implement AWS CloudTrail to record CodePipeline and CodeDeploy API call information create an AWS Lambda function to evaluate code deployment issues and create an Amazon Simple Notification Service (Amazon SNS) topic to notify stakeholders of deployment issues.
- D. Implement Amazon EventBridge for CodePipeline and CodeDeploy create an Amazon
- E. Inspector assessment target to evaluate code deployment issues and create an Amazon Simple
- F. Notification Service (Amazon SNS) topic to notify stakeholders of deployment issues.

**Answer: B**

**Explanation:**

AWS CloudWatch Events can be used to monitor events across different AWS resources, and a CloudWatch Event Rule can be created to trigger an AWS Lambda function when a deployment issue is detected in the pipeline. The Lambda function can then evaluate the issue and send a notification to the appropriate stakeholders through an Amazon SNS topic. This approach allows for real-time notifications and faster resolution times.

**NEW QUESTION 80**

A company has a guideline that every Amazon EC2 instance must be launched from an AMI that the company's security team produces. Every month the security team sends an email message with the latest approved AMIs to all the development teams.

The development teams use AWS CloudFormation to deploy their applications. When developers launch a new service they have to search their email for the latest AMIs that the security department sent. A DevOps engineer wants to automate the process that the security team uses to provide the AMI IDs to the development teams.

What is the MOST scalable solution that meets these requirements?

- A. Direct the security team to use CloudFormation to create new versions of the AMIs and to list! the AMI ARNs in an encrypted Amazon S3 object as part of the stack's Outputs Section. Instruct the developers to use a cross-stack reference to load the encrypted S3 object and obtain the most recent AMI ARNs.
- B. Direct the security team to use a CloudFormation stack to create an AWS CodePipeline pipeline that builds new AMIs and places the latest AMI ARNs in an encrypted Amazon S3 object as part of the pipeline output. Instruct the developers to use a cross-stack reference within their own CloudFormation template to obtain the S3 object location and the most recent AMI ARNs.
- C. Direct the security team to use Amazon EC2 Image Builder to create new AMIs and to place the AMI ARNs as parameters in AWS Systems Manager Parameter Store. Instruct the developers to specify a parameter of type SSM in their CloudFormation stack to obtain the most recent AMI ARNs from Parameter Store.
- D. Direct the security team to use Amazon EC2 Image Builder to create new AMIs and to create an Amazon Simple Notification Service (Amazon SNS) topic so that every development team can receive notification
- E. When the development teams receive a notification instruct them to write an AWS Lambda function that will update their CloudFormation stack with the most recent AMI ARNs.

**Answer: C**

**Explanation:**

<https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/dynamic-references.html>

**NEW QUESTION 83**

An IT team has built an AWS CloudFormation template so others in the company can quickly and reliably deploy and terminate an application. The template creates an Amazon EC2 instance with a user data script to install the application and an Amazon S3 bucket that the application uses to serve static webpages while it is running.

All resources should be removed when the CloudFormation stack is deleted. However, the team observes that CloudFormation reports an error during stack deletion, and the S3 bucket created by the stack is not deleted.

How can the team resolve the error in the MOST efficient manner to ensure that all resources are deleted without errors?

- A. Add a DeletionPolicy attribute to the S3 bucket resource, with the value Delete forcing the bucket to be removed when the stack is deleted.
- B. Add a custom resource with an AWS Lambda function with the DependsOn attribute specifying the S3 bucket, and an IAM role
- C. Write the Lambda function to delete all objects from the bucket when RequestType is Delete.
- D. Identify the resource that was not deleted
- E. Manually empty the S3 bucket and then delete it.
- F. Replace the EC2 and S3 bucket resources with a single AWS OpsWorks Stacks resource
- G. Define a custom recipe for the stack to create and delete the EC2 instance and the S3 bucket.

**Answer: B**

**Explanation:**

<https://aws.amazon.com/premiumsupport/knowledge-center/cloudformation-s3-custom-resources/>

**NEW QUESTION 85**

A DevOps engineer is working on a data archival project that requires the migration of on-premises data to an Amazon S3 bucket. The DevOps engineer develops a script that incrementally archives on-premises data that is older than 1 month to Amazon S3. Data that is transferred to Amazon S3 is deleted from the on-premises location. The script uses the S3 PutObject operation.

During a code review the DevOps engineer notices that the script does not verify whether the data was successfully copied to Amazon S3. The DevOps engineer must update the script to ensure that data is not corrupted during transmission. The script must use MD5 checksums to verify data integrity before the on-premises data is deleted.

Which solutions for the script will meet these requirements? (Select TWO.)

- A. Check the returned response for the Versioned Compare the returned Versioned against the MD5 checksum.
- B. Include the MD5 checksum within the Content-MD5 parameter
- C. Check the operation call's return status to find out if an error was returned.
- D. Include the checksum digest within the tagging parameter as a URL query parameter.
- E. Check the returned response for the ETag
- F. Compare the returned ETag against the MD5 checksum.
- G. Include the checksum digest within the Metadata parameter as a name-value pair. After upload use the S3 HeadObject operation to retrieve metadata from the object.

**Answer: BD**

**Explanation:**

<https://docs.aws.amazon.com/AmazonS3/latest/userguide/checking-object-integrity.html>

**NEW QUESTION 89**

A DevOps engineer is researching the least expensive way to implement an image batch processing cluster on AWS. The application cannot run in Docker containers and must run on Amazon EC2. The batch job stores checkpoint data on an NFS volume and can tolerate interruptions. Configuring the cluster software from a generic EC2 Linux image takes 30 minutes.

What is the MOST cost-effective solution?

- A. Use Amazon EFS (or checkpoint data)
- B. To complete the job, use an EC2 Auto Scaling group and an On-Demand pricing model to provision EC2 instances temporarily.
- C. Use GlusterFS on EC2 instances for checkpoint data
- D. To run the batch job configure EC2 instances manually. When the job completes shut down the instances manually.
- E. Use Amazon EFS for checkpoint data. Use EC2 Fleet to launch EC2 Spot Instances and utilize user data to configure the EC2 Linux instance on startup.
- F. Use Amazon EFS for checkpoint data. Use EC2 Fleet to launch EC2 Spot Instances. Create a custom AMI for the cluster and use the latest AMI when creating instances.

**Answer: D**

**NEW QUESTION 92**

A global company manages multiple AWS accounts by using AWS Control Tower. The company hosts internal applications and public applications.

Each application team in the company has its own AWS account for application hosting. The accounts are consolidated in an organization in AWS Organizations. One of the AWS Control Tower member accounts serves as a centralized DevOps account with CI/CD pipelines that application teams use to deploy applications to their respective target AWS accounts. An IAM role for deployment exists in the centralized DevOps account.

An application team is attempting to deploy its application to an Amazon Elastic Kubernetes Service (Amazon EKS) cluster in an application AWS account. An IAM role for deployment exists in the application AWS account. The deployment is through an AWS CodeBuild project that is set up in the centralized DevOps account. The CodeBuild project uses an IAM service role for CodeBuild. The deployment is failing with an Unauthorized error during attempts to connect to the cross-account EKS cluster from CodeBuild.

Which solution will resolve this error?

- A. Configure the application account's deployment IAM role to have a trust relationship with the centralized DevOps account
- B. Configure the trust relationship to allow the sts:AssumeRole action
- C. Configure the application account's deployment IAM role to have the required access to the EKS cluster
- D. Configure the EKS cluster aws-auth ConfigMap to map the role to the appropriate system permissions.
- E. Configure the centralized DevOps account's deployment IAM role to have a trust relationship with the application account
- F. Configure the trust relationship to allow the sts:AssumeRole action
- G. Configure the centralized DevOps account's deployment IAM role to allow the required access to CodeBuild.
- H. Configure the centralized DevOps account's deployment IAM role to have a trust relationship with the application account

- I. Configure the trust relationship to allow the sts:AssumeRoleWithSAML action
- J. Configure the centralized DevOps account's deployment IAM role to allow the required access to CodeBuild.
- K. Configure the application account's deployment IAM role to have a trust relationship with the AWS Control Tower management account
- L. Configure the trust relationship to allow the sts:AssumeRole action
- M. Configure the application account's deployment IAM role to have the required access to the EKS cluster
- N. Configure the EKS cluster aws-auth ConfigMap to map the role to the appropriate system permissions.

**Answer:** A

**Explanation:**

In the source AWS account, the IAM role used by the CI/CD pipeline should have permissions to access the source code repository, build artifacts, and any other resources required for the build process. In the destination AWS accounts, the IAM role used for deployment should have permissions to access the AWS resources required for deploying the application, such as EC2 instances, RDS databases, S3 buckets, etc. The exact permissions required will depend on the specific resources being used by the application. The IAM role used for deployment in the destination accounts should also have permissions to assume the IAM role for deployment in the centralized DevOps account. This is typically done using an IAM role trust policy that allows the destination account to assume the DevOps account role.

**NEW QUESTION 95**

A DevOps engineer needs to back up sensitive Amazon S3 objects that are stored within an S3 bucket with a private bucket policy using S3 cross-Region replication functionality. The objects need to be copied to a target bucket in a different AWS Region and account. Which combination of actions should be performed to enable this replication? (Choose three.)

- A. Create a replication IAM role in the source account
- B. Create a replication IAM role in the target account.
- C. Add statements to the source bucket policy allowing the replication IAM role to replicate objects.
- D. Add statements to the target bucket policy allowing the replication IAM role to replicate objects.
- E. Create a replication rule in the source bucket to enable the replication.
- F. Create a replication rule in the target bucket to enable the replication.

**Answer:** ADE

**Explanation:**

S3 cross-Region replication (CRR) automatically replicates data between buckets across different AWS Regions. To enable CRR, you need to add a replication configuration to your source bucket that specifies the destination bucket, the IAM role, and the encryption type (optional). You also need to grant permissions to the IAM role to perform replication actions on both the source and destination buckets. Additionally, you can choose the destination storage class and enable additional replication options such as S3 Replication Time Control (S3 RTC) or S3 Batch Replication.

<https://medium.com/cloud-techies/s3-same-region-replication-srr-and-cross-region-replication-crr-34d446806ba> <https://aws.amazon.com/getting-started/hands-on/replicate-data-using-amazon-s3-replication/> <https://docs.aws.amazon.com/AmazonS3/latest/userguide/replication.html>

**NEW QUESTION 99**

A company is hosting a web application in an AWS Region. For disaster recovery purposes, a second region is being used as a standby. Disaster recovery requirements state that session data must be replicated between regions in near-real time and 1% of requests should route to the secondary region to continuously verify system functionality. Additionally, if there is a disruption in service in the main region, traffic should be automatically routed to the secondary region, and the secondary region must be able to scale up to handle all traffic.

How should a DevOps engineer meet these requirements?

- A. In both regions, deploy the application on AWS Elastic Beanstalk and use Amazon DynamoDB global tables for session data
- B. Use an Amazon Route 53 weighted routing policy with health checks to distribute the traffic across the regions.
- C. In both regions, launch the application in Auto Scaling groups and use DynamoDB for session data
- D. Use a Route 53 failover routing policy with health checks to distribute the traffic across the regions.
- E. In both regions, deploy the application in AWS Lambda, exposed by Amazon API Gateway, and use Amazon RDS for PostgreSQL with cross-region replication for session data
- F. Deploy the web application with client-side logic to call the API Gateway directly.
- G. In both regions, launch the application in Auto Scaling groups and use DynamoDB global tables for session data
- H. Enable an Amazon CloudFront weighted distribution across region
- I. Point the Amazon Route 53 DNS record at the CloudFront distribution.

**Answer:** A

**NEW QUESTION 103**

A media company has several thousand Amazon EC2 instances in an AWS account. The company is using Slack and a shared email inbox for team communications and important updates. A DevOps engineer needs to send all AWS-scheduled EC2 maintenance notifications to the Slack channel and the shared inbox. The solution must include the instances' Name and Owner tags.

Which solution will meet these requirements?

- A. Integrate AWS Trusted Advisor with AWS Config Configure a custom AWS Config rule to invoke an AWS Lambda function to publish notifications to an Amazon Simple Notification Service (Amazon SNS) topic Subscribe a Slack channel endpoint and the shared inbox to the topic.
- B. Use Amazon EventBridge to monitor for AWS Health Events Configure the maintenance events to target an Amazon Simple Notification Service (Amazon SNS) topic Subscribe an AWS Lambda function to the SNS topic to send notifications to the Slack channel and the shared inbox.
- C. Create an AWS Lambda function that sends EC2 maintenance notifications to the Slack channel and the shared inbox Monitor EC2 health events by using Amazon CloudWatch metrics Configure a CloudWatch alarm that invokes the Lambda function when a maintenance notification is received.
- D. Configure AWS Support integration with AWS CloudTrail Create a CloudTrail lookup event to invoke an AWS Lambda function to pass EC2 maintenance notifications to Amazon Simple Notification Service (Amazon SNS) Configure Amazon SNS to target the Slack channel and the shared inbox.

**Answer:** B

**Explanation:**

<https://docs.aws.amazon.com/health/latest/ug/cloudwatch-events-health.html>

**NEW QUESTION 104**

A company is building a new pipeline by using AWS CodePipeline and AWS CodeBuild in a build account. The pipeline consists of two stages. The first stage is a CodeBuild job to build and package an AWS Lambda function. The second stage consists of deployment actions that operate on two different AWS accounts a development environment account and a production environment account. The deployment stages use the AWS CloudFormation action that CodePipeline invokes to deploy the infrastructure that the Lambda function requires.

A DevOps engineer creates the CodePipeline pipeline and configures the pipeline to encrypt build artifacts by using the AWS Key Management Service (AWS KMS) AWS managed key for Amazon S3 (the aws/s3 key). The artifacts are stored in an S3 bucket. When the pipeline runs, the CloudFormation actions fail with an access denied error.

Which combination of actions must the DevOps engineer perform to resolve this error? (Select TWO.)

- A. Create an S3 bucket in each AWS account for the artifacts. Allow the pipeline to write to the S3 buckets. Create a CodePipeline S3 action to copy the artifacts to the S3 bucket in each AWS account. Update the CloudFormation actions to reference the artifacts S3 bucket in the production account.
- B. Create a customer managed KMS key. Configure the KMS key policy to allow the IAM roles used by the CloudFormation action to perform decrypt operations. Modify the pipeline to use the customer managed KMS key to encrypt artifacts.
- C. Create an AWS managed KMS key. Configure the KMS key policy to allow the development account and the production account to perform decrypt operation.
- D. Modify the pipeline to use the KMS key to encrypt artifacts.
- E. In the development account and in the production account create an IAM role for CodePipeline. Configure the roles with permissions to perform CloudFormation operations and with permissions to retrieve and decrypt objects from the artifacts S3 bucket.
- F. In the CodePipeline account configure the CodePipeline CloudFormation action to use the roles.
- G. In the development account and in the production account create an IAM role for CodePipeline. Configure the roles with permissions to perform CloudFormation operations and with permissions to retrieve and decrypt objects from the artifacts S3 bucket.
- H. In the CodePipeline account modify the artifacts S3 bucket policy to allow the roles access. Configure the CodePipeline CloudFormation action to use the roles.

**Answer:** BE

**NEW QUESTION 105**

A company has a single AWS account that runs hundreds of Amazon EC2 instances in a single AWS Region. New EC2 instances are launched and terminated each hour in the account. The account also includes existing EC2 instances that have been running for longer than a week.

The company's security policy requires all running EC2 instances to use an EC2 instance profile. If an EC2 instance does not have an instance profile attached, the EC2 instance must use a default instance profile that has no IAM permissions assigned.

A DevOps engineer reviews the account and discovers EC2 instances that are running without an instance profile. During the review, the DevOps engineer also observes that new EC2 instances are being launched without an instance profile.

Which solution will ensure that an instance profile is attached to all existing and future EC2 instances in the Region?

- A. Configure an Amazon EventBridge rule that reacts to EC2 RunInstances API call.
- B. Configure the rule to invoke an AWS Lambda function to attach the default instance profile to the EC2 instances.
- C. Configure the ec2-instance-profile-attached AWS Config managed rule with a trigger type of configuration change.
- D. Configure an automatic remediation action that invokes an AWS Systems Manager Automation runbook to attach the default instance profile to the EC2 instances.
- E. Configure an Amazon EventBridge rule that reacts to EC2 StartInstances API call.
- F. Configure the rule to invoke an AWS Systems Manager Automation runbook to attach the default instance profile to the EC2 instances.
- G. Configure the iam-role-managed-policy-check AWS Config managed rule with a trigger type of configuration change.
- H. Configure an automatic remediation action that invokes an AWS Lambda function to attach the default instance profile to the EC2 instances.

**Answer:** B

**Explanation:**

<https://docs.aws.amazon.com/config/latest/developerguide/ec2-instance-profile-attached.html>

**NEW QUESTION 107**

A company is storing 100 GB of log data in csv format in an Amazon S3 bucket. SQL developers want to query this data and generate graphs to visualize it. The SQL developers also need an efficient automated way to store metadata from the csv file.

Which combination of steps will meet these requirements with the LEAST amount of effort? (Select THREE.)

- A. Filter the data through AWS X-Ray to visualize the data.
- B. Filter the data through Amazon QuickSight to visualize the data.
- C. Query the data with Amazon Athena.
- D. Query the data with Amazon Redshift.
- E. Use the AWS Glue Data Catalog as the persistent metadata store.
- F. Use Amazon DynamoDB as the persistent metadata store.

**Answer:** BCE

**Explanation:**

<https://docs.aws.amazon.com/glue/latest/dg/components-overview.html>

**NEW QUESTION 112**

An online retail company based in the United States plans to expand its operations to Europe and Asia in the next six months. Its product currently runs on Amazon EC2 instances behind an Application Load Balancer. The instances run in an Amazon EC2 Auto Scaling group across multiple Availability Zones. All data is stored in an Amazon Aurora database instance.

When the product is deployed in multiple regions, the company wants a single product catalog across all regions, but for compliance purposes, its customer information and purchases must be kept in each region.

How should the company meet these requirements with the LEAST amount of application changes?

- A. Use Amazon Redshift for the product catalog and Amazon DynamoDB tables for the customer information and purchases.
- B. Use Amazon DynamoDB global tables for the product catalog and regional tables for the customer information and purchases.
- C. Use Aurora with read replicas for the product catalog and additional local Aurora instances in each region for the customer information and purchases.
- D. Use Aurora for the product catalog and Amazon DynamoDB global tables for the customer information and purchases.

**Answer:** C

**NEW QUESTION 114**

A company runs applications in AWS accounts that are in an organization in AWS Organizations. The applications use Amazon EC2 instances and Amazon S3. The company wants to detect potentially compromised EC2 instances, suspicious network activity, and unusual API activity in its existing AWS accounts and in any AWS accounts that the company creates in the future. When the company detects one of these events, the company wants to use an existing Amazon Simple Notification Service (Amazon SNS) topic to send a notification to its operational support team for investigation and remediation. Which solution will meet these requirements in accordance with AWS best practices?

- A. In the organization's management account, configure an AWS account as the Amazon GuardDuty administrator account.
- B. In the GuardDuty administrator account, add the company's existing AWS accounts to GuardDuty as members. In the GuardDuty administrator account, create an Amazon EventBridge rule with an event pattern to match GuardDuty events and to forward matching events to the SNS topic.
- C. In the organization's management account, configure Amazon GuardDuty to add newly created AWS accounts by invitation and to send invitations to the existing AWS accounts. Create an AWS CloudFormation stack set that accepts the GuardDuty invitation and creates an Amazon EventBridge rule. Configure the rule with an event pattern to match GuardDuty events and to forward matching events to the SNS topic.
- D. GuardDuty events and to forward matching events to the SNS topic.
- E. Configure the CloudFormation stack set to deploy into all AWS accounts in the organization.
- F. In the organization's management account, create an AWS CloudTrail organization trail. Activate the organization trail in all AWS accounts in the organization.
- G. Create an SCP that enables VPC Flow Logs in each account in the organization.
- H. Configure AWS Security Hub for the organization. Create an Amazon EventBridge rule with an event pattern to match Security Hub events and to forward matching events to the SNS topic.
- I. In the organization's management account, configure an AWS account as the AWS CloudTrail administrator account. In the CloudTrail administrator account, create a CloudTrail organization trail.
- J. Add the company's existing AWS accounts to the organization trail. Create an SCP that enables VPC Flow Logs in each account in the organization.
- K. Configure AWS Security Hub for the organization.
- L. Create an Amazon EventBridge rule with an event pattern to match Security Hub events and to forward matching events to the SNS topic.

**Answer: B**

**Explanation:**

It allows the company to detect potentially compromised EC2 instances, suspicious network activity, and unusual API activity in its existing AWS accounts and in any AWS accounts that the company creates in the future using Amazon GuardDuty. It also provides a solution for automatically adding future AWS accounts to GuardDuty by configuring GuardDuty to add newly created AWS accounts by invitation and to send invitations to the existing AWS accounts.

**NEW QUESTION 117**

A highly regulated company has a policy that DevOps engineers should not log in to their Amazon EC2 instances except in emergencies. If a DevOps engineer does log in, the security team must be notified within 15 minutes of the occurrence. Which solution will meet these requirements?

- A. Install the Amazon Inspector agent on each EC2 instance. Subscribe to Amazon EventBridge notifications. Invoke an AWS Lambda function to check if a message is about user logins. If it is, send a notification to the security team using Amazon SNS.
- B. Install the Amazon CloudWatch agent on each EC2 instance. Configure the agent to push all logs to Amazon CloudWatch Logs and set up a CloudWatch metric filter that searches for user login.
- C. If a login is found, send a notification to the security team using Amazon SNS.
- D. Set up AWS CloudTrail with Amazon CloudWatch Log.
- E. Subscribe CloudWatch Logs to Amazon Kinesis. Attach AWS Lambda to Kinesis to parse and determine if a log contains a user login. If it does, send a notification to the security team using Amazon SNS.
- F. Set up a script on each Amazon EC2 instance to push all logs to Amazon S3. Set up an S3 event to invoke an AWS Lambda function which invokes an Amazon Athena query to run.
- G. The Athena query checks for logins and sends the output to the security team using Amazon SNS.

**Answer: B**

**Explanation:**

<https://aws.amazon.com/blogs/security/how-to-monitor-and-visualize-failed-ssh-access-attempts-to-amazon-ec2>

**NEW QUESTION 122**

A company hosts a security auditing application in an AWS account. The auditing application uses an IAM role to access other AWS accounts. All the accounts are in the same organization in AWS Organizations.

A recent security audit revealed that users in the audited AWS accounts could modify or delete the auditing application's IAM role. The company needs to prevent any modification to the auditing application's IAM role by any entity other than a trusted administrator IAM role.

Which solution will meet these requirements?

- A. Create an SCP that includes a Deny statement for changes to the auditing application's IAM role. Include a condition that allows the trusted administrator IAM role to make changes.
- B. Attach the SCP to the root of the organization.
- C. Create an SCP that includes an Allow statement for changes to the auditing application's IAM role by the trusted administrator IAM role.
- D. Include a Deny statement for changes by all other IAM principals.
- E. Attach the SCP to the IAM service in each AWS account where the auditing application has an IAM role.
- F. Create an IAM permissions boundary that includes a Deny statement for changes to the auditing application's IAM role.
- G. Include a condition that allows the trusted administrator IAM role to make changes.
- H. Attach the permissions boundary to the audited AWS accounts.
- I. Create an IAM permissions boundary that includes a Deny statement for changes to the auditing application's IAM role.
- J. Include a condition that allows the trusted administrator IAM role to make changes.
- K. Attach the permissions boundary to the auditing application's IAM role in the AWS accounts.

**Answer: A**

**Explanation:**

[https://docs.aws.amazon.com/organizations/latest/userguide/orgs\\_manage\\_policies\\_scps.html?icmpid=docs\\_org](https://docs.aws.amazon.com/organizations/latest/userguide/orgs_manage_policies_scps.html?icmpid=docs_org)

**NEW QUESTION 123**

A company's application development team uses Linux-based Amazon EC2 instances as bastion hosts. Inbound SSH access to the bastion hosts is restricted to specific IP addresses, as defined in the associated security groups. The company's security team wants to receive a notification if the security group rules are modified to allow SSH access from any IP address.

What should a DevOps engineer do to meet this requirement?

- A. Create an Amazon EventBridge rule with a source of aws.cloudtrail and the event name AuthorizeSecurityGroupIngres
- B. Define an Amazon Simple Notification Service (Amazon SNS) topic as the target.
- C. Enable Amazon GuardDuty and check the findings for security groups in AWS Security Hub
- D. Configure an Amazon EventBridge rule with a custom pattern that matches GuardDuty events with an output of NON\_COMPLIANT
- E. Define an Amazon Simple Notification Service (Amazon SNS) topic as the target.
- F. Create an AWS Config rule by using the restricted-ssh managed rule to check whether security groups disallow unrestricted incoming SSH traffic
- G. Configure automatic remediation to publish a message to an Amazon Simple Notification Service (Amazon SNS) topic.
- H. Enable Amazon Inspector
- I. Include the Common Vulnerabilities and Exposures-1.1 rules package to check the security groups that are associated with the bastion host
- J. Configure Amazon Inspector to publish a message to an Amazon Simple Notification Service (Amazon SNS) topic.

**Answer:** A

**Explanation:**

<https://aws.amazon.com/premiumsupport/knowledge-center/monitor-security-group-changes-ec2/>

**NEW QUESTION 124**

A development team is using AWS CodeCommit to version control application code and AWS CodePipeline to orchestrate software deployments. The team has decided to use a remote main branch as the trigger for the pipeline to integrate code changes. A developer has pushed code changes to the CodeCommit repository, but noticed that the pipeline had no reaction, even after 10 minutes.

Which of the following actions should be taken to troubleshoot this issue?

- A. Check that an Amazon EventBridge rule has been created for the main branch to trigger the pipeline.
- B. Check that the CodePipeline service role has permission to access the CodeCommit repository.
- C. Check that the developer's IAM role has permission to push to the CodeCommit repository.
- D. Check to see if the pipeline failed to start because of CodeCommit errors in Amazon CloudWatch Logs.

**Answer:** A

**Explanation:**

When you create a pipeline from CodePipeline during the step-by-step wizard it creates a CloudWatch Event rule for a given branch and repository like this:

```
{
  "source": [ "aws.codecommit"
],
  "detail-type": [
    "CodeCommit Repository State Change"
  ],
  "resources": [
    "arn:aws:codecommit:us-east-1:xxxxx:repo-name"
  ],
  "detail": {
    "event": [ "referenceCreated", "referenceUpdated"
  ],
  "referenceType": [ "branch"
  ],
  "referenceName": [ "master"
  ]
}
```

<https://docs.aws.amazon.com/codepipeline/latest/userguide/pipelines-trigger-source-repo-changes-console.html>

**NEW QUESTION 126**

A company has an application that runs on a fleet of Amazon EC2 instances. The application requires frequent restarts. The application logs contain error messages when a restart is required. The application logs are published to a log group in Amazon CloudWatch Logs.

An Amazon CloudWatch alarm notifies an application engineer through an Amazon Simple Notification Service (Amazon SNS) topic when the logs contain a large number of restart-related error messages. The application engineer manually restarts the application on the instances after the application engineer receives a notification from the SNS topic.

A DevOps engineer needs to implement a solution to automate the application restart on the instances without restarting the instances.

Which solution will meet these requirements in the MOST operationally efficient manner?

- A. Configure an AWS Systems Manager Automation runbook that runs a script to restart the application on the instance
- B. Configure the SNS topic to invoke the runbook.
- C. Create an AWS Lambda function that restarts the application on the instance
- D. Configure the Lambda function as an event destination of the SNS topic.
- E. Configure an AWS Systems Manager Automation runbook that runs a script to restart the application on the instance
- F. Create an AWS Lambda function to invoke the runbook
- G. Configure the Lambda function as an event destination of the SNS topic.
- H. Configure an AWS Systems Manager Automation runbook that runs a script to restart the application on the instance
- I. Configure an Amazon EventBridge rule that reacts when the CloudWatch alarm enters ALARM state
- J. Specify the runbook as a target of the rule.

**Answer:** D

**Explanation:**

This solution meets the requirements in the most operationally efficient manner by automating the application restart process on the instances without restarting them. When the CloudWatch alarm enters the ALARM state, the EventBridge rule is triggered, which in turn invokes the Systems Manager Automation runbook that contains the script to restart the application on the instances.

**NEW QUESTION 131**

A company is using an Amazon Aurora cluster as the data store for its application. The Aurora cluster is configured with a single DB instance. The application performs read and write operations on the database by using the cluster's instance endpoint.

The company has scheduled an update to be applied to the cluster during an upcoming maintenance window. The cluster must remain available with the least possible interruption during the maintenance window.

What should a DevOps engineer do to meet these requirements?

- A. Add a reader instance to the Aurora cluster
- B. Update the application to use the Aurora cluster endpoint for write operation
- C. Update the Aurora cluster's reader endpoint for reads.
- D. Add a reader instance to the Aurora cluster
- E. Create a custom ANY endpoint for the cluster
- F. Update the application to use the Aurora cluster's custom ANY endpoint for read and write operations.
- G. Turn on the Multi-AZ option on the Aurora cluster
- H. Update the application to use the Aurora cluster endpoint for write operation
- I. Update the Aurora cluster's reader endpoint for reads.
- J. Turn on the Multi-AZ option on the Aurora cluster
- K. Create a custom ANY endpoint for the cluster. Update the application to use the Aurora cluster's custom ANY endpoint for read and write operations.

**Answer: C**

**Explanation:**

To meet the requirements, the DevOps engineer should do the following:

- Turn on the Multi-AZ option on the Aurora cluster.
- Update the application to use the Aurora cluster endpoint for write operations.
- Update the Aurora cluster's reader endpoint for reads.

Turning on the Multi-AZ option will create a replica of the database in a different Availability Zone. This will ensure that the database remains available even if one of the Availability Zones is unavailable.

Updating the application to use the Aurora cluster endpoint for write operations will ensure that all writes are sent to both the primary and replica databases. This will ensure that the data is always consistent.

Updating the Aurora cluster's reader endpoint for reads will allow the application to read data from the replica database. This will improve the performance of the application during the maintenance window.

**NEW QUESTION 136**

A DevOps engineer is designing an application that integrates with a legacy REST API. The application has an AWS Lambda function that reads records from an Amazon Kinesis data stream. The Lambda function sends the records to the legacy REST API.

Approximately 10% of the records that the Lambda function sends from the Kinesis data stream have data errors and must be processed manually. The Lambda function event source configuration has an Amazon Simple Queue Service (Amazon SQS) dead-letter queue as an on-failure destination. The DevOps engineer has configured the Lambda function to process records in batches and has implemented retries in case of failure.

During testing the DevOps engineer notices that the dead-letter queue contains many records that have no data errors and that already have been processed by the legacy REST API. The DevOps engineer needs to configure the Lambda function's event source options to reduce the number of errorless records that are sent to the dead-letter queue.

Which solution will meet these requirements?

- A. Increase the retry attempts
- B. Configure the setting to split the batch when an error occurs
- C. Increase the concurrent batches per shard
- D. Decrease the maximum age of record

**Answer: B**

**Explanation:**

This solution will meet the requirements because it will reduce the number of errorless records that are sent to the dead-letter queue. When you configure the setting to split the batch when an error occurs, Lambda will retry only the records that caused the error, instead of retrying the entire batch. This way, the records that have no data errors and have already been processed by the legacy REST API will not be retried and sent to the dead-letter queue unnecessarily.

<https://docs.aws.amazon.com/lambda/latest/dg/with-kinesis.html>

**NEW QUESTION 139**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your DOP-C02 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/DOP-C02-dumps.html>