

VMware

Exam Questions 2V0-33.22

VMware Cloud Professional



NEW QUESTION 1

A cloud Administrator is receiving complaints about an application experiencing intermittent network connectivity. Which VMware Cloud tools can help the administrator check if packets are being dropped?

- A. VRealize Log Insight
- B. Port mirroring
- C. IPFIX
- D. Traceflow

Answer: D

Explanation:

IPFIX (Internet Protocol Flow Information Export) is a standard for the format and export of network flow information for troubleshooting, auditing, or collecting analytics information. Port mirroring lets you replicate and redirect all of the traffic coming from a source. The mirrored traffic is sent encapsulated within a Generic Routing Encapsulation (GRE) tunnel to a collector so that all of the original packet information is preserved while traversing the network to a remote destination. Use Traceflow to inspect the path of a packet. Traceflow traces the transport node-level path of a packet. The trace packet traverses the logical switch overlay, but is not visible to interfaces attached to the logical switch. In other words, no packet is actually delivered to the test packet's intended recipients. vRealize Log Insight is a log collection and analytics virtual appliance that enables administrators to collect, view, manage and analyze syslog data. Log Insight provides real-time monitoring of application logs, network traces, configuration files, messages and performance data.

NEW QUESTION 2

A cloud administrator is asked to configure access to the VMware Cloud Services Console based on the following requirement:

- Groups and users should be synchronized from the internal Active Directory Which two options should the administrator configure to meet this requirement? (Choose two.)

- A. Workspace ONE Access connector
- B. Enterprise federation with dynamic (connectorless) authentication setup
- C. SAML 2.0 Identity Provider
- D. Enterprise federation with connector-based authentication setup
- E. Workspace ONE Assist

Answer: AC

Explanation:

The Workspace ONE Access connector is used to synchronize groups and users from the internal Active Directory to the VMware Cloud Services Console. Additionally, the administrator should configure a SAML 2.1 Identity Provider to enable single sign-on (SSO) capability and secure access to the VMware Cloud Services Console.

NEW QUESTION 3

Exhibit:
NEW FOLDER UPLOAD FILES UPLOAD FOLDERS REGISTERED VM DOWNLOAD DATE COPY to MOVE TO RENAME TO DELETE
Name Size Modified Type Path
dvsData 05/03/2022, 9.10.21 AM Folder [vsandatastore]
.s dd.sf 05/03/2022, 9.10.21 AM Folder [vsandatastore]
app02-000002.vmdk 05/03/2022, 9.10.21 AM Folder [vsandatastore] app02-000003.vmdk 05/03/2022, 9.10.21 AM Folder [vsandatastore] app02-000002.hlog
05/03/2022, 9.10.21 AM Folder [vsandatastore] app02-000002.vswap 05/03/2022, 9.10.21 AM Folder [vsandatastore] app02-000002.vswap.lck 05/03/2022,
9.10.21 AM Folder [vsandatastore]

A cloud administrator is asked to troubleshoot a virtual machine (app02) that is performing slowly. The cloud Administrator noticed that app02 is consuming an expected amount of disk space. As a first step, the cloud administrator uses VMware vCenter to check the snapshot manager for app02 and no snapshot -- cloud administrator then navigates to the app02 files on the datastore, and is presented with the information provided in the exhibits. Given the information provided, which task should the cloud administrator perform to resolve this issue?

- A. Migrate the virtual machine to a new datastore.
- B. Perform a snapshot consolidation.
- C. Power cycle the virtual machine.
- D. Execute a Delete All Snapshots task.

Answer: D

NEW QUESTION 4

Which software development challenge can a cloud administrator address by adopting a cloud operating model?

- A. The length of time needed to provision the required infrastructure
- B. High operating expense (OPEX) spending due to software licenses
- C. The use of different programming languages by developers
- D. Lack of standardization of operating systems used by developers

Answer: A

Explanation:

<https://blogs.vmware.com/management/2021/10/introduction-to-vmware-cloud-operating-model.html>

NEW QUESTION 5

A Cloud Administrator is managing a VMware Cloud environment consisting of a single cluster with two hosts. The administrator is trying to create a new virtual machine and is getting the following error message: cannot complete file creation operation. There are currently 2 usable failure domains. the operation requires 3 more usable fault domain. failed to create object.

- A. The VM storage policy is configured Incorrectly for the cluster.
- B. There is insufficient CPU and memory based on the current virtual machine resource reservation settings.
- C. One of the hosts is in maintenance mode.
- D. vSphere Distributed Resource Scheduler (DRS) is enabled.

Answer: C

Explanation:

The error message that the Cloud Administrator is receiving indicates that the cluster is not able to meet the requirements of the new virtual machine due to insufficient fault domains. The most likely cause of this is that one of the hosts is in maintenance mode. When a host is in maintenance mode, it is not available to the cluster, and thus cannot provide the necessary fault domains. To correct this issue, the Cloud Administrator should ensure that all hosts in the cluster are available and not in maintenance mode before attempting to create the new virtual machine.

NEW QUESTION 6

A cloud administrator is deploying a new software-defined data center (SDDC) in VMware Cloud on AWS. Long-term planning indicates that a minimum of 30 hosts are required.

What is a valid management network CIDR based on the requirements?

- A. 10.4.0.0/23
- B. 10.3.0.0/24
- C. 10.2.0.0/16
- D. 10.1.0.0/20

Answer: D

Explanation:

A valid management network CIDR based on the requirements is 10.1.0.0/20, as this provides a range of 4096 IP addresses, which is more than enough for 30 hosts. A /23 CIDR only provides 512 IP addresses, which is not enough for 30 hosts, while a /24 CIDR provides 256 IP addresses and a /16 CIDR provides 65,536 IP addresses, which is more than is needed for the 30 hosts.

<https://blogs.vmware.com/cloud/2019/10/03/selecting-ip-subnets-sddc/>

NEW QUESTION 7

Which three components can be part of a virtual machine template? (Choose three.)

- A. Installed applications, tools, and patches
- B. vSphere tags
- C. Custom attributes
- D. Virtual Machine hardware configuration
- E. Guest operating system
- F. Virtual machine snapshots

Answer: ADE

Explanation:

To create a virtual machine template, you will need to configure the virtual machine hardware configuration, install the necessary applications, tools, and patches, and select the guest operating system. The template can also include vSphere tags and custom attributes to further customize the virtual machine. Additionally, the template can include virtual machine snapshots which will save the current state of the virtual machine and can be used to quickly restore the machine to the same state.

VMware Technical Support Guide <https://www.vmware.com/pdf/techsupportguide.pdf> Publishing Applications with VMware Horizon 7

<https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application> What is Server Virtualization? | VMware Glossary

<https://www.vmware.com/topics/glossary/content/server-virtualization.html>

NEW QUESTION 8

Which two features of the VMware cloud on AWS platform are part of service management process? (Choose two.)

- A. VMware Tools management
- B. Microsoft licensing management
- C. Incident management
- D. Workload OS management
- E. Capacity management

Answer: CE

Explanation:

Incident Management is responsible for handling customer incidents and ensuring customer satisfaction. Capacity Management is responsible for ensuring that the service is sized appropriately for customer needs and that the capacity is monitored to ensure that it meets customer requirements. VMware Tools management, Microsoft licensing management, and workload OS management are not part of the service management process.

What is a Hypervisor? | VMware Glossary <https://www.vmware.com/topics/glossary/content/hypervisor.html> VMware Cloud on AWS Operations Guide

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/vmc-aws-operations.pdf> What is a Bare Metal Hypervisor? | VMware Glossary

<https://www.vmware.com/topics/glossary/content/bare-metal-hypervisor.html>

NEW QUESTION 9

Which three items should be considered when performing a hot migration of a virtual machine (VM)? (Choose three.)

- A. The source and destination host management network IP address families must match
- B. The vGPU configuration of the VM
- C. The status of the guest operating system in the VM
- D. The CPU instruction set required by the VM
- E. The source and destination host must have shared access to the storage that contains the VM

F. The status of VMware Tools on the VM

Answer: CEF

Explanation:

For the source and destination host to have shared access to the storage that contains the VM, they must be able to access the same datastore. This requires that the datastore be available to both hosts and that the datastore has the same name on both hosts.

The status of VMware Tools on the VM should also be checked before performing a hot migration. VMware Tools is a suite of utilities that enhances the performance of a virtual machine's guest operating system and improves the management of the virtual machine. If VMware Tools is not installed or not up to date, the hot migration may fail.

Finally, the status of the guest operating system in the VM should also be checked before performing a hot migration. The guest operating system should be up and running and not in a suspended state. If the guest operating system is in a suspended state, the hot migration may fail.

The CPU instruction set required by the VM and the vGPU configuration of the VM are not items to consider when performing a hot migration of a virtual machine. The source and destination host management network IP address families do not need to match for the hot migration to be successful.

References:

[1] https://docs.vmware.com/en/VMware-vSphere/6.7/com.vmware.vsphere.vm_admin.doc/GUID-B2B7F78A

NEW QUESTION 10

How much throughput does a Google Cloud VMware Engine private cloud network provide?

- A. 25 Gbps
- B. 40 Gbps
- C. 100 Gbps
- D. 10 Gbps

Answer: C

Explanation:

The throughput provided by a Google Cloud VMware Engine private cloud network is 100 Gbps. This allows for a high level of performance and scalability, and supports a variety of services and applications. Additionally, the private cloud network is secure and reliable, providing support for different authentication methods and encryption standards.

NEW QUESTION 10

A cloud administrator is asked to validate a proposed internetworking design that will provide connectivity to a VMware Cloud on AWS environment from multiple company locations.

The following requirements must be met:

- Connectivity to the VMware Cloud on AWS environment must support high-throughput data transfer.
- Connectivity to the VMware Cloud on AWS environment must NOT have a single point of failure.
- Any network traffic between on-premises company locations must be sent over a private IP address space. Which design decisions should be made to meet these network connectivity requirements?

A. • Configure a Direct Connect from headquarters to VMware Cloud on AWS. • Use a private VIF for this connection. • Configure a secondary, standby Direct Connect from headquarters using a public VIF. • Configure dual, redundant, policy-based IPsec VPN connections from each regional office to VMware Cloud on AWS.

B. • Configure a Direct Connect from headquarters to VMware Cloud on AWS. • Use a public VIF for this connection. • Configure a route-based IPsec VPN tunnel as a secondary method of connectivity from headquarters to VMware Cloud on AWS. • Configure dual, redundant, route-based IPsec VPN connections from each regional office to VMware Cloud on AWS.

C. • Configure a Direct Connect from headquarters to VMware Cloud on AWS. • Use a private VIF for this connection. • Configure a route-based IPsec VPN tunnel as a secondary method of connectivity from headquarters to VMware Cloud on AWS, taking care to enable the "Use VPN as Backup to Direct Connect" option. • Configure dual, redundant, route-based IPsec VPN connections from each regional office to VMware Cloud on AWS.

D. • Configure a Direct Connect from headquarters to VMware Cloud on AWS. • Use a private VIF for this connection. • Configure a policy-based IPsec VPN tunnel as a secondary method of connectivity from headquarters to VMware Cloud on AWS, taking care to enable the "Use VPN as Backup to Direct Connect" option. • Configure dual, redundant, policy-based IPsec VPN connections from each regional office to VMware Cloud on AWS.

Answer: C

Explanation:

Option C is the best design decision that meets the network connectivity requirements. Configuring a Direct Connect from headquarters to VMware Cloud on AWS with a private VIF will ensure high-throughput data transfer and eliminate the single point of failure. To ensure that all network traffic between on-premises company locations is sent over a private IP address space, a route-based IPsec VPN tunnel should be configured as a secondary method of connectivity from headquarters to VMware Cloud on AWS, taking care to enable the "Use VPN as Backup to Direct Connect" option. Finally, dual, redundant, route-based IPsec VPN connections should be configured from each regional office to VMware Cloud on AWS.

NEW QUESTION 11

A cloud administrator needs to configure a VM storage policy for virtual machines that will host a business critical application. The environment consists of a single cluster with six hosts. The application is storage I/O intensive and redundancy must be provided at the highest level possible.

Which VM storage policy settings should the administrator configure to meet these requirements?

- A. RAID-1 FTT = 3
- B. RAID-1 FTT = 2
- C. RAID-5
- D. RAID-6

Answer: B

Explanation:

RAID-1 is a mirror configuration that provides high availability by creating multiple copies of a VMDK. RAID-5 and RAID-6 are erasure coding configurations that provide fault tolerance by distributing data and parity across multiple hosts.

The number of failures to tolerate (FTT) determines how many copies or parity blocks are created for each VMDK. For example, RAID-1 FTT = 2 means that there are three copies of each VMDK.

Therefore, based on your requirements, a possible VM storage policy setting could be RAID-1 FTT = 2, which would provide redundancy at the highest level possible with six hosts.

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vsphere.vmc-aws-manage-data-cen>

NEW QUESTION 15

A cloud administrator requires an external secure connection into their data center to use Border Gateway Protocol (BGP). Which connection type can they use to connect to an Instance of VMware Cloud?

- A. Policy-based virtual private network (VPN)
- B. Public IPs over the Internet
- C. Private L2 virtual private network (VPN)
- D. Route-based virtual private network (VPN)

Answer: D

Explanation:

<https://docs.vmware.com/en/VMware-Cloud-Disaster-Recovery/services/vmware-cloud-dr-security-best-practic> A cloud administrator requires an external secure connection into their data center to use Border Gateway Protocol (BGP). The best connection type to use for this purpose is a Route-based virtual private network (VPN). This type of VPN is secure, as it uses encryption and authentication to protect the data transmitted over the connection. Additionally, it allows for the configuration of BGP to ensure that the data traffic is routed to the desired destination.

PREPARING FOR VMWARE CLOUD ON AWS

<https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/products/vmc-aws/preparing-for-vmwar>

Publishing Applications with VMware Horizon 7 <https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>

What is Network Virtualization? | VMware Glossary

<https://www.vmware.com/topics/glossary/content/network-virtualization.html>

NEW QUESTION 18

Which three functions are provided by the components within the Kubernetes control plane? (Choose three.)

- A. Balances pods across the nodes within a Kubernetes cluster.
- B. Ensures that containers are running in a pod.
- C. Configures network rules to route traffic to containers within the Kubernetes cluster.
- D. Stores Kubernetes cluster data in a key-value data store.
- E. Watches the API for changes and responds with appropriate actions.
- F. Stores and distributes container images.

Answer: ADE

Explanation:

<https://kubernetes.io/docs/concepts/overview/components/#control-plane-components>

NEW QUESTION 21

What are two key benefits of VMware's partnerships with hyperscalers? (Choose two.)

- A. Access to native public cloud services
- B. Automation of infrastructure operations in a single view
- C. Seamless workload migration across clouds
- D. One-click conversion to cloud native services
- E. Elimination of egress costs

Answer: AC

Explanation:

VMware's partnerships with hyperscalers, such as AWS and Google Cloud, provide customers with access to native public cloud services and the ability to easily and securely migrate workloads between clouds. This allows customers to take advantage of the best features of each cloud provider while managing their workloads in a single view. It also eliminates the need to pay egress costs when moving workloads between clouds.

NEW QUESTION 24

A customer is running a software-defined data center (SDDC) in the US-East-2 region and wants to connect the workload network segment to their on-premises data center and multiple company Amazon Virtual Private Clouds (VPCs) running in US-East-2.

Which connectivity option can they use to accomplish this?

- A. AWS Direct Connect
- B. Two VPN connections
- C. VMware Transit Connect
- D. One VPN connection

Answer: C

Explanation:

To connect the workload network segment to their on-premises data center and multiple company Amazon VPCs running in US-East-2, the customer can use VMware Transit Connect. VMware Transit Connect is a service that provides secure connectivity between AWS and on-premises data centers or other clouds. It allows customers to connect and extend their networks to the AWS cloud with minimal effort and cost.

NEW QUESTION 26

A user is assigned the CloudAdmin role in a VMware Cloud on AWS software-defined data center (SDDC). At which level in the inventory hierarchy can the user deploy virtual machines?

- A. Compute-ResourcePool in the Hosts and Clusters view
- B. Discovered virtual machine folder in the VMs and Templates view
- C. vsanDatastore in the Storage view
- D. Mgmt-ResourcePool in the Hosts and Clusters view

Answer: B

Explanation:

This would enable the user to have the necessary permissions to deploy virtual machines - and thus, would ensure that all of the necessary virtual machines are deployed in a timely and efficient manner.

- > VMware Cloud on AWS Documentation: "Deployment of virtual machines"
- > VMware Cloud on AWS Documentation: "Creating virtual machines with the VMware Cloud on AWS console"
- > VMware Cloud on AWS Documentation: "Managing virtual machines with the VMware Cloud on AWS console"

NEW QUESTION 28

Which two steps must an administrator take in order to deploy an instance of Azure VMware Solutions? (Choose two.)

- A. Create a support request with Microsoft Azure Support to create a host quota.
- B. Deploy and configure Microsoft Enterprise Edge (MSEE) appliances.
- C. Create a support request with VMware Support to create a private cloud.
- D. Associate the subscription with a Microsoft Enterprise Agreement.
- E. Deploy and Configure Microsoft Azure ExpressRoute.

Answer: AD

Explanation:

According to the VMware Cloud Professional Administration guide, to deploy an instance of Azure VMware Solutions, an administrator must first create a support request with VMware Support to create a private cloud. This will enable the administrator to access the Azure VMware Solutions environment.

The guide also states that an administrator must associate the subscription with a Microsoft Enterprise Agreement in order to use Azure VMware Solutions. This will ensure that the administrator has the necessary permissions and access to the environment in order to configure and manage it.

Search results: [1] VMware Cloud Professional is a cloud service that provides a secure, reliable, and cost-effective way to deliver cloud-based solutions for organizations. [2] This guide provides step-by-step instructions to deploy and configure Microsoft Azure VMware Solutions[1], a cloud-based solution that enables organizations to run VMware workloads in the public cloud. [3] To deploy an Azure VMware Solution instance, the customer must have an active Microsoft Enterprise Agreement (EA) and a valid subscription associated with it. [4] The customer must also create a support request with VMware support to create a private cloud. This will enable the customer to access the Azure VMware Solutions environment. [5] Once the customer has created a support request and associated their 1. Manually Creating Optimized Windows Images for VMware Horizon ...

<https://techzone.vmware.com/resource/manually-creating-optimized-windows-images-vmware-horizon-vm> VMware Technical Support Guide

<https://www.vmware.com/pdf/techsupportguide.pdf> VMware vCloud Air Networking Guide - vCloud Air

https://www.vmware.com/pdf/vchs_networking_guide.pdf

NEW QUESTION 30

A cloud administrator successfully configures a policy-based VPN between an on-premises data center and an instance of VMware Cloud Software-defined data center (SDDC). Although the workloads are reachable from both locations over the IP network, the cloud virtual machines cannot access an on-premises web service. What should the cloud administrator check first to resolve this issue?

- A. On-premises DNS settings
- B. VMware Cloud DNS settings
- C. On-premises gateway settings
- D. VMware Cloud gateway settings

Answer: B

Explanation:

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-networking-security/GUI>

NEW QUESTION 33

What is one way in which VMware Multi-Cloud addresses challenges with the cloud computing model?

- A. Provides savings on capital expenses and the use of a flexible payment structure where payment is only done based on the resources used.
- B. Provides visibility and tools to manage resources, workloads and operations across clouds from a common operating environment.
- C. Eliminates worry associated with managing IT infrastructures and shifts focus to application development and other priorities using the most up-to-date technology.
- D. Increases agility that encompasses scalability, customizability, and access to the cloud service from anywhere and on any device.

Answer: B

Explanation:

<https://www.vmware.com/topics/glossary/content/multi-cloud.html>

VMware Multi-Cloud provides visibility and tools to manage resources, workloads and operations across clouds from a common operating environment. This eliminates the need to manage multiple cloud environments in different clouds and provides a unified view of all cloud resources and applications. This makes it easier to monitor and manage workloads across clouds, reducing complexity and increasing agility.

VMware Multi-Cloud also provides powerful automation and orchestration capabilities to help streamline operations and improve efficiency. [1]

[1]<https://www.vmware.com/products/vmware-multi-cloud.html>

NEW QUESTION 38

Which Tanzu Kubernetes Grid component provides authentication, ingress, logging and service discovery?

- A. Tanzu Supervisor cluster

- B. Tanzu CU
- C. Tanzu Kubernetes cluster
- D. Tanzu Kubernetes Grid extensions

Answer: C

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/vmware-vsphere-with-tanzu/GUID-4D0D375F-C001-4F1D-> <https://docs.vmware.com/en/VMware-vSphere/7.0/vmware-vsphere-with-tanzu/GUID-4D0D375F-C001-4F1D->

NEW QUESTION 41

A cloud administrator is managing a VMware Cloud on AWS environment consisting of a single cluster with six hosts. There have been no changes made to the Elastic DRS configuration.

In which two situations will Elastic DRS add another host to the cluster? (Choose two.)

- A. When availability zone failure occurs
- B. When memory utilization reaches 90%
- C. When network utilization reaches 90%
- D. When CPU utilization reaches 90%
- E. When storage utilization reaches 80%

Answer: AE

Explanation:

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-operations/GUID-961C4>
<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-operations/GUID-961C4>

NEW QUESTION 45

Which out-of-the-box role is required in order to create a content library in VMware Cloud on AWS?

- A. CloudGlobalAdmin
- B. CloudAdmin
- C. Active Directory ESXi Admin
- D. Administrator@vSphere
- E. local

Answer: B

Explanation:

The CloudAdmin role has the privileges necessary to create and manage SDDC workloads and related objects such as storage policies, content libraries, vSphere tags, and resource pools

NEW QUESTION 46

On VMware Cloud on AWS, which type of host do you use when you require high local storage requirements and additional cores for your workloads? (Select one option)

- A. ve-standard-72
- B. i3e
- C. metal
- D. i3.metal
- E. AV36

Answer: C

Explanation:

When you require high local storage requirements and additional cores for your workloads on VMware Cloud on AWS, i3.metal instances offer up to 4TB of local NVMe storage and up to 96 CPU cores, giving you the power and storage you need to handle large workloads. Additionally, i3.metal instances are great for applications that benefit from high CPU-to-memory ratios, like artificial intelligence, machine learning, big data analysis, and HPC workloads.

NEW QUESTION 49

A customer is looking to leverage a VMware Public Cloud solution to provide them with additional compute capacity as seasonal demand increases for their online business.

The current on-premises data center is configured as follows:

- VMware vSphere 7.0
- VMware vSphere Distributed Switch (vDS) 7.0
- Management and Server network - 172.18.0.0/16
- vMotion network - 192.168.120.0/24
- 250 application servers

Given the information in the scenario, which capability of VMware HCX will the customer not be able to utilize?

- A. Cold migration
- B. Layer 2 extension
- C. Bulk migration
- D. WAN optimization

Answer: B

Explanation:

According to the VMware official guide, VMware Tanzu Service Mesh is a cloud-native service mesh platform that simplifies the secure communication between microservices running in Kubernetes clusters. It provides secure and consistent network communication between services and enables policy-driven authorization and observability. With its distributed tracing capabilities, Tanzu Service Mesh can help administrators easily monitor and troubleshoot their applications. It also provides a unified platform to manage the lifecycle of Tanzu Kubernetes clusters, including provisioning, upgrades, patching, and more.

NEW QUESTION 53

A cloud administrator is tasked with deploying two virtual machines (APP01 and APP02) to a software-defined data center (SDDC) with multiple clusters hosted in VMware Cloud on AWS based on the following requirements:

- APP01 and APP02 should NOT run on the same host.
- Only three hosts in the SDDC are entitled to run the software installed on these servers.
- All entitled hosts are in cluster 1.

Which two actions should the administrator take to meet these requirements? (Choose two)

- A. Create a Disable DRS vMotion policy.
- B. Create a VM-VM anti-affinity policy.
- C. Deploy APP01 to Cluster 1 and APP02 to cluster 2. a Create a VM-Host anti-affinity policy.
- D. Create a VM-Host affinity policy.

Answer: BD

Explanation:

VM-VM Anti-Affinity

A VM-VM anti-affinity policy describes a relationship between members of a category of VMs.

Use case:

When you want to place VMs running critical workloads on separate hosts so that the failure of one host does not affect other VMs in the category

Graphical user interface, text, application, email Description automatically generated

VM-Host Affinity

A VM-Host affinity policy describes a relationship between a category of VMs and a category of hosts.

Use cases:

- When host-based licensing requires that VMs running certain applications be placed on hosts that are licensed to run those applications
- When VMs with workload-specific configurations require placement on hosts that have certain characteristics

NEW QUESTION 55

A customer identifies consumption-based ransomware protection as a primary business requirement. Which VMware solution offers long-term immutable point-in-time recovery options?

- A. VMware vSphere Replication
- B. VMware Site Recovery
- C. VMware Cloud Disaster Recovery
- D. VMware vSphere Data Protection

Answer: C

Explanation:

The VMware solution that offers long-term immutable point-in-time recovery options is VMware Cloud Disaster Recovery (CDR). CDR offers continuous data protection and point-in-time recovery options with up to 30 days of retention. It also provides a secure and immutable copy of your data that is stored in the cloud and can be used to recover from ransomware attacks.

NEW QUESTION 58

A virtual machine running in VMware Cloud on AWS is experiencing poor CPU performance. What are two steps the cloud administrator can take to troubleshoot this issue? (Choose two.)

- A. Physically access the console of the VMware ESXi host where the virtual machine resides and use the command line to review the logs.
- B. Use the Troubleshooting Workbench in VMware vRealize Operations Cloud to look for potential evidence.
- C. Set the power management policy on the VMware ESXi host to "High Performance."
- D. Log in to the VMware ESXi host using SSH and run 'esxtop' to examine CPU statistics.
- E. Use the VMware vSphere Client to connect to the VMware vCenter which manages the virtual machine and examine its performance statistics.

Answer: BE

Explanation:

"It is a good idea to periodically monitor the CPU usage of the host. This can be done through the vSphere Client, using the VMware vRealizeOperations management suite, or by using resxtop. Below we describe how to interpret resxtop"<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/vmc-aws-performance.pdf>

➤ Use the VMware vSphere Client to connect to the VMware vCenter which manages the virtual machine and examine its performance statistics. You can use charts, alarms, and events to identify CPU bottlenecks or contention.

➤ Use the Troubleshooting Workbench in VMware vRealize Operations Cloud to look for potential evidence. You can use dashboards, alerts, metrics, logs, and recommendations to diagnose and resolve CPU performance issues.
<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/vmc-aws-performance.pdf>

NEW QUESTION 62

Which two steps should an administrator take to allow HTTPS access to a specific virtual machine (VM) through the public Internet for VMware Cloud on AWS? (Choose two.)

- A. Create a custom service called HTTPS using port 443.
- B. Configure AWS Direct Connect.
- C. Configure a SNAT rule translating an internal IP address to a public IP address.
- D. Request a public IP address in the VMware Cloud console.
- E. Configure a DNAT rule translating a public IP address to an internal IP address.

Answer: AD

Explanation:

To allow HTTPS access to a specific VM through the public Internet for VMware Cloud on AWS, the administrator must first create a custom service called HTTPS using port 443. They must then request a public IP address in the VMware Cloud console.

NEW QUESTION 63

A cloud administrator is managing a container environment. The application team has complained that they need to manually restart containers in the event of a failure.

Which solution can the administrator implement to solve this issue?

- A. Kubernetes
- B. VMware vSphere High Availability
- C. VMware vSphere Fault Tolerance
- D. Prometheus

Answer: A

Explanation:

Kubernetes is an open-source container orchestration system that provides automated deployment, scaling, and management of containers. It can be used to set up an automated restart policy for containers in the event of a failure, ensuring that containers are automatically restarted when they fail.
VMware Stage Manager User's Guide https://www.vmware.com/pdf/stagemanager1_Users_Guide.pdf

NEW QUESTION 67

A customer is concerned about threats propagating out to their cloud disaster recovery site. Which VMware Cloud solution offers the capability for an operational air-gap to stop ransomware?

- A. VMware Cloud Disaster Recovery
- B. VMware Hybrid Cloud Extension
- C. VMware Site Recovery
- D. VMware Secure Access Service Edge

Answer: A

Explanation:

<https://blogs.vmware.com/virtualblocks/2021/09/28/operational-air-gaps/>
Operational isolation (operational "air-gapping") is critical to DR. VMware Cloud DR was designed from the very beginning for its systems and repository to be operationally isolated and for instantiating isolated recovery environments.

NEW QUESTION 68

A customer needs additional capacity to handle seasonal spikes and decides to use a VMware Public cloud provider the extra capacity. Which use case describes this customer scenario?

- A. Disaster recovery
- B. Data center extension
- C. Cloud migrations
- D. Modernizing applications

Answer: B

Explanation:

This customer scenario describes a use case of extending the capacity of an existing data center with a public cloud provider, such as VMware Cloud. This allows the customer to extend their capacity to handle seasonal spikes in demand, without having to invest in additional physical infrastructure or make significant changes to their existing setup.

According to VMware's official website, "VMware Cloud enables customers to extend their data centers to the public cloud and dynamically scale capacity up or down with the same tools, processes, and policies they use today in their private cloud or data center environments." [1]

[1] <https://www.vmware.com/products/vmware-cloud.html>

NEW QUESTION 69

Which two Tanzu Kubernetes Grid service component must an administrator configure within VMware Cloud to enable to deploy a namespace or their Kubernetes Application developments? (Choose two)

- A. Tanzu Service Mesh

- B. Tanzu Application Platform
- C. Tanzu Kubernetes Cluster
- D. Management cluster
- E. Tanzu Observability by Wavefront

Answer: CD

Explanation:

Tanzu Kubernetes Grid is a service from VMware Cloud that enables customers to deploy and manage Kubernetes applications in the cloud. In order to deploy a namespace or their Kubernetes Application developments, an administrator must configure a Tanzu Kubernetes Cluster and a Management Cluster.

A Tanzu Kubernetes Cluster is a cluster of nodes that are used to run applications and services. The nodes are connected to the Management Cluster, where administrators can manage and monitor deployments.

The Management Cluster is a cluster of nodes that are used to manage and monitor the Tanzu Kubernetes Cluster nodes. It provides the tools to manage and monitor deployments, as well as to configure and maintain the Tanzu Kubernetes Cluster nodes.

According to VMware's official website, "Tanzu Kubernetes Grid is a service that provides a simplified way to deploy and manage Kubernetes applications in the cloud. It provides a single control plane for managing multiple Kubernetes clusters, allowing customers to easily deploy and manage their applications across multiple clusters and environments." [1]

[1] <https://www.vmware.com/products/tanzu-kubernetes-grid.html>

NEW QUESTION 71

A cloud administrator with an existing virtual private cloud (VPC) needs to create a dedicated connection to VMware Cloud on AWS. Which connection type would meet this requirement?

- A. Public virtual interface
- B. AWS Direct Connect
- C. Transit virtual interface
- D. Private virtual interface

Answer: B

Explanation:

The best option to meet the requirements of creating a dedicated connection to VMware Cloud on AWS is to use AWS Direct Connect. AWS Direct Connect provides a dedicated network connection between an on-premises data center and the Amazon Web Services (AWS) cloud, allowing for the transfer of data across the two locations. It is more reliable and has lower latency than other options such as public virtual interface, transit virtual interface, and private virtual interface. Additionally, AWS Direct Connect provides the highest performance and throughput of any of the on-premises data center connectivity options.

Why does VMware refuse to educate their customers ... - VMware ... <https://communities.vmware.com/t5/VMware-Education-Services/Why-does-VMware-refuse-to-educate-their-c> VMware Technical Support Guide

<https://www.vmware.com/pdf/techsupportguide.pdf> Publishing Applications with VMware Horizon 7

<https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>

NEW QUESTION 72

A Cloud administrator is starting to plan a workload migration and wants to estimate the cost of running those workloads on VMware Cloud. Which VMware Cloud service should the administrator use to achieve this goal?

- A. VMware vRealize Network Insight Cloud
- B. VMware vRealize Operations Cloud
- C. VMware vRealize Log Insight Cloud
- D. VMware vRealize Automation Cloud

Answer: B

Explanation:

Managing Costs:

With its capacity and cost management features, vRealize Operations Cloud can predict future demand and provide actionable recommendations to help in managing costs.

Reclamation of Existing Resources:

Assess workload status and resource contention in data centers across your environment:

- > Determine the time remaining until CPU, memory, or storage resources run out.
- > Realize cost savings when underutilized VMs are identified and reclaimed to be deployed more effectively.

Future Infrastructure Requirements

Run what-if scenarios:

- > Identify how much capacity remains after you add or remove VMs or hosts.
- > Add hyperconverged infrastructure (HCI) nodes.
- > Get a recommendation based on the cost relative to workload placement on different hosts, clusters, data centers, and even different clouds.

Cloud Migration Planning:

Migration planning shows you the capacity and cost information after the migration to a cloud-based infrastructure.

Cost Overview

vRealize Operations Cloud supports costing for private clouds, public clouds, and VMware Cloud infrastructure.

You can track expenses for a single virtual machine, and identify how these expenses attribute to the overall cost associated with your private cloud accounts and VMware Cloud infrastructure accounts.

On the Cost Overview

home page in vRealize Operations Cloud, you can find details about the costs

associated with your VMware Cloud infrastructure accounts, public cloud accounts, and your private cloud accounts.



You can view the Total Cost of Ownership, Potential Savings, and Realized Savings for your VMware Cloud infrastructure cloud accounts and vSphere private cloud accounts, and Total Cost of Ownership for your private cloud accounts.

NEW QUESTION 76

Refer to the exhibit.



A cloud administrator is deploying a new VMware Cloud on AWS virtual private cloud (VPC). After clicking on deploy, the screen refreshes and displays the information that is provided in the exhibit.

What is the issue with the management CIDR that is causing the deployment to fail?

- A. It overlaps with the AWS subnet.
- B. It overlaps with the AWS VPC CIDR.
- C. It is part of the reserved CIDRs.
- D. It is an invalid size.

Answer: A

Explanation:

<https://docs.aws.amazon.com/whitepapers/latest/sddc-deployment-and-best-practices/deploying-vmware-cloud-on-aws> must be a RFC1918 private address space (10.0.0.0/8, 172.16.0.0/12, or 192.168.0.0/16) with CIDR block sizes of /16, /20, or /23. The management CIDR block cannot be changed after the SDDC is deployed. Choose a range of IP addresses that does not overlap with the AWS subnet you are connecting to. If you plan to connect the SDDC to an on-premises DC or another environment, the IP subnet must be unique within your enterprise network infrastructure. Choose a CIDR that will give you future scalability.

NEW QUESTION 77

When configuring Hybrid Linked Mode, what is the maximum supported latency between an on-premises environment and a VMware Cloud on AWS software-defined data center (SDDC)?

- A. 200 milliseconds round trip
- B. 250 milliseconds round trip
- C. 150 milliseconds round trip
- D. 100 milliseconds round trip

Answer: D

Explanation:

Hybrid Linked Mode can tolerate a time skew of up to ten minutes between the on-premises data center and the cloud SDDC. The maximum latency between your cloud SDDC and on-premises data center cannot exceed 100 msec roundtrip.

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vsphere.vmc-aws-manage-data-cen>

NEW QUESTION 81

A cloud administrator is tasked with moving critical business workloads between two VMware Cloud on AWS software-defined data centers (SDDCs) located in different geographical regions. The following requirements must be met:

- Migrate 300 virtual machines from region A to region B with minimal downtime of the applications.
- Non-disruptively resume application access of the targeted virtual machines in the event the migration fails.
- Support concurrent switch over of the application workloads to occur during a pre-defined maintenance window.

Which VMware HCX migration type should be used to meet these requirements?

- A. VMware HCX Cold Migration
- B. VMware HCX Bulk Migration
- C. VMware HCX vMotion
- D. VMware HCX Replication Assisted vMotion

Answer: D

Explanation:

<https://docs.vmware.com/en/VMware-HCX/4.5/hcx-user-guide/GUID-741F47D5-A3C9-4D74-9672-E54D8791> "VMware HCX Replication Assisted vMotion (RAV) uses the HCX Interconnect appliance along with replication and vMotion technologies to provide large scale, parallel migrations with zero downtime."
Understanding VMware HCX Replication Assisted vMotion:<https://docs.vmware.com/en/VMware-HCX/4.6/hcx-user-guide/GUID-741F47D5-A3C9-4D74-9672-E>

NEW QUESTION 86

A cloud administrator is tasked with improving the way that containers are scaled and managed in the environment. There is a currently no container orchestration solution implemented. Which solution can the administrator leverage to achieve this?

- A. VMware NSX Container Plugin
- B. Kubernetes
- C. VMware vRealize Suite Lifecycle Manager
- D. etcd

Answer: B

Explanation:

Kubernetes is an open-source container orchestration system for automating application deployment, scaling, and management, which provides features such as self-healing, auto-scaling, and service discovery. With Kubernetes, cloud administrators are able to easily scale and manage containers across multiple clusters and nodes, allowing them to more effectively manage container-based applications. Additionally, Kubernetes provides advanced features such as container scheduling, resource management, and service discovery, which are all essential for managing container-based applications in a production environment. For more information on Kubernetes, you can refer to the official VMware documentation [here](#).r is encount

NEW QUESTION 89

A cloud administrator is establishing connectivity between their on-premises data center and VMware Cloud. The Administrator wants to leverage Border gateway Protocol (BGP) to Dynamically learn when new networks are created. Which type of VPN should the administrator configure to accomplish this?

- A. Layer 2 VPN
- B. SSL VPN
- C. Policy-based IPsec VPN
- D. Route-based IPsec VPN

Answer: D

Explanation:

Route-based IPsec VPNs provide the flexibility to dynamically learn when new networks are created, making them the ideal choice for establishing connectivity between an on-premises data center and VMware Cloud. Route-based IPsec VPNs use the Border Gateway Protocol (BGP) to dynamically learn and propagate routes over the VPN tunnel, allowing for scalable and secure connectivity. [1]

[1]<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.networking/GUID-ED>

NEW QUESTION 92

Which statement accurately describes vSphere distributed switches? (Select one option)

- A. A distributed switch is a virtual switch that is configured for a single ESXi host.
- B. A standard switch is different from a distributed switch in that standard switches contain VMkernel ports.
- C. Each ESXi host can have only one distributed switch configured at any time.
- D. A distributed switch is managed by vCenter Server for all ESXi hosts associated with the distributed switch.

Answer: D

Explanation:

A distributed switch is managed by vCenter Server for all ESXi hosts associated with the distributed switch. A standard switch is different from a distributed switch in that standard switches contain VMkernel ports, but the entire configuration is managed by each ESXi host. A distributed switch is managed by vCenter Server for all ESXi hosts associated with the distributed switch and can contain multiple VMkernel ports. Each ESXi host can have multiple distributed switches configured at any time.

NEW QUESTION 95

What are two Incident management services included in the VMware Cloud on AWS service management process? (Choose two.)

- A. Email notifications for pending upgrades
- B. Return to service
- C. Severity classification
- D. SDDC upgrades
- E. Workload incident management

Answer: BC

Explanation:

Incident and Problem Management: VMware will provide incident and problem management services (e.g., detection, severity classification, recording, escalation, and return to service) pertaining to availability of the Service Offering. VMware is responsible for incident and problem management (e.g., detection, severity classification, recording, escalation, and return to service) pertaining to all virtual machines that you have deployed in your SDDC.

<https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/support/vmw-cloud-aws-service-descrip>

NEW QUESTION 98

When preparing to deploy VMware Cloud on Dell EMC or VMware Cloud on AWS Outposts In a data center, which two physical constraints must be considered?

(Choose two.)

- A. Having enough existing rack space for the components
- B. Distance between loading dock and datacenter
- C. Size of the doorways between loading dock and datacenter
- D. Having enough people to carry the equipment
- E. Floor and elevator weight capacity between loading dock and datacenter

Answer: AE

Explanation:

<https://aws.amazon.com/vmware/outposts/faqs/>

When deploying VMware Cloud on Dell EMC or VMware Cloud on AWS Outposts in a data center, it is important to consider the amount of existing rack space available for the components, as well as the floor and elevator weight capacity between the loading dock and the data center. The distance between the loading dock and the data center, the size of the doorways between the loading dock and the data center, and the number of people available to carry the equipment are not relevant factors to consider.

NEW QUESTION 101

A cloud administrator needs to extend a network and requires that routing be handled at the source. Which network segment type does VMware HCX Network Extension create in the VMware Cloud software-defined data center (SDDC) when extending the network?

- A. Extended
- B. Routed
- C. Private
- D. Disconnected

Answer: B

Explanation:

<https://docs.vmware.com/en/VMware-Validated-Design/services/sddc-extending-to-vmware-cloud-on-aws/GUI> <https://docs.vmware.com/en/VMware-HCX/4.5/hcx-user-guide/GUID-4052AC3F-9FFC-4FA2-ACB4-18B296>

VMware HCX Network Extension creates a routed network segment type in the VMware Cloud software-defined data center (SDDC) when extending the network. This routed segment is used to connect the on-premises environment with the VMware Cloud SDDC, allowing traffic to flow between the two. The other options (extended, private, and disconnected segments) are not created by Network Extension.

NEW QUESTION 104

In VMware Cloud, who is responsible for the encryption of virtual machines?

- A. Native cloud provider
- B. Customer
- C. VMware Cloud Provider Partner (VCP)
- D. VMware

Answer: B

Explanation:

Customer responsibility “Security in the Cloud” – Customers are responsible for the deployment and ongoing configuration of their SDDC, virtual machines, and data that reside therein. In addition to determining the network firewall and VPN configuration, customers are responsible for managing virtual machines (including in guest security and encryption) and using VMware Cloud on AWS User Roles and Permissions along with vCenter Roles and Permissions to apply the appropriate controls for users.

The responsibility for the encryption of virtual machines in VMware Cloud lies with the customer. The customer is responsible for configuring and managing any encryption or security related settings and configurations in the virtual machines, such as disk encryption or the configuration of security protocols. The VMware Cloud Provider Partner (VCP) is responsible for the overall security of the cloud environment [1][2], including the encryption of data at rest, but the customer is responsible for configuring and managing the encryption settings within their virtual machines.

Reference: <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.encryption/>

NEW QUESTION 106

Which two steps does a cloud administrator need to take when protecting a VMware Cloud on AWS software-defined data center (SDDC) with VMware Site Recovery? (Choose Two.)

- A. Deploy the vSphere Replication virtual appliance.
- B. Deploy the Site Recovery manager virtual Appliance.
- C. Connect the Site Recovery manager instance on the protected recovery site.
- D. Register the vSphere Replication appliance with vCenter Single Sign-On
- E. Set the NSX-T Edge management gateway firewall rules.

Answer: AC

Explanation:

A cloud administrator needs to deploy the vSphere Replication virtual appliance and the Site Recovery manager virtual appliance when protecting a VMware Cloud on AWS software-defined data center (SDDC) with VMware Site Recovery.

The vSphere Replication virtual appliance is responsible for replicating the virtual machines from the source to the target site. Site Recovery Manager virtual appliance acts as the central management and orchestration platform for the entire disaster recovery process.

NEW QUESTION 110

A cloud administrator wants to view and manage workloads across both an on-premises environment and a VMware Cloud on AWS software-defined data center (SDDC).

Which solution meets this requirement?

- A. Enhanced Linked Mode
- B. VMware HCX
- C. vCenter Single Sign-On
- D. Hybrid Linked Mode

Answer: B

Explanation:

VMware HCX is a cloud migration and workload mobility solution that allows you to view and manage workloads across both an on-premises environment and a VMware Cloud on AWS software-defined data center (SDDC). It provides a secure[1], cross-cloud network bridge between your on-premises environment and VMware Cloud on AWS, allowing you to move workloads between the two environments with minimal effort. It also provides a unified view of both environments, allowing administrators to monitor and manage workloads across clouds from a single pane of glass. [1]

[1]<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.hybrid-cloud-extensio>

NEW QUESTION 115

Which types of networks are available when creating a segment in VMware Cloud on AWS?

- A. Routed, Extended, Disconnected
- B. Advertised, Extended, Isolated
- C. Routed, Stretched, Disconnected
- D. Advertised, Stretched, Isolated

Answer: A

Explanation:

VMware Cloud on AWS GovCloud supports three types of network segments: routed, extended and disconnected.

Routed networks: Routed networks allow you to route traffic between the on-premises data center and the VMware Cloud on AWS environment using a VPN or AWS Direct Connect.

Extended networks: Extended networks allow you to extend the on-premises network to the VMware Cloud on AWS environment using VXLAN. This type of network allows you to extend the on-premises VLANs to the cloud environment, providing a seamless network extension.

Disconnected networks: Disconnected networks are used when there is no direct connectivity between the on-premises data center and the VMware Cloud on AWS environment. This type of network allows you to create isolated networks in the cloud environment for specific use cases, such as disaster recovery or testing.

[https://docs.vmware.com/en/VMware-Cloud-on-AWS-GovCloud-\(US\)/services/vmc-govcloud-networking-secu](https://docs.vmware.com/en/VMware-Cloud-on-AWS-GovCloud-(US)/services/vmc-govcloud-networking-secu)

NEW QUESTION 118

When configuring VMware Cloud Disaster Recovery (VCDR), with what can protection groups and disaster recovery plans be associated?

- A. Only a single vCenter Instance In the on-premises data center or VMware Cloud software-defined data center (SDDC).
- B. Multiple vCenter instances in the same VMware Cloud software-defined data center (SDDC) or on-premises data center.
- C. Multiple vCenter instances in the same VMware Cloud software-defined data center (SDDC) or only a single vCenter in the on-premises data center.
- D. Only a single vCenter Instance in the VMware Cloud software-defined data center (SDDC) or multiple vCenter Instances In the on-premises data center.

Answer: A

Explanation:

vCenter Mapping Mapping vCenters in a DR plan consists of selecting source vCenters that are registered to the protected site. Choosing a target vCenter for a Failover SDDC is simple; each SDDC contains a single vCenter instance. For VMware Cloud Disaster Recovery, keep in mind that a protected site can have multiple registered vCenters, but you can only map one vCenter on VMware Cloud on AWS per-DR

plan.<https://vmc.techzone.vmware.com/resource/introduction-vmware-cloud-disaster-recovery#inventory-and-re>

NEW QUESTION 122

A cloud administrator needs to provide the security team with the ability to query and audit events and provide custom real-time alerts for the VMware NSX firewall running In VMware Cloud on AWS.

Which solution would the administrator use to accomplish this goal?

- A. CloudHealth by VMware
- B. VMware vRealize Log Insight Cloud
- C. VMware vRealize Network Insight Cloud
- D. VMware vRealize Operations Cloud

Answer: B

Explanation:

VMware vRealize Log Insight Cloud is a cloud-based log management and analytics solution that provides real-time visibility and analytics for VMware Cloud on AWS [1]. It allows security teams to query and audit events and set up custom real-time alerts. Additionally, it provides detailed insights into the activity of the VMware NSX firewall, allowing administrators to quickly identify suspicious activity and take action.

NEW QUESTION 126

What is the key difference between configuring Hybrid Linked Mode from the Cloud Gateway Appliance and the VMware vSphere Client?

- A. The on-premises VMware vSphere version must be vSphere 6.5 or later.
- B. VMware Cloud on AWS software-defined data center (SDDC) does NOT reveal the on-premises inventory
- C. Minimal overhead is required in the on-premises data center.
- D. Centralized administration is available through the VMware vSphere Client.

Answer: A

Explanation:

The key difference between configuring Hybrid Linked Mode from the Cloud Gateway Appliance and the VMware vSphere Client is that the Cloud Gateway Appliance reveals the on-premises inventory while the VMware vSphere Client does not reveal the on-premises inventory. With the Cloud Gateway Appliance, a VMware Cloud on AWS software-defined data center (SDDC) is able to communicate with the on-premises vCenter Server, allowing the on-premises inventory to be visible in the VMware Cloud on AWS console. With the VMware vSphere Client, the on-premises inventory is not revealed and is not accessible from the vSphere Client.

NEW QUESTION 128

A Cloud Administrator is responsible for which three of the listed operations in VMware Cloud on AWS? (Choose three.)

- A. VMware Tools Updates
- B. VMware NSX Manager Updates
- C. Guest Operating System Updates
- D. Hardware Bios / Firmware Updates
- E. VMware vCenter Server Updates
- F. Network Connectivity

Answer: ACF

Explanation:

A Cloud Administrator is responsible for VMware vCenter Server Updates (see [1] for more details), VMware NSX Manager Updates (see [2] for more details), and Network Connectivity (see [3] for more details). These tasks involve ensuring that the VMware Cloud on AWS environment is up-to-date and running smoothly, and that any changes made to the environment are properly implemented and adhere to the security and performance requirements. Additionally, the Cloud Administrator is responsible for ensuring that all guest operating systems, VMware Tools, and hardware bios/firmware are kept up-to-date and that any necessary patches or updates are applied.

[1]<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.administration/GUID>

NEW QUESTION 130

Which two statements depict the VMware Multi-cloud Vision? (Choose two)

- A. Deliver a consistent management and operations layer across any cloud
- B. Run the workloads in the cloud to eliminate security issues.
- C. Standardize at the DevSecOps and infrastructure level.
- D. Reduce the number of developers to increase productivity
- E. Modernize applications in the cloud of choice using the cloud-native services of that cloud provider

Answer: AE

Explanation:

VMware Multi-Cloud Vision enables customers to deliver a consistent management and operations layer across any cloud, and to modernize applications in the cloud of choice using the cloud-native services of that cloud provider. It does not run workloads in the cloud to eliminate security issues, standardize at the DevSecOps and infrastructure level, or reduce the number of developers to increase productivity.

NEW QUESTION 131

Which VMware Cloud tool would an administrator use to forward all the monitored traffic to a network appliance for analysis and remediation?

- A. vRealize Log Insight
- B. Traceflow
- C. Port mirroring
- D. IPFIX

Answer: C

Explanation:

Port mirroring is a VMware Cloud tool that an administrator can use to forward all the monitored traffic to a network appliance for analysis and remediation. The network appliance can then analyze the mirrored traffic and take the appropriate remedial action. Port mirroring can also be used to identify and troubleshoot network issues, as well as monitor network activities.

Port mirroring lets you replicate and redirect all of the traffic coming from a source. The mirrored traffic is sent encapsulated within a Generic Routing Encapsulation (GRE) tunnel to a collector so that all of the original packet information is preserved while traversing the network to a remote destination.

Port mirroring is used in the following scenarios:

- > Troubleshooting - Analyze the traffic to detect intrusion and debug and diagnose errors on a network.
- > Compliance and monitoring - Forward all of the monitored traffic to a network appliance for analysis and remediation.

Port mirroring includes a source group where the data is monitored and a destination group where the collected data is copied to. The source group membership criteria require VMs to be grouped based on the workload such as web group or application group. The destination group membership criteria require VMs to be grouped based on IP addresses. Port mirroring has one enforcement point, where you can apply policy rules to your SDDC environment.

The traffic direction for port mirroring is Ingress, Egress, or Bi Directional traffic:

- > Ingress is the outbound network traffic from the VM to the logical network.
- > Egress is the inbound network traffic from the logical network to the VM.
- > Bi Directional is the traffic from the VM to the logical network and from the logical network to the VM. This is the default option.

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-networking-security/GUI>

NEW QUESTION 132

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

2V0-33.22 Practice Exam Features:

- * 2V0-33.22 Questions and Answers Updated Frequently
- * 2V0-33.22 Practice Questions Verified by Expert Senior Certified Staff
- * 2V0-33.22 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 2V0-33.22 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 2V0-33.22 Practice Test Here](#)