



Cisco

Exam Questions 350-701

Implementing and Operating Cisco Security Core Technologies

NEW QUESTION 1

Which feature requires a network discovery policy on the Cisco Firepower Next Generation Intrusion Prevention System?

- A. security intelligence
- B. impact flags
- C. health monitoring
- D. URL filtering

Answer: A

NEW QUESTION 2

Refer to the exhibit.

Interface	MAC Address	Method	Domain	Status	Fg Session ID
Gi4/15	0050.b6d4.8a60	dot1x	DATA	Auth	0A02198200001
Gi8/43	0024.c4fe.1832	dot1x	VOICE	Auth	0A02198200000
Gi10/25	0026.7391.bbd1	dot1x	DATA	Auth	0A02198200001
Gi8/28	0026.0b5e.51d5	dot1x	VOICE	Auth	0A02198200000
Gi4/13	0025.4593.e575	dot1x	VOICE	Auth	0A02198200000
Gi10/23	0025.8418.217f	dot1x	VOICE	Auth	0A02198200000
Gi7/4	0025.8418.1bc7	dot1x	VOICE	Auth	0A02198200000
Gi7/7	0026.0b5e.50fb	dot1x	VOICE	Auth	0A02198200000
Gi8/14	c85b.7604.fa1d	dot1x	DATA	Auth	0A02198200001
Gi10/29	0026.0b5e.528a	dot1x	VOICE	Auth	0A02198200000
Gi4/2	0026.0b5e.4f9f	dot1x	VOICE	Auth	0A02198200000
Gi10/30	0025.4593.e5ac	dot1x	VOICE	Auth	0A02198200000
Gi8/29	68bd.aba5.2e44	dot1x	VOICE	Auth	0A02198200001
Gi7/4	54ee.75db.d766	dot1x	DATA	Auth	0A02198200001
Gi2/34	e804.62eb.a658	dot1x	VOICE	Auth	0A02198200000
Gi10/22	482a.e307.d9c8	dot1x	DATA	Auth	0A02198200001
Gi9/22	0007.b00c.8c35	mab	DATA	Auth	0A02198200000

Which command was used to generate this output and to show which ports are authenticating with dot1x or mab?

- A. show authentication registrations
- B. show authentication method
- C. show dot1x all
- D. show authentication sessions

Answer: B

NEW QUESTION 3

Which two capabilities does TAXII support? (Choose two.)

- A. exchange
- B. pull messaging
- C. binding
- D. correlation
- E. mitigating

Answer: BC

NEW QUESTION 4

Which two conditions are prerequisites for stateful failover for IPsec? (Choose two.)

- A. Only the IKE configuration that is set up on the active device must be duplicated on the standby device; the IPsec configuration is copied automatically.
- B. The active and standby devices can run different versions of the Cisco IOS software but must be the same type of device.
- C. The IPsec configuration that is set up on the active device must be duplicated on the standby device.
- D. Only the IPsec configuration that is set up on the active device must be duplicated on the standby device; the IKE configuration is copied automatically.
- E. The active and standby devices must run the same version of the Cisco IOS software and must be the same type of device.

Answer: BC

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_conn_vpnnav/configuration/15-mt/sec-vpn-availability-15-mt-book/sec-state-fail-ipsec.html

NEW QUESTION 5

When web policies are configured in Cisco Umbrella, what provides the ability to ensure that domains are blocked when they host malware, command and control, phishing, and more threats?

- A. Application Control
- B. Security Category Blocking
- C. Content Category Blocking
- D. File Analysis

Answer: B

Explanation:

Reference: <https://support.umbrella.com/hc/en-us/articles/115004563666-Understanding-Security-Categories>

NEW QUESTION 6

Which flaw does an attacker leverage when exploiting SQL injection vulnerabilities?

- A. user input validation in a web page or web application
- B. Linux and Windows operating systems
- C. database
- D. web page images

Answer: C

Explanation:

Reference: https://tools.cisco.com/security/center/resources/sql_injection

NEW QUESTION 7

Which algorithm provides encryption and authentication for data plane communication?

- A. AES-GCM
- B. SHA-96
- C. AES-256
- D. SHA-384

Answer: A

NEW QUESTION 8

Which technology reduces data loss by identifying sensitive information stored in public computing environments?

- A. Cisco SDA
- B. Cisco Firepower
- C. Cisco HyperFlex
- D. Cisco Cloudlock

Answer: D

Explanation:

Reference: <https://www.cisco.com/c/dam/en/us/products/collateral/security/cloudlock/cisco-cloudlock-cloud-data-security-datasheet.pdf>

NEW QUESTION 9

What is the result of running the crypto isakmp key ciscXXXXXXXX address 172.16.0.0 command?

- A. authenticates the IKEv2 peers in the 172.16.0.0/16 range by using the key ciscXXXXXXXX
- B. authenticates the IP address of the 172.16.0.0/32 peer by using the key ciscXXXXXXXX
- C. authenticates the IKEv1 peers in the 172.16.0.0/16 range by using the key ciscXXXXXXXX
- D. secures all the certificates in the IKE exchange by using the key ciscXXXXXXXX

Answer: B

Explanation:

Reference: <https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/security/a1/sec-a1-cr-book/sec-cr-c4.html#wp6039879000>

NEW QUESTION 10

Which two probes are configured to gather attributes of connected endpoints using Cisco Identity Services Engine? (Choose two.)

- A. RADIUS
- B. TACACS+
- C. DHCP
- D. sFlow
- E. SMTP

Answer: AC

Explanation:

Reference: https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_prof_pol.html

NEW QUESTION 10

Which solution protects hybrid cloud deployment workloads with application visibility and segmentation?

- A. Nexus
- B. Stealthwatch
- C. Firepower
- D. Tetration

Answer: D

Explanation:

Reference: <https://www.cisco.com/c/en/us/solutions/security/secure-data-center-solution/index.html#~products>

NEW QUESTION 12

Which two key and block sizes are valid for AES? (Choose two.)

- A. 64-bit block size, 112-bit key length
- B. 64-bit block size, 168-bit key length
- C. 128-bit block size, 192-bit key length
- D. 128-bit block size, 256-bit key length
- E. 192-bit block size, 256-bit key length

Answer: CD

Explanation:

Reference: https://en.wikipedia.org/wiki/Advanced_Encryption_Standard

NEW QUESTION 13

Which two descriptions of AES encryption are true? (Choose two.)

- A. AES is less secure than 3DES.
- B. AES is more secure than 3DES.
- C. AES can use a 168-bit key for encryption.
- D. AES can use a 256-bit key for encryption.
- E. AES encrypts and decrypts a key three times in sequence.

Answer: BD

Explanation:

Reference: https://gpdb.docs.pivotal.io/43190/admin_guide/topics/ipsec.html

NEW QUESTION 14

Which benefit does endpoint security provide the overall security posture of an organization?

- A. It streamlines the incident response process to automatically perform digital forensics on the endpoint.
- B. It allows the organization to mitigate web-based attacks as long as the user is active in the domain.
- C. It allows the organization to detect and respond to threats at the edge of the network.
- D. It allows the organization to detect and mitigate threats that the perimeter security devices do not detect.

Answer: D

NEW QUESTION 18

What is a language format designed to exchange threat intelligence that can be transported over the TAXII protocol?

- A. STIX
- B. XMPP
- C. pxGrid
- D. SMTP

Answer: A

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/web_security/scancenter/administrator/guide/b_ScanCenter_Administrator_Guide/b_ScanCenter_Administrator_Guide_chapter_0100011.pdf

NEW QUESTION 19

Which statement about IOS zone-based firewalls is true?

- A. An unassigned interface can communicate with assigned interfaces
- B. Only one interface can be assigned to a zone.
- C. An interface can be assigned to multiple zones.
- D. An interface can be assigned only to one zone.

Answer: D

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security/ios-firewall/98628-zone-design-guide.html>

NEW QUESTION 22

Which two activities can be done using Cisco DNA Center? (Choose two.)

- A. DHCP
- B. design
- C. accounting
- D. DNS
- E. provision

Answer: BE

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/cloud-systems-management/network-automation-and-management/dna-center/1-2-1/user_guide/b_dnac_ug_1_2_1/b_dnac_ug_1_2_1_chapter_00.pdf

NEW QUESTION 23

What is the difference between deceptive phishing and spear phishing?

- A. Deceptive phishing is an attacked aimed at a specific user in the organization who holds a C-level role.
- B. A spear phishing campaign is aimed at a specific person versus a group of people.
- C. Spear phishing is when the attack is aimed at the C-level executives of an organization.
- D. Deceptive phishing hijacks and manipulates the DNS server of the victim and redirects the user to a false webpage.

Answer: B

NEW QUESTION 28

Which two behavioral patterns characterize a ping of death attack? (Choose two.)

- A. The attack is fragmented into groups of 16 octets before transmission.
- B. The attack is fragmented into groups of 8 octets before transmission.
- C. Short synchronized bursts of traffic are used to disrupt TCP connections.
- D. Malformed packets are used to crash systems.
- E. Publicly accessible DNS servers are typically used to execute the attack.

Answer: BD

Explanation:

Reference: https://en.wikipedia.org/wiki/Ping_of_death

NEW QUESTION 30

An MDM provides which two advantages to an organization with regards to device management? (Choose two.)

- A. asset inventory management
- B. allowed application management
- C. Active Directory group policy management
- D. network device management
- E. critical device management

Answer: AB

NEW QUESTION 35

Which Talos reputation center allows you to track the reputation of IP addresses for email and web traffic?

- A. IP Blacklist Center
- B. File Reputation Center
- C. AMP Reputation Center
- D. IP and Domain Reputation Center

Answer: D

NEW QUESTION 38

Which two endpoint measures are used to minimize the chances of falling victim to phishing and social engineering attacks? (Choose two.)

- A. Patch for cross-site scripting.
- B. Perform backups to the private cloud.
- C. Protect against input validation and character escapes in the endpoint.
- D. Install a spam and virus email filter.
- E. Protect systems with an up-to-date antimalware program.

Answer: DE

NEW QUESTION 39

DRAG DROP

Drag and drop the steps from the left into the correct order on the right to enable AppDynamics to monitor an EC2 instance in Amazon Web Services.


Install monitoring extension for AWS EC2.	step 1
Restart the Machine Agent.	step 2
Update config.yaml.	step 3
Configure a Machine Agent or SIM Agent.	step 4

A. Mastered

B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 41

Which technology must be used to implement secure VPN connectivity among company branches over a private IP cloud with any-to-any scalable connectivity?

- A. DMVPN
- B. FlexVPN
- C. IPsec DVTI
- D. GET VPN

Answer: D

NEW QUESTION 43

Which Cisco solution does Cisco Umbrella integrate with to determine if a URL is malicious?

- A. AMP
- B. AnyConnect
- C. DynDNS
- D. Talos

Answer: D

NEW QUESTION 48

What is the purpose of the Decrypt for Application Detection feature within the WSA Decryption options?

- A. It decrypts HTTPS application traffic for unauthenticated users.
- B. It alerts users when the WSA decrypts their traffic.
- C. It decrypts HTTPS application traffic for authenticated users.
- D. It provides enhanced HTTPS application detection for AsyncOS.

Answer: D

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/wsa/wsa11-7/user_guide/b_WSA_UserGuide_11_7/b_WSA_UserGuide_11_7_chapter_01011.html

NEW QUESTION 52

What is the primary difference between an Endpoint Protection Platform and an Endpoint Detection and Response?

- A. EPP focuses on prevention, and EDR focuses on advanced threats that evade perimeter defenses.
- B. EDR focuses on prevention, and EPP focuses on advanced threats that evade perimeter defenses.
- C. EPP focuses on network security, and EDR focuses on device security.
- D. EDR focuses on network security, and EPP focuses on device security.

Answer: A

Explanation:

Reference: <https://www.cisco.com/c/en/us/products/security/endpoint-security/what-is-endpoint-detection-response-edr.html>

NEW QUESTION 57

Which functions of an SDN architecture require southbound APIs to enable communication?

- A. SDN controller and the network elements
- B. management console and the SDN controller
- C. management console and the cloud
- D. SDN controller and the cloud

Answer: A

NEW QUESTION 61

What is a characteristic of traffic storm control behavior?

- A. Traffic storm control drops all broadcast and multicast traffic if the combined traffic exceeds the level within the interval.
- B. Traffic storm control cannot determine if the packet is unicast or broadcast.

- C. Traffic storm control monitors incoming traffic levels over a 10-second traffic storm control interval.
- D. Traffic storm control uses the Individual/Group bit in the packet source address to determine if the packet is unicast or broadcast.

Answer: A

Explanation:

Reference: <https://www.cisco.com/c/en/us/td/docs/routers/7600/ios/12-1E/configuration/guide/storm.html>

NEW QUESTION 62

In a PaaS model, which layer is the tenant responsible for maintaining and patching?

- A. hypervisor
- B. virtual machine
- C. network
- D. application

Answer: D

Explanation:

Reference: <https://www.bmc.com/blogs/saas-vs-paas-vs-iaas-whats-the-difference-and-how-to-choose/>

NEW QUESTION 65

An engineer is configuring AMP for endpoints and wants to block certain files from executing. Which outbreak control method is used to accomplish this task?

- A. device flow correlation
- B. simple detections
- C. application blocking list
- D. advanced custom detections

Answer: C

NEW QUESTION 70

Which ASA deployment mode can provide separation of management on a shared appliance?

- A. DMZ multiple zone mode
- B. transparent firewall mode
- C. multiple context mode
- D. routed mode

Answer: C

NEW QUESTION 73

Which attack is commonly associated with C and C++ programming languages?

- A. cross-site scripting
- B. water holing
- C. DDoS
- D. buffer overflow

Answer: D

Explanation:

Reference: https://en.wikipedia.org/wiki/Buffer_overflow

NEW QUESTION 78

Refer to the exhibit.

```
Sysauthcontrol      Enabled
Dot1x Protocol Version      3

Dot1x Info for GigabitEthernet1/0/12
-----
PAE                    = AUTHENTICATOR
PortControl            = FORCE_AUTHORIZED
ControlDirection      = Both
HostMode               = SINGLE_HOST
QuietPeriod            = 60
ServerTimeout          = 0
SuppTimeout            = 30
ReAuthMax              = 2
MaxReq                 = 2
TxPeriod               = 30
```

Which command was used to display this output?

- A. show dot1x all

- B. show dot1x
- C. show dot1x all summary
- D. show dot1x interface gi1/0/12

Answer: A

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_usr_8021x/configuration/xe-3se/3850/sec-user-8021x-xe-3se-3850-book/config-ieee-802x-pba.html

NEW QUESTION 80

Which two services must remain as on-premises equipment when a hybrid email solution is deployed? (Choose two.)

- A. DDoS
- B. antispam
- C. antivirus
- D. encryption
- E. DLP

Answer: DE

Explanation:

Reference: https://www.cisco.com/c/dam/en/us/td/docs/security/ces/overview_guide/Cisco_Cloud_Hybrid_Email_Security_Overview_Guide.pdf

NEW QUESTION 84

What is a characteristic of Cisco ASA Netflow v9 Secure Event Logging?

- A. It tracks flow-create, flow-teardown, and flow-denied events.
- B. It provides stateless IP flow tracking that exports all records of a specific flow.
- C. It tracks the flow continuously and provides updates every 10 seconds.
- D. Its events match all traffic classes in parallel.

Answer: A

Explanation:

Reference: <https://www.cisco.com/c/en/us/td/docs/security/asa/asa92/configuration/general/asa-general-cli/monitor-nse1.html>

NEW QUESTION 89

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

350-701 Practice Exam Features:

- * 350-701 Questions and Answers Updated Frequently
- * 350-701 Practice Questions Verified by Expert Senior Certified Staff
- * 350-701 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 350-701 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 350-701 Practice Test Here](#)