



## **VMware**

### **Exam Questions 2V0-33.22**

VMware Cloud Professional

### NEW QUESTION 1

A cloud Administrator is receiving complaints about an application experiencing intermittent network connectivity. Which VMware Cloud tools can help the administrator check if packets are being dropped?

- A. VRealize Log Insight
- B. Port mirroring
- C. IPFIX
- D. Traceflow

**Answer: D**

#### Explanation:

IPFIX (Internet Protocol Flow Information Export) is a standard for the format and export of network flow information for troubleshooting, auditing, or collecting analytics information. Port mirroring lets you replicate and redirect all of the traffic coming from a source. The mirrored traffic is sent encapsulated within a Generic Routing Encapsulation (GRE) tunnel to a collector so that all of the original packet information is preserved while traversing the network to a remote destination. Use Traceflow to inspect the path of a packet. Traceflow traces the transport node-level path of a packet. The trace packet traverses the logical switch overlay, but is not visible to interfaces attached to the logical switch. In other words, no packet is actually delivered to the test packet's intended recipients. vRealize Log Insight is a log collection and analytics virtual appliance that enables administrators to collect, view, manage and analyze syslog data. Log Insight provides real-time monitoring of application logs, network traces, configuration files, messages and performance data.

### NEW QUESTION 2

Exhibit:  
 NEW FOLDER UPLOAD FILES UPLOAD FOLDERS REGISTERED VM DOWNLOAD DATE COPY to MOVE TO RENAME TO DELETE

Name	Size	Modified	Type	Path
dvsData	05/03/2022, 9.10.21 AM	Folder	[vsandatastore]	
.s dd.sf	05/03/2022, 9.10.21 AM	Folder	[vsandatastore]	
app02-000002.vmdk	05/03/2022, 9.10.21 AM	Folder	[vsandatastore]	app02-000003.vmdk 05/03/2022, 9.10.21 AM Folder [vsandatastore] app02-000002.hlog
05/03/2022, 9.10.21 AM	Folder	[vsandatastore]	app02-000002.vswap 05/03/2022, 9.10.21 AM Folder [vsandatastore]	app02-000002.vswap.lck 05/03/2022, 9.10.21 AM Folder [vsandatastore]

A cloud administrator is asked to troubleshoot a virtual machine (app02) that is performing slowly. The cloud Administrator noticed that app02 is consuming an expected amount of disk space. As a first step, the cloud administrator uses VMware vCenter to check the snapshot manager for app02 and no snapshot -- cloud administrator then navigates to the app02 files on the datastore, and is presented with the information provided in the exhibits. Given the information provided, which task should the cloud administrator perform to resolve this issue?

- A. Migrate the virtual machine to a new datastore.
- B. Perform a snapshot consolidation.
- C. Power cycle the virtual machine.
- D. Execute a Delete All Snapshots task.

**Answer: D**

### NEW QUESTION 3

Which VMware technology ensures availability of the VMs in your SDDC and uses multiple ESXi hosts to provide rapid recovery from outages and cost-effective high availability for applications? (Select one option)

- A. vSphere DRaaS
- B. vSphere HA
- C. vSphere DPM
- D. vSphere eDRS

**Answer: B**

#### Explanation:

The VMware technology that ensures availability of the VMs in your SDDC and uses multiple ESXi hosts to provide rapid recovery from outages and cost-effective high availability for applications is B.vSphere HA. vSphere HA is an agentless cluster-level availability solution that enables rapid recovery from outages and cost-effective high availability for applications. vSphere DRaaS, vSphere DPM, and vSphere eDRS are not suitable for this purpose.

### NEW QUESTION 4

Which three items should be considered when performing a hot migration of a virtual machine (VM)? (Choose three.)

- A. The source and destination host management network IP address families must match
- B. The vGPU configuration of the VM
- C. The status of the guest operating system in the VM
- D. The CPU instruction set required by the VM
- E. The source and destination host must have shared access to the storage that contains the VM
- F. The status of VMware Tools on the VM

**Answer: CEF**

#### Explanation:

For the source and destination host to have shared access to the storage that contains the VM, they must be able to access the same datastore. This requires that the datastore be available to both hosts and that the datastore has the same name on both hosts. The status of VMware Tools on the VM should also be checked before performing a hot migration. VMware Tools is a suite of utilities that enhances the performance of a virtual machine's guest operating system and improves the management of the virtual machine. If VMware Tools is not installed or not up to date, the hot migration may fail. Finally, the status of the guest operating system in the VM should also be checked before performing a hot migration. The guest operating system should be up and running and not in a suspended state. If the guest operating system is in a suspended state, the hot migration may fail. The CPU instruction set required by the VM and the vGPU configuration of the VM are not items to consider when performing a hot migration of a virtual machine.

The source and destination host management network IP address families do not need to match for the hot migration to be successful.

References:

[1] [https://docs.vmware.com/en/VMware-vSphere/6.7/com.vmware.vsphere.vm\\_admin.doc/GUID-B2B7F78A](https://docs.vmware.com/en/VMware-vSphere/6.7/com.vmware.vsphere.vm_admin.doc/GUID-B2B7F78A)

#### NEW QUESTION 5

Which three organizational aspects need to be considered to successfully transition to a cloud operating model? (Choose three.)

- A. People
- B. Technology
- C. Process
- D. Branding
- E. Budget
- F. Facilities

**Answer:** ABC

#### Explanation:

<https://blogs.vmware.com/management/2020/01/the-cloud-operating-model.html>

#### NEW QUESTION 6

A cloud administrator is tasked with migrating workloads from an on-premises environment to a VMware Cloud on AWS software-defined datacenter (SDDC) with no downtime while retaining their IP Address. Which connectivity type should be used?

- A. Private policy-based IPsec VPN
- B. Private route-based IPsec VPN
- C. Open VPN
- D. Private Layer 2 VPN

**Answer:** D

#### Explanation:

Private L2 VPN: To migrate running VMs between SDDCs in different geographical locations.

You use a private layer 2 (L2) VPN to extend an on-premises network to your cloud SDDC. This extended network is a single subnet with a single broadcast domain.

You can use L2 VPNs to migrate VMs to and from your cloud SDDC, for disaster recovery, or for dynamic access to cloud computing resources (often called cloud bursting).

VM migrations across an L2 VPN support VLAN tagging and GENEVE frame encapsulation when migrating between a cloud SDDC to another SDDC.

The L2 VPN tunnel extends layer 2 networks across geographic sites. VMs can move across sites (using vSphere vMotion) and keep the same IP addresses using an L2 VPN.

#### NEW QUESTION 7

An administrator wants to have a global view of all managed Tanzu Kubernetes clusters and manage the policies across them. Which solution would the administrator use?

- A. VMware Tanzu Mission Control
- B. VMware Tanzu Observability by Wavefront
- C. VMware Tanzu Service Mesh
- D. VMware Tanzu Kubernetes Grid

**Answer:** A

#### Explanation:

VMware Tanzu Mission Control provides a central platform to manage and view all Tanzu Kubernetes clusters and workloads running in the environment. It allows administrators to set policies across multiple clusters, set up cluster identities, monitor cluster health and performance, and much more. Tanzu Mission Control also provides access to a variety of cloud-native tools, such as Kubernetes Dashboard, Helm, and Kubeapps.

Publishing Applications with VMware Horizon 7 <https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application-vmware-technical-support-guide>

VMware Technical Support Guide <https://www.vmware.com/pdf/techsupportguide.pdf>

Quick-Start Tutorial for VMware Dynamic Environment Manager ... <https://techzone.vmware.com/resource/quick-start-tutorial-vmware-dynamic-environment-manager>

"VMware Tanzu® Mission Control™ is a centralized management platform for consistently operating, managing, and securing Kubernetes infrastructure and modern applications across teams and clouds. It provides a global view of all of the Kubernetes clusters. You can use the resource hierarchy to manage and enforce consistent policies across Kubernetes clusters. "

#### NEW QUESTION 8

What are two key benefits of VMware's partnerships with hyperscalers? (Choose two.)

- A. Access to native public cloud services
- B. Automation of infrastructure operations in a single view
- C. Seamless workload migration across clouds
- D. One-click conversion to cloud native services
- E. Elimination of egress costs

**Answer:** AC

#### Explanation:

VMware's partnerships with hyperscalers, such as AWS and Google Cloud, provide customers with access to native public cloud services and the ability to easily and securely migrate workloads between clouds. This allows customers to take advantage of the best features of each cloud provider while managing their workloads in a single view. It also eliminates the need to pay egress costs when moving workloads between clouds.

#### NEW QUESTION 9

A user is assigned the CloudAdmin role in a VMware Cloud on AWS software-defined data center (SDDC). At which level in the inventory hierarchy can the user deploy virtual machines?

- A. Compute-ResourcePool in the Hosts and Clusters view
- B. Discovered virtual machine folder in the VMs and Templates view
- C. vsanDatastore in the Storage view
- D. Mgmt-ResourcePool in the Hosts and Clusters view

**Answer:** B

#### Explanation:

This would enable the user to have the necessary permissions to deploy virtual machines - and thus, would ensure that all of the necessary virtual machines are deployed in a timely and efficient manner.

- > VMware Cloud on AWS Documentation: "Deployment of virtual machines"
- > VMware Cloud on AWS Documentation: "Creating virtual machines with the VMware Cloud on AWS console"
- > VMware Cloud on AWS Documentation: "Managing virtual machines with the VMware Cloud on AWS console"

#### NEW QUESTION 10

A company needs to increase its infrastructure capacity quickly to accommodate their rapid business growth. Which cloud use case describes their requirement?

- A. Maintain and Modernize
- B. Consolidate and Migrate
- C. Disaster Recovery
- D. Maintain and Expand

**Answer:** A

#### Explanation:

<https://www.vmware.com/mena/topics/glossary/content/digital-transformation.html>

#### NEW QUESTION 10

Which two steps must an administrator take in order to deploy an instance of Azure VMware Solutions? (Choose two.)

- A. Create a support request with Microsoft Azure Support to create a host quota.
- B. Deploy and configure Microsoft Enterprise Edge (MSEE) appliances.
- C. Create a support request with VMware Support to create a private cloud.
- D. Associate the subscription with a Microsoft Enterprise Agreement.
- E. Deploy and configure Microsoft Azure ExpressRoute.

**Answer:** AD

#### Explanation:

According to the VMware Cloud Professional Administration guide, to deploy an instance of Azure VMware Solutions, an administrator must first create a support request with VMware Support to create a private cloud. This will enable the administrator to access the Azure VMware Solutions environment.

The guide also states that an administrator must associate the subscription with a Microsoft Enterprise Agreement in order to use Azure VMware Solutions. This will ensure that the administrator has the necessary permissions and access to the environment in order to configure and manage it.

Search results: [1] VMware Cloud Professional is a cloud service that provides a secure, reliable, and cost-effective way to deliver cloud-based solutions for organizations. [2] This guide provides step-by-step instructions to deploy and configure Microsoft Azure VMware Solutions[1], a cloud-based solution that enables organizations to run VMware workloads in the public cloud. [3] To deploy an Azure VMware Solution instance, the customer must have an active Microsoft Enterprise Agreement (EA) and a valid subscription associated with it. [4] The customer must also create a support request with VMware support to create a private cloud. This will enable the customer to access the Azure VMware Solutions environment. [5] Once the customer has created a support request and associated their 1. Manually Creating Optimized Windows Images for VMware Horizon ...

<https://techzone.vmware.com/resource/manually-creating-optimized-windows-images-vmware-horizon-vm> VMware Technical Support Guide

<https://www.vmware.com/pdf/techsupportguide.pdf> VMware vCloud Air Networking Guide - vCloud Air

[https://www.vmware.com/pdf/vchs\\_networking\\_guide.pdf](https://www.vmware.com/pdf/vchs_networking_guide.pdf)

#### NEW QUESTION 11

A cloud administrator successfully configures a policy-based VPN between an on-premises data center and an instance of VMware Cloud Software-defined data center (SDDC). Although the workloads are reachable from both locations over the IP network, the cloud virtual machines cannot access an on-premises web service. What should the cloud administrator check first to resolve this issue?

- A. On-premises DNS settings
- B. VMware Cloud DNS settings
- C. On-premises gateway settings
- D. VMware Cloud gateway settings

**Answer:** B

#### Explanation:

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-networking-security/GUI>

#### NEW QUESTION 13

VMware Engine cloud administrator is tasked with ensuring that a dedicated, secure, high-speed, and low-latency connection exists between an on-premises VMware Engine. Which two options are available for Google Cloud VMware Engine? (Choose two.)

- A. Partner Interconnect
- B. Global Reach

- C. Dedicated Interconnect
- D. ExpressRoute
- E. Direct Connect

**Answer:** AC

**Explanation:**

<https://cloud.google.com/architecture/private-cloud-networking-for-vmware-engine>

Dedicated Interconnect provides a private[1][2], dedicated connection between your on-premises network and Google's network. It offers low latency, high bandwidth, and a secure connection. Partner Interconnect provides a connection to Google Cloud Platform through a partner's network, such as a service provider or a carrier. It offers the same low latency, high bandwidth, and secure connection, but is slightly slower than Dedicated Interconnect.

References: [1]<https://cloud.google.com/interconnect/docs/concepts/types>[2]<https://docs.vmware.com/en/VMware-Cloud-on>

**NEW QUESTION 18**

What must a cloud administrator configure in order to allow a company's on-premises data center to access the VMware Cloud on AWS vCenter Server.

- A. Management network segment
- B. Compute gateway firewall
- C. Management gateway firewall
- D. Compute network segment

**Answer:** C

**Explanation:**

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-networking-security/GUI>

**NEW QUESTION 19**

A cloud administrator is managing a VMware Cloud on AWS environment. Currently, there is a single cluster consisting of four i3.metal hosts. Due to an increased demand, cluster capacity has to be expanded by 60 cores and 640 GB of memory.

What should the administrator do to meet the demand?

- A. Add 16 CPU cores to the existing hosts.
- B. Add three c4.metal hosts to the cluster.
- C. Add two i3.metal hosts to the cluster.
- D. Add one i3en.metal host to the cluster.

**Answer:** C

**Explanation:**

According to the VMware Cloud on AWS documentation, the minimum capacity of an i3.metal host is 8 vCPUs and 64 GB of memory. Therefore, to meet the demand of an additional 60 cores and 640 GB of memory, the administrator should add two i3.metal hosts to the cluster. For more information, please refer to the official VMware Cloud on AWS documentation

at:<https://docs.vmware.com/en/VMware-Cloud-on-AWS/index.html>.

**NEW QUESTION 21**

What is the purpose of the VMware Cloud on AWS Compute Gateway (CGW)?

- A. A Tier-1 router that handles routing and firewalling for the VMware vCenter Server and other management appliances running in the software-defined data center (SDDC)
- B. A Tier-1 router that handles workload traffic that is connected to routed compute network segments
- C. A Tier-0 router that handles routing and firewalling for the VMware vCenter Server and other management appliances running in the software-defined data center (SDDC)
- D. A Tier-0 router that handles workload traffic that is connected to routed compute network segments

**Answer:** B

**Explanation:**

Compute Gateway (CGW) The CGW is a Tier 1 router that handles network traffic for workload VMs connected to routed compute network segments. Compute gateway firewall rules, along with NAT rules, run on the Tier 0 router. In the default configuration, these rules block all traffic to and from compute network segments (see Configure Compute Gateway Networking and Security).

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/vmc-on-aws-networking-security.pdf>

**NEW QUESTION 22**

Which solution would an administrator use to manage the lifecycle operations of Tanzu Kubernetes clusters?

- A. VMware Tanzu Service Mesh
- B. VMware vSphere Lifecycle Manager
- C. VMware Tanzu Observability by Wavefront
- D. VMware Tanzu Kubernetes Grid

**Answer:** D

**Explanation:**

VMware Tanzu Kubernetes Grid is described as a comprehensive solution for operating Kubernetes-based applications in production, as well as creating, scaling and managing clusters. It provides a centralized control plane for managing the lifecycle operations of Tanzu Kubernetes clusters.

(Source:<https://tanzu.vmware.com/kubernetes>)

#### NEW QUESTION 27

A customer identifies consumption-based ransomware protection as a primary business requirement. Which VMware solution offers long-term immutable point-in-time recovery options?

- A. VMware vSphere Replication
- B. VMware Site Recovery
- C. VMware Cloud Disaster Recovery
- D. VMware vSphere Data Protection

**Answer: C**

#### Explanation:

The VMware solution that offers long-term immutable point-in-time recovery options is VMware Cloud Disaster Recovery (CDR). CDR offers continuous data protection and point-in-time recovery options with up to 30 days of retention. It also provides a secure and immutable copy of your data that is stored in the cloud and can be used to recover from ransomware attacks.

#### NEW QUESTION 30

A virtual machine running in VMware Cloud on AWS is experiencing poor CPU performance. What are two steps the cloud administrator can take to troubleshoot this issue? (Choose two.)

- A. Physically access the console of the VMware ESXi host where the virtual machine resides and use the command line to review the logs.
- B. Use the Troubleshooting Workbench in VMware vRealize Operations Cloud to look for potential evidence.
- C. Set the power management policy on the VMware ESXi host to "High Performance."
- D. Log in to the VMware ESXi host using SSH and run 'esxtop' to examine CPU statistics.
- E. Use the VMware vSphere Client to connect to the VMware vCenter which manages the virtual machine and examine its performance statistics.

**Answer: BE**

#### Explanation:

"It is a good idea to periodically monitor the CPU usage of the host. This can be done through the vSphere Client, using the VMware vRealizeOperations management suite, or by using resxtop. Below we describe how to interpret resxtop"<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/vmc-aws-performance.pdf>

➤ Use the VMware vSphere Client to connect to the VMware vCenter which manages the virtual machine and examine its performance statistics. You can use charts, alarms, and events to identify CPU bottlenecks or contention.

➤ Use the Troubleshooting Workbench in VMware vRealize Operations Cloud to look for potential evidence. You can use dashboards, alerts, metrics, logs, and recommendations to diagnose and resolve CPU performance issues.

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/vmc-aws-performance.pdf>

#### NEW QUESTION 32

Which two service management tasks in VMware Cloud on AWS are performed by VMware? (Choose two.)

- A. Capacity management of the cloud software-defined data centers (SDDCs)
- B. Updates to VMware hardware compatibility
- C. Notifications sent before a regular update
- D. Updates to the software-defined data center (SDDC) software
- E. Creation and configuration of VPC during the software-defined data center (SDDC) deployment

**Answer: AD**

#### Explanation:

As per the official guide from VMware, VMware is responsible for managing the capacity of the cloud software-defined data centers (SDDCs) and for updating the software-defined data center (SDDC) software. This includes managing the underlying infrastructure, such as the hosts, storage, and networking, and ensuring that the SDDCs are running the latest version of the software.

#### NEW QUESTION 34

A cloud administrator needs to create a secure connection over the Internet between an on-premises data center and a VMware Cloud software-defined data center (SDDC).

Which solution can accomplish this goal?

- A. VMware Site Recovery Manager
- B. VMware vRealize Network Insight
- C. VMware NSX
- D. VMware Cloud Director

**Answer: C**

#### Explanation:

VMware NSX is a network virtualization and security platform that provides a range of features for creating and managing virtual networks, including the ability to create secure connections over the Internet between on-premises data centers and VMware Cloud software-defined data centers (SDDCs). NSX allows you to create logical networks that are isolated from the underlying physical infrastructure, providing enhanced security and flexibility. With NSX, you can create secure, encrypted connections between your on-premises data center and your VMware Cloud SDDC, allowing you to easily and securely connect your workloads and applications running in the cloud to your on-premises resources.

#### NEW QUESTION 35

A customer is concerned about threats propagating out to their cloud disaster recovery site. Which VMware Cloud solution offers the capability for an operational air-gap to stop ransomware?

- A. VMware Cloud Disaster Recovery
- B. VMware Hybrid Cloud Extension
- C. VMware Site Recovery
- D. VMware Secure Access Service Edge

**Answer:** A

**Explanation:**

<https://blogs.vmware.com/virtualblocks/2021/09/28/operational-air-gaps/>

Operational isolation (operational “air-gapping”) is critical to DR. VMware Cloud DR was designed from the very beginning for its systems and repository to be operationally isolated and for instantiating isolated recovery environments.

**NEW QUESTION 38**

If a company connects their data center to a VMware Cloud on AWS software-defined data center (SDDC) Instance through a virtual private network (VPN) and advertises a 0.0.0.0/0 route, what is the expected behavior of the SDDC compute network traffic?

- A. All compute and management traffic will egress to the data center.
- B. All compute network traffic destined for the data center will egress through the VPN but all Internet traffic will egress through the cloud provider Internet gateway.
- C. All compute network traffic will egress through the cloud provider Internet gateway.
- D. All compute network traffic will egress to the data center.

**Answer:** D

**Explanation:**

When a VPN is established between the data center and the SDDC Instance, it allows the organization to create a private and secure connection between their on-premises infrastructure and their workloads running in the cloud. By advertising a 0.0.0.0/0 route, the organization is essentially routing all traffic to the VPN tunnel, which means that all traffic including traffic destined for the data center and internet traffic, will be sent through the VPN tunnel to the company's data center.

It is important to note that this configuration depends on the company's network architecture and security policies, and that there may be other alternatives that better fit the organization's needs.

**NEW QUESTION 41**

As per company policy, all administrator level accounts need to have their password changed on a regular basis. The cloudadmin@vmc.local account password is changed by an administrator from the vSphere Client.

Another administrator is using the credentials in the VMware Cloud console and gets an 'access denied' error. What could be the problem?

- A. The password change email confirmation has NOT been approved by the organization owner.
- B. The password should only be changed through the VMware Cloud console.
- C. The new password is NOT synchronized with the password that is displayed for the Default vCenter user account.
- D. The password should be changed by escalation of privileges.

**Answer:** C

**Explanation:**

The problem could be that the new password is not synchronized with the password that is displayed for the Default vCenter user account. The administrator must make sure that the same password is used in both the vSphere Client and the VMware Cloud console in order for the user to access the account. Changing the password in one place does not automatically change it in the other, so this must be done manually.

**NEW QUESTION 42**

Which two key components are required in every instance in the VMware Cloud software-defined datacenter (SDDC)? (Choose two.)

- A. VMware vSphere
- B. VMware vRealize Operations
- C. VMware Tanzu Kubernetes Grid
- D. VMware NSX-T
- E. CloudHealth by VMware

**Answer:** AD

**Explanation:**

The correct answers are A and D. Every instance in the VMware Cloud software-defined datacenter (SDDC) requires VMware vSphere and VMware NSX-T. VMware vSphere is a virtualization platform that allows customers to manage, deploy, and configure virtual machines and other related components. VMware NSX-T is a network virtualization platform that provides security and networking services to virtualized environments.

**NEW QUESTION 43**

A cloud administrator with an existing virtual private cloud (VPC) needs to create a dedicated connection to VMware Cloud on AWS. Which connection type would meet this requirement?

- A. Public virtual interface
- B. AWS Direct Connect
- C. Transit virtual interface
- D. Private virtual interface

**Answer:** B

**Explanation:**

The best option to meet the requirements of creating a dedicated connection to VMware Cloud on AWS is to use AWS Direct Connect. AWS Direct Connect provides a dedicated network connection between an

on-premises data center and the Amazon Web Services (AWS) cloud, allowing for the transfer of data across the two locations. It is more reliable and has lower latency than other options such as public virtual interface, transit virtual interface, and private virtual interface. Additionally, AWS Direct Connect provides the highest performance and throughput of any of the on-premises data center connectivity options.

Why does VMware refuse to educate their customers ... - VMware ... <https://communities.vmware.com/t5/VMware-Education-Services/Why-does-VMware-refuse-to-educate-their-c> VMware Technical Support Guide

<https://www.vmware.com/pdf/techsupportguide.pdf> Publishing Applications with VMware Horizon 7

<https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application>

#### NEW QUESTION 45

A cloud administrator needs to create an isolated network segment for use in disaster recovery test. Which type of network segment is required?

- A. Private
- B. Routed
- C. Extended
- D. Disconnected

**Answer:** A

#### Explanation:

A private network segment is an isolated network segment that is used for disaster recovery testing. Private network segments provide a secure and isolated environment for testing, allowing administrators to test their disaster recovery plans without risking the stability of their production environment. Private network segments also provide additional security, as they are not connected to the public internet, making them less vulnerable to external attacks. [1]

[1]<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.networking/GUID-64>

#### NEW QUESTION 50

A cloud administrator is managing a VMware Cloud on AWS environment containing of a single cluster with three hosts. Which acts recovery site for the on-premises environment. The on-premises environment consists of eight hosts. what should the cloud administrator configure to optimize scaling for full disaster recovery?

- A. Configure an Elastic DRS policy and set the maximum cluster Size to 8.
- B. No Additional configuration is required Default Elastic DRS will fulfill the requirement
- C. Configure an Elastic DRS policy and select 'Optimize for Rapid scale-out'.
- D. Configure an Elastic DRS policy and set minimum cluster size to 8.

**Answer:** C

#### Explanation:

According to the VMware official documentation, in order to optimize scaling for full disaster recovery in a VMware Cloud on AWS environment, it is necessary to configure an Elastic DRS policy and select 'Optimize for Rapid scale-out' as the policy type. This option allows for a rapid increase in the number of hosts within the cluster, which is necessary for full disaster recovery. For more information, please refer to the VMware Cloud on AWS Disaster Recovery Guide, which can be found

here:<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/VMware-Cloud-on-AWS-Disaster-Recover>

#### NEW QUESTION 55

A Cloud administrator is starting to plan a workload migration and wants to estimate the cost of running those workloads on VMware Cloud. Which VMware Cloud service should the administrator use to achieve this goal?

- A. VMware vRealize Network Insight Cloud
- B. VMware vRealize Operations Cloud
- C. VMware vRealize Log Insight Cloud
- D. VMware vRealize Automation Cloud

**Answer:** B

#### Explanation:

Managing Costs:

With its capacity and cost management features, vRealize Operations Cloud can predict future demand and provide actionable recommendations to help in managing costs.

Reclamation of Existing Resources:

Assess workload status and resource contention in data centers across your environment:

- > Determine the time remaining until CPU, memory, or storage resources run out.
- > Realize cost savings when underutilized VMs are identified and reclaimed to be deployed more effectively.

Future Infrastructure Requirements

Run what-if scenarios:

- > Identify how much capacity remains after you add or remove VMs or hosts.
- > Add hyperconverged infrastructure (HCI) nodes.
- > Get a recommendation based on the cost relative to workload placement on different hosts, clusters, data centers, and even different clouds.

Cloud Migration Planning:

Migration planning shows you the capacity and cost information after the migration to a cloud-based infrastructure.

Cost Overview

vRealize Operations Cloud supports costing for private clouds, public clouds, and VMware Cloud infrastructure.

You can track expenses for a single virtual machine, and identify how these expenses attribute to the overall cost associated with your private cloud accounts and VMware Cloud infrastructure accounts.

On the Cost Overview

home page in vRealize Operations Cloud, you can find details about the costs

associated with your VMware Cloud infrastructure accounts, public cloud accounts, and your private cloud accounts.



You can view the Total Cost of Ownership, Potential Savings, and Realized Savings for your VMware Cloud infrastructure cloud accounts and vSphere private cloud accounts, and Total Cost of Ownership for your private cloud accounts.

**NEW QUESTION 56**

Refer to the exhibit.



A cloud administrator is deploying a new VMware Cloud on AWS virtual private cloud (VPC). After clicking on deploy, the screen refreshes and displays the information that is provided in the exhibit.

What is the issue with the management CIDR that is causing the deployment to fail?

- A. It overlaps with the AWS subnet.
- B. It overlaps with the AWS VPC CIDR.
- C. It is part of the reserved CIDRs.
- D. It is an invalid size.

**Answer: A**

**Explanation:**

<https://docs.aws.amazon.com/whitepapers/latest/sddc-deployment-and-best-practices/deploying-vmware-cloud-on-aws> must be a RFC1918 private address space (10.0.0.0/8, 172.16.0.0/12, or 192.168.0.0/16) with CIDR block sizes of /16, /20, or /23. The management CIDR block cannot be changed after the SDDC is deployed. Choose a range of IP addresses that does not overlap with the AWS subnet you are connecting to. If you plan to connect the SDDC to an on-premises DC or another environment, the IP subnet must be unique within your enterprise network infrastructure. Choose a CIDR that will give you future scalability.

**NEW QUESTION 61**

When configuring Hybrid Linked Mode, what is the maximum supported latency between an on-premises environment and a VMware Cloud on AWS software-defined data center (SDDC)?

- A. 200 milliseconds round trip
- B. 250 milliseconds round trip
- C. 150 milliseconds round trip
- D. 100 milliseconds round trip

**Answer: D**

**Explanation:**

Hybrid Linked Mode can tolerate a time skew of up to ten minutes between the on-premises data center and the cloud SDDC. The maximum latency between your cloud SDDC and on-premises data center cannot exceed 100 msec roundtrip.

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vsphere.vmc-aws-manage-data-cen>

**NEW QUESTION 62**

Which hyperscaler partner is best suited for customers who need 100 GB bandwidth between SDDCs in the cloud? (Select one option)

- A. VMware Cloud on AWS
- B. Azure VMware Solution
- C. Oracle Cloud VMware Solution
- D. Google Cloud VMware Engine

**Answer: A**

**Explanation:**

VMware Cloud on AWS provides the highest level of performance, reliability, and scalability for customers who need to move large amounts of data between their SDDCs in the cloud. It is also the only hyperscaler partner that has the ability to quickly and easily provision entire SDDCs in the cloud. In addition, VMware Cloud on AWS offers the most comprehensive enterprise-grade features, such as automated backups

and disaster recovery, which provide customers with peace of mind that their data is always secure and protected.

#### NEW QUESTION 65

Which three types of gateways can be found in VMware cloud on AWS (Choose three?)

- A. Distributed Tier-1
- B. Standard Tier-1
- C. Tire-0
- D. Compute Tier-1
- E. Management Tire-1
- F. Management Tire-0

**Answer:** ABD

#### Explanation:

The three types of gateways that can be found in VMware Cloud on AWS are Option A: Distributed Tier-1, Option B: Standard Tier-1, and Option D: Compute Tier-1.

Distributed Tier-1 gateways are used for secure access between on-premises networks and the VMware Cloud on AWS SDDC network. Standard Tier-1 gateways are used for secure access between the VMware Cloud on AWS SDDC network and the public internet. Compute Tier-1 gateways are used for secure access between the workloads running on the VMware Cloud on AWS SDDC and the public internet.

For more information, please refer to the official VMware documentation on VMware Cloud on AWS Gateways: <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.networking/GU>

#### NEW QUESTION 68

When preparing to deploy VMware Cloud on Dell EMC or VMware Cloud on AWS Outposts In a data center, which two physical constraints must be considered? (Choose two.)

- A. Having enough existing rack space for the components
- B. Distance between loading dock and datacenter
- C. Size of the doorways between loading dock and datacenter
- D. Having enough people to carry the equipment
- E. Floor and elevator weight capacity between loading dock and datacenter

**Answer:** AE

#### Explanation:

<https://aws.amazon.com/vmware/outposts/faqs/>

When deploying VMware Cloud on Dell EMC or VMware Cloud on AWS Outposts in a data center, it is important to consider the amount of existing rack space available for the components, as well as the floor and elevator weight capacity between the loading dock and the data center. The distance between the loading dock and the data center, the size of the doorways between the loading dock and the data center, and the number of people available to carry the equipment are not relevant factors to consider.

#### NEW QUESTION 72

In VMware Cloud, who is responsible for the encryption of virtual machines?

- A. Native cloud provider
- B. Customer
- C. VMware Cloud Provider Partner (VCP)
- D. VMware

**Answer:** B

#### Explanation:

Customer responsibility "Security in the Cloud" – Customers are responsible for the deployment and ongoing configuration of their SDDC, virtual machines, and data that reside therein. In addition to determining the network firewall and VPN configuration, customers are responsible for managing virtual machines (including in guest security and encryption) and using VMware Cloud on AWS User Roles and Permissions along with vCenter Roles and Permissions to apply the appropriate controls for users.

The responsibility for the encryption of virtual machines in VMware Cloud lies with the customer. The customer is responsible for configuring and managing any encryption or security related settings and configurations in the virtual machines, such as disk encryption or the configuration of security protocols. The VMware Cloud Provider Partner (VCP) is responsible for the overall security of the cloud environment [1][2], including the encryption of data at rest, but the customer is responsible for configuring and managing the encryption settings within their virtual machines.

Reference: <https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.encryption/>

#### NEW QUESTION 76

When configuring VMware Cloud Disaster Recovery (VCDR), with what can protection groups and disaster recovery plans be associated?

- A. Only a single vCenter Instance In the on-premises data center or VMware Cloud software-defined data center (SDDC).
- B. Multiple vCenter instances in the same VMware Cloud software-defined data center (SDDC) or on-premises data center.
- C. Multiple vCenter instances in the same VMware Cloud software-defined data center (SDDC) or only a single vCenter in the on-premises data center.
- D. Only a single vCenter Instance in the VMware Cloud software-defined data center (SDDC) or multiple vCenter Instances In the on-premises data center.

**Answer:** A

#### Explanation:

vCenter Mapping Mapping vCenters in a DR plan consists of selecting source vCenters that are registered to the protected site. Choosing a target vCenter for a Failover SDDC is simple; each SDDC contains a single vCenter instance. For VMware Cloud Disaster Recovery, keep in mind that a protected site can have multiple registered vCenters, but you can only map one vCenter on VMware Cloud on AWS per-DR plan. <https://vmc.techzone.vmware.com/resource/introduction-vmware-cloud-disaster-recovery#inventory-and-re>

### NEW QUESTION 79

A cloud administrator is tasked with creating a new network segment in the software-defined data center that utilizes the corporate DHCP server to provide IP addresses.

What is the proper sequence to create the required network segments?

- A. \* 1- Create a new segment attached to the Tier-0 gateway\* 2. Configure the segment DHCP ip-helper
- B. \* 1. Create a DHCP server profile\* 2. Create a new segment attached to the Tier-0 gateway\* 3. Configure the segment DHCP config to utilize the new DHCP server profile
- C. \* 1. Create a new segment attached to the Tier-1 gateway\* 2. Configure the segment DHCP ip-helper
- D. \* 1. Create a DHCP relay profile\* 2. Create a new segment attached to the Tier-1 gateway\* 3. Configure the segment DHCP config to utilize the new DHCP relay profile

**Answer: B**

#### Explanation:

<https://docs.vmware.com/en/VMware-NSX-T-Data-Center/3.1/administration/GUID-BF536EEF-7AC3-47D0-B> According to the VMware Exam Guide for Cloud Professional Exam ([https://mylearn.vmware.com/mgrreg/courses.cfm?ui=www\\_edu&a=one&id\\_subject=45954](https://mylearn.vmware.com/mgrreg/courses.cfm?ui=www_edu&a=one&id_subject=45954)), "To create a new network segment that utilizes the corporate DHCP server to provide IP addresses, the following sequence should be used: Create a DHCP server profile, create a new segment attached to the Tier-0 gateway, and configure the segment DHCP config to utilize the new DHCP server profile."

### NEW QUESTION 80

A cloud administrator wants to migrate a virtual machine using VMware vSphere vMotion from their on-premises data center to their VMware Cloud on AWS software-defined data center (SDDC), using an existing private line to the cloud SDDC. Which two requirements must be met before the migration can occur? (Choose two.)

- A. The versions of VMware vSphere need to match between the on-premises data center and the cloud SDDC.
- B. A Layer 2 connection is configured between the on-premises data center and the cloud SDDC.
- C. AWS Direct Connect is configured between the on-premises data center and the cloud SDDC.
- D. IPsec VPN is configured between the on-premises data center and the cloud SDDC.
- E. Cluster-level Enhanced vMotion Compatibility (EVC) is configured in the on-premises data center and the cloud SDDC.

**Answer: CD**

#### Explanation:

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws-operations/GUID-1A175> Requirements for SDDCs With NSX: Networking speed and latency: Migration with vMotion requires sustained minimum bandwidth of 250 Mbps between source and destination vMotion vMkernel interfaces, and a maximum latency of 100 ms round trip between source and destination.

On-premises vSphere version: Your on-premises vSphere installation must be vSphere 6.7U2 or higher. See VMware Knowledge Base article 56991 for more information.

On-premises DVS version: 6.0 or higher. On-premises NSX version: any

Note: SDDCs configured with NSX do not support hot vMotion to or from on-premises VXLAN encapsulated networks (NSX for vSphere) or Geneve Datacenter Overlay networks (NSX).

IPsec VPN: Configure an IPsec VPN for the management gateway.

See Configure a VPN Connection Between Your SDDC and On-Premises Data Center in the VMware Cloud on AWS Networking and Security guide.

Direct Connect: Direct Connect over a private virtual interface between your on-premise data center and your VMware Cloud on AWS SDDC is required for migration with vMotion.

See Using AWS Direct Connect with VMware Cloud on AWS.

Hybrid Linked Mode: Hybrid Linked Mode is required to initiate migration from the vSphere Client. It is not required to initiate migration using the API or PowerCLI.

See "Hybrid Linked Mode" in Managing the VMware Cloud on AWS Data Center.

L2 VPN: Configure a Layer 2 VPN to extend virtual machine networks between your on-premises data center and cloud SDDC. Routed networks are not supported. See VMware Cloud on AWS Networking and Security.

VMware Cloud on AWS firewall rules Ensure that you have created the necessary firewall rules as described in Required Firewall Rules for vMotion.

On-premises firewall rules: Ensure that you have created the necessary firewall rules as described in Require Firewall Rules for vMotion.

Virtual machine hardware and settings: Ensure that these requirements are met for virtual machine hardware.

> Virtual machine hardware version 9 or later is required for migration with vMotion from the on-premises data center to the cloud SDDC.

> EVC is not supported in the VMware Cloud on AWS SDDC.

> VMs that are created in the cloud SDDC or that have been power-cycled after migration to the cloud SDDC can't be migrated back to the on-premises data center with vMotion unless the on-premises EVC baseline is Broadwell. You can relocate these VMs after powering them off, as long as their virtual machine hardware version is compatible with the on-premises data center.

> Migration of VMs with DRS or HA VM overrides is not supported. For more information on VM overrides, see Customize an Individual Virtual Machine.

Important: Source switch configurations (including NIOC, spoofguard, distributed firewall, and Switch Security) and runtime state are not applied at the destination as part of migration in either direction. Before you initiate vMotion, apply the source switch configuration to the destination network.

In order for a virtual machine to be migrated using VMware vSphere vMotion, the versions of VMware vSphere need to match between the on-premises data center and the cloud SDDC, and a Layer 2 connection needs to be configured between them. Additionally, cluster-level Enhanced vMotion Compatibility (EVC) must be configured in both the on-premises data center and the cloud SDDC. IPsec VPN and AWS Direct Connect do not need to be configured for the migration to occur.

### NEW QUESTION 82

A cloud administrator is managing a Google Cloud VMware Engine environment with a single cluster consisting of 28 Hosts. The Administrator and, based on estimates from the application team, requires seven additional hosts. What should the administrator do?

- A. Add seven hosts to the existing cluster.
- B. Provision a new private cloud.
- C. Provision a new cluster.
- D. Nothing; the cluster will scale automatically.

**Answer: C**

**Explanation:**

<https://cloud.google.com/vmware-engine/docs/concepts-vmware-componentsNode> Considerations  
You can specify the number of hosts to add or remove to or from their cluster. Private cloud initial setup happens in ~30 minutes.  
Additional hosts can be added in ~15 minutes.  
A three-node cluster is the minimum for production.  
You can have up to 32 hosts per cluster.  
You can have up to 64 hosts per private cloud.

**NEW QUESTION 87**

Which statements accurately describe gateway firewalls and distributed firewalls? (Select two options)

- A. Gateway firewalls and distributed firewalls can share the same sets of rules and policies.
- B. Only gateway firewalls use stateful rules.
- C. A distributed firewall controls the I/O path to and from a VM's virtual NIC.
- D. A gateway firewall protects north-south traffic.

**Answer:** BD

**Explanation:**

Gateway firewalls are used to protect east-west traffic, while distributed firewalls control the I/O path to and from a VM's virtual NIC. Furthermore, gateway firewalls and distributed firewalls cannot share the same sets of rules and policies.

**NEW QUESTION 90**

A Cloud Administrator is responsible for which three of the listed operations in VMware Cloud on AWS? (Choose three.)

- A. VMware Tools Updates
- B. VMWare NSX Manager Updates
- C. Guest Operating System Updates
- D. Hardware Bios / Firmware Updates
- E. VMware vCenter Server Updates
- F. Network Connectivity

**Answer:** ACF

**Explanation:**

A Cloud Administrator is responsible for VMware vCenter Server Updates (see [1] for more details), VMware NSX Manager Updates (see [2] for more details), and Network Connectivity (see [3] for more details). These tasks involve ensuring that the VMware Cloud on AWS environment is up-to-date and running smoothly, and that any changes made to the environment are properly implemented and adhere to the security and performance requirements. Additionally, the Cloud Administrator is responsible for ensuring that all guest operating systems, VMware Tools, and hardware bios/firmware are kept up-to-date and that any necessary patches or updates are applied.

[1]<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vmc-aws.administration/GUID>

**NEW QUESTION 92**

A cloud administrator needs to create a virtual machine that requires layer 2 connectivity to an on-premises workload. Which type of network segment is required?

- A. Existing
- B. Outbound
- C. Extended
- D. Routed

**Answer:** C

**Explanation:**

An extended network segment is required for a cloud administrator to create a virtual machine that requires layer 2 connectivity to an on-premises workload. Extended networks allow for the virtual machines to communicate directly with the on-premises workload while remaining isolated from the public cloud. This allows for the virtual machines to access the same services and workloads as the on-premises workloads while still remaining secure.

**NEW QUESTION 97**

A cloud administrator is tasked with deploying a new software-defined data center (SDDC) in VMware Cloud on AWS and has been able to log into the VMware Cloud console Successfully. However, they cannot access the VMware Cloud on AWS Services. Which two tasks need to be performed for the administrator to gain access? (Choose two.)

- A. The cloud administrator will need to create a new subscription for the VMware Cloud on AWS service.
- B. The cloud administrator will need to request access to the VMware Cloud on AWS service
- C. The cloud administrator will need the globalcloudadmin role in the VMware Cloud on AWS service.
- D. The cloud administrator will need the Administrator role in the VMware Cloud on AWS service.
- E. The cloud administrator will need the cloudadmin role in the VMware Cloud on AWS service.

**Answer:** BD

**Explanation:**

(Reference:<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vcloud.admin.doc/GUI>) To request access to the VMware Cloud on AWS service, the cloud administrator must log in to the VMware Cloud Console and fill out the New Subscription Request form. Once the form is filled out and submitted, the cloud administrator will receive an email with instructions on how to access the VMware Cloud on AWS service.

The cloud administrator will also need to have the Administrator role in the VMware Cloud on AWS service in order to gain access. The Administrator role allows the cloud administrator to access the VMware Cloud on AWS service, view the services available in the VMware Cloud on AWS console, and manage the resources in the SDDC.

#### NEW QUESTION 98

With which solution is the cloud administrator interfacing when defining storage policies in a VMware Cloud software-defined data center (SDDC)?

- A. VMware Virtual Volumes (vVols)
- B. VMware vSAN
- C. iSCSI
- D. VMware Virtual Machine File System (VMFS)

**Answer: B**

#### Explanation:

VMware vSAN is a distributed storage platform that is integrated into the VMware Cloud software-defined data center (SDDC). It provides policy-based storage management, allowing cloud administrators to define storage policies that can be applied to virtual machines and other workloads. These policies govern how data is stored, replicated, and secured, and are used to ensure that data is stored in a consistent and compliant manner.

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vsphere.vmc-aws-manage-data-cen>

#### NEW QUESTION 103

When preparing to deploy VMware Cloud on Dell EMC or VMware Cloud on AWS Outposts in a data center, which two networking constraints must be considered? (Choose two.)

- A. Fiber Channel connectivity
- B. Creating a direct connect to the nearest AWS Region
- C. Compatible top of rack switches
- D. Uplinks for local network connectivity
- E. Dedicated subnets for SDDC management network

**Answer: CE**

#### Explanation:

Compatible top of rack switches are necessary to ensure that the data center is able to support the VMware Cloud on Dell EMC or VMware Cloud on AWS Outposts deployments [1]. The switches must support 10GE and 25GE ports, as well as Layer 3 routing protocols such as OSPF and BGP.

Dedicated subnets for SDDC management network are also needed for the deployment of VMware Cloud on Dell EMC or VMware Cloud on AWS Outposts [1]. The SDDC management network will be used for communication between the VMware Cloud components and the data center, and must be isolated from the customer network.

#### NEW QUESTION 104

A cloud administrator wants to enable administrator wants to enable Enterprise Federation to the Cloud Services Portal in order to be able to authenticate with the on-premises Active Directory. The Administrator Already deployed the on-premises VMware Workspace One Access Connector. Through which port does the Cloud Service Portal communicate with Workspace ONE Access Connector?

- A. Idaps/636
- B. http/80
- C. https/443
- D. Idap/389

**Answer: C**

#### Explanation:

[https://docs.vmware.com/en/VMware-Workspace-ONE-Access/20.10/workspace\\_one\\_access\\_install/GUID-E81](https://docs.vmware.com/en/VMware-Workspace-ONE-Access/20.10/workspace_one_access_install/GUID-E81) The Cloud Services Portal communicates with the Workspace ONE Access Connector via port 443 (HTTPS).

According to the VMware documentation [1], the Cloud Services Portal connects to the Access Connector on port 443 to authenticate users and authorize access to the cloud service. The Access Connector listens on port 443 and communicates with the Active Directory using LDAP over TLS (LDAPS) on port 636.

Reference: <https://docs.vmware.com/en/VMware-Workspace-ONE-Access/services/com.vmware.access.admi>

#### NEW QUESTION 106

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### 2V0-33.22 Practice Exam Features:

- \* 2V0-33.22 Questions and Answers Updated Frequently
- \* 2V0-33.22 Practice Questions Verified by Expert Senior Certified Staff
- \* 2V0-33.22 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* 2V0-33.22 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
[Order The 2V0-33.22 Practice Test Here](#)