

## AI-102 Dumps

### Designing and Implementing an Azure AI Solution

<https://www.certleader.com/AI-102-dumps.html>



**NEW QUESTION 1**

- (Exam Topic 1)

You are developing the smart e-commerce project.

You need to implement autocompletion as part of the Cognitive Search solution.

Which three actions should you perform? Each correct answer presents part of the solution. (Choose three.) NOTE: Each correct selection is worth one point.

- A. Make API queries to the autocomplete endpoint and include suggesterName in the body.
- B. Add a suggester that has the three product name fields as source fields.
- C. Make API queries to the search endpoint and include the product name fields in the searchFields query parameter.
- D. Add a suggester for each of the three product name fields.
- E. Set the searchAnalyzer property for the three product name variants.
- F. Set the analyzer property for the three product name variants.

**Answer:** ABF

**Explanation:**

Scenario: Support autocompletion and autosuggestion based on all product name variants.

A: Call a suggester-enabled query, in the form of a Suggestion request or Autocomplete request, using an API. API usage is illustrated in the following call to the Autocomplete REST API.

POST /indexes/myxboxgames/docs/autocomplete?search&api-version=2020-06-30

```
{
  "search": "minecraf", "suggesterName": "sg"
}
```

B: In Azure Cognitive Search, typeahead or "search-as-you-type" is enabled through a suggester. A suggester provides a list of fields that undergo additional tokenization, generating prefix sequences to support matches on partial terms. For example, a suggester that includes a City field with a value for "Seattle" will have prefix combinations of "sea", "seat", "seatt", and "seattl" to support typeahead.

F: Use the default standard Lucene analyzer ("analyzer": null) or a language analyzer (for example, "analyzer": "en.Microsoft") on the field.

Reference:

<https://docs.microsoft.com/en-us/azure/search/index-add-suggesters>

**NEW QUESTION 2**

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You create a web app named app1 that runs on an Azure virtual machine named vm1. Vm1 is on an Azure virtual network named vnet1.

You plan to create a new Azure Cognitive Search service named service1.

You need to ensure that app1 can connect directly to service1 without routing traffic over the public internet. Solution: You deploy service1 and a public endpoint, and you configure a network security group (NSG) for vnet1.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/private-link/private-link-overview>

**NEW QUESTION 3**

- (Exam Topic 2)

You have the following C# method for creating Azure Cognitive Services resources programmatically.

```
static void create_resource(CognitiveServicesManagementClient client, string
resource_name, string kind, string account_tier, string location)
{
    CognitiveServicesAccount parameters =
        new CognitiveServicesAccount(null, null, kind, location, resource_name,
new CognitiveServicesAccountProperties(), new Sku(account_tier));
    var result = client.Accounts.Create(resource_group_name, account_tier,
parameters);
}
```

You need to call the method to create a free Azure resource in the West US Azure region. The resource will be used to generate captions of images automatically. Which code should you use?

- A. create\_resource(client, "res1", "ComputerVision", "F0", "westus")
- B. create\_resource(client, "res1", "CustomVision.Prediction", "F0", "westus")
- C. create\_resource(client, "res1", "ComputerVision", "S0", "westus")
- D. create\_resource(client, "res1", "CustomVision.Prediction", "S0", "westus")

**Answer:** B

**Explanation:**

Many of the Cognitive Services have a free tier you can use to try the service. To use the free tier, use F0 as the SKU for your resource.

There are two tiers of keys for the Custom Vision service. You can sign up for a F0 (free) or S0 (standard) subscription through the Azure portal.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/cognitive-services-apis-create-account-client-library?> <https://docs.microsoft.com/en-us/azure/cognitive-services/custom-vision-service/limits-and-quotas>

#### NEW QUESTION 4

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You create a web app named app1 that runs on an Azure virtual machine named vm1. Vm1 is on an Azure virtual network named vnet1.

You plan to create a new Azure Cognitive Search service named service1.

You need to ensure that app1 can connect directly to service1 without routing traffic over the public internet. Solution: You deploy service1 and a public endpoint to a new virtual network, and you configure Azure Private Link.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/private-link/private-link-overview>

#### NEW QUESTION 5

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You develop an application to identify species of flowers by training a Custom Vision model. You receive images of new flower species.

You need to add the new images to the classifier.

Solution: You create a new model, and then upload the new images and labels. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

The model needs to be extended and retrained.

#### NEW QUESTION 6

- (Exam Topic 2)

You are building a chatbot for a Microsoft Teams channel by using the Microsoft Bot Framework SDK. The chatbot will use the following code.

```
protected override async Task OnMembersAddedAsync(IList<ChannelAccount>
membersAdded, ITurnContext<IConversationUpdateActivity> turnContext,
Cancellation token cancellationToken)
{
    foreach (var member in membersAdded)
    {
        if (member.Id != turnContext.Activity.Recipient.Id)
        {
            await turnContext.SendActivityAsync($"Hi there - {member.Name}.
{WelcomeMessage}", cancellationToken: cancellationToken);
        }
    }
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

#### Answer Area

Statements	Yes	No
OnMembersAddedAsync will be triggered when a user joins the conversation.	<input type="radio"/>	<input type="radio"/>
When a new user joins the conversation, the existing users in the conversation will see the chatbot greeting.	<input type="radio"/>	<input type="radio"/>
OnMembersAddedAsync will be initialized when a user sends a message.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Yes  
The ActivityHandler.OnMembersAddedAsync method overrides this in a derived class to provide logic for when members other than the bot join the conversation, such as your bot's welcome logic.  
Box 2: Yes  
membersAdded is a list of all the members added to the conversation, as described by the conversation update activity.  
Box 3: No Reference:  
<https://docs.microsoft.com/en-us/dotnet/api/microsoft.bot.builder.activityhandler.onmembersaddedasync?view=>

**NEW QUESTION 7**

- (Exam Topic 2)  
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.  
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.  
You create a web app named app1 that runs on an Azure virtual machine named vm1. Vm1 is on an Azure virtual network named vnet1.  
You plan to create a new Azure Cognitive Search service named service1.  
You need to ensure that app1 can connect directly to service1 without routing traffic over the public internet. Solution: You deploy service1 and a public endpoint, and you configure an IP firewall rule.  
Does this meet the goal?  
  
A. Yes  
B. No

**Answer:** B

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/azure/private-link/private-link-overview>

**NEW QUESTION 8**

- (Exam Topic 2)  
You are using a Language Understanding service to handle natural language input from the users of a web-based customer agent.  
The users report that the agent frequently responds with the following generic response: "Sorry, I don't understand that."  
You need to improve the ability of the agent to respond to requests.  
Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. (Choose three.)

Actions	Answer Area
Add prebuilt domain models as required.	
Validate the utterances logged for review and modify the model.	
Migrate authoring to an Azure resource authoring key.	
Enable active learning.	
Enable log collection by using Log Analytics.	
Train and republish the Language Understanding model.	

A. Mastered  
B. Not Mastered

**Answer:** A

**Explanation:**

Step 1: Add prebuilt domain models as required.  
Prebuilt models provide domains, intents, utterances, and entities. You can start your app with a prebuilt model or add a relevant model to your app later.  
Note: Language Understanding (LUIS) provides prebuilt domains, which are pre-trained models of intents and entities that work together for domains or common categories of client applications.  
The prebuilt domains are trained and ready to add to your LUIS app. The intents and entities of a prebuilt domain are fully customizable once you've added them to your app.  
Step 2: Enable active learning  
To enable active learning, you must log user queries. This is accomplished by calling the endpoint query with the log=true querystring parameter and value.  
Step 3: Train and republish the Language Understanding model  
The process of reviewing endpoint utterances for correct predictions is called Active learning. Active learning captures endpoint queries and selects user's endpoint utterances that it is unsure of. You review these utterances to select the intent and mark entities for these real-world utterances. Accept these changes into your example utterances then train and publish. LUIS then identifies utterances more accurately.  
Reference:  
<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-how-to-review-endpoint-utterances#log-user-> <https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-concept-prebuilt-model>



### NEW QUESTION 9

- (Exam Topic 2)

You are developing a new sales system that will process the video and text from a public-facing website. You plan to monitor the sales system to ensure that it provides equitable results regardless of the user's location or background.

Which two responsible AI principles provide guidance to meet the monitoring requirements? Each correct answer presents part of the solution. (Choose two.)

NOTE: Each correct selection is worth one point.

- A. transparency
- B. fairness
- C. inclusiveness
- D. reliability and safety
- E. privacy and security

**Answer:** BD

#### Explanation:

AI systems should treat all people fairly.

AI systems should perform reliably and safely. Reference:

<https://docs.microsoft.com/en-us/azure/cloud-adoption-framework/strategy/responsible-ai>

### NEW QUESTION 10

- (Exam Topic 2)

You plan to deploy a containerized version of an Azure Cognitive Services service that will be used for text analysis.

You configure <https://contoso.cognitiveservices.azure.com> as the endpoint URI for the service, and you pull the latest version of the Text Analytics Sentiment Analysis container.

You need to run the container on an Azure virtual machine by using Docker.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

#### Answer Area

```
docker run --rm -it -p 5000:5000 --memory 8g --cpus 1 \
```

▼ \

<a href="http://contoso.blob.core.windows.net">http://contoso.blob.core.windows.net</a>
<a href="https://contoso.cognitiveservices.azure.com">https://contoso.cognitiveservices.azure.com</a>
<a href="mcr.microsoft.com/azure-cognitive-services/textanalytics/keyphrase">mcr.microsoft.com/azure-cognitive-services/textanalytics/keyphrase</a>
<a href="mcr.microsoft.com/azure-cognitive-services/textanalytics/sentiment">mcr.microsoft.com/azure-cognitive-services/textanalytics/sentiment</a>

```
Eula=accept \
```

▼ \

Billing=

<a href="http://contoso.blob.core.windows.net">http://contoso.blob.core.windows.net</a>
<a href="https://contoso.cognitiveservices.azure.com">https://contoso.cognitiveservices.azure.com</a>
<a href="mcr.microsoft.com/azure-cognitive-services/textanalytics/keyphrase">mcr.microsoft.com/azure-cognitive-services/textanalytics/keyphrase</a>
<a href="mcr.microsoft.com/azure-cognitive-services/textanalytics/sentiment">mcr.microsoft.com/azure-cognitive-services/textanalytics/sentiment</a>

```
ApiKey=xxxxxxxxxxxxxxxxxxxxxx
```

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

Box 1: [mcr.microsoft.com/azure-cognitive-services/textanalytics/sentiment](https://mcr.microsoft.com/azure-cognitive-services/textanalytics/sentiment)

To run the Sentiment Analysis v3 container, execute the following docker run command. `docker run --rm -it -p 5000:5000 --memory 8g --cpus 1 \`

`mcr.microsoft.com/azure-cognitive-services/textanalytics/sentiment \` `Eula=accept \`

`Billing={ENDPOINT_URI} \`

`ApiKey={API_KEY}` is the endpoint for accessing the Text Analytics API. <https://<your-custom-subdomain>.cognitiveservices.azure.com>

Box 2: <https://contoso.cognitiveservices.azure.com>

`{ENDPOINT_URI}` is the endpoint for accessing the Text Analytics API:

[https://<your-custom-subdomain>.cognitiveservices.a](https://<your-custom-subdomain>.cognitiveservices.azure.com) The endpoint for accessing the Text Analytics API. [zure.com](https://contoso.cognitiveservices.azure.com)

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/text-analytics/how-tos/text-analytics-how-to-install-co>

### NEW QUESTION 10

- (Exam Topic 2)

You plan to use a Language Understanding application named app1 that is deployed to a container. App1 was developed by using a Language Understanding authoring resource named lu1.

App1 has the versions shown in the following table.

Version	Trained date	Published date
V1.2	None	None
V1.1	2020-10-01	None
V1.0	2020-09-01	2020-09-15

You need to create a container that uses the latest deployable version of app1.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. (Choose three.)

**Actions**

**Answer Area**

- Run a container that has version set as an environment variable.
- Export the model by using the Export as JSON option.
- Select v1.1 of app1.
- Run a container and mount the model file.
- Select v1.0 of app1.
- Export the model by using the Export for containers (GZIP) option.
- Select v1.2 of app1.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Step 1: Export the model using the Export for containers (GZIP) option. Export versioned app's package from LUIS portal  
The versioned app's package is available from the Versions list page.

- > Sign on to the LUIS portal.
- > Select the app in the list.
- > Select Manage in the app's navigation bar.
- > Select Versions in the left navigation bar.
- > Select the checkbox to the left of the version name in the list.
- > Select the Export item from the contextual toolbar above the list.
- > Select Export for container (GZIP).
- > The package is downloaded from the browser.



Step 2: Select v1.1 of app1.

A trained or published app packaged as a mounted input to the container with its associated App ID. Step 3: Run a contain and mount the model file.

Run the container, with the required input mount and billing settings. Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-container-howto>

**NEW QUESTION 15**

- (Exam Topic 2)

You are developing a method for an application that uses the Translator API.

The method will receive the content of a webpage, and then translate the content into Greek (el). The result will also contain a transliteration that uses the Roman alphabet.

You need to create the URI for the call to the Translator API. You have the following URI. <https://api.cognitive.microsofttranslator.com/translate?api-version=3.0>

Which three additional query parameters should you include in the URI? Each correct answer presents part of the solution. (Choose three.)

NOTE: Each correct selection is worth one point.

- A. toScript=Cyrl
- B. from=el
- C. textType=html
- D. to=el
- E. textType=plain
- F. toScript=Latn

**Answer:** CDF

**Explanation:**

C: textType is an optional parameter. It defines whether the text being translated is plain text or HTML text (used for web pages).

D: to is a required parameter. It specifies the language of the output text. The target language must be one of the supported languages included in the translation scope.

F: toScript is an optional parameter. It specifies the script of the translated text. We use Latin (Roman alphabet) script.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/translator/reference/v3-0-translate>

**NEW QUESTION 18**

- (Exam Topic 2)

You deploy a web app that is used as a management portal for indexing in Azure Cognitive Search. The app is configured to use the primary admin key.

During a security review, you discover unauthorized changes to the search index. You suspect that the primary access key is compromised.

You need to prevent unauthorized access to the index management endpoint. The solution must minimize downtime.

What should you do next?

A. Regenerate the primary admin key, change the app to use the secondary admin key, and then regenerate the secondary admin key.

B. Change the app to use a query key, and then regenerate the primary admin key and the secondary admin key.

C. Regenerate the secondary admin key, change the app to use the secondary admin key, and then regenerate the primary key.

D. Add a new query key, change the app to use the new query key, and then delete all the unused query keys.

**Answer:** A

**Explanation:**

Regenerate admin keys.

Two admin keys are created for each service so that you can rotate a primary key, using the secondary key for business continuity.

\* 1. In the Settings >Keys page, copy the secondary key.

\* 2. For all applications, update the API key settings to use the secondary key.

\* 3. Regenerate the primary key.

\* 4. Update all applications to use the new primary key.

Note: Two admin api-keys, referred to as primary and secondary keys in the portal, are automatically generated when the service is created and can be individually regenerated on demand. Having two keys allows you to roll over one key while using the second key for continued access to the service.

Reference:

<https://docs.microsoft.com/en-us/azure/search/search-security-api-keys#regenerate-admin-keys>

**NEW QUESTION 22**

- (Exam Topic 2)

You develop a test method to verify the results retrieved from a call to the Computer Vision API. The call is used to analyze the existence of company logos in images. The call returns a collection of brands named brands.

You have the following code segment.

```
foreach (var brand in brands)
{
    if (brand.Confidence >= .75)
        Console.WriteLine($"Logo of {brand.Name} between {brand.Rectangle.X},
{brand.Rectangle.Y} and {brand.Rectangle.W}, {brand.Rectangle.H}");
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
The code will return the name of each detected brand with a confidence equal to or higher than 75 percent.	<input type="radio"/>	<input type="radio"/>
The code will return coordinates for the bottom-left corner of the rectangle that contains the brand logo of the displayed brands.	<input type="radio"/>	<input type="radio"/>
The code will return coordinates for the bottom-right corner of the rectangle that contains the brand logo of the displayed brands.	<input type="radio"/>	<input type="radio"/>

A. Mastered

B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Yes

Box 2: Yes

If several logs are detected, or the logo image and the stylized brand name are detected as two separate logos, it starts numbering them from the bottom-left corner.



Box 3: No Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/computer-vision/concept-brand-detection>

### NEW QUESTION 26

- (Exam Topic 2)

You are building a bot and that will use Language Understanding. You have a LUDown file that contains the following content.

```
## Confirm
- confirm
- ok
- yes

## ExtractName
- call me steve !
- i am anna
- (i'm|i am) {@PersonName.Any}[.]
- my name is {@PersonName.Any}[.]

## Logout
- forget me
- log out

## SelectItem
- choose last
- choose the {@DirectionalReference=bottom left}
- choose {@DirectionalReference=top right}
- i like {@DirectionalReference=left} one

## SelectNone
- none

@m1 DirectionalReference
@prebuilt personName
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

SelectItem is [answer choice]

- a domain
- an entity
- an intent
- an utterance

Choose {@DirectionalReference=top right} is [answer choice]

- a domain
- an entity
- an intent
- an utterance

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://github.com/solliancenet/tech-immersion-data-ai/blob/master/ai-exp1/README.md>

### NEW QUESTION 29

- (Exam Topic 2)

You are developing a text processing solution. You develop the following method.



```
static void GetKeyPhrases(TextAnalyticsClient textAnalyticsClient, string text)
{
    var response = textAnalyticsClient.ExtractKeyPhrases(text);
    Console.WriteLine("Key phrases:");

    foreach (string keyphrase in response.Value)
    {
        Console.WriteLine($"{keyphrase}");
    }
}
```

You call the method by using the following code. GetKeyPhrases(textAnalyticsClient, "the cat sat on the mat");

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

## Answer Area

Statements	Yes	No
The call will output key phrases from the input string to the console.	<input type="radio"/>	<input type="radio"/>
The output will contain the following words: the, cat, sat, on, and mat.	<input type="radio"/>	<input type="radio"/>
The output will contain the confidence level for key phrases.	<input type="radio"/>	<input type="radio"/>

- A. Mastered  
B. Not Mastered

**Answer:** A

### Explanation:

Box 1: Yes

The Key Phrase Extraction API evaluates unstructured text, and for each JSON document, returns a list of key phrases.

Box 2: No

'the' is not a key phrase.

This capability is useful if you need to quickly identify the main points in a collection of documents. For example, given input text "The food was delicious and there were wonderful staff", the service returns the main talking points: "food" and "wonderful staff".

Box 3: No

Key phrase extraction does not have confidence levels. Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/text-analytics/how-tos/text-analytics-how-to-keyword>

## NEW QUESTION 34

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your AI-102 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/AI-102-dumps.html>