



Microsoft

Exam Questions AZ-305

Designing Microsoft Azure Infrastructure Solutions

NEW QUESTION 1

- (Exam Topic 4)

You have an on-premises network and an Azure subscription. The on-premises network has several branch offices.

A branch office in Toronto contains a virtual machine named VM1 that is configured as a file server. Users access the shared files on VM1 from all the offices.

You need to recommend a solution to ensure that the users can access the shares files as quickly as possible if the Toronto branch office is inaccessible.

What should you include in the recommendation?

- A. a Recovery Services vault and Azure Backup
- B. an Azure file share and Azure File Sync
- C. Azure blob containers and Azure File Sync
- D. a Recovery Services vault and Windows Server Backup

Answer: B

Explanation:

Use Azure File Sync to centralize your organization's file shares in Azure Files, while keeping the flexibility, performance, and compatibility of an on-premises file server. Azure File Sync transforms Windows Server into a quick cache of your Azure file share.

You need an Azure file share in the same region that you want to deploy Azure File Sync. Reference:

<https://docs.microsoft.com/en-us/azure/storage/files/storage-sync-files-deployment-guide>

NEW QUESTION 2

- (Exam Topic 4)


You need to design an architecture to capture the creation of users and the assignment of roles. The captured data must be stored in Azure Cosmos DB.

Which Azure services should you include in the design? To answer, drag the appropriate services to the correct targets. Each service may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Azure Services

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Diagram Description automatically generated

* 1. AAD audit log -> Event Hub (other two choices, LAW, storage, but not available in this question) <https://docs.microsoft.com/en-us/azure/active-directory/reports-monitoring/tutorial-azure-monitor-stream-logs-t>

* 2. Azure function has the Event hub trigger and Cosmos output binding

* a. Event Hub trigger for function

<https://docs.microsoft.com/en-us/azure/azure-functions/functions-bindings-event-hubs-trigger?tabs=csharp>

NEW QUESTION 3

- (Exam Topic 4)

You have an Azure subscription that contains a virtual network named VNET1 and 10 virtual machines. The virtual machines are connected to VNET1.

You need to design a solution to manage the virtual machines from the internet. The solution must meet the following requirements:

- Incoming connections to the virtual machines must be authenticated by using Azure Multi-Factor Authentication (MFA) before network connectivity is allowed.
- Incoming connections must use TLS and connect to TCP port 443.
- The solution must support RDP and SSH.

What should you include in the solution? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

To provide access to virtual machines on VNET1, use:

<input type="checkbox"/> Azure Bastion <input type="checkbox"/> Just-in-time (JIT) VM access <input type="checkbox"/> Azure Web Application Firewall (WAF) in Azure Front Door
--

To enforce Azure MFA, use:

<input type="checkbox"/> An Azure Identity Governance access package <input type="checkbox"/> A Conditional Access policy that has the Cloud apps assignment set to Azure Windows VM Sign-In <input type="checkbox"/> A Conditional Access policy that has the Cloud apps assignment set to Microsoft Azure Management
--

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Answer Area

To provide access to virtual machines on VNET1, use:

<input type="checkbox"/> Azure Bastion <input checked="" type="checkbox"/> Just-in-time (JIT) VM access <input type="checkbox"/> Azure Web Application Firewall (WAF) in Azure Front Door

To enforce Azure MFA, use:

<input checked="" type="checkbox"/> An Azure Identity Governance access package <input type="checkbox"/> A Conditional Access policy that has the Cloud apps assignment set to Azure Windows VM Sign-In <input type="checkbox"/> A Conditional Access policy that has the Cloud apps assignment set to Microsoft Azure Management

NEW QUESTION 4

- (Exam Topic 4)

You are designing an Azure web app.

You plan to deploy the web app to the North Europe Azure region and the West Europe Azure region. You need to recommend a solution for the web app. The solution must meet the following requirements:

- > Users must always access the web app from the North Europe region, unless the region fails.
- > The web app must be available to users if an Azure region is unavailable.
- > Deployment costs must be minimized.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Request routing method:

<input type="checkbox"/> A Traffic Manager profile <input type="checkbox"/> Azure Application Gateway <input type="checkbox"/> Azure Load Balancer
--

Request routing configuration:

<input type="checkbox"/> Cookie-based session affinity <input type="checkbox"/> Performance traffic routing <input type="checkbox"/> Priority traffic routing <input type="checkbox"/> Weighted traffic routing
--

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

<https://docs.microsoft.com/en-us/azure/traffic-manager/traffic-manager-routing-methods#priority-traffic-routing>


NEW QUESTION 5

- (Exam Topic 4)

You need to design an Azure policy that will implement the following functionality:

- For new resources, assign tags and values that match the tags and values of the resource group to which the resources are deployed.
- For existing resources, identify whether the tags and values match the tags and values of the resource group that contains the resources.
- For any non-compliant resources, trigger auto-generated remediation tasks to create missing tags and values. The solution must use the principle of least privilege.

What should you include in the design? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

Box 1: Modify

Modify is used to add, update, or remove properties or tags on a resource during creation or update. A common example is updating tags on resources such as costCenter. Existing non-compliant resources can be remediated with a remediation task. A single Modify rule can have any number of operations.

Box 2: A managed identity with the Contributor role

> Managed identity

How remediation security works: When Azure Policy runs the template in the deployIfNotExists policy definition, it does so using a managed identity. Azure Policy creates a managed identity for each assignment, but must have details about what roles to grant the managed identity.

> Contributor role

The Contributor role grants the required access to apply tags to any entity. Reference:

<https://docs.microsoft.com/en-us/azure/governance/policy/concepts/effects> <https://docs.microsoft.com/en-us/azure/governance/policy/how-to/remediate-resources>

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/tag-resources> <https://docs.microsoft.com/en-us/azure/governance/policy/concepts/effects#modify>

NEW QUESTION 6

- (Exam Topic 4)

You need to deploy resources to host a stateless web app in an Azure subscription. The solution must meet the following requirements:

- Provide access to the full .NET framework.
- Provide redundancy if an Azure region fails.
- Grant administrators access to the operating system to install custom application dependencies. Solution: You deploy a Azure virtual machine scale set that uses autoscaling.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead, you should deploy two Azure virtual machines to two Azure regions, and you create a Traffic Manager profile.

NEW QUESTION 7

- (Exam Topic 4)

You plan to deploy an app that will use an Azure Storage account.

You need to deploy the storage account. The solution must meet the following requirements:

- Store the data of multiple users.
- Encrypt each user's data by using a separate key.
- Encrypt all the data in the storage account by using Microsoft keys or customer-managed keys. What should you deploy?

- A. files in a general purpose v2 storage account.
- B. blobs in an Azure Data Lake Storage Gen2 account.
- C. files in a premium file share storage account.
- D. blobs in a general purpose v2 storage account

Answer: B

NEW QUESTION 8

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has deployed several virtual machines (VMs) on-premises and to Azure. Azure ExpressRoute has been deployed and configured for on-premises to Azure connectivity.

Several VMs are exhibiting network connectivity issues.

You need to analyze the network traffic to determine whether packets are being allowed or denied to the VMs. Solution: Use Azure Network Watcher to run IP flow verify to analyze the network traffic

Does the solution meet the goal?

- A. Yes

B. No

Answer: A

Explanation:

The Network Watcher Network performance monitor is a cloud-based hybrid network monitoring solution that helps you monitor network performance between various points in your network infrastructure. It also helps you monitor network connectivity to service and application endpoints and monitor the performance of Azure ExpressRoute.

Note:

IP flow verify checks if a packet is allowed or denied to or from a virtual machine. The information consists of direction, protocol, local IP, remote IP, local port, and remote port. If the packet is denied by a security group, the name of the rule that denied the packet is returned. While any source or destination IP can be chosen, IP flow verify helps administrators quickly diagnose connectivity issues from or to the internet and from or to the on-premises environment.

IP flow verify looks at the rules for all Network Security Groups (NSGs) applied to the network interface, such as a subnet or virtual machine NIC. Traffic flow is then verified based on the configured settings to or from that network interface. IP flow verify is useful in confirming if a rule in a Network Security Group is blocking ingress or egress traffic to or from a virtual machine.

Reference:

<https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-monitoring-overview> <https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-ip-flow-verify-overview>

NEW QUESTION 9

- (Exam Topic 4)

Your company has the infrastructure shown in the following table.

Location	Resource
Azure	<ul style="list-style-type: none">• Azure subscription named Subscription1• 20 Azure web apps
On-premises datacenter	<ul style="list-style-type: none">• Active Directory domain• Server running Azure AD Connect• Linux computer named Server1

The on-premises Active Directory domain syncs to Azure Active Directory (Azure AD).

Server1 runs an application named Appl that uses LDAP queries to verify user identities in the on-premises Active Directory domain.

You plan to migrate Server1 to a virtual machine in Subscription1.

A company security policy states that the virtual machines and services deployed to Subscription1 must be prevented from accessing the on-premises network.

You need to recommend a solution to ensure that Appl continues to function after the migration. The solution must meet the security policy.

What should you include in the recommendation?

- A. Azure AD Domain Services (Azure AD DS)
- B. an Azure VPN gateway
- C. the Active Directory Domain Services role on a virtual machine
- D. Azure AD Application Proxy

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/azure/active-directory-domain-services/overview>

Azure Active Directory Domain Services (Azure AD DS) provides managed domain services such as domain join, group policy, lightweight directory access protocol (LDAP), and Kerberos/NTLM authentication

Azure AD Domain Services (Azure AD DS) - This one could work since AAD DS will bring in the existing accounts from Azure AD which in turn are synchronised from on-premise AD over AD connect. However, you would probably need to reconfigure the app and update the LDAP connection

Azure Active Directory (Azure AD) supports LDAP Authentication via Azure AD Domain Services (AD DS). <https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/auth-ldap>

<https://docs.microsoft.com/en-us/azure/active-directory-domain-services/synchronization>

NEW QUESTION 10

- (Exam Topic 4)

You have an application that is used by 6,000 users to validate their vacation requests. The application manages its own credential

Users must enter a username and password to access the application. The application does NOT support identity providers.

You plan to upgrade the application to use single sign-on (SSO) authentication by using an Azure Active Directory (Azure AD) application registration.

Which SSO method should you use?

- A. password-based
- B. OpenID Connect
- C. header-based
- D. SAML

Answer: A

NEW QUESTION 10

- (Exam Topic 4)

You store web access logs data in Azure Blob storage. You plan to generate monthly reports from the access logs.

You need to recommend an automated process to upload the data to Azure SQL Database every month. What should you include in the recommendation?

- A. Azure Data Factory
- B. Data Migration Assistant
- C. Microsoft SQL Server Migration Assistant (SSMA)
- D. AzCopy

Answer: A

Explanation:

Azure Data Factory is the platform that solves such data scenarios. It is the cloud-based ETL and data integration service that allows you to create data-driven workflows for orchestrating data movement and transforming data at scale. Using Azure Data Factory, you can create and schedule data-driven workflows (called pipelines) that can ingest data from disparate data stores. You can build complex ETL processes that transform data visually with data flows or by using compute services such as Azure HDInsight Hadoop, Azure Databricks, and Azure SQL Database.

Reference:

<https://docs.microsoft.com/en-gb/azure/data-factory/introduction>

NEW QUESTION 15

- (Exam Topic 4)

You are planning an Azure IoT Hub solution that will include 50,000 IoT devices.

Each device will stream data, including temperature, device ID, and time data. Approximately 50,000 records will be written every second. The data will be visualized in near real time.

You need to recommend a service to store and query the data.

Which two services can you recommend? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Azure Table Storage
- B. Azure Event Grid
- C. Azure Cosmos DB SQL API
- D. Azure Time Series Insights

Answer: CD

Explanation:

D: Time Series Insights is a fully managed service for time series data. In this architecture, Time Series Insights performs the roles of stream processing, data store, and analytics and reporting. It accepts streaming data from either IoT Hub or Event Hubs and stores, processes, analyzes, and displays the data in near real time.

C: The processed data is stored in an analytical data store, such as Azure Data Explorer, HBase, Azure Cosmos DB, Azure Data Lake, or Blob Storage.

Reference:

<https://docs.microsoft.com/en-us/azure/architecture/data-guide/scenarios/time-series>

NEW QUESTION 17

- (Exam Topic 4)

You plan to deploy Azure Databricks to support a machine learning application. Data engineers will mount an Azure Data Lake Storage account to the Databricks file system. Permissions to folders are granted directly to the data engineers.

You need to recommend a design for the planned Databrick deployment. The solution must meet the following requirements:

- Ensure that the data engineers can only access folders to which they have permissions.
- Minimize development effort.
- Minimize costs.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Databricks SKU:

	▼
Premium	
Standard	

Cluster configuration:

	▼
Credential passthrough	
Managed identities	
MLflow	
A runtime that contains Photon	
Secret scope	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Standard

Choose Standard to minimize costs. Box 2: Credential passthrough

Athenticate automatically to Azure Data Lake Storage Gen1 (ADLS Gen1) and Azure Data Lake Storage Gen2 (ADLS Gen2) from Azure Databricks clusters using the same Azure Active Directory (Azure AD) identity that you use to log into Azure Databricks. When you enable Azure Data Lake Storage credential passthrough for your cluster, commands that you run on that cluster can read and write data in Azure Data Lake Storage without requiring you to configure service principal credentials for access to storage.

Reference:

<https://docs.microsoft.com/en-us/azure/databricks/security/credential-passthrough/adls-passthrough>

NEW QUESTION 19

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant named contoso.com that has a security group named Group1. Group1 is configured to be assigned membership. Group1 has 50 members, including 20 guest users.

You need to recommend a solution for evaluating the membership of Group1. The solution must meet the following requirements:

- The evaluation must be repeated automatically every three months
- Every member must be able to report whether they need to be in Group1
- Users who report that they do not need to be in Group1 must be removed from Group1 automatically
- Users who do not report whether they need to be in Group1 must be removed from Group1 automatically. What should you include in the recommendation?

- A. Implement Azure AD Identity Protection.
- B. Change the Membership type of Group1 to Dynamic User.
- C. Implement Azure AD Privileged Identity Management.
- D. Create an access review.

Answer: D

Explanation:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview#learn-about-access-reviews> Have reviews recur periodically: You can set up recurring access reviews of users at set frequencies such as weekly, monthly, quarterly or annually, and the reviewers will be notified at the start of each review. Reviewers can approve or deny access with a friendly interface and with the help of smart recommendations.

An administrator creates an access review of Group1 with 50 member users and 25 guest users. Makes it a self-review. 50 licenses for each user as self-reviewers.*

<https://docs.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview#example-licenses>

There are 4 requirements and every single one is only met by access reviews.

<https://docs.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview#when-should-you-review>

Dynamic User is needed if a user must be automatically granted access on the basis of its attributes (department, job title, location, etc.)

<https://techcommunity.microsoft.com/t5/itops-talk-blog/dynamic-groups-in-azure-ad-and-microsoft-365/ba-p/22>

Implementing Azure AD PIM is no solution and absolutely not necessary for access reviews. <https://docs.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview#where-do-you-create-access-reviews>

NEW QUESTION 22

- (Exam Topic 4)

Your on-premises network contains a server named Server1 that runs an ASP.NET application named App1. You have a hybrid deployment of Azure Active Directory (Azure AD).

You need to recommend a solution to ensure that users sign in by using their Azure AD account and Azure Multi-Factor Authentication (MFA) when they connect to App1 from the internet.

Which three Azure services should you recommend be deployed and configured in sequence? To answer, move the appropriate services from the list of services to the answer area and arrange them in the correct order.

Services		Answer Area
an internal Azure Load Balancer		
an Azure AD conditional access policy		
Azure AD Application Proxy		
an Azure AD managed identity		
a public Azure Load Balancer		
an Azure AD enterprise application		
an App Service plan		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

AD Application Proxy

AD Enterprise Application AD Conditional access policy

<https://thesleepyadmins.com/2019/02/>

NEW QUESTION 26

- (Exam Topic 4)

You have SQL Server on an Azure virtual machine. The databases are written to nightly as part of a batch process.

You need to recommend a disaster recovery solution for the data. The solution must meet the following requirements:

- Provide the ability to recover in the event of a regional outage.

- Support a recovery time objective (RTO) of 15 minutes.
- Support a recovery point objective (RPO) of 24 hours.
- Support automated recovery.
- Minimize costs.

What should you include in the recommendation?

- A. Azure virtual machine availability sets
- B. Azure Disk Backup
- C. an Always On availability group
- D. Azure Site Recovery

Answer: D

Explanation:

Replication with Azure Site Recover:

- RTO is typically less than 15 minutes.
- RPO: One hour for application consistency and five minutes for crash consistency. Reference:

<https://docs.microsoft.com/en-us/azure/site-recovery/site-recovery-sql>

NEW QUESTION 30

- (Exam Topic 4)

You plan to move a web application named App1 from an on-premises data center to Azure. App1 depends on a custom COM component that is installed on the host server.

You need to recommend a solution to host App1 in Azure. The solution must meet the following requirements:

- App1 must be available to users if an Azure data center becomes unavailable.
- Costs must be minimized.

What should you include in the recommendation?

- A. In two Azure regions, deploy a load balancer and a virtual machine scale set.
- B. In two Azure regions, deploy a Traffic Manager profile and a web app.
- C. In two Azure regions, deploy a load balancer and a web app.
- D. Deploy a load balancer and a virtual machine scale set across two availability zones.

Answer: D

Explanation:

(<https://docs.microsoft.com/en-us/dotnet/azure/migration/app-service#com-and-com-components>)

Azure App Service does not allow the registration of COM components on the platform. If your app makes use of any COM components, these need to be rewritten in managed code and deployed with the site or application. <https://docs.microsoft.com/en-us/dotnet/azure/migration/app-service>

"Azure App Service with Windows Containers If your app cannot be migrated directly to App Service, consider App Service using Windows Containers, which enables usage of the GAC, COM components, MSIs, full access to .NET FX APIs, DirectX, and more."

NEW QUESTION 31

- (Exam Topic 4)

You are designing an order processing system in Azure that will contain the Azure resources shown in the following table.

Name	Type	Purpose
App1	Web app	Processes customer orders
Function1	Function	Check product availability at vendor 1
Function2	Function	Check product availability at vendor 2
storage1	Storage account	Stores order processing logs

The order processing system will have the following transaction flow:

- A customer will place an order by using App1.
- When the order is received, App1 will generate a message to check for product availability at vendor 1 and vendor 2.
- An integration component will process the message, and then trigger either Function1 or Function2 depending on the type of order.
- Once a vendor confirms the product availability, a status message for App1 will be generated by Function1 or Function2.
- All the steps of the transaction will be logged to storage1.

Which type of resource should you recommend for the integration component? D18912E1457D5D1DDCBD40AB3BF70D5D

Which type of resource should you recommend for the integration component?

- A. an Azure Data Factory pipeline
- B. an Azure Service Bus queue
- C. an Azure Event Grid domain
- D. an Azure Event Hubs capture

Answer: A

Explanation:

A data factory can have one or more pipelines. A pipeline is a logical grouping of activities that together perform a task.

The activities in a pipeline define actions to perform on your data.

Data Factory has three groupings of activities: data movement activities, data transformation activities, and control activities.

Azure Functions is now integrated with Azure Data Factory, allowing you to run an Azure function as a step in your data factory pipelines.

Reference:

<https://docs.microsoft.com/en-us/azure/data-factory/concepts-pipelines-activities>

NEW QUESTION 35

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that syncs with an on-premises Active Directory domain.

You have an internal web app named WebApp1 that is hosted on-premises. WebApp1 uses Integrated Windows authentication.

Some users work remotely and do NOT have VPN access to the on-premises network.

You need to provide the remote users with single sign-on (SSO) access to WebApp1.

Which two features should you include in the solution? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Azure AD Application Proxy
- B. Azure AD Privileged Identity Management (PIM)
- C. Conditional Access policies
- D. Azure Arc
- E. Azure AD enterprise applications
- F. Azure Application Gateway

Answer: AC

Explanation:

A: Application Proxy is a feature of Azure AD that enables users to access on-premises web applications from a remote client. Application Proxy includes both the Application Proxy service which runs in the cloud, and the Application Proxy connector which runs on an on-premises server.

You can configure single sign-on to an Application Proxy application.

C: Microsoft recommends using Application Proxy with pre-authentication and Conditional Access policies for remote access from the internet. An approach to provide Conditional Access for intranet use is to modernize applications so they can directly authenticate with AAD.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/app-proxy/application-proxy-config-sso-how-to> <https://docs.microsoft.com/en-us/azure/active-directory/app-proxy/application-proxy-deployment-plan>

NEW QUESTION 37

- (Exam Topic 4)

You plan to deploy the backup policy shown in the following exhibit.

Policy 1

Associated items Delete Save Discard

Backup schedule

*Frequency *Time *Timezone
 Daily 6:00 PM (UTC) Coordinated Univer...

Instant Restore i

Retain instant recovery snapshot(s) for

3 Day(s) i

Retention range

☒ Retention of daily backup point.

*At For
 6:00 PM 90 Day(s)

☒ Retention of weekly backup point.

*On *At For
 Sunday 6:00 PM 26 Week(s)

☒ Retention of monthly backup point.

Week Based Day Based

*On *Day *At For
 First Sunday 6:00 PM 36 Month(s)

☐ Retention of yearly backup point.

Not Configured

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

Answer Area

Virtual machines that are backed up by using the policy can be recovered for up to a maximum of **[answer choice]**:

	▼
90 days	
26 weeks	
36 months	
45 months	

The minimum recovery point objective (RPO) for virtual machines that are backed up by using the policy is **[answer choice]**:

	▼
1 hour	
1 day	
1 week	
1 month	
1 year	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/azure/backup/backup-azure-vm-backup-faq#what-s-the-minimum-rpo-and-rto>

NEW QUESTION 38

- (Exam Topic 4)

You are planning an Azure Storage solution for sensitive data. The data will be accessed daily. The data set is less than 10 GB.

You need to recommend a storage solution that meets the following requirements:

- All the data written to storage must be retained for five years.
- Once the data is written, the data can only be read. Modifications and deletion must be prevented.
- After five years, the data can be deleted, but never modified.
- Data access charges must be minimized

What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Storage account type:

General purpose v2 with Archive access tier for blobs
General purpose v2 with Cool access tier for blobs
General purpose v2 with Hot access tier for blobs

Configuration to prevent modifications and deletions:

Container access level
Container access policy
Storage account resource lock

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: General purpose v2 with Archive access tier for blobs

Archive - Optimized for storing data that is rarely accessed and stored for at least 180 days with flexible latency requirements, on the order of hours.

Cool - Optimized for storing data that is infrequently accessed and stored for at least 30 days. Hot - Optimized for storing data that is accessed frequently.

Box 2: Storage account resource lock

As an administrator, you can lock a subscription, resource group, or resource to prevent other users in your organization from accidentally deleting or modifying critical resources. The lock overrides any permissions the user might have.

Note: You can set the lock level to CanNotDelete or ReadOnly. In the portal, the locks are called Delete and Read-only respectively.

> CanNotDelete means authorized users can still read and modify a resource, but they can't delete the resource.

> ReadOnly means authorized users can read a resource, but they can't delete or update the resource.

Applying this lock is similar to restricting all authorized users to the permissions granted by the Reader role.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/blobs/storage-blob-storage-tiers>

NEW QUESTION 40

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has deployed several virtual machines (VMs) on-premises and to Azure. Azure ExpressRoute has been deployed and configured for on-premises to Azure connectivity.

Several VMs are exhibiting network connectivity issues.

You need to analyze the network traffic to determine whether packets are being allowed or denied to the VMs. Solution: Use the Azure Traffic Analytics solution in Azure Log Analytics to analyze the network traffic.

Does the solution meet the goal?

- A. Yes
B. No

Answer: B

Explanation:

Instead use Azure Network Watcher to run IP flow verify to analyze the network traffic. Reference:

<https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-monitoring-overview> <https://docs.microsoft.com/en-us/azure/network-watcher/network-watcher-ip-flow-verify-overview>

NEW QUESTION 42

- (Exam Topic 4)

You have an Azure subscription that contains an Azure Blob storage account named store1.

You have an on-premises file server named Setver1 that runs Windows Server 2016. Server1 stores 500 GB of company files.

You need to store a copy of the company files from Server 1 in store1.

Which two possible Azure services achieve this goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point

- A. an Azure Batch account
- B. an integration account
- C. an On-premises data gateway
- D. an Azure Import/Export job
- E. Azure Data factory

Answer: DE

Explanation:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-import-export-data-from-blobs> <https://docs.microsoft.com/en-us/answers/questions/311113/fastest-method-to-copy-500gb-table-from-on-premise>

NEW QUESTION 43

- (Exam Topic 4)

Your company has two on-premises sites in New York and Los Angeles and Azure virtual networks in the East US Azure region and the West US Azure region.

Each on-premises site has Azure ExpressRoute circuits to both regions.

You need to recommend a solution that meets the following requirements:

- Outbound traffic to the Internet from workloads hosted on the virtual networks must be routed through the closest available on-premises site.
- If an on-premises site fails, traffic from the workloads on the virtual networks to the Internet must reroute automatically to the other site.

What should you include in the recommendation? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Routing from the virtual networks to the on-premises locations must be configured by using:

	▼
Azure default routes	
Border Gateway Protocol (BGP)	
User-defined routes	

The automatic routing configuration following a failover must be handled by using:

	▼
Border Gateway Protocol (BGP)	
Hot Standby Routing Protocol (HSRP)	
Virtual Router Redundancy Protocol (VRRP)	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

An on-premises network gateway can exchange routes with an Azure virtual network gateway using the border gateway protocol (BGP). Using BGP with an Azure virtual network gateway is dependent on the type you selected when you created the gateway. If the type you selected were: ExpressRoute: You must use BGP to advertise on-premises routes to the Microsoft Edge router. You cannot create user-defined routes to force traffic to the ExpressRoute virtual network gateway if you deploy a virtual network gateway deployed as type: ExpressRoute. You can use user-defined routes for forcing traffic from the Express Route to, for example, a Network Virtual Appliance.

<https://docs.microsoft.com/ja-jp/azure/expressroute/designing-for-disaster-recovery-with-expressroute-privatepe> <https://docs.microsoft.com/en-us/azure/expressroute/expressroute-optimize-routing#suboptimal-routing-from-cu>

NEW QUESTION 48

- (Exam Topic 4)

You need to design a solution that will execute custom C# code in response to an event routed to Azure Event Grid. The solution must meet the following requirements:

- The executed code must be able to access the private IP address of a Microsoft SQL Server instance that runs on an Azure virtual machine.
- Costs must be minimized.

What should you include in the solution?

- A. Azure Logic Apps in the integrated service environment
- B. Azure Functions in the Dedicated plan and the Basic Azure App Service plan
- C. Azure Logic Apps in the Consumption plan
- D. Azure Functions in the Consumption plan

Answer: D

Explanation:

When you create a function app in Azure, you must choose a hosting plan for your app. There are three basic hosting plans available for Azure Functions: Consumption plan, Premium plan, and Dedicated (App Service) plan.

For the Consumption plan, you don't have to pay for idle VMs or reserve capacity in advance. Connect to private endpoints with Azure Functions

As enterprises continue to adopt serverless (and Platform-as-a-Service, or PaaS) solutions, they often need a way to integrate with existing resources on a virtual network. These existing resources could be databases, file storage, message queues or event streams, or REST APIs.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-functions/functions-scale> <https://techcommunity.microsoft.com/t5/azure-functions/connect-to-private-endpoints-with-azure-functions/ba-p> Reference:

<https://docs.microsoft.com/en-us/azure/azure-functions/functions-scale#hosting-plans-comparison>

NEW QUESTION 50

- (Exam Topic 4)

You are developing a sales application that will contain several Azure cloud services and will handle different components of a transaction. Different cloud services will process customer orders, billing, payment, inventory, and shipping.

You need to recommend a solution to enable the cloud services to asynchronously communicate transaction information by using REST messages.

What should you include in the recommendation?

- A. Azure Service Bus
- B. Azure Blob storage
- C. Azure Notification Hubs
- D. Azure Application Gateway

Answer: A

Explanation:

Service Bus is a transactional message broker and ensures transactional integrity for all internal operations against its message stores. All transfers of messages inside of Service Bus, such as moving messages to a dead-letter queue or automatic forwarding of messages between entities, are transactional.

Reference:

<https://docs.microsoft.com/en-us/azure/service-bus-messaging/service-bus-transactions>

"Service Bus offers a reliable and secure platform for asynchronous transfer of data and state." ... "Service Bus supports standard AMQP 1.0 and HTTP/REST protocols."

<https://docs.microsoft.com/en-us/azure/service-bus-messaging/service-bus-messaging-overview>

NEW QUESTION 51

- (Exam Topic 4)

You have .NET web service named service1 that has the following requirements.

- Must read and write to the local file system.
- Must write to the Windows Application event log.

You need to recommend a solution to host Service1 in Azure .

The solution must meet the following requirements:

- Minimize maintenance overhead.
- Minimize costs.

What should you include in the recommendation?

- A. an Azure App Service web app
- B. an Azure virtual machine scale set
- C. an App Service Environment (ASE)
- D. an Azure Functions app

Answer: A

Explanation:

<https://social.msdn.microsoft.com/Forums/vstudio/en-US/294b9e3e-e89c-4095-b8d0-ee1646e77268/writing-to-l>

NEW QUESTION 56

- (Exam Topic 4)

You have an on-premises network that uses an IP address space of 172.16.0.0/16. You plan to deploy 25 virtual machines to a new Azure subscription. You identify the following technical requirements:

- All Azure virtual machines must be placed on the same subnet named Subnet1.
- All the Azure virtual machines must be able to communicate with all on-premises servers.
- The servers must be able to communicate between the on-premises network and Azure by using a site-to-site VPN.

You need to recommend a subnet design that meets the technical requirements.

What should you include in the recommendation? To answer, drag the appropriate network addresses to the correct subnets. Each network address may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content

NOTE: Each correct selection is worth one point.

Network Addresses	Answer Area
172.16.0.0/16	Subnet1: <input type="text" value="Network address"/>
172.16.1.0/27	Gateway subnet: <input type="text" value="Network address"/>
192.168.0.0/24	
192.168.1.0/27	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 57

- (Exam Topic 4)

You have the resources shown in the following table.

Name	Type
AS1	Azure Synapse Analytics instance
CDB1	Azure Cosmos DB SQL API account

CDB1 hosts a container that stores continuously updated operational data.

You are designing a solution that will use AS1 to analyze the operational data daily.

You need to recommend a solution to analyze the data without affecting the performance of the operational data store.

What should you include in the recommendation?

- A. Azure Cosmos DB change feed
- B. Azure Data Factory with Azure Cosmos DB and Azure Synapse Analytics connectors
- C. Azure Synapse Analytics with PolyBase data loading
- D. Azure Synapse Link for Azure Cosmos DB

Answer: C

NEW QUESTION 61

- (Exam Topic 4)

You have the Azure resources shown in the following table.

Name	Type	Location
US-Central-Firewall-policy	Azure Firewall policy	Central US
US-East-Firewall-policy	Azure Firewall policy	East US
EU-Firewall-policy	Azure Firewall policy	West Europe
USEastfirewall	Azure Firewall	Central US
USWestfirewall	Azure Firewall	East US
EUFirewall	Azure Firewall	West Europe

You need to deploy a new Azure Firewall policy that will contain mandatory rules for all Azure Firewall deployments. The new policy will be configured as a parent policy for the existing policies.

What is the minimum number of additional Azure Firewall policies you should create?

- A. 1
- B. 2
- C. 3

Answer: B

Explanation:

Firewall policies work across regions and subscriptions. Place all your global configurations in the parent policy.

Note: Policies can be created in a hierarchy. You can create a parent/global policy that will contain configurations and rules that will apply to all/a number of firewall instances. Then you create a child policy that inherits from the parent; note that rules changes in the parent instantly appear in the child. The child is associated with a firewall and applies configurations/rules from the parent policy and the child policy instantly to the firewall.

Reference: <https://aidanfinn.com/?p=22006>

NEW QUESTION 63

- (Exam Topic 4)

You deploy several Azure SQL Database instances.

You plan to configure the Diagnostics settings on the databases as shown in the following exhibit.

Diagnostics settings

Save Discard Delete

★

Diagnostics

☒ Archive to a storage account

Storage account

csa14d260928e42x4ea7xb77

☐ Stream to an event hub

☒ Send to Log Analytics

Log Analytics

fabrikamproductionworkspace

LOG

☒ SQLInsights

Retention (days)

90

☒ AutomaticTuning

Retention (days)

30

☐ QueryStoreRuntimeStatistics

Retention (days)

0

☐ QueryStoreWaitStatistics

Retention (days)

0

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
 NOTE: Each correct selection is worth one point.

The amount of time that SQLInsights data will be stored in blob storage is [answer choice].

▼

30 days

90 days

730 days

indefinite

The maximum amount of time that SQLInsights data can be stored in Azure Log Analytics is [answer choice].

▼

30 days

90 days

730 days

indefinite

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

In the exhibit, the SQLInsights data is configured to be stored in Azure Log Analytics for 90 days. However, the question is asking for the “maximum” amount of time that the data can be stored which is 730 days.

NEW QUESTION 65

- (Exam Topic 4)

You have an Azure subscription.

You need to deploy an Azure Kubernetes Service (AKS) solution that will use Windows Server 2019 nodes. The solution must meet the following requirements:

- Minimize the time it takes to provision compute resources during scale-out operations.
- Support autoscaling of Windows Server containers. Which scaling option should you recommend?

- A. horizontal pod autoscaler
- B. Kubernetes version 1.20.2 or newer
- C. cluster autoscaler

- D. Virtual nodes
- E. with Virtual Kubelet ACI

Answer: C

Explanation:
<https://docs.microsoft.com/en-us/azure/aks/cluster-autoscaler#about-the-cluster-autoscaler>

NEW QUESTION 70

- (Exam Topic 4)
You are designing an application that will use Azure Linux virtual machines to analyze video files. The files will be uploaded from corporate offices that connect to Azure by using ExpressRoute.
You plan to provision an Azure Storage account to host the files.
You need to ensure that the storage account meets the following requirements:

- Supports video files of up to 7 TB
- Provides the highest availability possible
- Ensures that storage is optimized for the large video files
- Ensures that files from the on-premises network are uploaded by using ExpressRoute

How should you configure the storage account? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Storage account type:

Premium file shares
Premium page blobs
Standard general-purpose v2

Data redundancy:

Geo-redundant storage (GRS)
Locally-redundant storage (LRS)
Zone-redundant storage (ZRS)

These are the selections for Data redundancy

Networking:

Azure Route Server
A private endpoint
A service endpoint

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Answer Area

Storage account type:

Premium file shares
Premium page blobs
Standard general-purpose v2

Data redundancy:

Geo-redundant storage (GRS)
Locally-redundant storage (LRS)
Zone-redundant storage (ZRS)

These are the selections for Data redundancy

Networking:

Azure Route Server
A private endpoint
A service endpoint

NEW QUESTION 75

- (Exam Topic 4)
You have an Azure subscription that contains the resources shown in the following table.

Name	Type	Kind	Location
storage1	Azure Storage account	Storage	East US
storage2	Azure Storage account	StorageV2	East US
Workspace1	Azure Log Analytics workspace	Not applicable	East US
Workspace2	Azure Log Analytics workspace	Not applicable	East US
Hub1	Azure event hub	Not applicable	East US

You create an Azure SQL database named DB1 that is hosted in the East US region.

To DB1, you add a diagnostic setting named Settings1. Settings1 archives SQLInsights to storage1 and sends SQLInsights to Workspace1.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selections is worth one point.

Statements	Yes	No
You can add a new diagnostic setting that archives SQLInsights logs to storage2.	<input type="radio"/>	<input type="radio"/>
You can add a new diagnostic setting that sends SQLInsights logs to Workspace2.	<input type="radio"/>	<input type="radio"/>
You can add a new diagnostic setting that sends SQLInsights logs to Hub1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

Box 2: Yes

Box 3: Yes

For more information on Azure SQL diagnostics , you can visit the below link

<https://docs.microsoft.com/en-us/azure/azure-sql/database/metrics-diagnostic-telemetry-logging-streaming-expo>

NEW QUESTION 77

- (Exam Topic 4)

You have an Azure subscription. The subscription contains Azure virtual machines that run Windows Server 2016 and Linux.

You need to use Azure Log Analytics design an alerting strategy for security-related events.

Which Log Analytics tables should you query? To answer, drag the appropriate tables to the correct log types. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Tables

AzureActivity

AzureDiagnostics

Event

Syslog

Answer Area

Events from Windows event logs:

Table

Events from Linux system logging:

Table

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, table Description automatically generated with medium confidence

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/log-analytics-agent>

Windows Event logs --> Information sent to the Windows event logging system. Syslog --> Information sent to the Linux event logging system.

NEW QUESTION 82

- (Exam Topic 4)

DRAG DROP

A company has an existing web application that runs on virtual machines (VMs) in Azure.

You need to ensure that the application is protected from SQL injection attempts and uses a layer-7 load balancer. The solution must minimize disruption to the code for the existing web application.

What should you recommend? To answer, drag the appropriate values to the correct items. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values	Answer Area	
	Item	Value
Web Application Firewall (WAF)		
Azure Application Gateway	Azure service	
Azure Load Balancer	Feature	
Azure Traffic Manager		
SSL offloading		
URL-based content routing		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Azure Application Gateway

Azure Application Gateway provides an application delivery controller (ADC) as a service. It offers various layer 7 load-balancing capabilities for your applications.

Box 2: Web Application Firewall (WAF)

Application Gateway web application firewall (WAF) protects web applications from common vulnerabilities and exploits.

This is done through rules that are defined based on the OWASP core rule sets 3.0 or 2.2.9.

There are rules that detects SQL injection attacks. References:

<https://docs.microsoft.com/en-us/azure/application-gateway/application-gateway-faq> <https://docs.microsoft.com/en-us/azure/application-gateway/waf-overview>

NEW QUESTION 83

- (Exam Topic 4)

You have an Azure subscription.

You need to recommend an Azure Kubernetes service (AKS) solution that will use Linux nodes. The solution must meet the following requirements:

- Minimize the time it takes to provision compute resources during scale-out operations.
- Support autoscaling of Linux containers.
- Minimize administrative effort.

Which scaling option should you recommend?

- A. Virtual Kubetet
- B. cluster autoscaler
- C. virtual nodes
- D. horizontal pod autoscaler

Answer: C

Explanation:

<https://docs.microsoft.com/en-us/azure/aks/virtual-nodes>

NEW QUESTION 88

- (Exam Topic 4)

You ate designing a SQL database solution. The solution will include 20 databases that will be 20 GB each and have varying usage patterns. You need to recommend a database platform to host the databases. The solution must meet the following requirements:

- The compute resources allocated to the databases must scale dynamically.
- The solution must meet an SLA of 99.99% uptime.
- The solution must have reserved capacity.
- Compute charges must be minimized.

What should you include in the recommendation?

- A. 20 databases on a Microsoft SQL server that runs on an Azure virtual machine
- B. 20 instances of Azure SQL Database serverless
- C. 20 databases on a Microsoft SQL server that runs on an Azure virtual machine in an availability set
- D. an elastic pool that contains 20 Azure SQL databases

Answer: D

Explanation:

Azure SQL Database elastic pools are a simple, cost-effective solution for managing and scaling multiple databases that have varying and unpredictable usage demands. The databases in an elastic pool are on a single server and share a set number of resources at a set price. Elastic pools in Azure SQL Database enable SaaS developers to optimize the price performance for a group of databases within a prescribed budget while delivering performance elasticity for each database. Guaranteed 99.995 percent uptime for SQL Database Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/database/elastic-pool-overview> <https://azure.microsoft.com/en-us/pricing/details/sql-database/elastic/>

<https://www.azure.cn/en-us/support/sla/virtual-machines/>

<https://techcommunity.microsoft.com/t5/azure-sql/optimize-price-performance-with-compute-auto-scaling-in-az>

NEW QUESTION 92

- (Exam Topic 4)

You have 100 servers that run Windows Server 2012 R2 and host Microsoft SQL Server 2012 R2 instances. The instances host databases that have the following characteristics:

- The largest database is currently 3 TB. None of the databases will ever exceed 4 TB.
- Stored procedures are implemented by using CLR.

You plan to move all the data from SQL Server to Azure.

You need to recommend an Azure service to host the databases. The solution must meet the following requirements:

- Whenever possible, minimize management overhead for the migrated databases.
- Minimize the number of database changes required to facilitate the migration.
- Ensure that users can authenticate by using their Active Directory credentials.

What should you include in the recommendation?

- A. Azure SQL Database single databases
- B. Azure SQL Database Managed Instance
- C. Azure SQL Database elastic pools
- D. SQL Server 2016 on Azure virtual machines

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/sql-database/sql-database-managed-instance>

SQL Managed Instance allows existing SQL Server customers to lift and shift their on-premises applications to the cloud with minimal application and database changes. At the same time, SQL Managed Instance preserves all PaaS capabilities (automatic patching and version updates, automated backups, high availability) that drastically reduce management overhead and TCO.

<https://docs.microsoft.com/en-us/azure/azure-sql/managed-instance/transact-sql-tsql-differences-sql-server#clr> <https://docs.microsoft.com/en-gb/azure/azure-sql/database/transact-sql-tsql-differences-sql-server#transact-sql-s>

NEW QUESTION 94

- (Exam Topic 4)

You need to recommend an Azure Storage Account configuration for two applications named Application1 and Applications. The configuration must meet the following requirements:

- Storage for Application1 must provide the highest possible transaction rates and the lowest possible latency.
- Storage for Application2 must provide the lowest possible storage costs per GB.
- Storage for both applications must be optimized for uploads and downloads.
- Storage for both applications must be available in an event of datacenter failure.

What should you recommend ? To answer, select the appropriate options in the answer area NOTE: Each correct selection is worth one point

Answer Area

Application1:

BlobStorage with Standard performance, Hot access tier, and Read-access geo-redundant storage (RA-GRS) replication

BlockBlobStorage with Premium performance and Zone-redundant storage (ZRS) replication

General purpose v1 with Premium performance and Locally-redundant storage (LRS) replication

General purpose v2 with Standard performance, Hot access tier, and Locally-redundant storage (LRS) replication

Application2:

BlobStorage with Standard performance, Cool access tier, and Geo-redundant storage (GRS) replication

BlockBlobStorage with Premium performance and Zone-redundant storage (ZRS) replication

General purpose v1 with Standard performance and Read-access geo-redundant storage (RA-GRS) replication

General purpose v2 with Standard performance, Cool access tier, and Read-access geo-redundant storage (RA-GRS) replication

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: BlobStorage with Premium performance and Zone-redundant storage (ZRS) replication.

BlockBlobStorage accounts: Storage accounts with premium performance characteristics for block blobs and append blobs. Recommended for scenarios with high transactions rates, or scenarios that use smaller objects or require consistently low storage latency.

Premium: optimized for high transaction rates and single-digit consistent storage latency. Box 2: General purpose v2 with Standard performance..

General-purpose v2 accounts: Basic storage account type for blobs, files, queues, and tables. Recommended for most scenarios using Azure Storage.

Reference:

<https://docs.microsoft.com/en-us/azure/storage/common/storage-account-overview>

<https://docs.microsoft.com/en-us/azure/storage/common/storage-redundancy>

NEW QUESTION 99

- (Exam Topic 4)

You have an Azure subscription.

You need to recommend a solution to provide developers with the ability to provision Azure virtual machines. The solution must meet the following requirements:

- Only allow the creation of the virtual machines in specific regions.
- Only allow the creation of specific sizes of virtual machines. What should you include in the recommendation?

- A. Conditional Access policies
- B. role-based access control (RBAC)
- C. Azure Resource Manager (ARM) templates
- D. Azure Policy

Answer: D

Explanation:

<https://docs.microsoft.com/en-us/azure/governance/policy/tutorials/create-and-manage> <https://docs.microsoft.com/en-us/azure/cloud-adoption-framework/manage/azure-server-management/common>

NEW QUESTION 100

- (Exam Topic 3)

You need to recommend an App Service architecture that meets the requirements for Appl. The solution must minimize costs.

What should few recommend?

- A. one App Service Environment (ASE) per availability zone
- B. one App Service plan per availability zone
- C. one App Service plan per region

D. one App Service Environment (ASE) per region

Answer: A

NEW QUESTION 103

- (Exam Topic 4)

You have an Azure subscription that contains a storage account.

An application sometimes writes duplicate files to the storage account.

You have a PowerShell script that identifies and deletes duplicate files in the storage account. Currently, the script is run manually after approval from the operations manager.

You need to recommend a serverless solution that performs the following actions:

- Runs the script once an hour to identify whether duplicate files exist
- Processes an email response from the operations manager specifying whether the deletion was approved
- Runs the script if the deletion was approved

What should you include in the recommendation?

- A. Azure Logic Apps and Azure Functions
- B. Azure Pipelines and Azure Service Fabric
- C. Azure Logic Apps and Azure Event Grid
- D. Azure Functions and Azure Batch

Answer: A

Explanation:

You can schedule a powershell script with Azure Logic Apps.

When you want to run code that performs a specific job in your logic apps, you can create your own function by using Azure Functions. This service helps you create Node.js, C#, and F# functions so you don't have to build a complete app or infrastructure to run code. You can also call logic apps from inside Azure functions. Azure Functions provides serverless computing in the cloud and is useful for performing tasks such as these examples:

Reference:

<https://docs.microsoft.com/en-us/azure/logic-apps/logic-apps-azure-functions>

NEW QUESTION 105

- (Exam Topic 3)

You need to recommend a solution that meets the data requirements for App1.

What should you recommend deploying to each availability zone that contains an instance of App1?

- A. an Azure Cosmos DB that uses multi-region writes
- B. an Azure Storage account that uses geo-zone-redundant storage (GZRS)
- C. an Azure Data Lake store that uses geo-zone-redundant storage (GZRS)
- D. an Azure SQL database that uses active geo-replication

Answer: A

NEW QUESTION 107

- (Exam Topic 2)

What should you include in the identity management strategy to support the planned changes?

- A. Move all the domain controllers from corp.fabrikam.com to virtual networks in Azure.
- B. Deploy domain controllers for corp.fabrikam.com to virtual networks in Azure.
- C. Deploy a new Azure AD tenant for the authentication of new R&D projects.
- D. Deploy domain controllers for the rd.fabrikam.com forest to virtual networks in Azure.

Answer: B

Explanation:

Directory synchronization between Azure Active Directory (Azure AD) and corp.fabrikam.com must not be affected by a link failure between Azure and the on-premises network. (This requires domain controllers in Azure)

Users on the on-premises network must be able to authenticate to corp.fabrikam.com if an Internet link fails. (This requires domain controllers on-premises)

NEW QUESTION 108

- (Exam Topic 2)

You need to recommend a data storage strategy for WebApp1. What should you include in the recommendation?

- A. an Azure SQL Database elastic pool
- B. a vCore-based Azure SQL database
- C. an Azure virtual machine that runs SQL Server
- D. a fixed-size DTU AzureSQL database.

Answer: B

NEW QUESTION 112

- (Exam Topic 2)

You need to recommend a strategy for migrating the database content of WebApp1 to Azure. What should you include in the recommendation?

- A. Use Azure Site Recovery to replicate the SQL servers to Azure.
- B. Use SQL Server transactional replication.
- C. Copy the BACPAC file that contains the Azure SQL database file to Azure Blob storage.

D. Copy the VHD that contains the Azure SQL database files to Azure Blob storage

Answer: D

Explanation:

Before you upload a Windows virtual machine (VM) from on-premises to Azure, you must prepare the virtual hard disk (VHD or VHDX).

Scenario: WebApp1 has a web tier that uses Microsoft Internet Information Services (IIS) and a database tier that runs Microsoft SQL Server 2016. The web tier and the database tier are deployed to virtual machines that run on Hyper-V.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/prepare-for-upload-vhd-image>

NEW QUESTION 113

- (Exam Topic 2)

You need to recommend a strategy for the web tier of WebApp1. The solution must minimize What should you recommend?

A. Create a runbook that resizes virtual machines automatically to a smaller size outside of business hours.

B. Configure the Scale Up settings for a web app.

C. Deploy a virtual machine scale set that scales out on a 75 percent CPU threshold.

D. Configure the Scale Out settings for a web app.

Answer: A

NEW QUESTION 118

- (Exam Topic 1)

You plan to migrate DB1 and DB2 to Azure.

You need to ensure that the Azure database and the service tier meet the resiliency and business requirements. What should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Database:

- A single Azure SQL database
- Azure SQL Managed Instance
- An Azure SQL Database elastic pool

Service tier:

- Hyperscale
- Business Critical
- General Purpose

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area

Database:

- A single Azure SQL database
- Azure SQL Managed Instance
- An Azure SQL Database elastic pool

Service tier:

- Hyperscale
- Business Critical
- General Purpose

NEW QUESTION 119

- (Exam Topic 1)

How should the migrated databases DB1 and DB2 be implemented in Azure?

Database:

	▼
A single Azure SQL database	
Azure SQL Managed Instance	
An Azure SQL Database elastic pool	

Service tier:

	▼
Hyperscale	
Business Critical	
General Purpose	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated

Box 1: SQL Managed Instance

Scenario: Once migrated to Azure, DB1 and DB2 must meet the following requirements:

- Maintain availability if two availability zones in the local Azure region fail.
- Fail over automatically.
- Minimize I/O latency.

The auto-failover groups feature allows you to manage the replication and failover of a group of databases on a server or all databases in a managed instance to another region. It is a declarative abstraction on top of the existing active geo-replication feature, designed to simplify deployment and management of geo-replicated databases at scale. You can initiate a geo-failover manually or you can delegate it to the Azure service based on a user-defined policy. The latter option allows you to automatically recover multiple related databases in a secondary region after a catastrophic failure or other unplanned event that results in full or partial loss of the SQL Database or SQL Managed Instance availability in the primary region.

Box 2: Business critical

SQL Managed Instance is available in two service tiers:

General purpose: Designed for applications with typical performance and I/O latency requirements. Business critical: Designed for applications with low I/O latency requirements and minimal impact of underlying maintenance operations on the workload.

Reference:

<https://docs.microsoft.com/en-us/azure/azure-sql/database/auto-failover-group-overview> <https://docs.microsoft.com/en-us/azure/azure-sql/managed-instance/sql-managed-instance-paas-overview>

NEW QUESTION 123

- (Exam Topic 1)

You need to implement the Azure RBAC role assignments for the Network Contributor role. The solution must meet the authentication and authorization requirements.

What is the minimum number of assignments that you must use?

- A. 1
- B. 2
- C. 5
- D. 10
- E. 15

Answer: A

Explanation:

Scenario: The Network Contributor built-in RBAC role must be used to grant permissions to the network administrators for all the virtual networks in all the Azure subscriptions.

RBAC roles must be applied at the highest level possible.

NEW QUESTION 124

- (Exam Topic 1)

You plan to migrate App1 to Azure. The solution must meet the authentication and authorization requirements. Which type of endpoint should App1 use to obtain an access token?

- A. Azure Instance Metadata Service (IMDS)
- B. Azure AD
- C. Azure Service Management
- D. Microsoft identity platform

Answer: D

Explanation:

Scenario: To access the resources in Azure, App1 must use the managed identity of the virtual machines that will host the app.

Managed identities provide an identity for applications to use when connecting to resources that support Azure Active Directory (Azure AD) authentication. Applications may use the managed identity to obtain Azure AD tokens.

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/managed-identities-azure-resources/overview>

NEW QUESTION 125

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

AZ-305 Practice Exam Features:

- * AZ-305 Questions and Answers Updated Frequently
- * AZ-305 Practice Questions Verified by Expert Senior Certified Staff
- * AZ-305 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AZ-305 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AZ-305 Practice Test Here](#)