

Google

Exam Questions Professional-Data-Engineer

Google Professional Data Engineer Exam



NEW QUESTION 1

- (Exam Topic 1)

You are designing a basket abandonment system for an ecommerce company. The system will send a message to a user based on these rules:

- No interaction by the user on the site for 1 hour
- Has added more than \$30 worth of products to the basket
- Has not completed a transaction

You use Google Cloud Dataflow to process the data and decide if a message should be sent. How should you design the pipeline?

- A. Use a fixed-time window with a duration of 60 minutes.
- B. Use a sliding time window with a duration of 60 minutes.
- C. Use a session window with a gap time duration of 60 minutes.
- D. Use a global window with a time based trigger with a delay of 60 minutes.

Answer: C

NEW QUESTION 2

- (Exam Topic 1)

You are building a model to make clothing recommendations. You know a user's fashion preference is likely to change over time, so you build a data pipeline to stream new data back to the model as it becomes available. How should you use this data to train the model?

- A. Continuously retrain the model on just the new data.
- B. Continuously retrain the model on a combination of existing data and the new data.
- C. Train on the existing data while using the new data as your test set.
- D. Train on the new data while using the existing data as your test set.

Answer: C

Explanation:

<https://cloud.google.com/automl-tables/docs/prepare>

NEW QUESTION 3

- (Exam Topic 1)

Your software uses a simple JSON format for all messages. These messages are published to Google Cloud Pub/Sub, then processed with Google Cloud Dataflow to create a real-time dashboard for the CFO. During testing, you notice that some messages are missing in the dashboard. You check the logs, and all messages are being published to Cloud Pub/Sub successfully. What should you do next?

- A. Check the dashboard application to see if it is not displaying correctly.
- B. Run a fixed dataset through the Cloud Dataflow pipeline and analyze the output.
- C. Use Google Stackdriver Monitoring on Cloud Pub/Sub to find the missing messages.
- D. Switch Cloud Dataflow to pull messages from Cloud Pub/Sub instead of Cloud Pub/Sub pushing messages to Cloud Dataflow.

Answer: B

NEW QUESTION 4

- (Exam Topic 1)

You create an important report for your large team in Google Data Studio 360. The report uses Google BigQuery as its data source. You notice that visualizations are not showing data that is less than 1 hour old. What should you do?

- A. Disable caching by editing the report settings.
- B. Disable caching in BigQuery by editing table details.
- C. Refresh your browser tab showing the visualizations.
- D. Clear your browser history for the past hour then reload the tab showing the virtualizations.

Answer: A

Explanation:

Reference <https://support.google.com/datastudio/answer/7020039?hl=en>

NEW QUESTION 5

- (Exam Topic 2)

Flowlogistic's CEO wants to gain rapid insight into their customer base so his sales team can be better informed in the field. This team is not very technical, so they've purchased a visualization tool to simplify the creation of BigQuery reports. However, they've been overwhelmed by all the data in the table, and are spending a lot of money on queries trying to find the data they need. You want to solve their problem in the most cost-effective way. What should you do?

- A. Export the data into a Google Sheet for virtualization.
- B. Create an additional table with only the necessary columns.
- C. Create a view on the table to present to the virtualization tool.
- D. Create identity and access management (IAM) roles on the appropriate columns, so only they appear in a query.

Answer: C

NEW QUESTION 6

- (Exam Topic 5)

Cloud Bigtable is Google's Big Data database service.

- A. Relational
- B. mySQL
- C. NoSQL
- D. SQL Server

Answer: C

Explanation:

Cloud Bigtable is Google's NoSQL Big Data database service. It is the same database that Google uses for services, such as Search, Analytics, Maps, and Gmail. It is used for requirements that are low latency and high throughput including Internet of Things (IoT), user analytics, and financial data analysis.
Reference: <https://cloud.google.com/bigtable/>

NEW QUESTION 7

- (Exam Topic 5)

The for Cloud Bigtable makes it possible to use Cloud Bigtable in a Cloud Dataflow pipeline.

- A. Cloud Dataflow connector
- B. DataFlow SDK
- C. BigQuery API
- D. BigQuery Data Transfer Service

Answer: A

Explanation:

The Cloud Dataflow connector for Cloud Bigtable makes it possible to use Cloud Bigtable in a Cloud Dataflow pipeline. You can use the connector for both batch and streaming operations.
Reference: <https://cloud.google.com/bigtable/docs/dataflow-hbase>

NEW QUESTION 8

- (Exam Topic 5)

How would you query specific partitions in a BigQuery table?

- A. Use the DAY column in the WHERE clause
- B. Use the EXTRACT(DAY) clause
- C. Use the __PARTITIONTIME pseudo-column in the WHERE clause
- D. Use DATE BETWEEN in the WHERE clause

Answer: C

Explanation:

Partitioned tables include a pseudo column named __PARTITIONTIME that contains a date-based timestamp for data loaded into the table. To limit a query to particular partitions (such as Jan 1st and 2nd of 2017), use a clause similar to this:
WHERE __PARTITIONTIME BETWEEN TIMESTAMP('2017-01-01') AND TIMESTAMP('2017-01-02')
Reference: https://cloud.google.com/bigquery/docs/partitioned-tables#the_partitiontime_pseudo_column

NEW QUESTION 9

- (Exam Topic 5)

What Dataflow concept determines when a Window's contents should be output based on certain criteria being met?

- A. Sessions
- B. OutputCriteria
- C. Windows
- D. Triggers

Answer: D

Explanation:

Triggers control when the elements for a specific key and window are output. As elements arrive, they are put into one or more windows by a Window transform and its associated WindowFn, and then passed to the associated Trigger to determine if the Windows contents should be output.
Reference:
<https://cloud.google.com/dataflow/java-sdk/JavaDoc/com/google/cloud/dataflow/sdk/transforms/windowing/Tri>

NEW QUESTION 10

- (Exam Topic 5)

Suppose you have a table that includes a nested column called "city" inside a column called "person", but when you try to submit the following query in BigQuery, it gives you an error.
SELECT person FROM `project1.example.table1` WHERE city = "London" How would you correct the error?

- A. Add ", UNNEST(person)" before the WHERE clause.
- B. Change "person" to "person.city".
- C. Change "person" to "city.person".
- D. Add ", UNNEST(city)" before the WHERE clause.

Answer: A

Explanation:

To access the person.city column, you need to "UNNEST(person)" and JOIN it to table1 using a comma. Reference:
https://cloud.google.com/bigquery/docs/reference/standard-sql/migrating-from-legacy-sql#nested_repeated_resu

NEW QUESTION 10

- (Exam Topic 5)

To give a user read permission for only the first three columns of a table, which access control method would you use?

- A. Primitive role
- B. Predefined role
- C. Authorized view
- D. It's not possible to give access to only the first three columns of a table.

Answer: C

Explanation:

An authorized view allows you to share query results with particular users and groups without giving them read access to the underlying tables. Authorized views can only be created in a dataset that does not contain the tables queried by the view.

When you create an authorized view, you use the view's SQL query to restrict access to only the rows and columns you want the users to see.

Reference: <https://cloud.google.com/bigquery/docs/views#authorized-views>

NEW QUESTION 14

- (Exam Topic 5)

When you design a Google Cloud Bigtable schema it is recommended that you .

- A. Avoid schema designs that are based on NoSQL concepts
- B. Create schema designs that are based on a relational database design
- C. Avoid schema designs that require atomicity across rows
- D. Create schema designs that require atomicity across rows

Answer: C

Explanation:

All operations are atomic at the row level. For example, if you update two rows in a table, it's possible that one row will be updated successfully and the other update will fail. Avoid schema designs that require atomicity across rows.

Reference: <https://cloud.google.com/bigtable/docs/schema-design#row-keys>

NEW QUESTION 18

- (Exam Topic 5)

Which of the following IAM roles does your Compute Engine account require to be able to run pipeline jobs?

- A. dataflow.worker
- B. dataflow.compute
- C. dataflow.developer
- D. dataflow.viewer

Answer: A

Explanation:

The dataflow.worker role provides the permissions necessary for a Compute Engine service account to execute work units for a Dataflow pipeline

Reference: <https://cloud.google.com/dataflow/access-control>

NEW QUESTION 19

- (Exam Topic 5)

Which of the following is NOT a valid use case to select HDD (hard disk drives) as the storage for Google Cloud Bigtable?

- A. You expect to store at least 10 TB of data.
- B. You will mostly run batch workloads with scans and writes, rather than frequently executing random reads of a small number of rows.
- C. You need to integrate with Google BigQuery.
- D. You will not use the data to back a user-facing or latency-sensitive application.

Answer: C

Explanation:

For example, if you plan to store extensive historical data for a large number of remote-sensing devices and then use the data to generate daily reports, the cost savings for HDD storage may justify the performance tradeoff. On the other hand, if you plan to use the data to display a real-time dashboard, it probably would not make sense to use HDD storage—reads would be much more frequent in this case, and reads are much slower with HDD storage.

Reference: <https://cloud.google.com/bigtable/docs/choosing-ssd-hdd>

NEW QUESTION 22

- (Exam Topic 5)

What are two of the benefits of using denormalized data structures in BigQuery?

- A. Reduces the amount of data processed, reduces the amount of storage required
- B. Increases query speed, makes queries simpler
- C. Reduces the amount of storage required, increases query speed
- D. Reduces the amount of data processed, increases query speed

Answer: B

Explanation:

Denormalization increases query speed for tables with billions of rows because BigQuery's performance degrades when doing JOINS on large tables, but with a denormalized data structure, you don't have to use JOINS, since all of the data has been combined into one table. Denormalization also makes queries simpler because you do not have to use JOIN clauses. Denormalization increases the amount of data processed and the amount of storage required because it creates redundant data. Reference: https://cloud.google.com/solutions/bigquery-data-warehouse#denormalizing_data

NEW QUESTION 24

- (Exam Topic 5)

Which of the following are feature engineering techniques? (Select 2 answers)

- A. Hidden feature layers
- B. Feature prioritization
- C. Crossed feature columns
- D. Bucketization of a continuous feature

Answer: CD

Explanation:

Selecting and crafting the right set of feature columns is key to learning an effective model.

Bucketization is a process of dividing the entire range of a continuous feature into a set of consecutive bins/buckets, and then converting the original numerical feature into a bucket ID (as a categorical feature) depending on which bucket that value falls into.

Using each base feature column separately may not be enough to explain the data. To learn the differences between different feature combinations, we can add crossed feature columns to the model.

Reference: https://www.tensorflow.org/tutorials/wide#selecting_and_engineering_features_for_the_model

NEW QUESTION 26

- (Exam Topic 5)

To run a TensorFlow training job on your own computer using Cloud Machine Learning Engine, what would your command start with?

- A. gcloud ml-engine local train
- B. gcloud ml-engine jobs submit training
- C. gcloud ml-engine jobs submit training local
- D. You can't run a TensorFlow program on your own computer using Cloud ML Engine .

Answer: A

Explanation:

gcloud ml-engine local train - run a Cloud ML Engine training job locally

This command runs the specified module in an environment similar to that of a live Cloud ML Engine Training Job.

This is especially useful in the case of testing distributed models, as it allows you to validate that you are properly interacting with the Cloud ML Engine cluster configuration.

Reference: <https://cloud.google.com/sdk/gcloud/reference/ml-engine/local/train>

NEW QUESTION 31

- (Exam Topic 5)

All Google Cloud Bigtable client requests go through a front-end server they are sent to a Cloud Bigtable node.

- A. before
- B. after
- C. only if
- D. once

Answer: A

Explanation:

In a Cloud Bigtable architecture all client requests go through a front-end server before they are sent to a Cloud Bigtable node.

The nodes are organized into a Cloud Bigtable cluster, which belongs to a Cloud Bigtable instance, which is a container for the cluster. Each node in the cluster handles a subset of the requests to the cluster.

When additional nodes are added to a cluster, you can increase the number of simultaneous requests that the cluster can handle, as well as the maximum throughput for the entire cluster.

Reference: <https://cloud.google.com/bigtable/docs/overview>

NEW QUESTION 35

- (Exam Topic 5)

For the best possible performance, what is the recommended zone for your Compute Engine instance and Cloud Bigtable instance?

- A. Have the Compute Engine instance in the furthest zone from the Cloud Bigtable instance.
- B. Have both the Compute Engine instance and the Cloud Bigtable instance to be in different zones.
- C. Have both the Compute Engine instance and the Cloud Bigtable instance to be in the same zone.
- D. Have the Cloud Bigtable instance to be in the same zone as all of the consumers of your data.

Answer: C

Explanation:

It is recommended to create your Compute Engine instance in the same zone as your Cloud Bigtable instance for the best possible performance,

If it's not possible to create a instance in the same zone, you should create your instance in another zone within the same region. For example, if your Cloud Bigtable instance is located in us-central1-b, you could create your instance in us-central1-f. This change may result in several milliseconds of additional latency for

each Cloud Bigtable request.

It is recommended to avoid creating your Compute Engine instance in a different region from

your Cloud Bigtable instance, which can add hundreds of milliseconds of latency to each Cloud Bigtable request.

Reference: <https://cloud.google.com/bigtable/docs/creating-compute-instance>

NEW QUESTION 36

- (Exam Topic 5)

You have a job that you want to cancel. It is a streaming pipeline, and you want to ensure that any data that is in-flight is processed and written to the output.

Which of the following commands can you use on the Dataflow monitoring console to stop the pipeline job?

- A. Cancel
- B. Drain
- C. Stop
- D. Finish

Answer: B

Explanation:

Using the Drain option to stop your job tells the Dataflow service to finish your job in its current state. Your job will immediately stop ingesting new data from input sources, but the Dataflow service will preserve any existing resources (such as worker instances) to finish processing and writing any buffered data in your pipeline.

Reference: <https://cloud.google.com/dataflow/pipelines/stopping-a-pipeline>

NEW QUESTION 38

- (Exam Topic 5)

Which of the following is NOT true about Dataflow pipelines?

- A. Dataflow pipelines are tied to Dataflow, and cannot be run on any other runner
- B. Dataflow pipelines can consume data from other Google Cloud services
- C. Dataflow pipelines can be programmed in Java
- D. Dataflow pipelines use a unified programming model, so can work both with streaming and batch data sources

Answer: A

Explanation:

Dataflow pipelines can also run on alternate runtimes like Spark and Flink, as they are built using the Apache Beam SDKs

Reference: <https://cloud.google.com/dataflow/>

NEW QUESTION 43

- (Exam Topic 5)

Which of the following statements is NOT true regarding Bigtable access roles?

- A. Using IAM roles, you cannot give a user access to only one table in a project, rather than all tables in a project.
- B. To give a user access to only one table in a project, grant the user the Bigtable Editor role for that table.
- C. You can configure access control only at the project level.
- D. To give a user access to only one table in a project, you must configure access through your application.

Answer: B

Explanation:

For Cloud Bigtable, you can configure access control at the project level. For example, you can grant the ability to:

Read from, but not write to, any table within the project.

Read from and write to any table within the project, but not manage instances. Read from and write to any table within the project, and manage instances.

Reference: <https://cloud.google.com/bigtable/docs/access-control>

NEW QUESTION 47

- (Exam Topic 5)

Which Google Cloud Platform service is an alternative to Hadoop with Hive?

- A. Cloud Dataflow
- B. Cloud Bigtable
- C. BigQuery
- D. Cloud Datastore

Answer: C

Explanation:

Apache Hive is a data warehouse software project built on top of Apache Hadoop for providing data summarization, query, and analysis.

Google BigQuery is an enterprise data warehouse. Reference: https://en.wikipedia.org/wiki/Apache_Hive

NEW QUESTION 51

- (Exam Topic 5)

Which of the following statements about Legacy SQL and Standard SQL is not true?

- A. Standard SQL is the preferred query language for BigQuery.
- B. If you write a query in Legacy SQL, it might generate an error if you try to run it with Standard SQL.
- C. One difference between the two query languages is how you specify fully-qualified table names (i. table names that include their associated project name).
- D.

E. You need to set a query language for each dataset and the default is Standard SQL.

Answer: D

Explanation:

You do not set a query language for each dataset. It is set each time you run a query and the default query language is Legacy SQL.

Standard SQL has been the preferred query language since BigQuery 2.0 was released.

In legacy SQL, to query a table with a project-qualified name, you use a colon, :, as a separator. In standard SQL, you use a period, ., instead.

Due to the differences in syntax between the two query languages (such as with project-qualified table names), if you write a query in Legacy SQL, it might generate an error if you try to run it with Standard SQL.

Reference:

<https://cloud.google.com/bigquery/docs/reference/standard-sql/migrating-from-legacy-sql>

NEW QUESTION 56

- (Exam Topic 5)

When using Cloud Dataproc clusters, you can access the YARN web interface by configuring a browser to connect through a proxy.

- A. HTTPS
- B. VPN
- C. SOCKS
- D. HTTP

Answer: C

Explanation:

When using Cloud Dataproc clusters, configure your browser to use the SOCKS proxy. The SOCKS proxy routes data intended for the Cloud Dataproc cluster through an SSH tunnel.

Reference: <https://cloud.google.com/dataproc/docs/concepts/cluster-web-interfaces#interfaces>

NEW QUESTION 59

- (Exam Topic 5)

Which methods can be used to reduce the number of rows processed by BigQuery?

- A. Splitting tables into multiple tables; putting data in partitions
- B. Splitting tables into multiple tables; putting data in partitions; using the LIMIT clause
- C. Putting data in partitions; using the LIMIT clause
- D. Splitting tables into multiple tables; using the LIMIT clause

Answer: A

Explanation:

If you split a table into multiple tables (such as one table for each day), then you can limit your query to the data in specific tables (such as for particular days). A better method is to use a partitioned table, as long as your data can be separated by the day.

If you use the LIMIT clause, BigQuery will still process the entire table. Reference: <https://cloud.google.com/bigquery/docs/partitioned-tables>

NEW QUESTION 63

- (Exam Topic 6)

Your company maintains a hybrid deployment with GCP, where analytics are performed on your anonymized customer data. The data are imported to Cloud Storage from your data center through parallel uploads to a data transfer server running on GCP. Management informs you that the daily transfers take too long and have asked you to fix the problem. You want to maximize transfer speeds. Which action should you take?

- A. Increase the CPU size on your server.
- B. Increase the size of the Google Persistent Disk on your server.
- C. Increase your network bandwidth from your datacenter to GCP.
- D. Increase your network bandwidth from Compute Engine to Cloud Storage.

Answer: C

NEW QUESTION 66

- (Exam Topic 6)

You are managing a Cloud Dataproc cluster. You need to make a job run faster while minimizing costs, without losing work in progress on your clusters. What should you do?

- A. Increase the cluster size with more non-preemptible workers.
- B. Increase the cluster size with preemptible worker nodes, and configure them to forcefully decommission.
- C. Increase the cluster size with preemptible worker nodes, and use Cloud Stackdriver to trigger a script to preserve work.
- D. Increase the cluster size with preemptible worker nodes, and configure them to use graceful decommissioning.

Answer: D

Explanation:

Reference <https://cloud.google.com/dataproc/docs/concepts/configuring-clusters/flex>

NEW QUESTION 69

- (Exam Topic 6)

You are migrating a table to BigQuery and are deciding on the data model. Your table stores information related to purchases made across several store locations and includes information like the time of the transaction, items purchased, the store ID and the city and state in which the store is located. You frequently query this

table to see how many of each item were sold over the past 30 days and to look at purchasing trends by state city and individual store. You want to model this table to minimize query time and cost. What should you do?

- A. Partition by transaction time; cluster by state first, then city then store ID
- B. Partition by transaction time cluster by store ID first, then city, then state
- C. Top-level cluster by state first, then city then store
- D. Top-level cluster by store ID first, then city then state.

Answer: C

NEW QUESTION 71

- (Exam Topic 6)

You use BigQuery as your centralized analytics platform. New data is loaded every day, and an ETL pipeline modifies the original data and prepares it for the final users. This ETL pipeline is regularly modified and can generate errors, but sometimes the errors are detected only after 2 weeks. You need to provide a method to recover from these errors, and your backups should be optimized for storage costs. How should you organize your data in BigQuery and store your backups?

- A. Organize your data in a single table, export, and compress and store the BigQuery data in Cloud Storage.
- B. Organize your data in separate tables for each month, and export, compress, and store the data in Cloud Storage.
- C. Organize your data in separate tables for each month, and duplicate your data on a separate dataset in BigQuery.
- D. Organize your data in separate tables for each month, and use snapshot decorators to restore the table to a time prior to the corruption.

Answer: D

NEW QUESTION 73

- (Exam Topic 6)

Your team is working on a binary classification problem. You have trained a support vector machine (SVM) classifier with default parameters, and received an area under the Curve (AUC) of 0.87 on the validation set. You want to increase the AUC of the model. What should you do?

- A. Perform hyperparameter tuning
- B. Train a classifier with deep neural networks, because neural networks would always beat SVMs
- C. Deploy the model and measure the real-world AUC; it's always higher because of generalization
- D. Scale predictions you get out of the model (tune a scaling factor as a hyperparameter) in order to get the highest AUC

Answer: A

Explanation:

<https://towardsdatascience.com/understanding-hyperparameters-and-its-optimisation-techniques-f0debba07568>

NEW QUESTION 77

- (Exam Topic 6)

You are using Google BigQuery as your data warehouse. Your users report that the following simple query is running very slowly, no matter when they run the query:

```
SELECT country, state, city FROM [myproject:mydataset.mytable] GROUP BY country
```

You check the query plan for the query and see the following output in the Read section of Stage:1:



What is the most likely cause of the delay for this query?

- A. Users are running too many concurrent queries in the system
- B. The [myproject:mydataset.mytable] table has too many partitions
- C. Either the state or the city columns in the [myproject:mydataset.mytable] table have too many NULL values
- D. Most rows in the [myproject:mydataset.mytable] table have the same value in the country column, causing data skew

Answer: A

NEW QUESTION 81

- (Exam Topic 6)

You need to choose a database for a new project that has the following requirements:

- > Fully managed
- > Able to automatically scale up
- > Transactionally consistent
- > Able to scale up to 6 TB
- > Able to be queried using SQL Which database do you choose?

- A. Cloud SQL
- B. Cloud Bigtable
- C. Cloud Spanner
- D. Cloud Datastore

Answer: C

NEW QUESTION 82

- (Exam Topic 6)

You have historical data covering the last three years in BigQuery and a data pipeline that delivers new data to BigQuery daily. You have noticed that when the Data Science team runs a query filtered on a date column and limited to 30–90 days of data, the query scans the entire table. You also noticed that your bill is increasing more quickly than you expected. You want to resolve the issue as cost-effectively as possible while maintaining the ability to conduct SQL queries.

What should you do?

- A. Re-create the tables using DD
- B. Partition the tables by a column containing a TIMESTAMP or DATETIME.
- C. Recommend that the Data Science team export the table to a CSV file on Cloud Storage and use Cloud Datalab to explore the data by reading the files directly.
- D. Modify your pipeline to maintain the last 30–90 days of data in one table and the longer history in a different table to minimize full table scans over the entire history.
- E. Write an Apache Beam pipeline that creates a BigQuery table per day
- F. Recommend that the Data Science team use wildcards on the table name suffixes to select the data they need.

Answer: C

NEW QUESTION 85

- (Exam Topic 6)

You have data pipelines running on BigQuery, Cloud Dataflow, and Cloud Dataproc. You need to perform health checks and monitor their behavior, and then notify the team managing the pipelines if they fail. You also need to be able to work across multiple projects. Your preference is to use managed products or features of the platform. What should you do?

- A. Export the information to Cloud Stackdriver, and set up an Alerting policy
- B. Run a Virtual Machine in Compute Engine with Airflow, and export the information to Stackdriver
- C. Export the logs to BigQuery, and set up App Engine to read that information and send emails if you find a failure in the logs
- D. Develop an App Engine application to consume logs using GCP API calls, and send emails if you find a failure in the logs

Answer: B

NEW QUESTION 89

- (Exam Topic 6)

You want to automate execution of a multi-step data pipeline running on Google Cloud. The pipeline includes Cloud Dataproc and Cloud Dataflow jobs that have multiple dependencies on each other. You want to use managed services where possible, and the pipeline will run every day. Which tool should you use?

- A. cron
- B. Cloud Composer
- C. Cloud Scheduler
- D. Workflow Templates on Cloud Dataproc

Answer: B

NEW QUESTION 92

- (Exam Topic 6)

You are selecting services to write and transform JSON messages from Cloud Pub/Sub to BigQuery for a data pipeline on Google Cloud. You want to minimize service costs. You also want to monitor and accommodate input data volume that will vary in size with minimal manual intervention. What should you do?

- A. Use Cloud Dataproc to run your transformation
- B. Monitor CPU utilization for the cluster
- C. Resize the number of worker nodes in your cluster via the command line.
- D. Use Cloud Dataproc to run your transformation
- E. Use the diagnose command to generate an operational output archive
- F. Locate the bottleneck and adjust cluster resources.
- G. Use Cloud Dataflow to run your transformation
- H. Monitor the job system lag with Stackdriver
- I. Use the default autoscaling setting for worker instances.
- J. Use Cloud Dataflow to run your transformation
- K. Monitor the total execution time for a sampling of jobs
- L. Configure the job to use non-default Compute Engine machine types when needed.

Answer: B

NEW QUESTION 94

- (Exam Topic 6)

You work for a shipping company that has distribution centers where packages move on delivery lines to route them properly. The company wants to add cameras to the delivery lines to detect and track any visual damage to the packages in transit. You need to create a way to automate the detection of damaged packages and flag them for human review in real time while the packages are in transit. Which solution should you choose?

- A. Use BigQuery machine learning to be able to train the model at scale, so you can analyze the packages in batches.
- B. Train an AutoML model on your corpus of images, and build an API around that model to integrate with the package tracking applications.
- C. Use the Cloud Vision API to detect for damage, and raise an alert through Cloud Function
- D. Integrate the package tracking applications with this function.
- E. Use TensorFlow to create a model that is trained on your corpus of images
- F. Create a Python notebook in Cloud Datalab that uses this model so you can analyze for damaged packages.

Answer: A

NEW QUESTION 96

- (Exam Topic 6)

You are designing an Apache Beam pipeline to enrich data from Cloud Pub/Sub with static reference data from BigQuery. The reference data is small enough to fit in memory on a single worker. The pipeline should write enriched results to BigQuery for analysis. Which job type and transforms should this pipeline use?

- A. Batch job, PubSubIO, side-inputs

- B. Streaming job, PubSubIO, JdbcIO, side-outputs
- C. Streaming job, PubSubIO, BigQueryIO, side-inputs
- D. Streaming job, PubSubIO, BigQueryIO, side-outputs

Answer: C

NEW QUESTION 97

- (Exam Topic 6)

You have a query that filters a BigQuery table using a WHERE clause on timestamp and ID columns. By using bq query – -dry_run you learn that the query triggers a full scan of the table, even though the filter on timestamp and ID select a tiny fraction of the overall data. You want to reduce the amount of data scanned by BigQuery with minimal changes to existing SQL queries. What should you do?

- A. Create a separate table for each ID.
- B. Use the LIMIT keyword to reduce the number of rows returned.
- C. Recreate the table with a partitioning column and clustering column.
- D. Use the bq query - -maximum_bytes_billed flag to restrict the number of bytes billed.

Answer: C

NEW QUESTION 99

- (Exam Topic 6)

You are implementing several batch jobs that must be executed on a schedule. These jobs have many interdependent steps that must be executed in a specific order. Portions of the jobs involve executing shell scripts, running Hadoop jobs, and running queries in BigQuery. The jobs are expected to run for many minutes up to several hours. If the steps fail, they must be retried a fixed number of times. Which service should you use to manage the execution of these jobs?

- A. Cloud Scheduler
- B. Cloud Dataflow
- C. Cloud Functions
- D. Cloud Composer

Answer: A

NEW QUESTION 101

- (Exam Topic 6)

Government regulations in your industry mandate that you have to maintain an auditable record of access to certain types of data. Assuming that all expiring logs will be archived correctly, where should you store data that is subject to that mandate?

- A. Encrypted on Cloud Storage with user-supplied encryption key
- B. A separate decryption key will be given to each authorized user.
- C. In a BigQuery dataset that is viewable only by authorized personnel, with the Data Access log used to provide the auditability.
- D. In Cloud SQL, with separate database user names to each use
- E. The Cloud SQL Admin activity logs will be used to provide the auditability.
- F. In a bucket on Cloud Storage that is accessible only by an AppEngine service that collects user information and logs the access before providing a link to the bucket.

Answer: B

NEW QUESTION 104

- (Exam Topic 6)

You have a petabyte of analytics data and need to design a storage and processing platform for it. You must be able to perform data warehouse-style analytics on the data in Google Cloud and expose the dataset as files for batch analysis tools in other cloud providers. What should you do?

- A. Store and process the entire dataset in BigQuery.
- B. Store and process the entire dataset in Cloud Bigtable.
- C. Store the full dataset in BigQuery, and store a compressed copy of the data in a Cloud Storage bucket.
- D. Store the warm data as files in Cloud Storage, and store the active data in BigQuer
- E. Keep this ratio as 80% warm and 20% active.

Answer: C

NEW QUESTION 106

- (Exam Topic 6)

Your globally distributed auction application allows users to bid on items. Occasionally, users place identical bids at nearly identical times, and different application servers process those bids. Each bid event contains the item, amount, user, and timestamp. You want to collate those bid events into a single location in real time to determine which user bid first. What should you do?

- A. Create a file on a shared file and have the application servers write all bid events to that fil
- B. Process the file with Apache Hadoop to identify which user bid first.
- C. Have each application server write the bid events to Cloud Pub/Sub as they occu
- D. Push the events from Cloud Pub/Sub to a custom endpoint that writes the bid event information into Cloud SQL.
- E. Set up a MySQL database for each application server to write bid events int
- F. Periodically query each of those distributed MySQL databases and update a master MySQL database with bid event information.
- G. Have each application server write the bid events to Google Cloud Pub/Sub as they occu
- H. Use a pull subscription to pull the bid events using Google Cloud Dataflo
- I. Give the bid for each item to the userin the bid event that is processed first.

Answer: C

NEW QUESTION 111

- (Exam Topic 6)

You have a data pipeline with a Cloud Dataflow job that aggregates and writes time series metrics to Cloud Bigtable. This data feeds a dashboard used by thousands of users across the organization. You need to support additional concurrent users and reduce the amount of time required to write the data. Which two actions should you take? (Choose two.)

- A. Configure your Cloud Dataflow pipeline to use local execution
- B. Increase the maximum number of Cloud Dataflow workers by setting `maxNumWorkers` in `PipelineOptions`
- C. Increase the number of nodes in the Cloud Bigtable cluster
- D. Modify your Cloud Dataflow pipeline to use the Flatten transform before writing to Cloud Bigtable
- E. Modify your Cloud Dataflow pipeline to use the `CoGroupByKey` transform before writing to Cloud Bigtable

Answer: BC

NEW QUESTION 113

- (Exam Topic 6)

Your financial services company is moving to cloud technology and wants to store 50 TB of financial timeseries data in the cloud. This data is updated frequently and new data will be streaming in all the time. Your company also wants to move their existing Apache Hadoop jobs to the cloud to get insights into this data. Which product should they use to store the data?

- A. Cloud Bigtable
- B. Google BigQuery
- C. Google Cloud Storage
- D. Google Cloud Datastore

Answer: A

Explanation:

Reference: <https://cloud.google.com/bigtable/docs/schema-design-time-series>

NEW QUESTION 116

- (Exam Topic 6)

You want to rebuild your batch pipeline for structured data on Google Cloud. You are using PySpark to conduct data transformations at scale, but your pipelines are taking over twelve hours to run. To expedite development and pipeline run time, you want to use a serverless tool and SQL syntax. You have already moved your raw data into Cloud Storage. How should you build the pipeline on Google Cloud while meeting speed and processing requirements?

- A. Convert your PySpark commands into SparkSQL queries to transform the data; and then run your pipeline on Dataproc to write the data into BigQuery
- B. Ingest your data into Cloud SQL, convert your PySpark commands into SparkSQL queries to transform the data, and then use federated queries from BigQuery for machine learning.
- C. Ingest your data into BigQuery from Cloud Storage, convert your PySpark commands into BigQuery SQL queries to transform the data, and then write the transformations to a new table
- D. Use Apache Beam Python SDK to build the transformation pipelines, and write the data into BigQuery

Answer: A

NEW QUESTION 120

- (Exam Topic 6)

You want to migrate an on-premises Hadoop system to Cloud Dataproc. Hive is the primary tool in use, and the data format is Optimized Row Columnar (ORC). All ORC files have been successfully copied to a Cloud Storage bucket. You need to replicate some data to the cluster's local Hadoop Distributed File System (HDFS) to maximize performance. What are two ways to start using Hive in Cloud Dataproc? (Choose two.)

- A. Run the `gsutil` utility to transfer all ORC files from the Cloud Storage bucket to HDFS
- B. Mount the Hive tables locally.
- C. Run the `gsutil` utility to transfer all ORC files from the Cloud Storage bucket to any node of the Dataproc cluster
- D. Mount the Hive tables locally.
- E. Run the `gsutil` utility to transfer all ORC files from the Cloud Storage bucket to the master node of the Dataproc cluster
- F. Then run the Hadoop utility to copy them to HDFS
- G. Mount the Hive tables from HDFS.
- H. Leverage Cloud Storage connector for Hadoop to mount the ORC files as external Hive table
- I. Replicate external Hive tables to the native ones.
- J. Load the ORC files into BigQuery
- K. Leverage BigQuery connector for Hadoop to mount the BigQuery tables as external Hive table
- L. Replicate external Hive tables to the native ones.

Answer: BC

NEW QUESTION 123

- (Exam Topic 6)

Your company has a hybrid cloud initiative. You have a complex data pipeline that moves data between cloud provider services and leverages services from each of the cloud providers. Which cloud-native service should you use to orchestrate the entire pipeline?

- A. Cloud Dataflow
- B. Cloud Composer
- C. Cloud Dataprep
- D. Cloud Dataproc

Answer: D

NEW QUESTION 124

- (Exam Topic 6)

You used Cloud Dataprep to create a recipe on a sample of data in a BigQuery table. You want to reuse this recipe on a daily upload of data with the same schema, after the load job with variable execution time completes. What should you do?

- A. Create a cron schedule in Cloud Dataprep.
- B. Create an App Engine cron job to schedule the execution of the Cloud Dataprep job.
- C. Export the recipe as a Cloud Dataprep template, and create a job in Cloud Scheduler.
- D. Export the Cloud Dataprep job as a Cloud Dataflow template, and incorporate it into a Cloud Composer job.

Answer: D

NEW QUESTION 125

- (Exam Topic 6)

You have enabled the free integration between Firebase Analytics and Google BigQuery. Firebase now automatically creates a new table daily in BigQuery in the format app_events_YYYYMMDD. You want to query all of the tables for the past 30 days in legacy SQL. What should you do?

- A. Use the TABLE_DATE_RANGE function
- B. Use the WHERE_PARTITIONTIME pseudo column
- C. Use WHERE date BETWEEN YYYY-MM-DD AND YYYY-MM-DD
- D. Use SELECT IF.(date >= YYYY-MM-DD AND date <= YYYY-MM-DD

Answer: A

Explanation:

Reference:

<https://cloud.google.com/blog/products/gcp/using-bigquery-and-firebase-analytics-to-understandyour-mobile-ap>

NEW QUESTION 130

- (Exam Topic 6)

You have uploaded 5 years of log data to Cloud Storage. A user reported that some data points in the log data are outside of their expected ranges, which indicates errors. You need to address this issue and be able to run the process again in the future while keeping the original data for compliance reasons. What should you do?

- A. Import the data from Cloud Storage into BigQuery. Create a new BigQuery table, and skip the rows with errors.
- B. Create a Compute Engine instance and create a new copy of the data in Cloud Storage. Skip the rows with errors.
- C. Create a Cloud Dataflow workflow that reads the data from Cloud Storage, checks for values outside the expected range, sets the value to an appropriate default, and writes the updated records to a new dataset in Cloud Storage.
- D. Create a Cloud Dataflow workflow that reads the data from Cloud Storage, checks for values outside the expected range, sets the value to an appropriate default, and writes the updated records to the same dataset in Cloud Storage.

Answer: D

NEW QUESTION 133

- (Exam Topic 6)

Your organization has been collecting and analyzing data in Google BigQuery for 6 months. The majority of the data analyzed is placed in a time-partitioned table named events_partitioned. To reduce the cost of queries, your organization created a view called events, which queries only the last 14 days of data. The view is described in legacy SQL. Next month, existing applications will be connecting to BigQuery to read the events data via an ODBC connection. You need to ensure the applications can connect. Which two actions should you take? (Choose two.)

- A. Create a new view over events using standard SQL.
- B. Create a new partitioned table using a standard SQL query.
- C. Create a new view over events_partitioned using standard SQL.
- D. Create a service account for the ODBC connection to use for authentication.
- E. Create a Google Cloud Identity and Access Management (Cloud IAM) role for the ODBC connection and shared "events".

Answer: AE

NEW QUESTION 137

- (Exam Topic 6)

Your analytics team wants to build a simple statistical model to determine which customers are most likely to work with your company again, based on a few different metrics. They want to run the model on Apache Spark, using data housed in Google Cloud Storage, and you have recommended using Google Cloud Dataproc to execute this job. Testing has shown that this workload can run in approximately 30 minutes on a 15-node cluster, outputting the results into Google BigQuery. The plan is to run this workload weekly. How should you optimize the cluster for cost?

- A. Migrate the workload to Google Cloud Dataflow.
- B. Use pre-emptible virtual machines (VMs) for the cluster.
- C. Use a higher-memory node so that the job runs faster.
- D. Use SSDs on the worker nodes so that the job can run faster.

Answer: A

NEW QUESTION 138

- (Exam Topic 6)

Your infrastructure includes a set of YouTube channels. You have been tasked with creating a process for sending the YouTube channel data to Google Cloud for analysis. You want to design a solution that allows your world-wide marketing teams to perform ANSI SQL and other types of analysis on up-to-date YouTube channels log data. How should you set up the log data transfer into Google Cloud?

- A. Use Storage Transfer Service to transfer the offsite backup files to a Cloud Storage Multi-Regional storage bucket as a final destination.
- B. Use Storage Transfer Service to transfer the offsite backup files to a Cloud Storage Regional bucket as a final destination.
- C. Use BigQuery Data Transfer Service to transfer the offsite backup files to a Cloud Storage Multi-Regional storage bucket as a final destination.
- D. Use BigQuery Data Transfer Service to transfer the offsite backup files to a Cloud Storage Regional storage bucket as a final destination.

Answer: B

NEW QUESTION 141

- (Exam Topic 6)

You are designing a data processing pipeline. The pipeline must be able to scale automatically as load increases. Messages must be processed at least once, and must be ordered within windows of 1 hour. How should you design the solution?

- A. Use Apache Kafka for message ingestion and use Cloud Dataproc for streaming analysis.
- B. Use Apache Kafka for message ingestion and use Cloud Dataflow for streaming analysis.
- C. Use Cloud Pub/Sub for message ingestion and Cloud Dataproc for streaming analysis.
- D. Use Cloud Pub/Sub for message ingestion and Cloud Dataflow for streaming analysis.

Answer: D

NEW QUESTION 146

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

Professional-Data-Engineer Practice Exam Features:

- * Professional-Data-Engineer Questions and Answers Updated Frequently
- * Professional-Data-Engineer Practice Questions Verified by Expert Senior Certified Staff
- * Professional-Data-Engineer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * Professional-Data-Engineer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The Professional-Data-Engineer Practice Test Here](#)