

Microsoft

Exam Questions AZ-700

Designing and Implementing Microsoft Azure Networking Solutions



NEW QUESTION 1

- (Exam Topic 2)

Which virtual machines can VM1 and VM4 ping successfully? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

VM1:

▼

VM2 only

VM2 and VM4 only

VM2, VM3, and VM4 only

VM2, VM3, VM4, and VM5

VM4:

▼

VM3 only

VM1 and VM3 only

VM1, VM2, and VM3 only

VM1, VM2, VM3, and VM5

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

Box 1: VM2, VM3 and VM4.

VM1 is in VNet1/Subnet1. VNet1 is peered with VNet2 and VNet3.

There are no NSGs blocking outbound ICMP from VNet1. There are no NSGs blocking inbound ICMP to VNet1/Subnet2, VNet2 or VNet3. Therefore, VM1 can ping VM2 in VNet1/Subnet2, VM3 in VNet2 and VM4 in VNet3.

Box 2:

VM4 is in VNet3. VNet3 is peered with VNet1 and VNet2. There are no NSGs blocking outbound ICMP from VNet3. There are no NSGs blocking inbound ICMP to VNet1/Subnet1, VNet1/Subnet2 or VNet2 from VNet3 (NSG10 blocks inbound ICMP from VNet4 but not from VNet3). Therefore, VM4 can ping VM1 in VNet1/Subnet1, VM2 in VNet1/Subnet2 and VM3 in VNet2.

NEW QUESTION 2

- (Exam Topic 3)

You configure a route table named RT1 that has the routes shown in the following table.

Name	Prefix	Next hop type	Next hop IP address
Route1	0.0.0.0/0	Network virtual appliance (NVA)	192.168.0.4
Route2	10.0.0.0/24	Network virtual appliance (NVA)	192.168.0.4

You have an Azure virtual network named Vnet1 that has the subnets shown in the following table.

Name	Prefix	Route table
DMZ	192.168.0.0/24	None
FrontEnd	192.168.1.0/24	RT1
BackEnd	192.168.2.0/24	None

You have the resources shown in the following table.

Name	IP address	Type
NVA1	192.168.0.4	NVA
VM1	192.168.1.4	Virtual machine
VM2	192.168.2.4	Virtual machine

Vnet1 connects to an ExpressRoute circuit. The on-premises router advertises the following routes:

* 0.0.0.0/0

* 10.0.0.0/16

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Internet traffic from NVA1 is routed to the on-premises network.	<input type="radio"/>	<input type="radio"/>
Traffic from VM1 is routed to the on-premises network through NVA1.	<input type="radio"/>	<input type="radio"/>
Traffic from VM1 is routed to VM2 through NVA1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
Internet traffic from NVA1 is routed to the on-premises network.	<input checked="" type="radio"/>	<input type="radio"/>
Traffic from VM1 is routed to the on-premises network through NVA1.	<input checked="" type="radio"/>	<input type="radio"/>
Traffic from VM1 is routed to VM2 through NVA1.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 3

- (Exam Topic 2)

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
VM5 can resolve names in zone2.contoso.com.	<input type="radio"/>	<input type="radio"/>
VM4 has an automatic registration in zone1.contoso.com.	<input type="radio"/>	<input type="radio"/>
You can link zone2.contoso.com to Vnet3 and enable auto registration.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
VM5 can resolve names in zone2.contoso.com.	<input type="radio"/>	<input checked="" type="radio"/>
VM4 has an automatic registration in zone1.contoso.com.	<input type="radio"/>	<input checked="" type="radio"/>
You can link zone2.contoso.com to Vnet3 and enable auto registration.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 4

- (Exam Topic 2)

You need to configure GW1 to meet the network security requirements for the P2S VPN users. Which Tunnel type should you select in the Point-to-site configuration settings of GW1?

- A. IKEv2 and OpenVPN (SSL)
- B. IKEv2

- C. IKEv2 and SSTP (SSL)
- D. OpenVPN (SSL)
- E. SSTP (SSL)

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/openvpn-azure-ad-tenant>

NEW QUESTION 5

- (Exam Topic 1)

You need to provide connectivity to storage1. The solution must meet the PaaS networking requirements and the business requirements. What should you include in the solution?

- A. a service endpoint
- B. Azure Front Door
- C. a private endpoint
- D. Azure Traffic Manager

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-service-endpoints-overview>

NEW QUESTION 6

- (Exam Topic 1)

You need to connect Vnet2 and Vnet3. The solution must meet the virtual networking requirements and the business requirements.

Which two actions should you include in the solution? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. On the peerings from Vnet2 and Vnet3, select Use remote gateways.
- B. On the peering from Vnet1, select Allow forwarded traffic.
- C. On the peering from Vnet1, select Use remote gateways.
- D. On the peering from Vnet1, select Allow gateway transit.
- E. On the peerings from Vnet2 and Vnet3, select Allow gateway transit.

Answer: BD

NEW QUESTION 7

- (Exam Topic 1)

You need to recommend a configuration for the ExpressRoute connection from the Boston datacenter. The solution must meet the hybrid networking requirements and business requirements.

What should you recommend? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Set the ExpressRoute gateway type to:

▼
High Performance (ERGw2AZ)
Standard Performance (ERGw1AZ)
Ultra Performance (ERGw3AZ)

To minimize latency of traffic to Vnet2:

▼
Create a dedicated ExpressRoute circuit for Vnet2
Connect Vnet2 directly to the ExpressRoute circuit
Configure gateway transit for the peering between Vnet1 and Vnet2

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

For the first question, only ExpressRoute GW SKU Ultra Performance support FastPath feature.

For the second question, vnet1 will connect to ExpressRoute gw, once Vnet1 peers with Vnet2, the traffic from on-premise network will bypass GW and Vnet1, directly goes to Vnet2, while this feature is under public preview.

====Reference

ExpressRoute virtual network gateway is designed to exchange network routes and route network traffic. FastPath is designed to improve the data path performance between your on-premises network and your virtual network. When enabled, FastPath sends network traffic directly to virtual machines in the virtual network, bypassing the gateway.

To configure FastPath, the virtual network gateway must be either: Ultra Performance

ErGw3AZ

VNet Peering - FastPath will send traffic directly to any VM deployed in a virtual network peered to the one connected to ExpressRoute, bypassing the

ExpressRoute virtual network gateway.
<https://docs.microsoft.com/en-us/azure/expressroute/about-fastpath> Gateway SKU
<https://docs.microsoft.com/en-us/azure/expressroute/expressroute-about-virtual-network-gateways>

NEW QUESTION 8

- (Exam Topic 3)
 You have an Azure subscription that is linked to an Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com. The subscription contains the following resources:
 * An Azure App Service app named App1
 * An Azure DNS zone named contoso.com
 * An Azure private DNS zone named private.contoso.com
 * A virtual network named Vnet1
 You create a private endpoint for App1. The record for the endpoint is registered automatically in Azure DNS. You need to provide a developer with the name that is registered in Azure DNS for the private endpoint.
 What should you provide?

- A. app1.privatelink.azurewebsites.net
- B. app1.contoso.com
- C. app1.contoso.onmicrosoft.com
- D. app1.private.contoso.com

Answer: A

NEW QUESTION 9

- (Exam Topic 3)
 You have two Azure virtual networks named Vnet1 and Vnet2 in an Azure region that has three availability zones.
 You deploy 12 virtual machines to each virtual network, deploying four virtual machines per zone. The virtual machines in Vnet1 host an app named App1. The virtual machines in Vnet2 host an app named App2.
 You plan to use Azure Virtual Network NAT to implement outbound connectivity for App1 and App2. You need to identify the minimum number of subnets and Virtual Network NAT instances required to meet the following requirements:
 • A failure of two zones must NOT affect the availability of either App1 or App2.
 • A failure of two zones must NOT affect the outbound connectivity of either App1 or App2. What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Minimum number of subnets:

1

2

6

12

Minimum number of Virtual Network NAT instances:

1

2

6

12

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
 Graphical user interface, table Description automatically generated
 Reference:
<https://docs.microsoft.com/en-us/azure/virtual-network/nat-gateway/nat-overview>

NEW QUESTION 10

- (Exam Topic 3)
 You plan to publish a website that will use an FQDN of www.contoso.com. The website will be hosted by using the Azure App Service apps shown in the following table.

Name	FQDN	Location	Public IP address
AS1	As1.contoso.com	East US	131.107.100.1
AS2	As2.contoso.com	West US	131.107.200.1

You plan to use Azure Traffic Manager to manage the routing of traffic for www.contoso.com between AS1 and AS2.
 You need to ensure that Traffic Manager routes traffic for www.contoso.com. Which DNS record should you create?

- A. two A records that map wmv.contoso.com to 131 107 100 1 and 131 107 200 1
- B. a CNAME record that maps www.contoso.com to TMprofile1.azurefd.net
- C. a CNAME record that mapswww.contoso.comtoTMprofile1.trafficmanager.net
- D. a TXT record that contains a string ofas1.contoso.com and as2.contoso.com in the details

Answer: C

Explanation:
 Reference:

<https://docs.microsoft.com/en-us/azure/traffic-manager/quickstart-create-traffic-manager-profile> <https://docs.microsoft.com/en-us/azure/app-service/configure-domain-traffic-manager>

NEW QUESTION 10

- (Exam Topic 3)

You are planning the IP addressing for the subnets in Azure virtual networks. Which type of resource requires IP addresses in the subnets?

- A. internal load balancers
- B. storage account
- C. service endpoints
- D. service endpoint policies

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/load-balancer/load-balancer-overview>

NEW QUESTION 13

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains the following resources:

- * A virtual network named Vnet1
- * A subnet named Subnet1 in Vnet1
- * A virtual machine named VM1 that connects to Subnet1
- * Three storage accounts named storage1, storage2, and storage3

You need to ensure that VM1 can access storage1. VM1 must be prevented from accessing any other storage accounts.

Solution: You create a network security group (NSG) and associate the NSG to Subnet1. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 18

- (Exam Topic 3)

Your company has offices in Montreal, Seattle, and Paris. The outbound traffic from each office originates from a specific public IP address.

You create an Azure Front Door instance named FD1 that has Azure Web Application Firewall (WAF) enabled. You configure a WAF policy named Policy1 that has a rule named Rule1. Rule1 applies a rate limit of 100 requests for traffic that originates from the office in Montreal.

You need to apply a rate limit of 100 requests for traffic that originates from each office. What should you do?

- A. Modify the conditions of Rule1.
- B. Create two additional associations.
- C. Modify the rule type of Rule1.
- D. Modify the rate limit threshold of Rule1.

Answer: A

NEW QUESTION 23

- (Exam Topic 3)

You have an Azure subscription that contains the public IP addresses shown in the following table.

Name	IP version	SKU	IP address assignment
IP1	IPv4	Basic	Static
IP2	IPv4	Basic	Dynamic
IP3	IPv4	Standard	Static
IP4	IPv6	Basic	Dynamic
IP5	IPv6	Standard	Static

You plan to deploy a NAT gateway named NAT1.

Which public IP addresses can be used as the public IP address for NAT1?

- A. IP3 and IP5 only
- B. IP5 only
- C. IP1, IP3, and IP5 only
- D. IP3 only
- E. IP2 and IP4 only

Answer: D

Explanation:

Only static IPv4 addresses in the Standard SKU are supported. IPv6 doesn't support NAT. Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/nat-gateway/nat-overview>

NEW QUESTION 25

- (Exam Topic 3)
You have an Azure application gateway named AppGW1 that balances requests to a web app named App1. You need to modify the server variables in the response header of App1.
What should you configure on AppGW1?

- A. HTTP settings
- B. rewrites
- C. rules
- D. listeners

Answer: B

Explanation:
Reference:
<https://docs.microsoft.com/en-us/azure/application-gateway/rewrite-http-headers-url>

NEW QUESTION 28


- (Exam Topic 3)
You need to use Traffic Analytics to monitor the usage of applications deployed to Azure virtual machines. Which Azure Network Watcher feature should you implement first?

- A. Connection monitor
- B. Packet capture
- C. NSG flow logs
- D. IP flow verify

Answer: A

NEW QUESTION 33

- (Exam Topic 3)
You have the Azure environment shown in the exhibit.



You have virtual network peering between Vnet1 and Vnet2. You have virtual network peering between Vnet4 and Vnet5. The virtual network peering is configured as shown in the following table.

Virtual network	Traffic to remote virtual network	Use remote gateway	Allow gateway transit
Vnet1	Allow	None	Enabled
Vnet2	Allow	Enabled	None
Vnet4	Allow	None	Enabled
Vnet5	Block	Enabled	None

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
VM1 and VM4 can communicate.	<input type="radio"/>	<input type="radio"/>
VM2 and VM4 can communicate.	<input type="radio"/>	<input type="radio"/>
VM1 and VM5 can communicate.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
VM1 and VM4 can communicate.	<input checked="" type="radio"/>	<input type="radio"/>
VM2 and VM4 can communicate.	<input type="radio"/>	<input checked="" type="radio"/>
VM1 and VM5 can communicate.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 37

- (Exam Topic 3)

You are planning an Azure Point-to-Site (P2S) VPN that will use OpenVPN. Users will authenticate by using an on premises Active Directory domain. Which additional service should you deploy to support the VPN authentication?

- A. a certification authority (CA)
- B. a RADIUS server
- C. an Azure key vault
- D. Azure Active Directory (Azure AD) Application Proxy

Answer: B


Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/vpn-gateway/point-to-site-about>

NEW QUESTION 42

- (Exam Topic 3)

You have a website that uses an FQDN of www.contoso.com. The DNS record for www.contoso.com resolves to an on-premises web server. You plan to migrate the website to an Azure web app named Web1. The website on Web1 will be published by using an Azure Front Door instance named ContosoFD1. You build the website on Web1. You plan to configure ContosoFD1 to publish the website for testing. When you attempt to configure a custom domain for www.contoso.com on ContosoFD1, you receive the error message shown in the exhibit.



You need to test the website and ContosoFD1 without affecting user access to the on-premises web server. Which record should you create in the contoso.com DNS domain?

- A. a CNAME record that maps www.contoso.com to ContosoFD1.azurefd.net

- B. a CNAME record that maps www.contoso.com to Web1.contoso.com
- C. a CNAME record that maps afdverify.www.contoso.com to ContosoFD1.azurefd.net
- D. a CNAME record that maps afdverify.www.contoso.com to afdverify.ContosoFD1.azurefd.net

Answer: D

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/frontdoor/front-door-custom-domain#map-the-temporary-afdverify-subd>

NEW QUESTION 47

- (Exam Topic 3)
You have an Azure Front Door instance that has a single frontend named Frontend1 and an Azure Web Application Firewall (WAF) policy named Policy1. Policy1 redirects requests that have a header containing "string1" to https://www.contoso.com/redirect1. Policy1 is associated to Frontend1. You need to configure additional redirection settings. Requests to Frontend1 that have a header containing "string2" must be redirected to https://www.contoso.com/redirect2. Which three actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Create a custom rule.
- B. Configure a managed rule.
- C. Create a frontend host.
- D. Create a policy.
- E. Create an association.
- F. Add a custom rule to Policy1.

Answer: ABE

NEW QUESTION 51

- (Exam Topic 3)
You have the Azure environment shown In the Azure Environment exhibit. (Click the Azure Environment tab.) The settings for each subnet are shown in the following table.

Subnet	Service endpoint
Vnet1/Subnet1	Storage
Vnet1/Subnet2	Storage
Vnet2/Subnet1	None

The Firewalls and virtual networks settings for storage1 are configured as shown in the Storage1 exhibit. (Click the Storage1 tab.) For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area	Statements	Yes	No
	VM1 can access storage1.	<input type="radio"/>	<input type="radio"/>
	VM2 can access storage1 by using a service endpoint.	<input type="radio"/>	<input type="radio"/>
	VM3 can access storage1 by using the public IP address.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

NEW QUESTION 52

- (Exam Topic 3)
You have an Azure virtual network named Vnet1 that has one subnet. Vnet1 is in the West Europe Azure region. You deploy an Azure App Service app named App1 to the West Europe region. You need to provide App1 with access to the resources in Vnet1. The solution must minimize costs. What should you do first?

- A. Create a private link.
- B. Create a new subnet.
- C. Create a NAT gateway.
- D. Create a gateway subnet and deploy a virtual network gateway.

Answer: B

Explanation:

Virtual network integration depends on a dedicated subnet.
<https://docs.microsoft.com/en-us/azure/app-service/overview-vnet-integration#regional-virtual-network-integrat> For outgoing traffic from Web App to vnet, it will go through Internet, so the cost not the minimum.
The connection between the Private Endpoint and the Web App uses a secure Private Link. Private Endpoint is only used for incoming flows to your Web App. Outgoing flows will not use this Private Endpoint, but you can inject outgoing flows to your network in a different subnet through the VNet integration feature.
<https://docs.microsoft.com/en-us/azure/app-service/networking/private-endpoint#conceptual-overview>

NEW QUESTION 56

- (Exam Topic 3)

You have an Azure virtual network named Vnet1 that contains two subnets named Subnet1 and Subnet2. You have the NAT gateway shown in the NATgateway1 exhibit, (Click the NATgateway1 tab)

NATgateway1

NAT gateway

»

Delete

Refresh

^

Essentials

JSON View

Resource group (change)

:

RG1

Location

:

North Europe (Zone 1)

Subscription (change)

:

Subscription1

Subscription ID

:

489f2hht-se7y-987v-g571-463hw3679512

Virtual network

:

Vnet1

Subnets

:

1

Public IP addresses

:

0

Public IP prefixes

:

1

Tags (change)

:

Click here to add tags

You have the virtual machine shown in the VM1 exhibit, (Click the VM1 tab)

VM1

Virtual machine

»

Connect

Start

Restart

Stop

Capture

Delete

Refresh

^

Essentials

Resource group (change)

RG1

Operating system

Windows

Status

Running

Size

Standard B1s (1 vcpus, 1 GiB memory)

Location

North Europe (Zone 2)

Public IP address

Subscription (change)

Subscription1

Virtual network/subnet

Vnet1/Subnet1

Subscription ID

489f2hht-se7y-987v-g571-463hw3679512

DNS name

Availability zone

2

Tags (change)

Click here to add tags

Subnet1 is configured as shown in the Subnet1 exhibit, (Click the Subnet1 tab)

Subnet1

Vnet1

Name

Subnet1

Subnet address range * ⓘ

10.100.1.0/24

10.100.1.0 – 10.100.1.255 (251 + 5 Azure reserved addresses)

☐ Add IPv6 address space ⓘ

NAT gateway ⓘ

NATgateway1

▼

Network security group

None

▼

Route table

RouteTable1

▼


SERVICE ENDPOINTS

Create service endpoint policies to allow traffic to specific azure resources from your virtual network over service endpoints. [Learn more](#)

Services ⓘ

Microsoft.Storage

▼

Service	Status	
Microsoft.Storage	Succeeded	

Service endpoint policies

0 selected

▼

SUBNET DELEGATION

Delegate subnets to a service ⓘ

None

▼

For each of the following statements, select Yes if the statement is true. Otherwise, select No

Answer Area

Statements	Yes	No
VM1 can communicate outbound by using NATgateway1	<input type="radio"/>	<input type="radio"/>
The virtual machines in Subnet2 communicate outbound by using NATgateway1	<input type="radio"/>	<input type="radio"/>
All the virtual machines that use NATgateway1 to connect to the internet use the same public IP address	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: No

VM1 is in Zone2 whereas the NAT Gateway is in Zone1. The VM would need to be in the same zone as the NAT Gateway to be able to use it. Therefore, VM1 cannot use the NAT gateway.

Box 2: Yes

NATgateway1 is configured in the settings for Subnet2.

Box 3: No

The NAT gateway does not have a single public IP address, it has an IP prefix which means more than one IP address. The VMs the use the NAT Gateway can use different public IP addresses contained within the IP prefix.

Reference:

https://docs.microsoft.com/en-us/azure/virtual-network/nat-gateway/nat-gateway-resource

NEW QUESTION 61

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure application gateway that has Azure Web Application Firewall (WAF) enabled.

You configure the application gateway to direct traffic to the URL of the application gateway.

You attempt to access the URL and receive an HTTP 403 error. You view the diagnostics log and discover the following error.

```
{
  "timestamp": "2021-06-02T18:13:45+00:00",
  "resourceId": "/SUBSCRIPTIONS/6efbb4a5-d91a-4e4a-b6bf-5bdd6efea73c/RESOURCEGROUPS/RG1/PROVIDERS/MICROSOFT.NETWORK/APPLICATIONGATEWAYS/AGW1",
  "operationName": "ApplicationGatewayFirewall",
  "category": "ApplicationGatewayFirewallLog",
  "properties": {
    "instanceId": "apgw_0",
    "clientIp": "137.135.10.24",
    "clientPort": "",
    "requestUri": "/login",
    "ruleSetType": "OWASP-CRS",
    "ruleSetVersion": "3.0.0",
    "ruleId": "920300",
    "message": "Request Missing an Accept Header",
    "action": "Matched",
    "site": "Global",
    "details": {
      "message": "Warning. Match of '\\\\\"pm AppleWebKit Android\\\\\"' against '\\\\\"REQUEST_HEADERS:User-Agent\\\\\"' required. ",
      "data": "",
      "file": "rules\\REQUEST-920-PROTOCOL-ENFORCEMENT.conf",
      "line": "1247"
    },
    "hostname": "app1.contoso.com",
    "transactionId": "d6548110bhq1wa198165hq7420d7x66",
    "policyId": "default",
    "policyScope": "Global",
    "policyScopeName": "Global"
  }
}
```

You need to ensure that the URL is accessible through the application gateway.

Solution: You create a WAF policy exclusion request headers that contain 137.135.10.24. Does this meet the goal?

- A. Yes
B. No

Answer: B

NEW QUESTION 65

- (Exam Topic 3)

Your company has an Azure virtual network named Vnet1 that uses an IP address space of 192.168.0.0/20. Vnet1 contains a subnet named Subnet1 that uses an IP address space of 192.168.0.0/24.

You create an IPv6 address range to Vnet1 by using a CIDR suffix of /48.

You need to enable the virtual machines on Subnet1 to communicate with each other by using IPv6 addresses assigned by the company. The solution must minimize the number of additional IPv4 addresses.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Create an IPv6 subnet that uses a CIDR suffix of:

	▼
/20	
/24	
/48	
/64	

For each virtual machine, create an additional:

	▼
IP configuration	
NIC	
Public IPv6 address	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

:
Add IPv6 configuration to NIC. "Configure all of the VM NICs with an IPv6 address using Add-AzNetworkInterfaceIpConfig"
Source: <https://docs.microsoft.com/en-us/azure/load-balancer/ipv6-add-to-existing-vnet-powershell>

NEW QUESTION 69

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have two Azure virtual networks named Vnet1 and Vnet2.

You have a Windows 10 device named Client1 that connects to Vnet1 by using a Point-to-Site (P2S) IKEv2 VPN.

You implement virtual network peering between Vnet1 and Vnet2. Vnet1 allows gateway transit. Vnet2 can use the remote gateway.

You discover that Client1 cannot communicate with Vnet2. You need to ensure that Client1 can communicate with Vnet2. Solution: You enable BGP on the gateway of Vnet1.

Does this meet the goal?

- A. Yes
- B. No

Answer: B


Explanation:

The VPN client must be downloaded again if any changes are made to VNet peering or the network topology. Reference: <https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-about-point-to-site-routing>

NEW QUESTION 71

- (Exam Topic 3)

You have an Azure environment shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

VM1 can communicate with (answer choice):

VM2 only
VM2 and VM3 only
the on-premises datacenter and VM2 only
the on-premises datacenter, VM2, and VM3 only

VM2 can communicate with (answer choice):

VM1 only
VM1 and VM3 only
the on-premises datacenter and VM3 only
the on-premises datacenter, VM1, and VM3 only

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

[https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-peering-gateway-transit?toc=/azure/virtual-ne](https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-peering-gateway-transit?toc=/azure/virtual-network/ip-services/ipv6-overview#capabilities) [https://docs.microsoft.com/en-ca/azure/virtual-](https://docs.microsoft.com/en-ca/azure/virtual-network/ip-services/ipv6-overview#capabilities)

NEW QUESTION 75

- (Exam Topic 3)

You have the Azure Traffic Manager profiles shown in the following table.

Name	Routing method
Profile1	Performance
Profile2	Multivalue

You plan to add the endpoints shown in the following table.

Name	Type	Additional settings
Endpoint1	Azure endpoint	Target resource type: App Service
Endpoint2	External endpoint	FQDN or IP: www.contoso.com
Endpoint3	External endpoint	FQDN or IP: 131.107.10.15
Endpoint4	Nested endpoint	Target resource: Profile1

Which endpoints can you add to Profile2?

- A. Endpoint1 and Endpoint4 only
- B. Endpoint1, Endpoint2, Endpoint3, and Endpoint4
- C. Endpoint1 only
- D. Endpoint2 and Endpoint3 only
- E. Endpoint3 only

Answer: A

NEW QUESTION 76

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

AZ-700 Practice Exam Features:

- * AZ-700 Questions and Answers Updated Frequently
- * AZ-700 Practice Questions Verified by Expert Senior Certified Staff
- * AZ-700 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AZ-700 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AZ-700 Practice Test Here](#)