

Exam Questions 1Y0-204

Citrix Virtual Apps and Desktops 7 Administration

<https://www.2passeasy.com/dumps/1Y0-204/>



NEW QUESTION 1

Scenario: A Citrix Administrator has given permissions to team members to access their own admin partition, so they can add resources for different departments and manage them without making changes to the default Citrix ADC partition and configuration.

One team member was trying to use the command-line interface to troubleshoot an authentication issue and could NOT use `aaad.debug`. However, the team member has full permissions on the admin partition.

What can be the cause of this issue?

- A. The team member does NOT have permission to use the CLI.
- B. The team member does NOT have Shell access by design.
- C. The team member needs to troubleshoot the issue from the GUI.
- D. The team member is NOT using the CLI correctly.

Answer: B

NEW QUESTION 2

Scenario: A Citrix Administrator of a large, multi-domain company needs to configure specific Group Policy Object (GPO) settings for Citrix Workspace app (Receiver) on managed endpoints that are in various locations. The administrator needs to have the ability to save the GPO template file to the Active Directory central store, so that Group Policy Administrators located in other domains can utilize it.

Which step should the administrator take to accomplish this task?

- A. Use the available Receiver ADMX and ADML template to configure the required settings locally.
- B. Use the available Receiver ADML template to configure the required settings at the domain level.
- C. Use the available Receiver ADML template to configure the required settings locally.
- D. Use the available Receiver ADMX and ADML template to configure the required settings at the domain level.

Answer: D

NEW QUESTION 3

Which three statements are correct regarding Citrix printing? (Choose three.)

- A. Citrix printing does NOT assign each printer a unique namespace within a given session.
- B. The Citrix Print Manager Service monitors session events, such as logon and logoffs or session termination.
- C. Citrix printing sets the default security descriptor for auto-created printers to ensure client printer security.
- D. Citrix printing allows administrators, but NOT users, to print to any other users' active session client printers.
- E. The Citrix Print Manager Service handles requests by impersonating the actual session user.

Answer: BCE

NEW QUESTION 4

What are three valid ways to configure Virtual Delivery Agent (VDA) registration? (Choose three.)

- A. CONFIG.XML file
- B. Group Policy Object (GPO)
- C. Organizational Unit (OU) based Controller discovery
- D. DHCP Options
- E. MCS-based PERSONALITY.INI

Answer: BCE

NEW QUESTION 5

After creating a new machine catalog using the Machine Creation Services (MCS) wizard in Citrix Studio, a Citrix Administrator determines that Windows activation fails for all new machines in that catalog.

Which two conditions can cause this to happen? (Choose two.)

- A. The base image rearm count has been exceeded.
- B. The Microsoft License Server is unreachable.
- C. The version of Windows installed uses Multiple Activation Key (MAK) licensing.
- D. The version of Windows installed is Windows Server 2012 R2.

Answer: BC

NEW QUESTION 6

A user complains to a Citrix Administrator that application load time is long when they log on at the beginning of the work day.

Which feature can the administrator enable to reduce the perceived start time of the user's application?

- A. Application Limits
- B. Application Keyword
- C. Application Lingering
- D. Application Prelaunch

Answer: D

NEW QUESTION 7

Which log records detailed information such as statistics, metrics and debug information on the Citrix ADC in a proprietary binary format?

- A. Syslog
- B. Nstrace
- C. Nsconfig
- D. Nslog

Answer: D

NEW QUESTION 8

Which tool can a Citrix Administrator utilize to verify that a policy is bound and showing the number of hits?

- A. nstcpdump.sh
- B. nstrace.sh
- C. nsconmsg
- D. nscollect

Answer: C

NEW QUESTION 9

Scenario: A Citrix Administrator is performing a disaster recovery test and decided to fail over the Citrix ADC high availability (HA) pair appliances. The administrator noticed that the failover is NOT working as expected in item text, and the Secondary Citrix ADC is NOT taking over as Primary. The administrator suspects that networking issues may be causing the failure.

What could be the cause of this issue with the Citrix ADCs?

- A. HA hertbeats are only seen on some enabled interfaces of the Secondary Node.
- B. HA monitoring is enabled on an interface of the Secondary Node that shows as ENABLED, DOWN.
- C. The Independent network configuration (INC) mode is enabled on the Primary Node.
- D. HA monitoring is enabled on a disabled inteface of the Primary Node.

Answer: D

NEW QUESTION 10

Scenario: A Citrix Administrator suspects an attack on a load balancing virtual server. The administrator needs to restrict access to the load balancing virtual server (192.168.100.25) for 10 minutes.

Which Access Control List (ACL) will help to accomplish this requirement?

- A. add simpleacl rule1 DENY -srcIP 192.168.100.25-TTL 600
- B. add ns acl rule1 DENY -destIP 192.168.100.25 -TTL 600
- C. add simpleacl rule1 DENY -srcIP 192.168.100.25 -TTL 600000
- D. add ns acl rule1 DENY -destIP 192.168.100.25 -TTL 600000

Answer: B

NEW QUESTION 10

Scenario: A Citrix Administrator would like to grant access to a Junior Administrator on the Citrix ADC. The administrator would like to grant full access to everything except the following:

- Shell Access
- User Configuration access
- Partition Configuration access

Which pre-existing command policy would meet the needs of the scenario?

- A. Operator
- B. Sysadmin
- C. Network
- D. Superuser

Answer: A

NEW QUESTION 13

Which two actions must be true for a client to connect to an SSL offload virtual server without any SSL errors? (Choose two.)

- A. The Root Certificate is installed on the client's device.
- B. The Server Certificate is from a private certificate authority (CA).
- C. The Server Certificate is bound to the load-balancing virtual server.
- D. The Root Certificate is installed on the Citrix ADC.

Answer: AC

NEW QUESTION 14

Which PowerShell command can be used to display all the Citrix services installed on the Delivery Controller?

- A. Get-Service -DisplayName *site*
- B. Get-Service -DisplayName *citrix*
- C. Get-Service -DisplayName *controller*
- D. Get-Service -DisplayName *broker*

Answer: B

NEW QUESTION 19

Scenario: A Citrix Administrator would like to better monitor traffic within the Citrix Gateway and Citrix Virtual Apps and Desktops Site. The administrator decides to implement the Citrix Application Delivery Management appliance for use with Citrix Director.

Which three additional pieces of infrastructure information can the administrator now review within Citrix Director? (Choose three.)

- A. Latency and bandwidth effects for applications and desktops.
- B. Peak Connected Sessions information for specific user sessions.
- C. Latency and bandwidth information for specific user sessions.
- D. Average ICA round trip time for specific user sessions.
- E. Peak Concurrent Total Sessions for specific applications and desktops.

Answer: CDE

NEW QUESTION 21

When users log on to Citrix Receiver, they are NOT able to see their line-of-business application by default and are frequently calling the help desk to locate the application.

Which phrase can a Citrix Administrator add to the application properties, so that line-of-business application is added to Favorites and users cannot remove the application from Favorites?

- A. "KEYWORDS: Prefer"
- B. "KEYWORDS: Mandatory"
- C. "KEYWORDS: Auto"
- D. "KEYWORDS: Featured"

Answer: B

NEW QUESTION 24

Which qualifier is used to configure the Content filter action to modify the HTTP header of an HTTP Request?

- A. Corrupt
- B. Forward
- C. Add
- D. Error Code

Answer: A

NEW QUESTION 25

Which mode on the Citrix ADC can a Citrix Administrator utilize to avoid asymmetrical packet flows and multiple route/ARP lookups?

- A. Use Subnet IP (USNIP)
- B. MAC-based forwarding (MBF)
- C. Layer 2
- D. Layer 3

Answer: B

NEW QUESTION 26

Scenario: A Citrix ADC receives packets that are destined for a MAC address owned by the Citrix ADC. The destination IP address of the packets does NOT belong to the Citrix ADC. Layer 3 Mode is enabled by default on the Citrix ADC.

What will the Citrix ADC do with the packets in this scenario?

- A. Drop the packets
- B. Bridge the packets.
- C. Route the packets.
- D. Process the packets.

Answer: C

NEW QUESTION 29

Scenario: A Citrix Administrator configures the 'Auto connect client drives' user settings to map client drives within the HDX session for all published desktops. The setting is configured in a Baseline Group Policy Object (GPO) and linked to an Organizational Unit (OU) that contains all of the published desktops.

When a user launches the desktop, client drives are NOT mapped. What is a possible reason?

- A. gpupdate /force needs to be executed on all of the machines.
- B. Loopback processing is NOT enabled.
- C. The GPO needs to be linked to the User OU.
- D. Desktops need to be restarted for the policy to be applied.

Answer: B

NEW QUESTION 31

Scenario: A Citrix Administrator has been advised that additional Windows users will need to access the on-premises Citrix Virtual Apps and Desktop Site. The Site utilizes Citrix Profile Management for all users. The new users have been using Windows Roaming Profiles and will need their existing profile information when they use the Citrix Site. The administrator enables the Profile Management policy setting for 'Enable Migration of Existing Profiles'.

At which stage will the new users' Roaming Profiles be migrated to the existing Profile Management store?

- A. When the new policy is updated automatically in Active Directory after 90 minutes
- B. When the new users initiate their first domain authentication
- C. When the Virtual Delivery Agent (VDA) machines configured with the new policy are restarted
- D. When the new users initiate their first logon to a Virtual Delivery Agent (VDA) machine

Answer: A

NEW QUESTION 36

Scenario: A Citrix Administrator is enabling TLS Secure connections between the Cloud Connectors and on-premises StoreFront. After configuring the TLS certificate on all Cloud Connectors and disabling HTTP connections, the administrator finds that no resources are being enumerated. Which extra step does the administrator need to take to allow enumeration to work between on-premises StoreFront and Citrix Cloud?

- A. Configure Internet Information Services (IIS) on the StoreFront server to use HTTPS.
- B. Change transport type to HTTPS in the StoreFront store DDC list.
- C. Configure Cloud Connectors to allow unsecured connections.
- D. Install Internet Information Services (IIS) on the Cloud Connector.

Answer: B

NEW QUESTION 39

Which Citrix Profile Management feature maintains a backup of the NTUSER.DAT file?

- A. Active Write Back
- B. Profile Caching
- C. Profile Streaming
- D. Profile Protection

Answer: D

NEW QUESTION 43

Scenario: A Citrix Administrator is configuring the Workspace Experience to provide users with access to their applications and desktops. The administrator deployed Microsoft Azure Active Directory (AD) already and wants to leverage it to support user access to the Workspace Experience. Which two steps does the administrator need to take to enable users to authenticate using Azure AD to the Workspace Experience? (Choose two.)

- A. Add Cloud Connector information to the Azure AD console.
- B. Enable Azure AD authentication under Workspace Configuration in Citrix Cloud.
- C. Add Azure AD Account under Identity Providers in Citrix Cloud.
- D. Deploy Cloud Connectors to support Azure AD authentication.

Answer: BC

NEW QUESTION 44

Scenario: A Citrix Administrator configured the “-denySSLReneg” Parameter using the below command on Citrix ADC to enhance security.
set ssl parameter -denySSLReneg <option>
Which two options can the administrator use to complete the command? (Choose two.)

- A. NONSECURE
- B. HIGHSECURE
- C. FRONTEND_CLIENT
- D. NO
- E. ALL

Answer: AC

NEW QUESTION 47

Which tool can a Citrix Administrator use to collect information to investigate issues with session performance?

- A. CDF Control
- B. HDX Monitor
- C. Citrix Scout
- D. Citrix Health Assistant

Answer: A

NEW QUESTION 51

For which three components can Citrix Director capture utilization statistics? (Choose three.)

- A. CPU
- B. IOPS
- C. Disk space
- D. Network
- E. Memory

Answer: ABE

NEW QUESTION 56

What is the minimum built-in delegated administration role required to create an Application Group?

- A. Host Administrator
- B. Delivery Group Administrator
- C. Help Desk Administrator
- D. Machine Catalog Administrator

Answer: B

NEW QUESTION 60

Scenario: A Citrix Administrator needs to create local user accounts for other administrators with limited privileges. The other administrators will need only:

Read-only access
The ability to enable and disable services and servers
Which built-in Command Policy permission level can the administrator use?

- A. Network
- B. Read-Only
- C. Operator
- D. Sysadmin

Answer: C

NEW QUESTION 65

How can a Citrix Administrator guarantee the availability of resource locations in a Citrix Cloud deployment?

- A. Deploy at least two Cloud Connectors for each resource location and load-balance them using Citrix ADC.
- B. Deploy at least two Cloud Connectors for each resource location.
- C. Convert one Cloud Connector to a template and deploy it when another Cloud Connector goes down.
- D. Deploy one Cloud Connector in each resource location.

Answer: B

NEW QUESTION 70

Scenario: A Citrix ADC is configured with Interface 1/1 and bound to VLAN 40. A Citrix Administrator has executed the following command: `bind vlan 20 -ifnum 1/1`
What is the result of executing the command on the Citrix ADC?

- A. Interface 1/1 is bound to VLAN 20, and native VLAN is 1.
- B. Interface 1/1 is bound to VLAN 20, and native VLAN is 40.
- C. Interface 1/1 is bound to VLAN 20, and native VLAN is NOT changed.
- D. Interface 1/1 is bound to VLAN 20, and native VLAN is 20.

Answer: B

NEW QUESTION 73

A Citrix Administrator executed the following command in the Global Server Load Balancing (GSLB) environment:
`set gslb site SiteB -triggerMonitor MEPDOWN`
What will be the effect of this command to the default service monitoring behavior on the remote site?

- A. The service monitor will take precedence over Metric Exchange Protocol (MEP)
- B. The service monitor is invoked only when Metric Exchange Protocol (MEP) has marked the service as DOWN for any reason.

- C. The state of the GSLB service will always be controlled by Metric Exchange Protocol (MEP).
- D. The service monitor is invoked only when Metric Exchange Protocol (MEP) connectivity has been lost between SiteA and SiteB.

Answer: B

NEW QUESTION 76

Which two features within Citrix Director can a Citrix Administrator use to view historical resource utilization for a machine running the Virtual Delivery Agent (VDA)? (Choose two.)

- A. Alerts
- B. Dashboard
- C. Applications
- D. Search
- E. Trends

Answer: CE

NEW QUESTION 80

Scenario: A Citrix Administrator has a Citrix ADC SDX with four VPX instances configured. The SDX has a 10GB bandwidth license that has been configured with dedicated bandwidth of 2GB for each instance. However, the administrator found that three instances do NOT ever reach the bandwidth limit, while one instance reaches the limit and needs 1GB more bandwidth to accommodate increased traffic requests.

What can the administrator change on the instance that requires more bandwidth, to meet traffic requirements?

- A. Configure burst capacity on the instance adding 1 GB of bandwidth with burst priority 0.
- B. Purchase an SDX license to increase the bandwidth on the instances.
- C. Configure burst capacity of 1GB with priority 10.
- D. Configure LA channel to increase the bandwidth.

Answer: C

NEW QUESTION 85

Scenario: A Citrix Administrator needs to ensure that a user request is redirected to the next available data center in order to ensure the best user experience based upon location.

Below are the Global Server Load Balancing (GSLB) vserver settings:

To which setting should the administrator change the configured method?

- A. StaticProximity
- B. RoundRobin
- C. LeastConnection
- D. LeastBandwidth

Answer: C

NEW QUESTION 89

How can a Citrix Administrator enable the ability to monitor application failures for Desktop OS machines running the Virtual Delivery Agent (VDA)?

- A. By installing an Application Probe Agent on the Desktop OS VDA machines
- B. By entering a PowerShell command on a Delivery Controller
- C. By upgrading to premium licenses
- D. By configuring a Citrix policy

Answer: B

NEW QUESTION 92

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 1Y0-204 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 1Y0-204 Product From:

<https://www.2passeasy.com/dumps/1Y0-204/>

Money Back Guarantee

1Y0-204 Practice Exam Features:

- * 1Y0-204 Questions and Answers Updated Frequently
- * 1Y0-204 Practice Questions Verified by Expert Senior Certified Staff
- * 1Y0-204 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 1Y0-204 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year