

Exam Questions PL-100

Microsoft Power Platform App Maker

<https://www.2passeasy.com/dumps/PL-100/>



NEW QUESTION 1

- (Topic 4)

You create a Power Platform solution. Solution data is stored in a variety of documented cloud services. You must also be able to connect to one or more industry data sources. You need to configure the data sources. What should you do?

- A. Create a business process flow.
- B. Create a data policy template.
- C. Create a UI flow.
- D. Use an existing data connector.

Answer: D


Explanation:

In Power Apps, add a data connection to an existing canvas app or to an app that you're building from scratch. Your app can connect to SharePoint, Common Data Service, Salesforce, OneDrive, or many other data sources.

Note:

Add data source

- * 1. In the center pane, select connect to data to open the Data pane.
- * 2. Select Add data source.
- * 3. If the list of connections includes the one that you want, select it to add it to the app. Otherwise, skip to the next step.
- * 4. Select New connection to display a list of connections.
- * 5. In the search bar, type or paste the first few letters of the connection you want, and then select the connection when it appears.



- * 6. Select Create to both create the connection and add it to your app.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/add-data-connection>

NEW QUESTION 2

DRAG DROP - (Topic 4)

DRAG DROP

You are designing a new model-driven app for salespeople at a company.

The company requires that all new line-of-business apps must use a much native functionality as possible to avoid having developers maintain code.

You need to determine how to implement the app s business logic.

Which method should you use? To answer, drag the appropriate methods to the correct requirements. Each method may be used once, more than once, or not at all. You may

NOTE: Each correct selection is worth one point.

Methods	Answer Area	Requirement	Method
Business rules	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Validate the postal code format based on the state or province entered by a user.	<input type="text"/>
Power Automate flows		Ensure that the app can communicate with other business applications by using existing connectors.	<input type="text"/>
Business process flows			

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Methods	Requirement	Method
Business rules	Validate the postal code format based on the state or province entered by a user.	Business rules
Power Automate flows	Ensure that the app can communicate with other business applications by using existing connectors.	Power Automate flows
Business process flows		

NEW QUESTION 3

DRAG DROP - (Topic 4)

A company has 500 products. Each product is referenced by a product ID. Each product belongs to one of eight product categories.

You are creating an app to manage requests for new products.

The product categories will never change. Categories are defined in the column itself, not in a separate table. The data must be structured in a way that does not allow for misspellings.

Only two new tables should be created in Microsoft Dataverse:

? Products: Holds the products that can be requested.

? Requests: Holds the requests for the product ID and quantity. The products are filtered by product category.

You need to identify the data types to use when building the table columns in Dataverse.

Which data type should you use? To answer, drag the appropriate data types to the correct requirements. Each data type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Data types	Scenario	Data types
Lookup	Create a column in the Products table that displays the category of the product	Data type
Choice	Create a column in the Products table for the product ID of the product	Data type
Text	Create a column in the Requests table that allows the user to select form a list of available products	Data type

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Text

Text columns can contain text characters. This column type has several format options that will change the presentation of the text.

Box 2: Lookup

When you create a new lookup column you are creating a new Many-to-One (N:1) table relationship between the table you're working with and the Target Row Type defined for the lookup.

Box 3: Choice


You can customize forms (main, quick create, and quick view) and email templates by adding multi-select columns that are called Choices. When you add a choices column, you can specify multiple values that will be available for users to select. When users fill out the form, they can select one, multiple, or all the values displayed in a drop-down list.

NEW QUESTION 4

HOTSPOT - (Topic 4)

You create a canvas app for a service company.

Using the Tree view, you navigate to the ViewServices screen. The screen contains a form named DetailForm1 that only contains Label controls. You add the People icon to the header of the ViewServices screen as shown below:



When you select the icon a new Activity form opens. You must set the value of the Name field on the new Activity form to the value of the name field from DetailForm1.

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Which formula must you enter in the Name field on the Activity form to default the Name from DetailForm1?

- Name_DataCard1.Default
- Name_DataCardKey1.Default
- Name_DataCardValue1.Default

Which action should you perform on the People icon?

- In the On Select property, set the Activity form to Edit mode.
- In the On Select property, set the Activity form to View mode.
- Move the icon to the Activity form and set the On Select property to the Activity screen.
- Move the icon to the DetailForm1 and set the On Select property to open the Activity screen.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Name_DataCardValue1.Default

Box 2: Move the icon to the Activity form and set the On Select property to the Activity screen.

The Select function simulates a select action on a control as if the user had clicked or tapped the control. As a result, the OnSelect formula on the target control is evaluated.

NEW QUESTION 5

- (Topic 4)

You are creating a canvas app that displays a list of accounts.

Users must be able to select an account and view details for the account. The app must include a feature that brings the user back to the list of accounts.

You add a blank screen named Screen_Accounts and add a gallery named Gallery_Accounts to the screen. You set the data source of Gallery_Accounts to Accounts and add another blank screen named Screen_AccountDetail.

You need to complete the app.

What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Add an edit form to Screen_AccountDetail and set the Default Mode of the form to Vie
- B. Set the OnSelect property of Gallery_Accounts to Navigate(Screen_AccountDetail).Set the data source of the form to Account
- C. Set the Item property of the form to Selected.Add a back icon on Screen_AccountDetail and set its OnSelect property to Navigate(Screen_Accounts).
- D. Add an edit form to Screen_AccountDetail and set the Default Mode of the form to Vie
- E. Set the OnSelect property of Gallery_Accounts to Navigate(Screen_AccountDetail).Set the data source of the form to Accounts.Set the Item property of the form to First(Accounts).Add a back icon on Screen_AccountDetail and set its OnSelect property to Navigate(Screen_Accounts).
- F. Add an edit form to Screen_AccountDetail and set the Default Mode of the form to Ne
- G. Set the OnSelect property of Gallery_Accounts to Navigate(Screen_AccountDetail).Set the data source of the form to Account
- H. Set the Item property of the form to Selected.Add a back icon on Screen_AccountDetail and set its OnSelect property to Navigate(Screen_Accounts).

- I. Add a display form to Screen_AccountDetail. Set the data source of the form to Account
- J. Set the Item property of the form to Selected. Add a back icon on Screen_AccountDetail and set its OnSelect property to Navigate(Screen_Accounts).

Answer: AD

Explanation:

Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-form>

NEW QUESTION 6

- (Topic 4)

You are an app designer for a hotel.

The hotel wants to create an app to help the housekeeping staff schedule work. You need to create a new environment for the app.

Where should you create the environment?

- A. Power Platform Admin center
- B. Power Apps Maker portal
- C. Dynamics 365 Admin center

Answer: A

Explanation:

Manage environment in the Power Platform admin center. Reference:
<https://docs.microsoft.com/en-us/power-platform/admin/create-environment>

NEW QUESTION 7

- (Topic 4)

A large construction company has 120 departments. Each department has a Microsoft Teams channel.

The company creates training content for each department. All training content for a department is hosted in the channel for that department. You must create a chatbot for the company that helps employees find relevant training. Employees must not be able to modify the chatbot.

You need to create the chatbot

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a bot for each departmental channel.
- B. Create one training bot for organization-wide deployment.
- C. Create an entity for each department
- D. Create a topic for each department.
- E. Create a topic for each trade.

Answer: BCD

NEW QUESTION 8

DRAG DROP - (Topic 4)

You are designing an app to track time off for employees. Employee data, including employee ID number, is stored in an existing data source used by other apps. Employees must be able to look up their employee ID number and enter time-off start and end dates in the app.

You need to configure the elements of the data source.

Which data elements should you use? To answer, drag the appropriate data elements to the correct data. Each data element may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 9

DRAG DROP - (Topic 4)

You create an app with multiple screens.

Test users report that the size and type of gallery displayed on each screen are different. You must improve the consistency for the app screens.

You need to create a reusable gallery that displays information based on the current record.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the

correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions

- Add a gallery control.
- Add an input property.
- Create a component.
- Add a screen.
- Create a form.
- Add an output property.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- Create a component
- Add an input property
- Add a gallery control

From <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/create-component> step 10 and 11

NEW QUESTION 10

DRAG DROP - (Topic 4)

A company has the following divisions: wholesale and retail.

The manufacturer wants to create a single Power BI report to allow users to view data from a Microsoft SQL Server database.

You need to ensure that each user sees data only for the team to which the user is assigned.

How should you secure the report?

To answer, drag the appropriate options to the correct action. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Options	Answer Area	
	Action	Option
Power BI Service	Create the team as a role.	Option
Power BI Desktop	Add members to the role.	Option
Common Data Service		
Power Platform Admin center		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Power BI Desktop

You can define roles and rules within Power BI Desktop. When you publish to Power BI, it also publishes the role definitions.

To define security roles, follow these steps.

? Import data into your Power BI Desktop report, or configure a DirectQuery connection.

? From the Modeling tab, select Manage Roles.

? From the Manage roles window, select Create.

? Etc.


Box 2: Power BI Service

After you save your report in Power BI Report Server, you manage security and add or remove members on the server.

* 1. In Power BI Desktop, save the report to Power BI Report Server. You need to use the version of Power BI Desktop for Power BI Report Server.

* 2. In Power BI Report Service, select the ellipsis (...) next to the report.

* 3. Select Manage > Row-level security.



On the Row-level security page, you add members to a role you created in Power BI Desktop.

NEW QUESTION 10

- (Topic 4)

You are using Test Studio to test a Power Apps canvas app. You need to ensure that the app conforms to several use cases. What should you do first?

- A. Save the app to the cloud.
- B. Create test cases for each requirement.
- C. Save the app to your computer.
- D. Create a test suite.
- E. Record test cases for each requirement.

Answer: D

Explanation:

Create a test suite.

By default, a test suite and test case are created for you in Test Studio. Test suites are used to organize your test cases.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-test-studio>

NEW QUESTION 13

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are developing a model-driven app that uses a Common Data Service database. App users will have a variety of different security roles.

Development and testing must be performed using production data. Multiple testers must be used at each testing stage.

You need to provision and configure new environments for development and testing. Solution:

- ? Provision production environments named P1 and P2.
- ? Copy the current production environment to P1 and P2.
- ? Use P1 for development and P2 for testing.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Production: This is intended to be used for permanent work in an organization. Don't use production environment for development and testing.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/environments-overview>

NEW QUESTION 15

DRAG DROP - (Topic 4)

You are an app and report maker. You provide visualizations for two departments in an organization.

Each department requires department-specific visualizations:

Department	Requirement
Department1	Provide unstructured answers to free text survey questions.
Department2	Chart real-time data in columns that groups complaints by category, urgency, and status.

You need to create the visualizations.

Which chart type should you use? To answer, drag the appropriate chart type to the correct requirements. Each chart type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Chart types	Requirement	Chart type
Multi-series	Unstructured answers to free text survey questions.	
Tag		
Stacked column	Real-time column chart that groups complaints by category, urgency, and status.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Tag

Box 2: Multi-series

Multi-series charts: Charts that display data with multiple series values mapped to a single category value.

NEW QUESTION 16

DRAG DROP - (Topic 4)

You are creating a canvas app that reads and writes to a data source.

You need to configure the app to perform create and update data operations.

Which functions should you use? To answer, drag the appropriate functions to the correct data operations. Each function may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE; Each correct selection is worth one point.

Functions	Answer Area						
Patch	<table border="1"> <thead> <tr> <th>Data operation</th> <th>Function</th> </tr> </thead> <tbody> <tr> <td>Replace an entire record.</td> <td></td> </tr> <tr> <td>Update specific columns.</td> <td></td> </tr> </tbody> </table>	Data operation	Function	Replace an entire record.		Update specific columns.	
Data operation		Function					
Replace an entire record.							
Update specific columns.							
Update							
AddColumns							

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Functions	Answer Area						
Patch	<table border="1"> <thead> <tr> <th>Data operation</th> <th>Function</th> </tr> </thead> <tbody> <tr> <td>Replace an entire record.</td> <td>Patch</td> </tr> <tr> <td>Update specific columns.</td> <td>AddColumns</td> </tr> </tbody> </table>	Data operation	Function	Replace an entire record.	Patch	Update specific columns.	AddColumns
Data operation		Function					
Replace an entire record.		Patch					
Update specific columns.	AddColumns						
Update							
AddColumns							

NEW QUESTION 20

- (Topic 4)

You create a dashboard in Power BI. You share the dashboard with the sales team. Sales team members report that they can see information for the entire company. You need to ensure that the team is able to see only data for their team.

Where must you configure this restriction?

- A. Dashboard
- B. Report
- C. Dataset
- D. Settings

Answer: C

Explanation:

Restrict access to the dataset.

Note: Another way of setting access is through manage permission in the dashboard, report, or dataset. If you share a dashboard, by default the report and the dataset will also be shared as read-only for users.

Reference:

<https://radacad.com/dashboard-sharing-and-manage-permissions-in-power-bi-simple-but-useful>

NEW QUESTION 22

DRAG DROP - (Topic 4)

You create a canvas app for a store.

The logo must appear as the background image for the app. A loading spinner must display on the screen as the app loads.

You need to add the features to the app.

What should you modify? To answer, drag the appropriate form areas to the correct requests. Each form area may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Screen areas	Feature request	Screen area
<div style="display: flex; gap: 10px;"> <div style="border: 1px solid black; padding: 2px 5px;">Form</div> <div style="border: 1px solid black; padding: 2px 5px;">Gallery</div> </div>	Add logo.	<div style="border: 1px solid black; width: 80px; height: 20px;"></div>
<div style="border: 1px solid black; padding: 2px 5px;">Screen</div>	Add loading spinner.	<div style="border: 1px solid black; width: 80px; height: 20px;"></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Screen

You can add an image to a screen in several different ways. One way is to upload an image to the app, go to the Media tab, and then click on the image to add it to a screen.

Note: Configure graphical elements in your app, including images, photos, and elements of a pen control.

BackgroundImage – The name of an image file that appears in the background of a screen. Applies to the Screen control.

Box 2: Screen

Out Of Box Canvas App, provide a property called LoadingSpinner and LoadingSpinnerColor.

LoadingSpinner property is used to displaying a Canvas App OOB Loader Image unless your screen finishes loading.

Click on the Screen in your Canvas App and then You'll be able to see LoadingSpinner and LoadingSpinnerColor Property.

NEW QUESTION 24

- (Topic 4)

You create a model-driven app for salespeople.

Users must interact with a business process flow that invokes multiple tables. You need to instruct users where to find the business process flow, which component should you use?

- A. form
- B. command bar
- C. dashboard
- D. site map

Answer: D

NEW QUESTION 25

- (Topic 4)

A company has an on-premises system that stores product information. The company plans to replace the information with a Power Platform solution that uses the Common Data Service.

The Power Platform solution needs to use data from the product information system. You need to transform and import the data from the product information system. Which two tools should you use? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Dataflow
- B. Business process flow
- C. Power BI Desktop
- D. Data gateway

Answer: AD

Explanation:

The on-premises data gateway acts as a bridge to provide quick and secure data transfer between onpremises data (data that isn't in the cloud) and several Microsoft cloud services. These cloud services include Power BI, PowerApps, Power Automate, Azure Analysis Services, and Azure Logic Apps. By using a gateway, organizations can keep databases and other data sources on their on-premises networks, yet securely use that on-premises data in cloud services. Can use the Power Platform dataflows to load entity in CDS with the option to transform data.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/service-gateway-onprem> <https://nishantrana.me/2020/07/07/load-data-from-sql-on-premise-to-cds-common-data-service-using-powerplatform-dataflows-in-power-apps/>

NEW QUESTION 30

- (Topic 4)

A company receives its marketing campaign performance report as a Microsoft Excel file. The company stores the file in Microsoft SharePoint.

A user updates the Excel file daily with updated data.

The company needs a solution that automatically displays the latest analytics.

You need to create a basic report that contains pie charts that display the most profitable channels.

You need to propose the right solution.

Solution: Model-driven application using native charts. Does the solution meet the goal?

- A. Yes

Answer: B

NEW QUESTION 32

DRAG DROP - (Topic 4)

A company plans to use Microsoft Power Platform to modernize their business.

Sales commissions are given only to the representatives who sell items from a designated category of products. The company wants to minimize the effort needed to manage data security.

You need to describe how to store real-world objects to the business stakeholders.

What should you use? To answer, drag the appropriate tables to the correct objects. Each table may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 35

- (Topic 4)

You create an app with multiple screens.

Test users report that the size and type of gallery displayed on each screen are different. You must improve the consistency for the app screens.

You need to create a reusable gallery that displays information based on the current record.

Which three actions should you perform?

NOTE: Each correct selection is worth one point.

- A. Add a gallery control
- B. Add an input property
- C. Create a component
- D. Create a form
- E. Add a screen
- F. Add an output property

Answer: ABC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/add-gallery> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/create-component>

NEW QUESTION 40

DRAG DROP - (Topic 4)

You create an expense claim app for a manufacturing company. Employees use the app to enter details of their expenses and upload receipts.

The company has an on-premises finance system with no APIs.

The company requires an automation to enable the manager to approve employee claim requests when they are submitted.

After a claim request is approved, the expense details must be entered in the on-premises finance system.

You need to create the flow.

Which flow type should you use for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Flow types

<p>Requirement</p> <p>Approve employee claim requests when they are submitted. Enter the expense details in the on-premises finance system.</p>	<p>Flow type</p> <p>Automated flow Cloud flow</p>
---	---

NEW QUESTION 42

- (Topic 4)

You are an app maker. You are creating a canvas app. You do not have access to Power BI. You need to add charts to the app.

Which three chart types can you add directly to the canvas app? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. pie
- B. area
- C. funnel
- D. column
- E. line

Answer: ADE

Explanation:

You can use line charts, pie charts, and bar charts to display your data in a canvas app. Add a bar chart to display your data:

* 1. On the Home tab, add a screen.

* 2. On the Insert tab, select Charts, and then select Column Chart.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/use-line-pie-bar-chart>

NEW QUESTION 44

HOTSPOT - (Topic 4)

HOTSPOT

A company uses Power Apps. The company has a model-driven app that accesses a Microsoft Dataverse table. The app is shared with all users who all have the Basic User security role.

You must prevent the users from running and sharing the app.

What should you do? To answer, select the appropriate options in the answer area NOTE: Each correct selection is worth one point.

Answer Area

<p>Requirement</p> <p>Prevent users from running the app.</p>	<p>Action</p> <p>Turn off the app. Export the app. Turn off the app. Remove access to the table.</p>
<p>Prevent users from sharing the app.</p>	<p>Remove access to the table. Export the app. Turn off the app. Remove access to the table.</p>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

<p>Requirement</p> <p>Prevent users from running the app.</p>	<p>Action</p> <p>Turn off the app. Export the app. Turn off the app. Remove access to the table.</p>
<p>Prevent users from sharing the app.</p>	<p>Remove access to the table. Export the app. Turn off the app. Remove access to the table.</p>

NEW QUESTION 45

DRAG DROP - (Topic 4)

DRAG DROP

A commercial bakery uses an inventory system to track ingredients consumed in their production line. The workers use iPads to interact with the system and reserve the ingredients for the next batch. Data from the system is extracted as a .csv file. You need to create a Power BI report from the extracted data by using only an iPad. Which five actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 47

- (Topic 4)

You create a canvas app.

A user is not able to determine which field currently has focus. You run App checker to identify errors.

You need to verify that the focused border thickness is set to a value greater than zero. Which section of the App checker results should you check?

- A. Rules
- B. Performance
- C. Accessibility
- D. Runtime

Answer: C

Explanation:

The Accessibility checker classifies each issue as an error, a warning, or a tip based the issue's severity.

Issues include:

? Focus isn't showing

When the FocusBorderThickness of a control is set to 0. It is good practice to ensure a proper color-contrast ratio between the focus border and the control itself so it's clearly visible.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker>

NEW QUESTION 48

DRAG DROP - (Topic 4)

You are designing a data model for a new app. The app will be supported by two tables. TableA will contain data that is unique to your industry. TableB will provide access to readonly data from an Azure SQL database.

You need to configure the tables.

Which table type should you use? To answer, drag the appropriate table types to the correct tables. Each table type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 51

DRAG DROP - (Topic 4)

A company is building multiple Power Apps apps to support a mobile sales team. The apps must all share a common control that has custom properties. You need to create a solution for the apps.

Which objects should you use? To answer, drag the appropriate objects to the correct to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Objects	Requirement	Object
Entity	Reuse the custom control for multiple canvas apps.	
Component		
Component library	Receive input data through a custom property.	
Component framework		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Component library

Components are reusable building blocks for canvas apps so that app makers can create custom controls to use inside an app, or across apps using a component library. Components can use advanced features such as custom properties and enable complex capabilities.

By creating a component library, app makers easily share and update one or more components with other makers.

Component libraries are containers of component definitions that make it easy to: Discover and search components.

Publish updates.

Notify app makers of available component updates.

Box 2: Component

A component can receive input values and emit data if you create one or more custom properties.

NEW QUESTION 52

- (Topic 4)

A company has hundreds of warehouses. You are developing an app for the shipping department at the company. The app must be able to provide the warehouse address for shipments. You need to create the warehouse field on the app form. Which field type should you use?

- A. Lookup
- B. Choice
- C. Choices
- D. Text

Answer: A

NEW QUESTION 57

HOTSPOT - (Topic 3)

You need to implement the student attendance requirements.

What should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Requirement	Table type or ownership
Cooking class ownership	<ul style="list-style-type: none"> User owned by instructors User owned by students User owned by instructors User owned by chefs Organization owned
Student attendance	<ul style="list-style-type: none"> Appointment Task Appointment Custom activity Recurring appointment

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Requirement	Table type or ownership
Cooking class ownership	<ul style="list-style-type: none"> User owned by instructors User owned by students User owned by instructors User owned by chefs Organization owned
Student attendance	<ul style="list-style-type: none"> Appointment Task Appointment Custom activity Recurring appointment

NEW QUESTION 60

- (Topic 4)

You design a canvas app that has multiple screens. Each screen will have multiple button controls. The button controls must all have the same background color. You must be able to change You need to configure the button fill property. What should you do?

- A. Update the Fill property to a variable created by using the Navigate function.
- B. Update the Fill property to a variable created by using the Set function.
- C. Select all the buttons white holding the Ctrl key, and then change the color property.
- D. Use a background image property in place of setting a color property.

Answer: A

NEW QUESTION 62

- (Topic 3)

You need to resolve the instructor's issue and ensure that the same issue does not occur again. What should you use?

- A. Gallery
- B. Combo box
- C. Custom component
- D. Choices

Answer: D

NEW QUESTION 66

- (Topic 3)

You need to design the data model for the cooking classes. What should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Data	Component
Dish	<ul style="list-style-type: none"> Microsoft SharePoint document Custom table Microsoft SharePoint document Global choice
Student type	<ul style="list-style-type: none"> Connection role Connection role Custom column Lookup column

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Data	Component
Dish	<ul style="list-style-type: none"> Microsoft SharePoint document Custom table Microsoft SharePoint document Global choice
Student type	<ul style="list-style-type: none"> Connection role Connection role Custom column Lookup column

NEW QUESTION 67

DRAG DROP - (Topic 3)

You need to create the food bank notification.

Which four actions should you perform in sequence? To answer, move the appropriate

Actions	Answer area
Create a food bank topic.	
Retrieve the food bank locations.	
Authenticate the food bank user.	
Retrieve meals in food pool filtered by location.	
Filter the list of food available to the food pool.	
Prompt the user to select a location.	
Prompt the user to select meals.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer area
Create a food bank topic.	
Retrieve the food bank locations.	
Authenticate the food bank user.	
Retrieve meals in food pool filtered by location.	
Filter the list of food available to the food pool.	
Prompt the user to select a location.	
Prompt the user to select meals.	

NEW QUESTION 69

- (Topic 2)

You need to resolve the user's issue with the time tracking app.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add a component to the time tracking screen for tracking total time.
- B. Create a new component inside of the component library for the time tracking app.
- C. Upload the component to AppSource.
- D. Add the Total Time field to the screen and set the value of the field property to Rollup

Answer: AB

Explanation:

Scenario Issue: Users want to be able to see their weekly total time entered from all screens.

A component library provides a centralized and managed repository of components for reusability.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/component-library>

NEW QUESTION 70

HOTSPOT - (Topic 2)

You need to configure the system to meet the sales requirements.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement

Action

Ensure that work estimates are complete before entering estimated sales values into the Sales Log.

▼

Use a Business Process flow

Use a UI flow

Prevent modification of timesheet entries by an employee.

▼

Add a custom control to the Business Process flow

Use a formula to set the DisplayMode property

Use a business rule

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Use a Business Process flow

Scenario: The Sales Log app must enforce process standards related to the completion of estimates and supporting materials needed during the sales lifecycle.

Box 2: Use a formula to set the DisplayMode property

DisplayMode - The mode to use for data cards and controls within the form control. Derived from the Mode property based and cannot be set independently:

Mode	DisplayMode	Description
FormMode.Edit	DisplayMode.Edit	Data cards and controls are editable, ready to accept changes to a record.
FormMode.New	DisplayMode.Edit	Data cards and controls are editable, ready to accept a new record.
FormMode.View	DisplayMode.View	Data cards and controls are not editable and optimized for viewing.

NEW QUESTION 72

HOTSPOT - (Topic 2)

You need to create the solution assets.

What should you use to create the visualizations? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Dashboard visualization

Tool

Sales

▼

Power BI Desktop only

Power BI Service only

Power BI Desktop or Power BI Service

Manufacturing

▼

Power BI Desktop only

Power BI Service only

Power BI Desktop or Power BI Service

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: PowerBI Desktop

The Sales dashboard must reside in the Sales channel and must include information about active quotes, sales pipeline, and year-to-date sales KPIs for sales quotas by region.

PowerBI Desktop to support many data source. Box 2: PowerBI Desktop or Power BI Service on

A dashboard that shows a capacity Heat map by month as well as expected sales that are likely to close for the next month. Both support visualizations.

NEW QUESTION 75

- (Topic 2)

You need to implement the change requested by the operations manager. Which control should you use?

BF70D5D

- A. Camera
- B. Shape
- C. Add picture
- D. Image

Answer: D

Explanation:

Scenario: The operations manager asks that the time tracking app display the employee's photo once they have scanned their badge. Image control in Power Apps is a control that shows an image from, for example, a local file or a data source.
 Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-image>

NEW QUESTION 78

- (Topic 2)
 You need to implement logic in the app for lost sales. What should you do?

- A. Create a business process flow.
- B. Define a business rule for the Sales Log edit form.
- C. Set the required field property of the Won/Lost field to Required.
- D. Create a formula for the Description field that uses the Update function.

Answer: B

Explanation:

Scenario: Requests for quotes are currently stored in a Sales Log workbook. The workbook includes the following information:
 ? Status of the Request for Quote (RFQ) with the values of Won, Lost, No Bid, and Cancelled
 Salespeople often do not set status of RFQs in the Sales Log to Won when a sale is closed and the customer purchase order is received. You can create business rules and recommendations to apply logic and validations without writing code or creating plug-ins. Business rules provide a simple interface to implement and maintain fast-changing and commonly used rules. Business rules defined for an entity apply to both canvas apps and model-driven apps if the entity is used in the app.
 Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/data-platform-create-business-rule>

NEW QUESTION 80

HOTSPOT - (Topic 2)
 If you add one or more Image controls to your app, you can show individual images that aren't part of a data set, or you can incorporate images from records in data sources.
 You need to configure the system to meet the requirements.
 What should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Feature	Setting
Create the relationship between the Job Setup and Time Tracking entities.	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; padding-right: 5px;">▼</div> <div style="padding: 2px;">1:N</div> <div style="padding: 2px;">N:N</div> <div style="padding: 2px;">Self-referential</div> </div>
Configure ownership for the Time Tracking entity.	<div style="border: 1px solid black; padding: 2px;"> <div style="text-align: right; padding-right: 5px;">▼</div> <div style="padding: 2px;">Business-owned</div> <div style="padding: 2px;">Organization-owned</div> <div style="padding: 2px;">User or Team owned</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 1:N
 Scenario: A sortable listing of all in-process jobs from the Job Setup table, by customer, start date, and product.
 Box 2: User or Team owned
 Scenario: Employees must only be able to access their own time tracking records from the app.
 User or team: Data belongs to a user or a team. Actions that can be performed on these records can be controlled on a user level.

NEW QUESTION 81

HOTSPOT - (Topic 2)
 You need to meet the requirement for the time tracking app.
 Which controls should you use? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.

Requirement

Automatically record the duration of work when a job number is read.

Read the employee's number into the app.

Display a photo of an employee when the employee badge is read.

Solution

	▼
Card	
Rating	
Slider	
Timer	
	▼
Barcode-scanner	
Card	
Image	
Shape	
	▼
Camera	
Card	
Icon	
Image	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Timer

A Timer control in Power Apps is a control that can determine how your app responds after a certain amount of time passes.

Box 2: Barcode scanner

The Barcode scanner control for canvas apps scans barcodes, QR codes, and data-matrix codes on an Android or iOS device.

Box 3: Image

Image control in Power Apps is a control that shows an image from, for example, a local file or a data source.

NEW QUESTION 84

HOTSPOT - (Topic 1)

You need to configure the app to meet the requirements.

Which object properties should you configure? To answer, select the appropriate options in

NOTE: Each correct selection is worth one point.

Requirement

Property

Provide a visual indicator when the app is offline.

	▼
Visible	
OnSelect	
DisplayMode	
Fill	

Store data when the app is offline.

	▼
OnSelect	
LoadData	
SubmitForm	
Now	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Fill

Scenario: You must display a visual indicator in the app so that sales representatives know whether the app is offline before submitting reports.

Fill – The background color of a control.

NEW QUESTION 85

DRAG DROP - (Topic 1)

You need to ensure that the app can support the needs of User2 and User3, and meets the production deployment requirements.

Which tools should you use? To answer, select the appropriate tool in the answer area. NOTE: Each correct selection is worth one point.

Tools

Solution Checker
App Checker
Object Detector
Preview the app

Answer Area

Requirement

Tool

Accessibility

Tool

Deployment

Tool

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: App Checker

Scenario: Several sales representatives have accessibility restrictions. User2 is visually impaired and cannot see images. User3 is unable to use a mouse. Users who have vision, hearing, or other impairments can use your canvas app more easily and successfully if you consider accessibility as you design how the app looks and behaves. If you're not sure how to make your app more accessible, you can run the AppChecker Accessibility checker in Power Apps Studio.

Box 2: Solution Checker

Scenario: Before deploying the app to production, you must ensure that the app conforms to Microsoft accessibility and performance guidelines. Use solution checker to validate your model-driven apps in Power Apps.

NEW QUESTION 86

DRAG DROP - (Topic 1)

You need to modify the app design to meet the accessibility needs of the sales associates.

Which properties should you configure? To answer, drag the appropriate properties to the correct restrictions. Each property may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Properties	Restriction	Property
TabIndex		
DisplayMode	Design for User2	<input type="text"/>
AccessibleLabel	Design for User3	<input type="text"/>
Tooltip		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: AccessibleLabel

Scenario: Before deploying the app to production, you must ensure that the app conforms to Microsoft accessibility and performance guidelines.

User2 is visually impaired and cannot see images. AccessibleLabel is a label for screen readers.

An empty value for Image, Icon, and Shape controls will hide the controls from screen reader users.

Box 2: TabIndex

User3 is unable to use a mouse.

TabIndex determines if the control participates in keyboard navigation.

Keyboard navigation is an important aspect of any app. For many, the keyboard is more efficient than using touch or a mouse. The navigation order should:

Mirror what is seen visually.

Only have a tab stop at controls that are interactive.

Follow either an intuitive across and then down "Z" order or a down and then across "reverse-N" order.

NEW QUESTION 91

- (Topic 1)

You need to configure functionality for submitting status reports. What should you do?

- A. Determine whether the application is offline when a user selects submit button and call the Sec () function.
- B. Determine whether the application is offline when the app load
- C. Use the SaveDaca () function in the OnSelect property.
- D. Determine whether the application is offline when a user selects the submit button and call the SaveDaca () function.
- E. Determine whether the application is offline when the app load
- F. Use the LoadDaca () function in the Submit button.

Answer: C

Explanation:

Scenario: The app must be able to run both online and offline. If the mobile device on which the app runs is connected to the internet, the app must immediately submit the status report.

When data is submitted offline, the data must be stored in the app until the app is back online.

Mobile users often need to be productive even when they have limited or no connectivity. LoadData and SaveData combine to form a simple mechanism to store small amounts of data on a local device. By using these functions, you can add simple offline capabilities to your app.

The SaveData function stores a collection for later use under a name.

The LoadData function reloads a collection by name that was previously saved with SaveData. You can't use this function to load a collection from another source.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function->

NEW QUESTION 96

- (Topic 1)

You need to create the mobile app. Which type of app should you create?

- A. model-driven app
- B. portal app
- C. Microsoft 365 web app
- D. canvas app

Answer: D

Explanation:

An accessible canvas app will allow users with vision, hearing, and other impairments to successfully use the app. In addition to being a requirement for many governments and organizations, following the below guidelines increases usability for all users, regardless of their abilities.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessible-apps>

NEW QUESTION 99

HOTSPOT - (Topic 1)

You need to create a flow for sending required emails to the regional manager.

How should you create the flow? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Option	Type
Flow type to use	<div style="border: 1px solid gray; padding: 5px;"> <div style="background-color: #f0f0f0; padding: 2px; display: flex; justify-content: space-between; align-items: center;"> ▼ </div> <div style="border-top: 1px solid gray; border-bottom: 1px solid gray; padding: 2px;">Instant</div> <div style="border-top: 1px solid gray; border-bottom: 1px solid gray; padding: 2px;">Automated</div> <div style="border-top: 1px solid gray; border-bottom: 1px solid gray; padding: 2px;">Business Process</div> <div style="border-top: 1px solid gray; border-bottom: 1px solid gray; padding: 2px;">Scheduled</div> </div>
Trigger to start flow	<div style="border: 1px solid gray; padding: 5px;"> <div style="background-color: #f0f0f0; padding: 2px; display: flex; justify-content: space-between; align-items: center;"> ▼ </div> <div style="border-top: 1px solid gray; border-bottom: 1px solid gray; padding: 2px;">HTTP Webhook</div> <div style="border-top: 1px solid gray; border-bottom: 1px solid gray; padding: 2px;">Power Apps</div> <div style="border-top: 1px solid gray; border-bottom: 1px solid gray; padding: 2px;">Common Data Service when a record is created</div> <div style="border-top: 1px solid gray; border-bottom: 1px solid gray; padding: 2px;">Office 365 Outlook Send an email</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Box 1: Business Process

Scenario: If a sales representative submits a status report and assigns the At Risk status to a process, the app must prompt the sales representative to enter a detailed description for the risk. This information must be emailed to the regional manager.

Business process flows provide a guide for people to get work done. They provide a streamlined user experience that leads people through the processes their organization has defined for interactions that need to be advanced to a conclusion of some kind. This user experience can be tailored so that people with different security roles can have an experience that best suits the work they do.

Box 2: Common Data Service when a record is created

The Microsoft Dataverse (Common Data Service) connector provides the following triggers to help you define when your flows start:

- ? When a row is created, updated, or deleted
- ? When an action is performed
- ? When a flow step is run from a business process flow

NEW QUESTION 104

- (Topic 4)

You are creating a canvas app for a company.

The app must access data from a private web service that is provided by the company. You need to set up the connector.

Which connector type should you use?

- A. Custom
- B. Standard
- C. First-party
- D. Premium

Answer: A

NEW QUESTION 106

- (Topic 4)

A company is consolidating communications processes by using Microsoft Teams and Microsoft Power Platform technologies.

A Power Automate flow monitors social media channels to identify high-impact trends. When the Power Automate flow identifies the trends, consistently formatted and

standardized feedback must be collected from the channel members within Teams.

You need to streamline the Power Automate and Teams communication process.

What should you use?

- A. AI Builder
- B. Common Data Service business process flows
- C. Adaptive cards
- D. Integrated approval flows

Answer: A

Explanation:

"Microsoft Power Platform and AI Builder components allowed us to quickly deliver an innovative and well-integrated solution within our Dynamics 365 platform for our marketing and sales business partners. The platform is a game-changer in this new world of rapid app delivery."

Jim Parker: Web and Collaboration Services Manager

Reference:

<https://customers.microsoft.com/en-au/story/810656-hexion-manufacturing-power-platform>

NEW QUESTION 108

- (Topic 4)

A company uses Microsoft Power Platform. You create a solution with components You deploy the solution in the production environment Users report issues with a process. You open the last imported solution. You need to troubleshoot the issue. What should you view?

- A. Solution dependencies
- B. Solution classic view
- C. History

Answer: D

NEW QUESTION 110

HOTSPOT - (Topic 4)

A coworker creates a canvas app.

The canvas app contains the following formula. The formula is attached to the OnVisible property of the first screen that users see:

```
Collect(
Toolbox,
{
    Tool: "Hammer",
    Quantity: 1
},
{
    Tool: "Screwdriver",
    Quantity: 2
}
)
```

You are updating the canvas app.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area	Yes	No
The formula will update multiple records in a data source named Toolbox if the records exist.	<input type="radio"/>	<input type="radio"/>
A local collection is created to store data if a data source named Toolbox does not already exist.	<input type="radio"/>	<input type="radio"/>
If a collection named Toolbox exists the formula will clear any existing records before making any changes.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No

Records are added, not updated.

Box 2: Yes

The Collect function adds records to a data source. Syntax: Collect(DataSource, Item, ...)

DataSource – Required. The data source that you want to add data to. If it doesn't already exist, a new collection is created.

Item(s) - Required. One or more records or tables to add to the data source.

Box 3: No

No records are cleared.

NEW QUESTION 111

HOTSPOT - (Topic 4)

A company creates a Power Apps app that allows service representatives to record information about on-site client visits. Service representatives perform a one-hour site visit with each client each quarter.

Service representatives use the app to perform the following activities:

? View their scheduled visits for the day.

? Record notes from service visits.

? Schedule service technicians for issues uncovered during site visits.

? Scan and upload service quote forms to a folder named Service Quote folder on

Microsoft OneDrive once the customer has signed a service quote.

Service quotes that are over \$10,000 are automatically sent to the service manager for review and approval.

Visits that are not closed at the end of the day are automatically moved to the following day unless it is the last day of the quarter. All client visits not performed for the quarter are escalated to the service manager for follow-up.

You need to create flows to meet the requirements.

Which type of flows should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement

Type of flow

Move client visits not completed for the day.

▼
Scheduled flow
Automated flow
Adaptive card flow
Team flow

Approve service quote.

▼
Automated flow
Button flow
Scheduled flow
Team flow

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Adaptive card flow

Adaptive Cards are a platform-agnostic method of sharing and displaying blocks of information without the complexity of customizing CSS or HTML to render them.

Directing content to Teams channels:

Post your own adaptive card as the Flow bot to a channel

This action posts an adaptive card as a Flow bot to a specific Teams channel. In this case, you will be prompted for Teams instance, and a channel where the card will be posted. The flow-maker will have to have access to the Teams instance in order to post an adaptive card there. In this case, only URL buttons function by redirecting to the URL configured within the flow.

Box 2: Button flow

Create a button flow to run routine tasks by simply tapping a button. Customize your flow by allowing the user to provide specific details that will be used when the flow runs.

NEW QUESTION 113

- (Topic 4)

A company uses Microsoft Power Apps.

You need to create a canvas app to display a Microsoft Power BI report. The report must use the context of a selected record in the app. Data in a Power BI control must be filtered to display the context of the selected record.

You need to propose the right solution.

Solution: Add Power Apps to Power BI using Power Apps for Power BI visualization. Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 115

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
 You are developing a model-driven app that uses a Common Data Service database. App users will have a variety of different security roles. Development and testing must be performed using production data. Multiple testers must be used at each testing stage.
 You need to provision and configure new environments for development and testing. Solution:
 ? Provision a developer environment named D1 and a sandbox environment named S1.
 ? Copy the production environment to both D1 and S1.
 ? Use D1 for development and S1 for testing.
 Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Production: This is intended to be used for permanent work in an organization. Do not use production environment for testing.
 Note: Instead use two sandboxed environments: one for development and one for testing.
 Reference:
<https://docs.microsoft.com/en-us/power-platform/admin/environments-overview>

NEW QUESTION 116

- (Topic 4)
 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
 After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
 You are developing a model-driven app that uses a Common Data Service database. App users will have a variety of different security roles. Development and testing must be performed using production data. Multiple testers must be used at each testing stage.
 You need to provision and configure new environments for development and testing. Solution:
 ? Provision sandbox environments named S1 and S2.
 ? Copy the production environment to both S1 and S2.
 ? Use S1 for development and S2 for testing.
 Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

A sandbox environment is any non-production environment of Microsoft Dataverse. Isolated from production, a sandbox environment is the place to safely develop and test application changes with low risk.
 Reference:
<https://docs.microsoft.com/en-us/power-platform/admin/environments-overview>

NEW QUESTION 119

- (Topic 4)
 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
 After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
 A company is deploying Microsoft Power Platform components to streamline a job candidate screening process. The human resources (HR) representatives of the company plan to attend school career fairs. The HR representatives must qualify and enter potential job candidates into a Power Apps app. The HR representatives must enter the following information for each candidate:

Field name	Data type	Criteria for follow up
Name	Text	No
Degree	Text	Yes
First available hire date	Date	Yes
Initial impression	Integer 0-10	Yes
Resume	Picture	No
Not currently viable	Boolean	Yes
Follow up	Boolean	NA

If a candidate is currently unqualified for a job position but would eventually qualify based on follow-up criteria, the follow-up checkbox must be selected or cleared in the system immediately.
 The company plans to create a similar Power Apps app that will contain the same business use case, but for internal employees and promotions. You need to create a Power Apps app solution to automatically mark the candidate for follow up.
 Proposed solution: Create a business rule on the appropriate data entity with a scope of entity.
 Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use Common Data Service workflow with a PowerQuery on the data entity.

Note: Process (Workflow) table/entity reference is a set of logical rules that define the steps necessary to automate a specific business process, task, or set of actions to be performed. Common Data Service workflow support: Filter triggers based on which attributes change - You can control which field changes trigger your automated flows. For example, trigger your flow only when the status field changes while ignoring all other fields that may change.

Reference:

<https://docs.microsoft.com/en-us/business-applications-release-notes/april19/microsoft->

NEW QUESTION 123

- (Topic 4)

You create a custom table as part of a solution in the development environment. You deploy major version solutions as managed solutions to production. The organization does not allow new solutions to be created in the production environment.

When a minor update is made to a column length, users cannot enter entire values. You need to allow users to enter entire values in the column.

Solution: Update the column length in the production environment. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 124

- (Topic 4)

You create a new solution publisher and include a publisher prefix value.

Which two actions can you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. You can change contact details of a publisher after you create the publisher
- B. When you change a solution publisher prefix, you can change the schema name for existing components
- C. You can change the schema name of a publisher after creating the publisher
- D. You can add a component from one solution to another solution that has a different publisher

Answer: AD

Explanation:

Once you introduce a publisher for a component in a managed solution, you can't change the publisher for the component.

Reference:

<https://docs.microsoft.com/en-us/power-platform/alm/solution-concepts-alm#solution-publisher>

NEW QUESTION 127

DRAG DROP - (Topic 4)

You are deploying solutions from development environments into test environments. You need to gather solution information.

What should you do? To answer, drag the appropriate actions to the correct scenarios. Each action may be used once, more than once, or not at all. You may need to drag the split bar

between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Options	Answer Area	
	Scenario	Action
View the history	Find the deployment outcome	Action
Show dependencies	Determine, in which version, a type change occurred	Action
View solution layers	Determine if any components are missing	Action
Run the Solution checker		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: View the history

The solution history displays information such as solution version, solution publisher, type of operation, operation start and end time, and operation status.

Box 2: View solution layers

The see solution layers' feature allows you to view all component changes that occur due to solution changes over time. Within a solution layer, you can drill down to view specific changed and unchanged property details for a component.

The see solution layers' feature:

? Let's you see the order in which a solution changed a component.

? Let's you view all properties of a component within a specific solution, including the changes to the component.

Box 3: Show dependencies

As a result of dependency tracking the following behaviors are enforced:

? Export of a solution warns the user if there are any missing components that could cause failure when importing that solution in another system.

NEW QUESTION 129

- (Topic 4)

A company has ten sales regions. Each salesperson is assigned to one region. You create a set of five standard views that all salespeople will use.

Sales users only want to see information for their own region. Sales users must call sales

leads within a week of receiving a lead.

You need to recommend a solution for sales users.

Which two actions will you recommend? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Instruct users to create personal views that filter by region.
- B. Instruct users to filter the view by region.
- C. Configure the definition for each view to sort by region.
- D. Configure the definition for each view to filter by region.

Answer: BD

NEW QUESTION 131

DRAG DROP - (Topic 4)

You are creating a Power Automate cloud flow.

The data in the flow must perform the following actions:

- Return the first character of a string of text.
- Convert an array to a single string. You need to manipulate the data.

Which data operations should you use? To answer, drag the appropriate data operations to the correct changes. Each data operation may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 133

- (Topic 4)

You receive ideas from employees in a Microsoft Teams channel. Managers are not members of the Teams channel. Submissions must be reviewed by three managers who are determined by submission type. You need approval from the managers to process submissions. What should you create?

- A. approval request in the Teams channel that requires a response from all approvers
- B. approval request in a chat with the three managers that requires a response from all approvers
- C. approval template that requires responses to be completed in order
- D. approval template that requires a response from all approvers

Answer: B

NEW QUESTION 138

HOTSPOT - (Topic 4)

A production line app maker at a manufacturing company creates a canvas app that looks for available inventory in a SQL database. The production line workers use the inventory app across all work centers.

The production line workers report the following app issues from the shop floor:

- ? The app reports a delegation warning.
- ? Voice command functionality is unreliable.

You have minimal information about the issues. You are not allowed to enter the production facility.

You need to troubleshoot the issues.

How should you troubleshoot the issues? To answer, select the appropriate options in the answer area.

Issue	Action
The app reports a delegation warning.	<div style="border: 1px solid black; padding: 5px;"> <div style="border-bottom: 1px solid black; padding: 2px;">Use the LookUp function</div> <div style="border-bottom: 1px solid black; padding: 2px;">Check the number of items in the collection</div> <div style="padding: 2px;">Check the number of dataset items</div> </div>
Voice command functionality is unreliable.	<div style="border: 1px solid black; padding: 5px;"> <div style="border-bottom: 1px solid black; padding: 2px;">Use the App checker/Runtime feature</div> <div style="border-bottom: 1px solid black; padding: 2px;">Use the Advanced Tools/Monitor feature</div> <div style="border-bottom: 1px solid black; padding: 2px;">Use the App checker/Accessibility feature</div> <div style="padding: 2px;">Use Advanced Tools/Performance feature</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Check the number of items in the collection

If the data in your data source exceeds 500 records and a function can't be delegated, Power Apps might not be able to retrieve all of the data, and your app may have wrong results.

Note: Delegation is where the expressiveness of Power Apps formulas meets the need to minimize data moving over the network. In short, Power Apps will delegate the processing of data to the data source, rather than moving the data to the app for processing locally.

Box 2: Use the Advanced Tools/Monitor feature

Monitor is available by default for all canvas apps. Using Monitor, you can trace events as they occur in a canvas app during the authoring experience in Power Apps Studio, or you can use Monitor to debug the published version of a canvas app.

Example: Consider the scenario where an app has been deployed, and the initial version of the app experiences performance degradation. The app also intermittently generates errors with no clear pattern. Loading data in the app succeeds most of the time, but fails sometimes.

When you check Monitor, you see data operations as expected. However, you also see several responses that have HTTP status code 429, indicating that there have been too many requests in a specific timeframe.

NEW QUESTION 141

DRAG DROP - (Topic 4)

DRAG DROP

You develop Microsoft Power Platform solutions for Contoso, Ltd You create a Power Virtual Agents chatbot in a Microsoft Teams team.

You need to make the chatbot available to all users in your organization.

Which three actions should you perform in sequence? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Access the chatbot in the Teams app store in the Built by your colleagues category.
- Publish the chatbot.
- Access the chatbot in the Teams app store in the Built for Contoso category.
- Submit the chatbot for admin approval.

Answer area

➤
➤

⬅
⬇

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

- Access the chatbot in the Teams app store in the Built by your colleagues category.
- Publish the chatbot.
- Access the chatbot in the Teams app store in the Built for Contoso category.
- Submit the chatbot for admin approval.

Answer area

- Publish the chatbot.
- Access the chatbot in the Teams app store in the Built for Contoso category.
- Submit the chatbot for admin approval.

➤
➤

⬅
⬇

NEW QUESTION 143

HOTSPOT - (Topic 4)

A company is building a Power Apps app to track key project tasks.

Users assign three tasks a risk status on a scale of 0 to 100 by using slider input controls named RiskStatus on the app. The highest risks use the risk status value of 100.

If the combined value of all the tasks is 150 or above, a header bar on the screen must display the text HIGH RISK.

You need to configure a solution to change the text on the header bar.

How should you configure the app? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Configuration
Where should you apply logic to change the text?	<ul style="list-style-type: none"> On the header control. On each RiskStatus slider input. In the global variables of the Power Apps app. On the OnStart property of the Power Apps app.
Which formula should you use?	<ul style="list-style-type: none"> SUM(RiskStatus1.value,RiskStatus2.value,RiskStatus3.value)>=150? "HIGH RISK" : "" IF(SUM(RiskStatus1.value,RiskStatus2.value,RiskStatus3.value)<150, "", HIGH RISK") Updateif((RiskStatus1.value+RiskStatus2.value+RiskStatus3.value)>=150, "HIGH RISK") UpdateContext(IF(RiskStatus1.value+RiskStatus2.value+RiskStatus3.value>=150), "HIGH RISK")

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: On each RiskStatus slider input
 You can change the value based on input.
 Box 2: Updateif(..)

Use the Updateif function to modify one or more values in one or more records that match one or more conditions. The condition can be any formula that results in a true or false and can reference columns of the data source by name. The function evaluates the condition for each record and modifies any record for which the result is true.

NEW QUESTION 147

DRAG DROP - (Topic 4)

You store data about products in two Microsoft Excel worksheets. The data contains duplicate rows. You need to consolidate data from the two worksheets into a Microsoft Dataverse custom table. In which order should you perform the actions? To answer, move all actions from the list of

Actions	Answer Area
Upload the worksheets to OneDrive	
Add conditional columns to perform checks on the data	
Create queries for the worksheets	
Append the output from the queries	
Create a dataflow	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Upload the worksheets to OneDrive
 A data source needs to be specified. The data needs to be available. Step 2: Create a dataflow
 Step 3: Create queries for the worksheets
 You can shape your data selection into a form that works best for your table using a Power Query editing experience, similar to the Power Query Editor in Power BI Desktop.
 Step 4: Add conditional columns to perform checks on the data Step 5: Append the output of the queries

NEW QUESTION 150

DRAG DROP - (Topic 4)

You use Microsoft Dynamics 365 Sales. Business processes must use data from multiple applications. You need to implement the correct type of automation. Which flow type should you use? To answer, drag the appropriate flow types to the correct application types. Each flow type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

Flow Types	Application Type	Flow Type
cloud flow	Update a record after it was created as part of a sales process	
desktop flow	Extract a list of prices from a competitor's website	
business process flow		

- A. Mastered

B. Not Mastered

Answer: A

Explanation:

The screenshot shows a 'Flow Types' list on the left with 'cloud flow', 'desktop flow', and 'business process flow'. The 'Answer Area' in the center contains two application types: 'Update a record after it was created as part of a sales process' and 'Extract a list of prices from a competitor's website'. On the right, a 'Flow Type' dropdown menu is open, showing 'business process flow' and 'cloud flow' as options.

NEW QUESTION 153

- (Topic 4)

A company delivers products to multiple communities. The company creates a canvas app connected to a Common Data Service database. The app tracks communities to see where Drivers must enter delivery information on a form that uses an entity named Delivery. Depot staff must enter information on a pick-up form that uses an entity named Pick-up. Each form contains a community field that is based on a shared list across both forms. You need to create the community field. Which type of field should you create?

- A. local option set
- B. text
- C. global option set
- D. text area

Answer: C

Explanation:

Can use a global option set, no need to use localized option sets.

Note: In PowerApps Option set is one of the field types you can use in your Entity. The information type that Option Set stores is a list of text values. And here comes the Option Set advantage – once you define its text values you can centrally managed it. Reference: <https://powerapps.microsoft.com/en-us/blog/option-sets-and-many-to-many-relationships-for-canvas-apps/>

NEW QUESTION 158

HOTSPOT - (Topic 4)

A company is using Power Automate to send an email with all active projects that are at risk. Projects that are stored in a table in Microsoft Dataverse are deemed at risk if the column for a risk score is greater than 70 or has a zero value. The flow will loop over all the records in the Dataverse Projects table and update the risk status field based on the risk score. You need to create a single evaluation expression to update the risk status field. Which expression component should you use? To answer, select the appropriate options in NOTE: Each correct selection is worth one point.

The screenshot shows a 'Requirement' section with three conditions:

- Return a true value if a value in the risk column meets one of the two conditions.
- Return a true value if a value in the risk column is 0.
- Return a true value if the value in the risk column is above 70.

 To the right, an 'Expression component' dropdown menu is open, showing options: @or, @and, if, equals, @if, contains, @startsWith, @greater, @greaterOrEquals, greater, contains, @if. The 'greater' option is highlighted.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Requirement

Return a true value if a value in the risk column meets one of the two conditions.

Return a true value if a value in the risk column is 0.

Return a true value if the value in the risk column is above 70.

Expression component

- @or
- @or
- @and
- if
- equals

- equals
- @if
- contains
- @startsWith
- equals

- greater
- @greaterOrEquals
- greater
- contains
- @if

NEW QUESTION 163

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a

A company has locations in multiple countries and regions across four continents. The company stores the total amount of each order in the local currency of the country/region where the customer is located. The company stores the applicable exchange rates in a custom US dollars (USD) exchange rate table.

You need to create a visualization that displays the total amount of orders by country/region in USD.

Proposed solution: Create a model-driven chart on the country/region table that aggregates the total amount of the orders by country/region.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use a calculated field.

Need to calculate the exchange rate in USD.

Calculated columns are calculated in real-time when they are retrieved.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

NEW QUESTION 165

- (Topic 4)

You are creating a canvas app for a company that delivers packages. The app will display one screen for each delivery attempt.

Drivers must make three attempts to deliver a package before returning the package back to a warehouse. Drivers must enter details about delivery on a second screen in the app.

You need to display a list of delivery attempts on the delivery screen.

Which two components can you add to the app to display details about the delivery attempts? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Data table
- B. Vertical gallery
- C. Display form
- D. Drop-down

Answer: AC

Explanation:

The Data table control shows a dataset.

In a canvas app, add and configure a Display form control to show all fields in a record. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-data-table> <https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/working-with-form-layout>

NEW QUESTION 170

- (Topic 4)

You create a canvas app that uses the following resources:

- Power Automate cloud flow
- Custom connector
- Microsoft Dataverse customization
- Connection

You need to export the app as a package to move the app to a different environment. Which resource type will be exported with the app?

- A. Custom connector
- B. Connection
- C. Microsoft Dataverse customization
- D. Power Automate cloud flow

Answer: D

NEW QUESTION 175

- (Topic 4)

You create a canvas app.

You need to ensure that there are no screen reader issues in the app.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 180

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app.

You need to automatically detect bicycles in pictures taken with the camera. Proposed solution:

- ? Create an Object Detection custom model in AI Builder.
- ? Train the model with pictures of bicycles and then publish the trained model.
- ? Add the Object Detector control to your canvas app.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

To train an object detection model to recognize your objects, you have to gather images that contain those objects.

The first thing you'll do when you create an AI Builder object detection model is to define its domain.

Upload images

Then Train and publish your object detection model

The object detector component takes a photo or loads an image file to do an object detection scan. On a mobile device, the user chooses between taking a photo or selecting one already available in the device user interface. When an image is selected, the component automatically scans it to identify objects.

Reference:

<https://docs.microsoft.com/en-us/ai-builder/prediction-overview> <https://docs.microsoft.com/en-us/ai-builder/object-detector-component-in-powerapps>

NEW QUESTION 184

DRAG DROP - (Topic 4)

You perform repeatable tasks using software installed on a home computer. The operating system includes Microsoft Power Automate Desktop.

You need to decide which tasks to automate using Power Automate Desktop.

Which tasks can you automate? To answer, drag the appropriate can automate responses to the correct tasks. Each can automate response may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content

NOTE: Each correct selection is worth one point.

Options	Answer Area	Task	Can automate
Yes <input type="checkbox"/> No <input type="checkbox"/>		Move files from one folder to another, rename them, and put into archive.	<input type="checkbox"/>
		When an email arrives, save attachments from Outlook to your OneDrive folder.	<input type="checkbox"/>
		Read product prices from an online shop and add them to an Excel file.	<input type="checkbox"/>
		Schedule reading currency exchange rates and save them to an Excel file each day at 7:00 a.m.	<input type="checkbox"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Options	Answer Area	Task	Can automate
Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		Move files from one folder to another, rename them, and put into archive.	<input checked="" type="checkbox"/>
		When an email arrives, save attachments from Outlook to your OneDrive folder.	<input checked="" type="checkbox"/>
		Read product prices from an online shop and add them to an Excel file.	<input checked="" type="checkbox"/>
		Schedule reading currency exchange rates and save them to an Excel file each day at 7:00 a.m.	<input checked="" type="checkbox"/>

NEW QUESTION 188

- (Topic 4)

You are an app maker.

You want to create apps and track customizations as part of the default solution. You need to determine the impact of performing the work in the default solution. What should you conclude?

- A. The default solution does not contain all components and customizations from all solutions in the environment.
- B. The prefix used when creating components as part of the default solution can be set to a specific value.
- C. The default solution cannot be exported and distributed to another environment.

Answer: C

Explanation:

Default Solution. This is a special solution that contains all components in the system. The default solution is useful for discovering all the components and configurations in your system.

Why you shouldn't use the default solutions to manage customizations

There are a few reasons why you shouldn't create apps and make customizations in either of the default solutions:

? The default solution can't be exported; therefore, you can't distribute the default solution to another environment.

The default solution contains all components and customizations from all solutions in the environment.

By default, all enabled users can create apps and customize components in the Common Data Services Default Solution.

It's difficult to locate or identify the customizations you've made in the environment by using either default solution.

When you use either default solution to create components, you'll also use the default publisher assigned to the solution. This often results in the wrong publisher prefix being applied to some components.

Reference:

<https://docs.microsoft.com/en-us/power-platform/alm/use-solutions-for-your-customizations>

NEW QUESTION 190

- (Topic 4)

You have a Power Platform solution that uses Common Data Service. You need to secure all fields that support field-level security.

Which field can you secure?

- A. createdon
- B. accountid
- C. owninguser
- D. cr7b_accountid

Answer: D

Explanation:

Which fields can be secured?

Although most attributes can be secured, there are system attributes, such as IDs, timestamps, and record tracking attributes, that can't. Below are a few examples of attributes that can't be enabled for field security.

ownerid, processid, stageid, accountid, contactid createdby, modifiedby, OwningTeam, OwningUser

createdon, EntityImage_Timestamp, modifiedon, OnHoldTime, overriddencreatedon statecode, statuscode

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/field-level-security>

NEW QUESTION 195

- (Topic 4)

You are creating a model-driven app that allows users to create and edit a list of existing accounts. You need to display a list of all active accounts. Which user interface components should you use?

- A. view
- B. gallery
- C. data table
- D. form

Answer: A

Explanation:

Imagine that you have a collection of data (such as a list sales orders, a set of service tickets, or a directory of contacts), and that you want to show this data in your Microsoft PowerApps app in a tabular format, where each column represents a field and each row represents a record. In the past, you might have been able to roughly simulate this visualization, although the process required some effort. However, we've been listening to your requests and are happy to announce that you can now quickly and easily achieve this very typical visualization by using the new Data table control that has been recently added to PowerApps.

Reference:

<https://powerapps.microsoft.com/fr-fr/blog/introducing-the-data-table-control/>

NEW QUESTION 199

- (Topic 4)

A company uses a canvas app. The last published version of the app is version 18. You edit the app. You save your updates and run the app. When you test the app, you discover you deleted a screen. You need to restore the last published version of the app. What is the version number of the app after you successfully restore it?

- A. 17
- B. 18
- C. 18.1
- D. 20

Answer: B

NEW QUESTION 201

- (Topic 4)

You create a Power Platform solution. Solution data is stored in a variety of documented cloud services. You need to configure the data sources. What should you do?

- A. Create a data gateway.
- B. Use a content pack.
- C. Create a custom data connector.
- D. Add metadata to standard entities.

Answer: B

Explanation:

Common Data Model is built upon a rich and extensible metadata definition system that enables you to describe and share your own semantically enhanced data types and structured tags, capturing valuable business insight which can be integrated and enriched with heterogeneous data to deliver actionable intelligence. Common Data Model can be used by various applications and services including Microsoft Dataverse, Dynamics 365, Microsoft Power Platform, and Azure ensuring that all of your services can access the same data.

Note: A wide variety of applications and services can easily access data in a data lake, however, each consumer must understand the format and meaning of the data before it can provide value. The Common Data Model simplifies this process by providing a metadata system that describes the data and standard entities to which producers can map.

Reference:

<https://docs.microsoft.com/en-us/common-data-model/use>

NEW QUESTION 202

DRAG DROP - (Topic 4)

DRAG DROP

A company uses Power Apps. The company has a SharePoint list that contains the names of partner organizations and the country/region of the partners. The company requires a canvas app that has a gallery screen to display the information in the SharePoint list. Users must be able to:

- * Return results for the exact word that was searched.
- * View the latest records at the top of the gallery.
- * Use a dropdown control to list the countries/regions of the partners. The list must display each country/region only once.

You need to create the gallery screen in a canvas app.

Which functions should you use? To answer, drag the appropriate functions to the correct activities. Each function may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Functions	Answer Area	Activity	Function
Match		Return results for the exact word that was searched.	
Sort		View latest entry at the top	
Distinct		Display duplicate countries/regions only once.	
IsMatch			

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 203

- (Topic 4)

You work in a warehouse. You build an app for physical inventory counts that is used by different staff members. The typical count takes 14 hours. The app has a warehouse screen with a gallery that contains the aisles in the warehouse. When a staff member selects an aisle record, another screen displays all the items stored in that aisle. The staff must know how long each aisle takes to do a physical inventory count. You need to add logic to the app. What should you do?

- A. Configure a timer control, add it to the aisle screen, and then reset it when exiting the aisle screen
- B. Create and configure a stopwatch custom control, and then add it to the gallery
- C. Create and configure a stopwatch custom component, and then add it to the aisle screen
- D. Configure a timer control, add it to the gallery, and then reset it when the selection changes

Answer: C

Explanation:

Reference:
<https://www.cdata.com/kb/tech/azuredatalake-odata-powerapps.rst>

NEW QUESTION 207

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You build a canvas app for a manufacturing company. The company receives parts and materials from many vendors. You create a form to collect information from packing slips. Receivers must be able to take a picture of packing slips to receive materials instead of manually entering data in the app. You need to ensure that users can scan packing slip information into the form. Proposed solution: Use a Key Phrase Extraction model. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The key phrase extraction prebuilt model identifies the main points in a text document.
 Reference:
<https://docs.microsoft.com/en-us/ai-builder/prebuilt-key-phrase>

NEW QUESTION 210

HOTSPOT - (Topic 4)
 HOTSPOT

A company uses Power Apps and Microsoft Data verse. You need to perform the following activities:

- * Create a model-driven app.
- * Design navigation for the app
- * Show an approval name field on the form if the amount is greater than \$1,000.

Which features should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Activity
 Create model driven app.
 Design app navigation.
 Show approval name field if amount > \$1,000.

Feature
 App designer
 App designer
 Solution checker
 App checker
 Site map
 Site map
 Solutions area
 Table designer
 Table designer
 Form designer
 Table designer
 Business rule designer

NEW QUESTION 215

DRAG DROP - (Topic 4)

You are designing a canvas app that will be used by all users including users who have visual impairments. Which outcome is achieved by each action? To answer, drag the appropriate outcomes to the correct actions. Each outcome may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Outcomes	Action	Outcome
Not visible to any users	Set the values for the X and Y properties of a control to move the control off-screen.	Outcome
Visible to sighted users only	Set the Color and other related properties of a control to transparent.	Outcome
Visible to screen-reader users only	Set the Height and Width properties of a control to 1.	Outcome
Visible to both sighted and screen-reader users		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Outcomes	Action	Outcome
Not visible to any users	Set the values for the X and Y properties of a control to move the control off-screen.	Visible to sighted users only
Visible to sighted users only	Set the Color and other related properties of a control to transparent.	Visible to screen-reader users only
Visible to screen-reader users only	Set the Height and Width properties of a control to 1.	Not visible to any users
Visible to both sighted and screen-reader users		

NEW QUESTION 220

DRAG DROP - (Topic 4)

A company uses Power Automate.

The company requires three cloud flows for the following:

- Send email notifications to a team member after an expense request is approved.
- If a document is uploaded to OneDrive, forward the document as an email attachment.
- Send an email at 4:00 PM on Fridays to remind team members to submit timesheets. You need to create the cloud flows.

Which cloud flow types should you create? To answer, drag the appropriate cloud flows to the correct activities. Each cloud flow may be used once, more than once, or not at all. You

NOTE: Each correct selection is worth one point.

Cloud flows	Activity	Cloud flow
Automated	Send notifications after expense request approvals.	
Scheduled	Forward new OneDrive documents as attachments.	
Instant	Send timesheet reminder emails at 4:00 PM on Fridays.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Cloud flows	Activity	Cloud flow
Automated	Send notifications after expense request approvals.	Instant
Scheduled	Forward new OneDrive documents as attachments.	Automated
Instant	Send timesheet reminder emails at 4:00 PM on Fridays.	Scheduled

NEW QUESTION 224

- (Topic 4)

A company uses Microsoft Teams. A coworker creates a chatbot. The coworker observes unexpected behavior with the chatbot. You need to troubleshoot the chatbot.

Which two actions should you recommend to the coworker? Each correct answer presents part of the solution.
 NOTE: Each correct selection is worth one point.

- A. Ask the coworker to assign you to the owner role for the team.
- B. In Advanced tools, select Monitor.
- C. Ask the coworker to add you to their team.
- D. Select the chatbot and then select the Share button.

Answer: AB

NEW QUESTION 225

- (Topic 4)

You are developing a canvas app to monitor time. The app includes a Text Input control named TIC1 and a Timer control named TIM1. You need to set TIM1 to a default value. What should you do?

- A. In the OnChange property of TIC1, set the value of the Text property for TIC1 to a context variable that stores the duration value.
- B. Assign the value of the variable to the OnTimerStart property for TIM1.
- C. Assign the Text property of TIC1 to the Duration property of TIM1.
- D. Assign the Text property of TIC1 to the OnSelect property of a TIM1.
- E. Write code in the OnChange property of TIC1 that assigns the value of the Duration property of the Timer control to Text property of the TIC1. In the OnChange property of TIC1, assign the value to the Duration property for TIM1.

Answer: C

Explanation:

The OnTimerStart, OnTimerEnd and OnSelect are the configurations where you can add your code.

Reference:

<https://sharepains.com/2019/08/22/all-about-timers-in-powerapps/>

NEW QUESTION 228

DRAG DROP - (Topic 4)

You are configuring a new Common Data Service environment by using the Power Apps Maker portal.

You need to create an entity that uses the prefix xyz.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create an entity in the new solution.	
Enter the entity Display Name and use the existing prefix.	
Add a new solution.	
Enter the entity Display Name and modify the prefix to xyz .	
Add a new publisher with the prefix xyz .	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Create an entity in the new solution.	Add a new publisher with the prefix xyz .
Enter the entity Display Name and use the existing prefix.	Add a new solution.
Add a new solution.	Create an entity in the new solution.
Enter the entity Display Name and modify the prefix to xyz .	Enter the entity Display Name and modify the prefix to xyz .
Add a new publisher with the prefix xyz .	

NEW QUESTION 232

- (Topic 4)

You significantly modify a canvas app. You need to generate a new app version. What should you do?

- A. Publish the app.
- B. Update the major version number.
- C. Update the version notes.
- D. Update the minor version number.
- E. Save the app.

Answer: A

NEW QUESTION 237

DRAG DROP - (Topic 4)

You create a custom field on the Account entity.

Members of TeamA must have full access to the field. Members of TeamB must have no access to the field.

You need to configure security.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Add TeamA to the field security profile.	
Create a field security profile and set all the permissions for the custom attribute to Yes .	
Add TeamB to the field security profile.	
Create a field security profile and set all the permissions for the custom attribute to No .	
Enable field-level security for the field.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Enable field security for the field

Step 2: Create a field security profile and set all the permissions for the custom attribute to Yes.

Step 3: Add TeamA to the field security profile.

Note: Field-level security is available for the default fields on most out-of-box entities, custom fields, and custom fields on custom entities. Field-level security is managed by the security profiles. To implement field-level security, a system administrator performs the following tasks.

? Enable field security on one or more fields for a given entity.

? Associate one more existing security profiles, or create one or more new security profiles to grant the appropriate access to specific users or teams.

NEW QUESTION 242

DRAG DROP - (Topic 4)

DRAG DROP

You are Designing a Power Virtual Agents chatbot in Microsoft Teams. You create an outline to describe how a conversation should be structured.

You need to configure the chatbot.

Which chatbot component should you use? To answer, drag the appropriate components to the correct conversation elements. Each component may be used once, more than once, or not at all. You may need to drag the spirit bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Components	Answer Area	Conversation element	Component
Topic		A user enters the following text in the chatbot: What is the weather?	
Trigger phrase		The chatbot responds: Where do you live?	
Conversation node			

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Components	Answer Area	Conversation element	Component
Topic		A user enters the following text in the chatbot: What is the weather?	Topic
Trigger phrase		The chatbot responds: Where do you live?	Conversation node
Conversation node			

NEW QUESTION 243

- (Topic 4)

You create a canvas app named Hardware Order that suggests computer hardware to customers.

A value must be entered for the EmployeeID field when creating a new order if the value in the OrderType field does not contain the prefix test.

You need to configure the business rule.

Which two actions should you perform? Each correct answer presents part of the complete solution.

NOTE: Each correct selection is worth one point.

- A. Set the scope of the business rule to Entity.
- B. Add a Recommendation action and configure it to enter the order type.
- C. Set the scope of the business rule to All Forms.
- D. Use the following condition expression:(OrderType Does not begin with [test]) AND (Modified By Does not contain data)

Answer: AD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/data-platform-create-business-rule>

NEW QUESTION 247

HOTSPOT - (Topic 4)

HOTSPOT

The customer service team of a company uses a model-driven app to log customer interactions. The app contains two tables: one to track customer interactions and one to track products.

The team requires an interactive dashboard to display the activities. The dashboard must display the products that have the most complaints. Each chart must display the associated data.

You need to create the dashboard-

Which features should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 248

HOTSPOT - (Topic 4)

A company is building a Power Apps app to track key project tasks.

Users assign tasks a risk status on a scale of 0 to 100 by using a slider input control named RiskStatus on the app. The highest risks use the risk status value of 100.

For each task, the user selects a button named RiskLevel to send the name of the task and RiskStatus number to key project stakeholders. The color of the button must change to the color listed in the following table based on the value of the RiskStatus control. The default color for the button is green.

RiskStatus slider value	Risk description	RiskLevel button color
0–50	No/Low risk	Green
51–100	High risk	Red

You need to configure the solution to change the color of the RiskLevel button.

How should you configure the app? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Question

Response

Where do you enter the formula to change the button color?

- On the RiskStatus slider.
- On the RiskLevel button.
- In the variables of the Power Apps app.
- On the OnStart property of the Power Apps app.

Which formula should you use?

- If (RiskStatus.Value > 75) (return Red;)
- If (RiskStatus.Value > 75, Red, Green)
- If (RiskStatus.Value > 75 ? Red : Green)
- RiskLevel.Fill = RiskStatus.Value > 75 ? Red : Green;

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: On the RiskLevel button.
 On the RiskLevel button fill property.
 Box 2: Risklevel.Fill = RiskStatus.Value > 75 ? Red : Green;
 Most every type of control in a Power App, has a Fill property, for the fill color.

NEW QUESTION 250

- (Topic 4)

A company uses Microsoft platforms for all accessibility, compliance, and security auditing. The auditing and compliance division of the company flags a newly created Power Apps canvas app due to accessibility issues. The app must be unpublished until it conforms to Microsoft accessibility requirements and recommendations. You need to identify all accessibility issues for a solution. What should you use?

- A. Microsoft Accessibility Conformance Reports
- B. Microsoft Compliance Center
- C. Power Apps Studio
- D. Microsoft Accessibility Guides
- E. Microsoft Visual Studio

Answer: C

Explanation:

- ? Find accessibility issues
- ? In the upper-right corner of Power Apps Studio, select the icon for the App checker.
- ? App checker icon.
- ? In the menu that appears, select Accessibility.
- ? A list of issues appears, sorted first by severity and then by screen.
- ? Select the arrow next to an item to show details about it.
- ? Accessibility checker details.
- ? Select the back arrow to return to the list of items.
- ? If you decide to address an issue, select it to open the affected property.
- ? After you change one or more properties, select Re-check to update the list of issues.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/accessibility-checker> <https://support.microsoft.com/en-us/accessibility/enterprise-answer-desk>

NEW QUESTION 254

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. A company has locations in multiple countries and regions across four continents. The company stores the total amount of each order in the local currency of the country/region where the customer is located. The company stores the applicable exchange rates in a custom US dollars (USD) exchange rate table. You need to create a visualization that displays the total amount of orders by country/region in USD.

Proposed solution:

Create a custom calculated field of type currency on the order table that converts the order total to USD and displays the total amounts by region in a Power BI chart. Does the solution meet the goal?

- A. Yes

Answer: A

Explanation:

- Instead use a calculated field.
- Need to calculate the exchange rate in USD.
- Calculated columns are calculated in real-time when they are retrieved. Reference: <https://docs.microsoft.com/en-us/powerapps/developer/data-platform/calculated-rollup-attributes>

NEW QUESTION 255

HOTSPOT - (Topic 4)

A company is building a canvas app. A user needs to understand which data they can make available for the 500 contacts that are present in the Contact table. All relevant data must be shown in the app. Single fields must show one record and grids must show multiple records. Only the primary fields for each related table should be shown for a contact.

Display name	Relationship name	Related table	Relationship type	Type	Customizable
Company Name	contact_customer_contacts	Contact	Many-to-one	Managed	Yes
Connected From	contact_connections1	Connection	One-to-many	Managed	Yes
Owning Team	Team_contacts	Team	Many-to-one	Standard	Yes

Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

How should you design a screen to display the Connection table information for each contact in the Contacts table?

Use a grid for the Contact table and a grid for the Connection table
Use a single field for the Contact table and a grid for the Connection table
Use a grid for the Contact table and a single field for the Connection table
Use a single field for the Contact table and a single field for the Connection table

How should you design a screen to display the Team table information for each contact in the Contact table?

Use a grid for the Contact table and a grid for the Team table
Use a single field for the Contact table and a grid for the Team table
Use a grid for the Contact table and a single field for the Team table
Use a single field for the Contact table and a single field for the Team table

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Use a single field for Contact table and a grid for the Connection table The Contact table is on 1-side of the 1-to-many relation to the Connection table.
 Box 2: Use a single field for Team table and a grid for the Connect table The Team table is on 1-side of the 1-to-many relation to Contact.

NEW QUESTION 260

- (Topic 4)

You are designing an interactive report for a model-driven app. The report will use more than five million records. The query that retrieves data for the report requires more than five minutes to complete. You need to create the report. Which option should you use?

- A. Interactive dashboard
- B. Power BI
- C. Standard dashboard

Answer: B

NEW QUESTION 261

- (Topic 4)

A company uses a canvas app to encourage employees to take reading breaks during their work schedule. The reading breaks are created automatically as Outlook tasks in the employees Outlook app. The app must trigger a Power Automate cloud flow when specific data is captured in the canvas app. You need to create and configure the flow. Which flow step should you configure first?

- A. Flow button for mobile
- B. Power Apps step with trigger conditions
- C. New Microsoft Outlook task
- D. Condition step

Answer: A

NEW QUESTION 264

DRAG DROP - (Topic 4)

DRAG DROP

You are designing several new Microsoft Power Platform apps for a company. You have the following requirements:

All apps must be able to run from the Power Apps mobile app.

You need to determine which app type to create for each department.

Which app type should you use? To answer, drag the appropriate app types to the correct departments. Each app type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

App types	Answer Area	Department	App type
Canvas	<div style="display: flex; align-items: center;"> <div style="width: 20px; height: 20px; border: 1px solid gray; margin-right: 5px;"></div> <div style="width: 100%; height: 100%;"></div> </div>	Sales	
Model driven		Direct marketing	
Portal			

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 267

DRAG DROP - (Topic 4)

You are designing an app for a bank. You plan to use the following entities in the app:

Entity	Comments
Clients	Clients are assigned to a branch office
Bank accounts	A client may have multiple bank accounts. A bank account may have multiple clients as bank account owners
Branch offices	Clients are assigned to a branch office
Employees	Each employee works at only one branch office

You need to configure the relationships between the entities.

Which relationship types should you use? To answer, drag the appropriate relationship types to the correct relationships. Each source may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Relationship types

One-to-one

One-to-many

Many-to-one

Many-to-many

Answer Area

Relationship		
Source entity	Target entity	Relationship type
Clients	Bank accounts	Relationship type
Clients	Branch offices	Relationship type
Branch offices	Employees	Relationship type

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Many-to-many

Box 2: Many-to-one

A client have a single branch office.

A branch office can have many clients.

Box 3: One-to-many

A branch office can have many employees. An employee only works at one branch office.

NEW QUESTION 271

- (Topic 4)

A company is implementing the Microsoft Power Platform to assist with consolidation of onsite inspections and audits of retail stores. Currently, the data used by the retail store inspections is located across multiple systems.

The canvas app must use one database to view and record all data used in the inspection process.

You need to design the solution.

Which three capabilities should you implement? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Use an embedded access management framework for user security.
- B. Execute real-time data operations against external data sources through virtual entities.
- C. Store data used by a Power Apps app on both iOS and Android mobile platforms.
- D. Use Azure Data Lake storage to host the transactional data.

Answer: BCE

Explanation:

B: Virtual tables (also known as virtual entities) enable the integration of data residing in external systems by seamlessly representing that data as tables in Microsoft Dataverse, without replication of data and often without custom coding.

CE: Authenticating to a Gen 1 DataLakeStore Account Gen 1 uses OAuth 2.0 in Azure AD for authentication.

Reference:

<https://www.cdata.com/kb/tech/azuredatalake-odata-powerapps.rst>

NEW QUESTION 274

HOTSPOT - (Topic 4)

: 189 HOTSPOT

A company is building several Power Apps apps to help with sales operations collaboration. You need to identify the right solution for data storage.

Which solution should you use? To answer select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Characteristic	Solution
Limits the number of records that can be added.	<input type="checkbox"/> Microsoft Dataverse for Teams <input type="checkbox"/> Microsoft Dataverse <input checked="" type="checkbox"/> Microsoft Dataverse for Teams
Allows for advanced development tasks for apps specific to Microsoft Teams.	<input type="checkbox"/> Microsoft Dataverse <input type="checkbox"/> Microsoft Dataverse <input checked="" type="checkbox"/> Microsoft Dataverse for Teams
Has the most granular level of security to account for column-level security in Microsoft Teams.	<input type="checkbox"/> Microsoft Dataverse <input type="checkbox"/> Microsoft Dataverse <input checked="" type="checkbox"/> Microsoft Dataverse for Teams

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Characteristic	Solution
Limits the number of records that can be added.	<input type="checkbox"/> Microsoft Dataverse for Teams <input checked="" type="checkbox"/> Microsoft Dataverse <input type="checkbox"/> Microsoft Dataverse for Teams
Allows for advanced development tasks for apps specific to Microsoft Teams.	<input type="checkbox"/> Microsoft Dataverse <input type="checkbox"/> Microsoft Dataverse <input checked="" type="checkbox"/> Microsoft Dataverse for Teams
Has the most granular level of security to account for column-level security in Microsoft Teams.	<input type="checkbox"/> Microsoft Dataverse <input checked="" type="checkbox"/> Microsoft Dataverse <input type="checkbox"/> Microsoft Dataverse for Teams

NEW QUESTION 279

- (Topic 4)

A company is using Microsoft Power Platform and Microsoft Teams to approve work contracts.

A manager must view all approved contracts in the past year that the company sent or received. The manager must approve any pending contracts. The solution must minimize effort.

You need to recommend a solution for the company. What should you recommend?

- A. Create a Microsoft Teams team with a tab that exposes all approvals.
- B. Install the Microsoft Teams approvals app.
- C. Embed a Power Apps app within a Microsoft Teams channel.
- D. Create a Power BI dashboard that includes all approval requests.
- E. Embed a SharePoint list into a Microsoft Teams channel.

Answer: B

NEW QUESTION 281

- (Topic 4)

You create a custom table as part of a solution in the development environment. You deploy major version solutions as managed solutions to production. The organization does not allow new solutions to be created in the production environment.

When a minor update is made to a column length, users cannot enter entire values. You need to allow users to enter entire values in the column.

Solution: Uninstall the most recent version of the solution from the production environment. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 285

DRAG DROP - (Topic 4)

A company must use a Power Apps app custom control that is exported from a different canvas Power Apps app.

You need to insert the custom control into the Power Apps app.

Where should you complete the actions? To answer, drag the appropriate locations to the correct actions. Each location may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Objects	Answer Area						
<div style="border: 1px solid gray; padding: 5px; display: inline-block; margin-right: 10px;">Display</div> <div style="border: 1px solid gray; padding: 5px; display: inline-block; margin-right: 10px;">Screens</div>	<table border="1"> <thead> <tr> <th>Action</th> <th>Location</th> </tr> </thead> <tbody> <tr> <td>Import a custom control from a file.</td> <td><input type="text"/></td> </tr> <tr> <td>Add an alignment to the custom control to display it in the middle of the Power Apps app screen.</td> <td><input type="text"/></td> </tr> </tbody> </table>	Action	Location	Import a custom control from a file.	<input type="text"/>	Add an alignment to the custom control to display it in the middle of the Power Apps app screen.	<input type="text"/>
Action	Location						
Import a custom control from a file.	<input type="text"/>						
Add an alignment to the custom control to display it in the middle of the Power Apps app screen.	<input type="text"/>						


- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Components

- * 1. To add code components to a canvas app:
- * 2. Navigate to Power Apps Studio.
- * 3. Create a new canvas app or edit an existing app to which you want to add the code component.
- * 4. Go to Insert > Custom > Import component.



NEW QUESTION 289

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are creating a canvas app that displays a list of accounts.

Users must be able to select an account and view details for the account. The app must include a feature that brings the user back to the list of accounts.

You add a blank screen named Screen_Accounts and add a gallery named Gallery_Accounts to the screen. You set the data source of Gallery_Accounts to Accounts and add another blank screen named Screen_AccountDetail.

You need to complete the app.

Solution:

- ? Add a display form to Screen_AccountDetail.
- ? Set the OnSelect property of Gallery_Accounts to Navigate(Screen_AccountDetail).
- ? Set the data source of the form to Accounts.
- ? Set the Item property of the form to Selected.
- ? Add a back icon on Screen_AccountDetail and set its OnSelect property to Navigate(Screen_Accounts).

Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

If you add a Display form control, the user can display all fields of a record or only the fields that you specify.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/controls/control-form- detail>

NEW QUESTION 291

- (Topic 4)

You use a Microsoft SharePoint list to record information about customers.

You must perform a series of actions only when a new item is added to a SharePoint list. You need to configure a Power Automate flow.

Which trigger should you use?

- A. When an item is created
- B. When an item is created or modified
- C. When a file is created (properties only)
- D. For a selected item

Answer: A

Explanation:

Trigger - When an item is created Triggers when an item is created.

MS Flow will trigger when an item is created in the list. It will return all list item properties which can be used in the Flow.

Reference:
<https://www.c-sharpcorner.com/article/sharepoint-based-triggers-in-ms-flow-part-2/>

NEW QUESTION 296

DRAG DROP - (Topic 4)
 DRAG DROP

A company uses Power Apps and Microsoft Dataverse.

The company has model driven apps across multiple Microsoft Dataverse environments in the same tenant. You must grant privileges to Power Apps makers to achieve the following:

- Share model-driven apps in multiple Microsoft Dataverse environments.
- Share model-driven apps in only one of the Microsoft Dataverse environments and view only table records that they create themselves.

You need to share the model-driven app with users by using the principle of least privilege. Which security role privilege should you grant for each requirement? To answer, drag the

appropriate security roles to the correct requirements. Each security role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct answer is worth one point.

Security roles	Answer Area	Requirement	Security role
System Customizer		Share in all Microsoft Dataverse environments.	
Microsoft Power Platform Administrator		Share in one environment and view only table records they create.	
Environment Maker			

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Security roles	Answer Area	Requirement	Security role
System Customizer		Share in all Microsoft Dataverse environments.	Environment Maker
Microsoft Power Platform Administrator		Share in one environment and view only table records they create.	System Customizer
Environment Maker			

NEW QUESTION 300

HOTSPOT - (Topic 4)

You need to store a list of products and their colors. You have a Power Apps app that includes the following elements:

- ? a text box for the product name
- ? a drop-down list for the product color
- ? a button to add a product to the list
- ? a status message that shows whether the addition of a product to the list was successful

The button uses the following formula:

```
Collect(
    colProductList,
    {
        Product: txtProductName.Text, Color: drpColors.Selected.Value
    }
);
Set(
    vStatusMessage, "Added '" & txtProductName.Text & "'
);
timStatusMessage.Start;
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
You must explicitly declare the collection before you can add product names and colors to the collection.	<input type="radio"/>	<input type="radio"/>
The formula stores the product name and the color in a collection.	<input type="radio"/>	<input type="radio"/>
vStatusMessage is a context variable that is used to store the status message.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No

The Collect function adds records to a data source. If the data source doesn't already exist, a collection is created.

Box 2: Yes

Box 3: No

Use the Set function to set the value of a global variable, which temporarily holds a piece of information, such as the number of times the user has selected a button or the result of a data operation.

NEW QUESTION 301

DRAG DROP - (Topic 4)

You have a model-driven app that has an entity named Marinas. You have an entity named Boats that list the boats associated with each marina.

You must add a list of boats to the Marinas form. You must also add an option for users to select different views including boat owners and marina members.

You need to embed the list of boats associated with a Marina record in the entity form.

In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Actions		Answer Area
Add a Subgrid component to a form		
Select Show related records and then select the related entity and default view for the subgrid	➤	⬆
Save and publish the form	⬅	⬇
Select the Allow users to change view option		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Add a Subgrid component to a form

You add a subgrid component the same way as you add any other component.

Step 2: Select Show related records and then select the related entity and default view for the subgrid

Configure a subgrid component.

Properties available to configure when using a subgrid component on a form using the form designer include:

? Show related rows

When selected, the subgrid displays only rows related to the current row that is displayed on the form.

Step 3: Select the Allow users to change view option Configure a subgrid component.

Properties available to configure when using a subgrid component on a form using the form designer include:

? Allow users to change view

When selected, app users can change from the Default view to another view of the table

selected in the Table property. Step 4: Save and publish the form

NEW QUESTION 303

DRAG DROP - (Topic 4)

You create a canvas app. You run App checker to validate the app. App checker returns error results.

You need to locate where the errors occur.

Which areas should you review? To answer drag the appropriate areas to the correct error messages. Each area may be used once, more than once, or not at all

You may need to drag the spirt bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Areas		Error message	Area
Function		Unknown or unsupported in namespace	
Formula		Invalid arguments	
Accessibility		Revise screen name	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 306

- (Topic 4)

You are creating a canvas app.

You need to display a limited list of choices to the end user. You must standardize the values and appearance of the list across all forms.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add a drop-down field in the app
- B. Create a Global Option Set
- C. Add a new business rule
- D. Add a component to the component library

Answer: AB

Explanation:

A global Option Set can be shared across entities. Reference:

<https://powerapps.microsoft.com/en-us/blog/option-sets-and-many-to-many-relationships-for-canvas-apps/>

NEW QUESTION 307

- (Topic 4)

A clothing retailer is creating a Power Virtual Agents chatbot in Microsoft Teams. The chatbot will use Microsoft Dataverse for Teams to provide sales metrics by store.

A user wants to be able to ask the chatbot to see all the sales for pants.

You need to configure the chatbot to provide sales data for pants even when a user enters the terms jeans, slacks, or trousers.

Which chatbot component should you use?

- A. Skills
- B. Tables
- C. Topics
- D. Supported languages
- E. Entities

Answer: E

Explanation:

Reference:

<https://docs.microsoft.com/en-us/power-virtual-agents/advanced-entities-slot-filling>

NEW QUESTION 312

- (Topic 4)

A company has 500 vendor records stored in a SQL table. Each record contains the

team wants to view the vendor records by using Power Apps. The team must be able to change the list results by applying filters. You need to display the vendor records in a canvas app. Which control should you use?

- A. Text
- B. Form
- C. Chart
- D. Gallery

Answer: D

NEW QUESTION 316

HOTSPOT - (Topic 4)

HOTSPOT

A bicycle shop uses Microsoft Dataverse to track bicycle rentals and renter information. The bicycle shop has a standalone tablet with a canvas app. Renters use the app to check out bicycles. Only one renter at a time can check out bicycles.


Multiple renters can rent as a team. You must expand the app to allow team rentals in one step. All team members must be registered under a single phone number.

You need to modify the canvas app to display team and team member information, along with bicycle information

Which UI elements should you use for each requirement? To answer, select the appropriate options in the answer area

NOTE: Each correct selection is worth one point.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 318

- (Topic 4)

You create a custom table as part of a solution in the development environment. You deploy major version solutions as managed solutions to production. The organization does not allow new solutions to be created in the production environment.

When a minor update is made to a column length, users cannot enter entire values. You need to allow users to enter entire values in the column.

Solution: Update the column length in the development environment. Export the solution as a managed solution, import the solution into production

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 320

- (Topic 4)

You are creating a canvas app.

You need to store and retrieve small amounts of data on a local device when the app is offline.

Which set of functions should you use?

- A. SaveData, LoadData
- B. Set, Patch
- C. Patch, Collect
- D. Set, Collect

Answer: A

Explanation:

LoadData and SaveData combine to form a simple mechanism to store small amounts of data on a local device. By using these functions, you can add simple offline capabilities to your app. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/offline-apps>

NEW QUESTION 324

HOTSPOT - (Topic 4)

You are creating a capacity planning dashboard with Power BI desktop.

The dashboard must be able to be used within a model-driven manufacturing planning app as well as be embedded within a Microsoft Teams channel.

The data sources are as follows:

You need to determine the appropriate method for accomplishing each task.

Which methods should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Task	Method
Connect to the ERP system.	<ul style="list-style-type: none"> Use a Data Gateway Use a Custom Connector Use a Service Content Pack
Create the relationship between the employee file and the work estimates.	<ul style="list-style-type: none"> Create a composite model Create an aggregated table Create entity relationships in the CDS Solution Explorer
Create calculations for work remaining, remaining budget.	<ul style="list-style-type: none"> Create a Data Analysis Expressions formula Create an aggregated table Create a modeling view

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Use a Date Gateway

You can install an on-premises data gateway on the same local computer as SQL Server (in production, it would typically be a different computer).

Box 2: Create an entity relationship in CDS Solution Explorer You can create relationships with CDS Solution Explorer.

Box 3: Create an aggregate table

Rollup columns help users obtain insights into data by monitoring key business metrics. A rollup column contains an aggregate value computed over the rows related to a specified row. This includes regular tables and activity tables such as emails and appointments.

NEW QUESTION 328

- (Topic 4)

A company has hundreds of warehouses. You are developing an app for the shipping department at the company. The app must be able to provide the warehouse address for shipments. You need to create the warehouse field on the app form. Which field type should you use?

- A. Chores
- B. Choice
- C. Text
- D. Lookup

Answer: D

NEW QUESTION 330

- (Topic 4)

You create and publish a canvas app component library to perform complex calculations.

You discover an error in one of the calculations. You correct the issue and publish the canvas app.

You need to ensure that the co-worker uses the updated version of the component library.

What should you do?


- A. Export the updated component library and instruct the co-worker to import the updated version into the canvas app
- B. Inform the co-worker to edit the canvas app and manually add the updated version of the component library
- C. Instruct the co-worker to edit the canvas app and update the component library

Answer: C

Explanation:

You can modify an existing component library and save any changes with additional version notes. However, the updated component library version must be published for use in existing apps that use the component library.

Makers of other apps are notified of updated components being available. The notification appears when makers edit the apps in canvas app studio. They can choose to update the components:



Select Review, and you'll see the option to update the component:

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/component-library>

NEW QUESTION 333

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual PL-100 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the PL-100 Product From:

<https://www.2passeasy.com/dumps/PL-100/>

Money Back Guarantee

PL-100 Practice Exam Features:

- * PL-100 Questions and Answers Updated Frequently
- * PL-100 Practice Questions Verified by Expert Senior Certified Staff
- * PL-100 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * PL-100 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year