



Cisco

Exam Questions 300-710

Securing Networks with Cisco Firepower (SNCF)

About ExamBible

[Your Partner of IT Exam](#)

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

What is a result of enabling Cisco FTD clustering?

- A. For the dynamic routing feature, if the master unit fails, the newly elected master unit maintains all existing connections.
- B. Integrated Routing and Bridging is supported on the master unit.
- C. Site-to-site VPN functionality is limited to the master unit, and all VPN connections are dropped if the master unit fails.
- D. All Firepower appliances can support Cisco FTD clustering.

Answer: C

NEW QUESTION 2

On the advanced tab under inline set properties, which allows interfaces to emulate a passive interface?

- A. transparent inline mode
- B. TAP mode
- C. strict TCP enforcement
- D. propagate link state

Answer: D

NEW QUESTION 3

What are the minimum requirements to deploy a managed device inline?

- A. inline interfaces, security zones, MTU, and mode
- B. passive interface, MTU, and mode
- C. inline interfaces, MTU, and mode
- D. passive interface, security zone, MTU, and mode

Answer: C

NEW QUESTION 4

Which protocol establishes network redundancy in a switched Firepower device deployment?

- A. STP
- B. HSRP
- C. GLBP
- D. VRRP

Answer: A

NEW QUESTION 5

Which interface type allows packets to be dropped?

- A. passive
- B. inline
- C. ERSPAN
- D. TAP

Answer: B

NEW QUESTION 6

Which Cisco Firepower Threat Defense, which two interface settings are required when configuring a routed interface? (Choose two.)

- A. Redundant Interface
- B. EtherChannel
- C. Speed
- D. Media Type
- E. Duplex

Answer: CE

NEW QUESTION 7

When creating a report template, how can the results be limited to show only the activity of a specific subnet?

- A. Create a custom search in Firepower Management Center and select it in each section of the report.
- B. Add an Input Parameter in the Advanced Settings of the report, and set the type to Network/IP.
- C. Add a Table View section to the report with the Search field defined as the network in CIDR format.
- D. Select IP Address as the X-Axis in each section of the report.

Answer: B

NEW QUESTION 8

What is the disadvantage of setting up a site-to-site VPN in a clustered-units environment?

- A. VPN connections can be re-established only if the failed master unit recovers.
- B. Smart License is required to maintain VPN connections simultaneously across all cluster units.
- C. VPN connections must be re-established when a new master unit is elected.
- D. Only established VPN connections are maintained when a new master unit is elected.

Answer: C

NEW QUESTION 9

Which two statements about bridge-group interfaces in Cisco FTD are true? (Choose two.)

- A. The BVI IP address must be in a separate subnet from the connected network.
- B. Bridge groups are supported in both transparent and routed firewall modes.
- C. Bridge groups are supported only in transparent firewall mode.
- D. Bidirectional Forwarding Detection echo packets are allowed through the FTD when using bridge-group members.
- E. Each directly connected network must be on the same subnet.

Answer: CD

NEW QUESTION 10

What is the result of specifying of QoS rule that has a rate limit that is greater than the maximum throughput of an interface?

- A. The rate-limiting rule is disabled.
- B. Matching traffic is not rate limited.
- C. The system rate-limits all traffic.
- D. The system repeatedly generates warnings.

Answer: B

NEW QUESTION 10

In which two ways do access control policies operate on a Cisco Firepower system? (Choose two.)

- A. Traffic inspection can be interrupted temporarily when configuration changes are deployed.
- B. The system performs intrusion inspection followed by file inspection.
- C. They can block traffic based on Security Intelligence data.
- D. File policies use an associated variable set to perform intrusion prevention.
- E. The system performs a preliminary inspection on trusted traffic to validate that it matches the trusted parameters.

Answer: AC

NEW QUESTION 14

Which two types of objects are reusable and supported by Cisco FMC? (Choose two.)

- A. dynamic key mapping objects that help link HTTP and HTTPS GET requests to Layer 7 application protocols.
- B. reputation-based objects that represent Security Intelligence feeds and lists, application filters based on category and reputation, and file lists
- C. network-based objects that represent IP address and networks, port/protocols pairs, VLAN tags, security zones, and origin/destination country
- D. network-based objects that represent FQDN mappings and networks, port/protocol pairs, VXLAN tags, security zones and origin/destination country
- E. reputation-based objects, such as URL categories

Answer: BC

NEW QUESTION 16

What is the benefit of selecting the trace option for packet capture?

- A. The option indicates whether the packet was dropped or successful.
- B. The option indicated whether the destination host responds through a different path.
- C. The option limits the number of packets that are captured.
- D. The option captures details of each packet.

Answer: C

NEW QUESTION 19

Which command is run at the CLI when logged in to an FTD unit, to determine whether the unit is managed locally or by a remote FMC server?

- A. system generate-troubleshoot
- B. show configuration session
- C. show managers
- D. show running-config | include manager

Answer: C

NEW QUESTION 22

Which CLI command is used to generate firewall debug messages on a Cisco Firepower?

- A. system support firewall-engine-debug
- B. system support ssl-debug

- C. system support platform
- D. system support dump-table

Answer: A

NEW QUESTION 23

Which command must be run to generate troubleshooting files on an FTD?

- A. system support view-files
- B. sudo sf_troubleshoot.pl
- C. system generate-troubleshoot all
- D. show tech-support

Answer: B

NEW QUESTION 25

What is a functionality of port objects in Cisco FMC?

- A. to mix transport protocols when setting both source and destination port conditions in a rule
- B. to represent protocols other than TCP, UDP, and ICMP
- C. to represent all protocols in the same way
- D. to add any protocol other than TCP or UDP for source port conditions in access control rules.

Answer: B

NEW QUESTION 28

A network engineer is configuring URL Filtering on Firepower Threat Defense. Which two port requirements on the Firepower Management Center must be validated to allow communication with the cloud service? (Choose two.)

- A. outbound port TCP/443
- B. inbound port TCP/80
- C. outbound port TCP/8080
- D. inbound port TCP/443
- E. outbound port TCP/80

Answer: AE

NEW QUESTION 31

What is a behavior of a Cisco FMC database purge?

- A. User login and history data are removed from the database if the User Activity check box is selected.
- B. Data can be recovered from the device.
- C. The appropriate process is restarted.
- D. The specified data is removed from Cisco FMC and kept for two weeks.

Answer: C

NEW QUESTION 33

Which two packet captures does the FTD LINA engine support? (Choose two.)

- A. Layer 7 network ID
- B. source IP
- C. application ID
- D. dynamic firewall importing
- E. protocol

Answer: BE

NEW QUESTION 34

What is a valid Cisco AMP file disposition?

- A. non-malicious
- B. malware
- C. known-good
- D. pristine

Answer: B

NEW QUESTION 37

Which two remediation options are available when Cisco FMC is integrated with Cisco ISE? (Choose two.)

- A. dynamic null route configured
- B. DHCP pool disablement
- C. quarantine
- D. port shutdown

E. host shutdown

Answer: CD

NEW QUESTION 40

What is the maximum SHA level of filtering that Threat Intelligence Director supports?

- A. SHA-1024
- B. SHA-4096
- C. SHA-512
- D. SHA-256

Answer: D

NEW QUESTION 45

.....

Relate Links

100% Pass Your 300-710 Exam with ExamBible Prep Materials

<https://www.exambible.com/300-710-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>