

Exam Questions Tableau-CRM-and-Einstein-Discovery-Consultant

Salesforce Tableau CRM Einstein Discovery Consultant

<https://www.2passeasy.com/dumps/Tableau-CRM-and-Einstein-Discovery-Consultant/>



NEW QUESTION 1

The Universal Containers company uses a Microsoft Azure SQL Data Warehouse to gather information about sales representatives' objectives. They want to use Einstein Analytics to gain insights from this data; therefore, they need to automatically load the warehouse's data into an Einstein Analytics dataset on a daily basis. The data also needs to be transformed and merged with data from the company's org.

Which three Einstein Analytics user interface features can be used to complete these requirements? Choose 3 answers

- A. Dataflow
- B. Microsoft Azure SQL Data Warehouse Connector
- C. Einstein Analytics Connector for Excel
- D. Recipes
- E. Analytics REST API

Answer: ABD

NEW QUESTION 2

Max number of dataflow definitions (with data sync enabled)

- A. 35
- B. 55
- C. 25
- D. 15

Answer: A

NEW QUESTION 3

How many groupings can you have in a Compare Table?

- A. None
- B. One
- C. Infinite
- D. Up to four

Answer: D

NEW QUESTION 4

An Einstein Analytics team wants to create a dashboard that displays values from an external, on-premise Oracle database.

What are two options to load the data from the Oracle database into Einstein Analytics? Choose 2 answers

- A. Use the Salesforce SOAP interface.
- B. Use the Analytics External Data API.
- C. Use Oracle database connector.
- D. Load the data as a CSV file.

Answer: BC

NEW QUESTION 5

A Tableau CRM consultant has just completed deployment of an analytic app containing a recipe plus several datasets and dashboards. While conducting post deployment a smoke test, the new datasets don't seem to have migrated.

What post migration step has likely been forgotten? What post migration step has likely been forgotten?

- A. Apply security predicates on datasets
- B. Run the recipe
- C. Provide read access on the datasets
- D. Go to Analytics Settings in Setup and approve the deployment

Answer: B

NEW QUESTION 6

Which three things can be done with the Tableau CRM Dashboard Inspector? Choose 3 answers

- A. Get a list of recommendations on how to improve the performance of the dashboard.
- B. View the total time required to run all queries.
- C. Automatically remove bottlenecks to make queries run faster.
- D. View all queries and the time it took to run each one.
- E. See the final query for each query along with query results.

Answer: ADE

NEW QUESTION 7

A consultant created a dashboard using Einstein Analytics for her client, a shipping company. It sources data from very large datasets. Now the client has requested that the consultant add more steps to the dashboard.

To ensure that the dashboard has acceptable performance, what two actions should the consultant take? Choose 2 answers

- A. Check if any steps can be reused for multiple purposes.
- B. Replace AggregateFlex steps with SAQL steps.

- C. Split the steps and charts into different pages in a dashboard.
- D. Avoid using conditional formatting.

Answer: AC

NEW QUESTION 8

What is another name for the type of insight that examines how one variable explains variation of the outcome variable?

- A. Third-order analysis
- B. Object-oriented analysis
- C. Second-order analysis
- D. First-order analysis
- E. Spectrum analysis

Answer: D

NEW QUESTION 9

A Tableau CRM consultant is asked to add a new SalesTax field to a Product Sales dataset. The formula to calculate SalesTax is (SubTotal'CountyTax). Which node should the consultant use in a recipe to calculate and insert SalesTax to the dataset?

- A. Update
- B. Transform
- C. Append
- D. join

Answer: B

NEW QUESTION 10

A consultant wants to optimize data loads by extracting Salesforce objects using independent Einstein Analytics dataflows ahead of time. Which construct should be used to accomplish this?

- A. Augment
- B. Dataflow
- C. Clone
- D. Data Sync (Replication)

Answer: A

NEW QUESTION 10

As part of their analysis, Yasmine, Tonya, and Hadiqa need to create and save lenses to their project app. What is the minimum app role they need to do this?

- A. Manager
- B. Viewer
- C. Editor
- D. Designer

Answer: C

Explanation:

Save changes to existing dashboards, lenses, and datasets in the app (savingdashboards requires the appropriate permission set license and permission) available in Editor and Manager*##*##*

NEW QUESTION 14

The Universal Containers company plans to upload target data from an external tool to Einstein Analytics so they can calculate the Sales team target attainments. The target data changes every month, so the datasets need to be updated on a monthly basis. The target data is a CSV file that contains the Salesforce ID of the sales representative, the target amount, and the month of the target. For each sales representative, the file contains a target for every month of the current year as well as all previous years.

Based on this information, which operation should a consultant use with the Analytics External Data API to upload the file?

- A. Update
- B. Append
- C. Overwrite
- D. Upsert

Answer: C

NEW QUESTION 15

When deploying a model to an existing Prediction, w number should be considered"1

- A. 5: Limit of total number of Prediction Definitions.
- B. 10: Limit of number of models under a Prediction Definition.
- C. 20: Limit of number of models under a Prediction Definition.
- D. 3:Limit of total number of Models.

Answer: B

NEW QUESTION 17

Can you share dashboards with others in your org?

- A. Click on the "Share" icon on the dashboard
- B. From there, you can set up sharing options, post a dashboard screenshot to Chatter, get a URL to share, or download a screenshot.
- C. Click on the "Share" icon on the len
- D. From there, you can set up sharing options, post a dashboard screenshot to Chatter, get a URL to share, or download a screenshot
- E. No, you can't share dashboards.
- F. Click on the "Share" icon on the dataset.

Answer: A

NEW QUESTION 21

Philip adds a recently created Seed Bank Orders dataset to an Einstein Analytics app for which the Mosaic Seed Bank project team has the Viewer app role. How much data in the Seed Bank Orders dataset can a project team member see?

- A. None of the data
- B. Only rows designated by the Salesforce administrator
- C. All rows and fields in the datasets
- D. Only rows designated by the App Manager

Answer: C

NEW QUESTION 23

To see predictive insights, what option do you select in the Story toolbar?

- A. What Changed Over Time
- B. How Can I Improve It
- C. Predictions & Improvements
- D. Why It Happened
- E. What Happened

Answer: C

NEW QUESTION 27

What are two main steps for creating a dataset?

- A. Run and monitor
- B. Plan and map
- C. Extract and prepare
- D. Build and explore

Answer: C

NEW QUESTION 32

Mosaic recently hired a new development coordinator, Zoe. First, Danielle grants Zoe the Einstein Analytics Platform license, but Zoe reports that she still can't access Einstein Analytics. What could be the problem?

- A. An admin hasn't run a dataflow.
- B. Danielle still needs to grant Zoe a permission set containing the Manage Analytics permission.
- C. Danielle didn't share the Mosaic app with Zoe in Einstein Analytics.
- D. Danielle still needs to grant Zoe a permission set containing the Use Analytics permission.

Answer: D

NEW QUESTION 36

In an org, some of the Activity records do not have related Opportunity records. Additionally, there are Opportunity records that do not have related Activity records.

Which SAQL statement will fetch all Opportunities, even if they don't have associated Activities, and fetch related Activity data, if it exists?

- A. q = cogroup Opportunity by 'Id', Activities by 'OpportunityId';
- B. q = cogroup Opportunity by 'Id', Activities by 'OpportunityId' left;
- C. q = cogroup Opportunity by 'Id' right, Activities by 'OpportunityId';
- D. q = cogroup Opportunity by 'Id' left, Activities by 'OpportunityId';

Answer: D

Explanation:

https://developer.salesforce.com/docs/atlas.en-us.bi_dev_guide_saql.meta/bi_dev_guide_saql/bi_saql_statement_cogroup.htm

NEW QUESTION 41

Which permission gives you view-only access to Analytics?

- A. Use Analytics
- B. Manage Analytics
- C. Create and Edit AnalyticsDashboard

D. None of above

Answer: A

NEW QUESTION 46

A consultant is asked to configure a user to view a dashboard, within a designated app, without the ability to create and save lenses. After adding the user to the app, which action should the consultant take to implement this requirement?

- A. Assign the Editor role to the user.
- B. Assign the Viewer role to the user.
- C. Ensure the user has the Use Analytics permission.
- D. Assign the Manager role to the user.

Answer: C

NEW QUESTION 47

What do you have to assign to users before they can access Analytics?

- A. Analytics permission set license (PSL)
- B. Permission set with at least one Analytics user permission
- C. Username and password
- D. A and B
- E. B and C

Answer: D

NEW QUESTION 49

Benito has Viewer access to a new Einstein Analytics app. He wants to build and edit a dashboard using the Seed Bank dataset in this new app. What must an admin do for Benito to do this?

- A. Grant Benito access to all datasets in the org.
- B. Assign Benito a permission set that contains the permission: Create and Edit Analytics Dashboards.
- C. Grant Benito access to the app that contains the Seed Bank dataset and assign him a permission set that contains the Create and Edit Analytics Dashboards permission.
- D. Assign Benito a permission set that contains the permission: Create and Manage Analytics Apps.

Answer: C

NEW QUESTION 52

Which security feature can be used to give Regional Development Coordinator roles access to only their designated regions and seed bank orders?

- A. Inherited security
- B. Security predicates
- C. Separate apps for each region
- D. Sharing rules

Answer: B

NEW QUESTION 55

A consultant built a very useful Einstein Analytics app for Sales Operations and they want to share its contents with the rest of Global Sales. However, they do not want to add everyone in Sales to their app. The consultant recommends extending the Sales Operations app and distributing it as an Einstein Analytics template app, but needs to locate specific information to get started.

What is the REST API URL where the consultant can find current template apps?

- A. /services/data/v###.#/wave/apps
- B. /services/data/v###.#/analytics/wizard
- C. /services/data/v###.#/wave/templates
- D. /services/data/v###.#/analytics/projects

Answer: B

NEW QUESTION 57

Exhibit:

Last Activity (Year)	Account Type	Column 1	Column 2
	Summary	297	5,937
2017	Customer	0	638
2018	Customer	297	5,296
	Prospect	0	1
	Wholesaler	0	2

Universal Containers has a Sales Manager dashboard. They need to build a table as shown in the graphic and calculate the summary as the first line in a compare table.

How can the summary be calculated'

- A. Use the ShowSummary option in the compare table.
- B. Add a formula field to calculate the summary.
- C. Use a SAQL query since the summary is not available in standard interface.
- D. Create a computeExpression field in the Dataflow to calculate the summary.

Answer: A

NEW QUESTION 60

What happens if you first disable Analytics, and then you re-enable Analytics later? Select 2

- A. User permissions are removed from each defined permission set if Analytics is disable
- B. (Missed)
- C. User permissions are not removed from each defined permission set if Analytics is disabled.
- D. You must define the permission sets again if Analytics is re-enable
- E. (Missed)
- F. You must not define the permission sets again if Analytics is re-enabled.

Answer: AC

Explanation:

https://blog.bessereau.eu/assets/pdfs/bi_admin_guide_setup.pdf

NEW QUESTION 65

To model customer value, a consultant decided to aggregate the amount (\$) individual customers spent over a 2-year span. With reference to the outcome variable, which action should the consultant take?

- A. Create five bins of revenues, ranging from Very High Value, high Value, average Value, Low Value, and very Low Value in dataflow.
- B. Select the option: Are you expecting a whole number greater than or equal to 0?
- C. Create five bins or revenue, ranging from very high Value, High Value, Average Value,Low Value, and Very Low Value in data prep.
- D. Select to minimize the outcome variable.

Answer: B

NEW QUESTION 69

In the Insights list, insights are ranked in what order?

- A. Time
- B. Geospatial
- C. Statistical significance
- D. Alphabetical
- E. There is no order

Answer: C

NEW QUESTION 70


Which of these standard deviations is for a curve that has values that are the most spread out away from the average?

- A. 8
- B. 1
- C. 4
- D. 16

Answer: D

NEW QUESTION 72

Exhibit:



A company wants to create a timeline chart to visualize the evolution of their Closed Won Opportunities. What are the required parameters to build a lens that displays output similar to the image shown?

- A. 2 measures, 0-2 groupings if trellis is disabled, or 0-4 groupings if trellis is enabled
- B. 1 measure, 1-2 groupings if trellis is disabled, or 1-4 groupings if trellis is enabled
- C. 1 measure, 1 grouping by a date field, and either 0-1 groupings by a dimension if trellis is disabled, or 0-2 groupings if trellis is enabled
- D. 1 measure, 0 groupings if trellis is disabled, or 0-2 groupings if trellis is enabled

Answer: C

NEW QUESTION 74

The edgemart transformation gives the dataflow access to an existing, registered dataset that can contain Salesforce data, external data, or a combination of both. Where is an edgemart transformation specified?

- A. Dataflow Editor
- B. Recipes Editor
- C. Step Editor
- D. Settings

Answer: A

Explanation:

https://help.salesforce.com/articleView?id=bi_integrate_edgemart_transformation.htm&type=5

NEW QUESTION 75

Which three statements are true regarding sharing inheritance? Choose 3 answers

- A. If a user can see more than 3,000 records on the object in Salesforce, but the user does not have the "View All Data" permission, sharing inheritance is not used.
- B. The backup security predicate takes effect.
- C. This limitation does not apply to the Opportunity object.
- D. Sharing inheritance supports Account, Campaign, Case, Contact, Opportunity, Lead, Order, User, and custom object.
- E. If you use other objects, such as Idea or Site, you must use security predicates for those objects.
- F. A dataset using sharing must also have a security predicate defined.
- G. Sharing inheritance supports a foreign key for enforcing security.
- H. When sharing inheritance is enabled, security predicates are ignored.

Answer: ABC

Explanation:

https://help.salesforce.com/articleView?id=bi_security_datasets_sharing_about.htm&type=5

NEW QUESTION 77

How do you analyze data from a CSV file using Einstein Discovery?

- A. Import the CSV file into Einstein Discovery.
- B. Import the CSV file into the most similar Salesforce object, then run reports on that object.
- C. You can't import data from a CSV file.
- D. Import the CSV file into an Einstein Analytics dataset, then create a story.

Answer: D

NEW QUESTION 82

A dataset for building the Einstein Discovery story contains 72 fields that are potentially relevant predictors. Which approach is considered best practice to assess the top predictors in order to get to a meaningful and robust model?

- A. This dataset is too big and cannot be used in Einstein Discovery.
- B. Request a new dataset with fewer predictors.
- C. Build the story with all the predictors and indicate that Einstein Discovery should show the top predictors.
- D. Go back to the data preparation and reduce the number of fields to less than 30 in order to produce a story.
- E. Build a story with a first set of predictors and assess which predictors are important to the story.
- F. Then drop the less important ones and add the predictors that were omitted in the first run and assess their impact.

Answer: D

Explanation:

<https://medium.com/@kshannon565/ea-certification-study-guide-part-3-einstein-discovery-story-design-70ffbe4666c2>

NEW QUESTION 83

Yasmine told Danielle she's interested in using the artificial intelligence provided by Einstein Discovery to enhance analysis Mosaic probably wouldn't have considered through their own means. How can Danielle use Einstein Analytics to load data into Einstein Discovery?

- A. It's not possible
- B. Danielle will need to log into Einstein Discovery and import the data from there.
- C. Danielle needs a permission set containing the Download Analytics Data permission, then she can use the Export node to load data into Einstein Discovery.
- D. Danielle needs a permission set containing the Upload External Data to Analytics permission, then she can log into Einstein Discovery and import the data from there.
- E. Data loaded into Einstein Analytics as datasets can then be used in Einstein Discovery without a separate load process.

Answer: D

NEW QUESTION 85

Trending data limits: Maximum number of trended datasets per user and rows per snapshot:

- A. 5 per user, 200,000 per snapshot
- B. 10 per user, 100,000 per snapshot
- C. 10 per user, 200,000 per snapshot
- D. 5 per user, 100,000 per snapshot

Answer: D

NEW QUESTION 88

A Tableau CRM consultant decides to use a recipe to create a new dataset. Which two source types can be used for the recipe? Choose 2 answers

- A. Existing datasets
- B. Records from a Salesforce object
- C. DatasetLens
- D. Connected data(Synced)

Answer: AD

NEW QUESTION 91

What can you do with the dataflow?

- A. Extract data from an external CSV file into Analytics
- B. Extract Salesforce object data into Analytics
- C. Build a dashboard
- D. Explore a dataset

Answer: B

NEW QUESTION 95

What does a configuration wizard do?

- A. Automatically creates multiple versions of the same app
- B. Lets you know the best way to set up your Salesforce data
- C. Asks you questions about how you store data in your org to help you create your app
- D. Customizes your template based on Salesforce settings

Answer: C

Explanation:

https://trailhead.salesforce.com/en/content/learn/modules/wave_analytics_templates_intro/wave_analytics_templates_in_action

NEW QUESTION 100

A consultant is tasked with creating one query that shows how many opportunities and cases there are per account. Cases and opportunities are found in two different datasets with a reference to the related Account via the AccountId. What options do the consultant have in Analytics Studio to create the query?

- A. A fill statement
- B. A cogroup or union statement
- C. A union statement
- D. A cogroup statement

Answer: B

NEW QUESTION 101

Why is it important to prepare the data in a CSV file before you bring it into Analytics?

- A. To remove column headers

- B. To make sure the content is interesting
- C. To add currency symbols to numeric fields
- D. To make sure Analytics can set the field type correctly

Answer: D

NEW QUESTION 103

What are the steps in the data exploration process?

- A. View, Explore, Refine, Save, Share
- B. View, Explore, Reduce, Save, Share
- C. Download, View, Refine, Save, Share

Answer: A

NEW QUESTION 104

A client has a dashboard for Sales Managers. They want to have a list filter that shows the name of the month. However, based on the "CloseDate_Month" field, the list filter shows numbers instead of names.

How can an Einstein Consultant use the Dataflow nodes to generate the name of month as a new dimension in the dataset?

- A. flatten
- B. compute Relative
- C. compute Expression
- D. append

Answer: C

NEW QUESTION 105

Which of the following is true about the Service Analytics Overview dashboard?

- A. It instantly provides key metrics on open cases, average time to close, first contact resolution, and customer satisfaction.
- B. It lets you drill down to more detailed dashboards, like agent performance, channel review, and telephony metrics.
- C. It's available on desktop and mobile.
- D. It's a great place to start your analysis.
- E. All of the above.

Answer: E

NEW QUESTION 110

Why would you use a merge key in a dataset recipe?

- A. To find out what the merge icons represent in a dataset
- B. To schedule when a dataset recipe runs
- C. To join related data from different sources
- D. To deal with duplicate records

Answer: C

NEW QUESTION 113

Which statement best describes how to ensure Einstein Analytics dashboards are easily used across both desktop and mobile devices?

- A. Create multiple layouts, and reorder all the widgets so that they fit nicely within the new default width.
- B. Create a single layout and allow Einstein Analytics to automatically organize dashboard contents to be optimal for the device type.
- C. Create a single layout and reorder all the widgets so that they fit nicely when viewing on either device.
- D. Create multiple layouts, ensure the layout selectors match the device, and resize/hide widgets as necessary to ensure the content is appropriate for the device screen size.

Answer: D

NEW QUESTION 118

Upper and lower limits on rows in discovery.

- A. 1000 row minimum, 15,000,000 max
- B. 3000 row minimum, 20,000,000 max
- C. 00 row minimum, 20,000,000 max
- D. 500 row minimum, 25,000,000 max

Answer: C

NEW QUESTION 120

A consultant built an Einstein Analytics app for the Sales Operations team. The Sales Operations team wants to share their app with other people at the company. The consultant recommends distributing the app as an Einstein Analytics template app.

A set of JSON files will be generated after a template is created from the Sales Operations app. What is the name of the JSON file that manages template metadata and all other template elements?

- A. ui.json
- B. template-to-app-rules.json
- C. aster-info.json
- D. template-info.json

Answer: D

NEW QUESTION 124

An Einstein Consultant needs to add some data values to an existing dataflow: a text field, a number (via a case statement), and a date (via SAQL). In order to achieve this, which compute option should be used?

- A. computeExpression
- B. computeData
- C. computeValue
- D. computeField

Answer: A

NEW QUESTION 129

You can configure access to data at all of the following levels, except:

- A. Organization
- B. Records
- C. Page Layouts
- D. Objects

Answer: C

NEW QUESTION 131

What are two benefits of designing using the "Progressive Disclosure" principle? Choose 2 answers

- A. improved ease of use for end users
- B. Discounted EA licenses when growth is achieved
- C. Automatic conditional formatting
- D. Better dashboard performance

Answer: AD

Explanation:

<https://developer.salesforce.com/blogs/developer-relations/2017/04/lightning-components-performance-best-practices.html>

NEW QUESTION 132

A consultant built an Einstein Analytics dashboard for a shipping company. The dashboard displays data from several data sources- The consultant enabled data sync (replication) to increase the speed of data refreshing from these sources. What is the maximum number of dataflow definitions available in this situation?

- A. 45
- B. 35
- C. 25
- D. 30

Answer: D

Explanation:

https://help.salesforce.com/articleView?id=bi_limits.htm&type=5

NEW QUESTION 133

In a dataset, there are multiple boolean fields. When displayed on any dashboard, the boolean fields should all be displayed in the same way: a value of true should result in the display of the word "Yes" in green; a value of false should result in the display of the word "No" in red.

In which two ways can this be accomplished? Choose 2 answers

- A. Download the XMD for the dataset and change the values and color for the fields and then upload to the dataset.
- B. In the explorer, select the boolean fields and use the "edit values" option on the fields to change values and colors.
- C. Create an XMD node in the dataflow to change the label and color of the values in the fields.
- D. In the explorer, select the boolean fields, then create a derived dimension that references the boolean fields, and then modify the values and colors of the derived dimension.

Answer: AB

NEW QUESTION 138

What can you change in a Compare Table formula column?

- A. The filters
- B. The measure
- C. The grouping
- D. The formula and the name

Answer: D

NEW QUESTION 142

What does Einstein Analytics check when a user submits a query against a dataset?

- A. Whether the user has access to the app
- B. Which fields the user has access to
- C. If the user has access to the dataset
- D. Which rows the user has access to

Answer: D

NEW QUESTION 147

Max of objects that can be enabled for Data Sync

- A. 200
- B. 100
- C. 150
- D. 50

Answer: B

NEW QUESTION 149

Universal Containers is evaluating the connection mode for the objects in their local Salesforce connector. They want to only sync updated and new records from the Order object, but they have some formula fields on the object and want to ensure those are updated weekly.

which

Which connection mode is best suited for this purpose?

- A. periodic Incremental Sync
- B. Full Sync
- C. Periodic Full Sync
- D. Incremental Sync

Answer: A

NEW QUESTION 151

An Einstein Analytics consultant is notified of a performance issue with data sync (replication). The consultant researches the issue and determines that unnecessary data is being synced.

Which solution should the consultant implement to help improve data sync (replication) performance?

- A. Modify dataflows to exclude unused fields and include a filter to extract relevant data.
- B. Scaledown the number of datasets to help improve data sync (replication) performance.
- C. Start over again with new dataflows that exclude unused fields with a filter to extract relevant data.
- D. Update the existing data sync (replication) process by removing unused fields with a filter to extract relevant data.

Answer: D

NEW QUESTION 153

A dataset is ready for analysis in Einstein Discovery.

What is the first step a consultant should take after the data is loaded?

- A. Identify data types and define the appropriate data as numeric.
- B. Analyze data columns and decide which, if any, to drop.
- C. Produce a graph of the data to analyze.
- D. Load the data into Einstein Analytics

Answer: A

NEW QUESTION 157

How can you restrict access to Analytics data at the row level?

- A. Manually add a flag to each row to prevent access.
- B. Use a security predicate to filter which rows are returned.
- C. Use subtle thought control.
- D. Remove restricted rows from the JSON file.

Answer: B

Explanation:

Predicate is a name for a filter condition that defines row-level access to records in a dataset Example: "rowLevelSecurityFilter": "AccountOwner' == '\$User.Name'"

NEW QUESTION 158

You can get data into Einstein Discovery:

- A. By connecting a USB drive to your laptop
- B. By using an Einstein analytics dataset
- C. Only if your database administrator does it for you
- D. Only if Salesforce does it for you

Answer: B

Explanation:

https://trailhead.salesforce.com/content/learn/modules/wave_exploration_smart_data_discovery_basics/wave_get_smart_data_discovery_and_data

NEW QUESTION 161

Which isn't an option for setting a security predicate for a dataset created from an external data file?

- A. In the metadata file associated with the external data file using the rowLevelSecurityFilter key
- B. In the Register transformation node of a dataflow that uses this dataset
- C. In the dataset Security Predicate
- D. On each row prior to upload

Answer: D

NEW QUESTION 166

As a tableau CRM consultant you have been asked to bring data from a Snowflake database as well external Salesforce environment into Tableau CRM (CRM Analytics Plus edition). 25 objects have been enabled from the local Salesforce connector. After further investigation of the external Salesforce environment and 15 object each from the remaining 2 external Salesforce environment. You estimate each connector will per object bring between 1000 and 1 mil rows of data. What limit will be exceeded?

- A. Storage rows of data
- B. Salesforce external connector number of synced rows
- C. Total number of enabled objects
- D. Snowflakeconnector number synced rows

Answer: B

NEW QUESTION 171

Which three parameters are used in a compare table formula field to calculate and display a field as percentage value? Choose 3 answers

- A. Calculation
- B. Column Color
- C. Format
- D. Length
- E. Column Name

Answer: ACE

NEW QUESTION 176

Before using bindings, you can try using facets to specify interactions between widgets.

- A. False
- B. True

Answer: B

NEW QUESTION 181

A company wants to allow users who belong to an account team to see all the Opportunities associated with that Account in Einstein Analytics. Which two actions accomplish this requirement? Choose 2 answers

- A. Apply sharing inheritance.
- B. Create a master-detail relationship between the Salesforce Account and Opportunity objects.
- C. In the dataflow, extract the AccountTeamMember object and augment it with the Opportunity object using 'AccountId' as the joinfield and apply following security predicate: 'AccountTeamMember.UserId' == "\$User.Id".
- D. In the dataflow, extract the OpportunityTeamMember object and augment it with the Opportunity object using 'OpportunityId' as the join field and apply the following security predicate: 'OpportunityTeamMember.UserId' == "\$User.Id".

Answer: AC

NEW QUESTION 185

Universal Containers has a Sales Manager dashboard- They have a compare table that displays the count of Customers and the Sum of Annual Revenue per year and per Account type. A consultant is asked to add more groupings to enhance details about their customers.

Last Activity (Year)	Account Type	Count of Rows	Sum of Annual Revenue
2017	Customer	638	€ 0.00
2018	Customer	5,296	€ 0.00
	Prospect	1	€ 0.00
	Wholesaler	2	€ 0.00

What is the maximum number of grouping columns that the consultant must be aware of in order to continue using a compare table versus creating the query using SAQL?

- A. 8
- B. 4
- C. unlimited
- D. 10

Answer: B

NEW QUESTION 190

Why is it important to select the right root object when you use the dataset builder?

- A. The root object determines who can see the dataset.
- B. Only data from the root object can be included in the dataset.
- C. The root object determines what related objects you can add to the dataset.
- D. The root object determines what app the dataset is saved in.

Answer: C

NEW QUESTION 195

What is a keyword in SAQL? And what case must it be in?

- A. A keyword is basically just a function in SAQL, like group, foreach, et
- B. And it has to be lowercase.

Answer: A

NEW QUESTION 196

The Universal Containers company built three Einstein Discovery stories that they want to use in Salesforce to predict and maximize their revenue per customer. The stories are for every region where they have business: EMEA, AMER, and APAC. How can a consultant help them deploy the three Einstein models to Salesforce?

- A. Segment the account data per region and deploy the same model to all segments.
- B. Deploy the same model to all accounts and set the region field as an actionable variable.
- C. Deploy the same model to all accounts and use an Apex trigger to call the appropriate prediction.
- D. Segment the account data per region and deploy the appropriate model for each segment.

Answer: D

Explanation:

https://help.salesforce.com/articleView?id=bi_edd_model_deploy_filter.htm&type=5

NEW QUESTION 199

How do you open the Actions menu for a particular case shown in a dashboard?

- A. Click the Actions bar from a bubble chart
- B. Hover over the case number column of the values table widget and click the arrow that appears
- C. Double-click the case number in the Actions widget
- D. Simply @mention the case manager for that segment

Answer: B

NEW QUESTION 202

The model quality metrics of an Einstein Discovery story indicate that the GINI coefficient in the four folds are 0.82, 0.83, 0.84, and 0.75, respectively. Which two actions should a consultant take? Choose 2 answers

- A. Deploy the story, because the variation in the metrics is within the normal range.
- B. Confirm that the overall GINI coefficient is good prior to deploying the story.
- C. Research and check the dataset for outliers in the target field and the main predictors that are shown on top of the story.
- D. Do not deploy the story immediately, and research why one fold is performing worse than the others.

Answer: BD

NEW QUESTION 203

In a story investigating margin, large variations between product groups are dominating the story. Which action might an Einstein Consultant take to resolve this?

- A. Add more data to the dataset.
- B. Normalize the margin by product group.
- C. Eliminate extreme values in the dataset.
- D. Run separate stories for each region.

Answer: C

NEW QUESTION 204

Exhibit:



Which two statements can be determined based on the Why it Happened graphic above? Choose 2 answers

- A. Germany performs lower than average but better when the product is Call Center.
- B. The -2.2 Unexplained means there are effects that Einstein will never be able to explain regardless of the dataset.
- C. Call Center is a generally poor performing product, and since there is more in Germany that has a negative effect.
- D. Germany sells more Call Center product and that helps them increase their win rate.

Answer: CD

NEW QUESTION 209

The Universal Containers company uses Einstein Analytics to build dashboards for different departments: Sales, Service, and Marketing. Users for the same department have the same role and need to have access to the same dashboards. Dashboards for different departments use some common datasets with the same row-level security.

How can an Einstein Consultant address this need?

- A. Create one application for each department and use roles to share applications.
- B. Create one application for each department, put common datasets in the shared app, and use profiles to share applications.
- C. Create one application for each department, put common datasets in the shared app, and use roles to share applications.
- D. Create one application for each department, put common datasets in the shared app, and use permission sets to share applications.

Answer: C

NEW QUESTION 211

To use the Sales Analytics app, which permission set license do you need?

- A. Sales Wave
- B. Sales Analytics Apps
- C. Analytics Templated Apps
- D. Security User

Answer: B

Explanation:

Each prebuilt Analytics app has its own PSL. When you set up permissions for those apps, select the right PSL. For Service Analytics, select "Service Analytics Apps." For Event Monitoring, select "Event Monitoring Analytics Apps," and so on.

NEW QUESTION 215

After loading data to Einstein Discovery and creating a story, the client asks the Einstein Consultant to explain the "Unexplained Bar" in the "Why it Happened" chart.

Which explanation is correct?

- A. It should always be 0 or the model should not be used.
- B. It shows the difference between the predicted outcome and the observed outcome.
- C. It displays the difference between the analyzed data and the data not reviewed.
- D. It only appears for outcomes that do not have an explanation.

Answer: B

NEW QUESTION 220

A customer displays a lot of data and wants a way to dynamically emphasize certain values on a bar chart in order to properly grab the user's attention. What can an Einstein Consultant use to accomplish this task?

- A. Customizetooltip
- B. Chart Markers
- C. XMD

D. Compare Table

Answer: B

Explanation:

https://help.salesforce.com/articleView?id=bi_chart_add_tooltips_markers_to_data_points.htm&type=5

NEW QUESTION 225

A list widget is added to a dashboard with existing charts and tables. What must be true for the list widget to facet the dashboard charts and tables using widget properties?

- A. The list, chart, and table steps must share a common name.
- B. The list, chart, and table steps must share common dimensions from different datasets.
- C. The list, chart, and table steps must share the same dataset.
- D. Chart and table steps must have their own list widgets.

Answer: C

NEW QUESTION 230

A customer has a dataset consisting of over 300 unique product names. They request a prediction model with the product names included. Which action should the Einstein Consultant take?

- A. Split the analysis into multiple models will each having fewer products
- B. Adjust the model to eliminate extreme values in the outcome variable.
- C. Run the model using the default variables in the Product object
- D. Use SKU numbers rather than product names to increase clarity.

Answer: D

NEW QUESTION 235

An Einstein Analytics consultant is asked to add a new SalesTax field to a Product Sales dataset. The formula to calculate SalesTax is (SubTotal*CountyTax). Which node should the consultant use in a Dataflow to calculate and insert SalesTax to the dataset?

- A. append
- B. computeExpression
- C. augment
- D. computeRelative

Answer: B

NEW QUESTION 240

How many external files can be uploaded to Einstein Analytics on rolling 24 hour basis?

- A. 100 files per dataset
- B. 300 files per dataset
- C. 500 files per dataset
- D. 50 files Per dataset

Answer: D

NEW QUESTION 244

When you set up Analytics, which of the following features can you enable?

- A. Low-fuel notifications
- B. Sharing of apps with Communities
- C. Access to the API
- D. A and B
- E. B and C

Answer: E

Explanation:

- Community member should have assigned:
 - 'Analytics for Communities' permission set license - a permission set that includes the 'View Analytics on Communities pages' Its possible to access API.
 - for a user: API Enabled permission
 - for all: Analytics =>Settings=>Grant all users access to Wave API for all users

NEW QUESTION 249

How do you post to Chatter from a Sales Wave dashboard?

- A. Open the Actions menu for an opportunity or account and select Post
- B. Select Post to Chatter from the Actions drop-down at the top of the dashboard
- C. Right click any bar and type your message
- D. Send an email to a team member with "chatter:" in the subject line

Answer: A

NEW QUESTION 251

You are asked to update and maintain your company's Einstein Analytics dashboards. A request comes in for one of the dashboards that contains steps from different datasets. The request is to make it possible for a table from one dataset to be filtered by the results of a chart from another dataset. Your solution is to create a results binding.

Which three steps should you implement to create the binding?

- A. Look up the API name of the filtering field
- B. Look up the API name of the source field
- C. Find source and target step names
- D. Configure the results binding on the target step in the dashboard JSON.

Answer: ACD

NEW QUESTION 252

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual Tableau-CRM-and-Einstein-Discovery-Consultant Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the Tableau-CRM-and-Einstein-Discovery-Consultant Product From:

<https://www.2passeasy.com/dumps/Tableau-CRM-and-Einstein-Discovery-Consultant/>

Money Back Guarantee

Tableau-CRM-and-Einstein-Discovery-Consultant Practice Exam Features:

- * Tableau-CRM-and-Einstein-Discovery-Consultant Questions and Answers Updated Frequently
- * Tableau-CRM-and-Einstein-Discovery-Consultant Practice Questions Verified by Expert Senior Certified Staff
- * Tableau-CRM-and-Einstein-Discovery-Consultant Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * Tableau-CRM-and-Einstein-Discovery-Consultant Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year