

# Salesforce

## Exam Questions Platform-Developer-I

Platform Developer I



**NEW QUESTION 1**

Which scenario is valid for execution by unit tests?

- A. Load data from a remote site with a callout.
- B. Set the created date of a record using a system method.
- C. Execute anonymous Apex as a different user.
- D. Generate a Visualforce PDF with `getContentAsPDF()`.

**Answer: B**

**NEW QUESTION 2**

What are two ways for a developer to execute tests in an org?

- A. Tooling API
- B. Developer console
- C. Bulk API
- D. Metadata API

**Answer: AB**

**NEW QUESTION 3**

A developer has a Visualforce page and custom controller to save Account records. The developer wants to display any validation rule violation to the user. How can the developer make sure that validation rule violations are displayed?

- A. Add custom controller attributes to display the message.
- B. Include `<apex:message>` on the Visualforce page.
- C. Use a try/catch with a custom exception class.
- D. Perform the DML using the `Database.upsert()` method.

**Answer: B**

**NEW QUESTION 4**


The sales management team at Universal Container requires that the Lead Source field of the Lead record be populated when a.. converted. What should be done to ensure that a user populates the Lead Source field prior to converting a Lead?

- A. Use a formula field.
- B. Use a validation rule.
- C. Use Lead Conversation field mapping.
- D. Create an after trigger on Lead.

**Answer: B**

**NEW QUESTION 5**

Management asked for opportunities to be automatically created for accounts with annual revenue greater than \$1,000,000. A developer created the following trigger on the Account object to satisfy this requirement.



Users are able to update the account records via the UI and can see an opportunity created for high annual revenue accounts. However, when the administrator tries to upload a list of 179 accounts using Data Loader, it fails with system. Exception errors.

Which two actions should the developer take to fix the code segment shown above? Choose 2 answers

- A. Check if all the required fields for Opportunity are being added on creation.
- B. Use `Database.query` to query the opportunities.
- C. Move the DML that saves opportunities outside the for loop.
- D. Query for existing opportunities outside the for loop.

**Answer: CD**

**NEW QUESTION 6**

A custom Visualforce controller calls the `ApexPages.addMessage()` method, but no messages are rendering on the page. Which component should be added to the Visualforce page to display the message?

- A. `<apex:pageMessages />`
- B. `<apex:pageMessage severity="info"/>`
- C. `<Apex:facet name="message"/>`
- D. `<Apex:message for="info"/>`

**Answer:** B

#### NEW QUESTION 7

For which three items can 2 trace flag be configured? Choose 3 answers

- A. Flow
- B. Apex Class
- C. User
- D. Apex Trager
- E. Visualforce

**Answer:** BCD

#### NEW QUESTION 8

A developer has a single custom controller class that works with a Visualforce Wizard to support creating and editing multiple subjects. The wizard accepts data from user inputs across multiple Visualforce pages and from a parameter on the initial URL.

Which three statements are useful inside the unit test to effectively test the custom controller? Choose 3 answers

- A. insert pageRef.
- B. Test.setCurrentPage(pageRef);
- C. public ExtendedController(ApexPages StandardController cntrl) { }
- D. ApexPages.CurrentPage().getParameters().put('input\ ', 'TestValue');
- E. String nextPage - controller.save().getUrl();

**Answer:** BDE

#### NEW QUESTION 9

When using SalesforceDX, what does a developer need to enable to create and manage scratch orgs?

- A. Production
- B. Dev Hub
- C. Environment Hub
- D. Sandbox

**Answer:** B

#### Explanation:

[https://developer.salesforce.com/docs/atlas.en-us.sfdx\\_dev.meta/sfdx\\_dev/sfdx\\_dev\\_scratch\\_orgs.htm](https://developer.salesforce.com/docs/atlas.en-us.sfdx_dev.meta/sfdx_dev/sfdx_dev_scratch_orgs.htm)

When using SalesforceDX, a developer needs to enable Dev Hub in order to create and manage scratch orgs. A Dev Hub is a special type of org used by developers to store source code and other development-related

artifacts. It is also used to create and manage scratch orgs, which are temporary orgs used for development and testing.

Reference: [https://developer.salesforce.com/docs/atlas.en-us.sfdx\\_dev.meta/sfdx\\_dev/sfdx\\_dev\\_intro.htm](https://developer.salesforce.com/docs/atlas.en-us.sfdx_dev.meta/sfdx_dev/sfdx_dev_intro.htm)

#### NEW QUESTION 10

A developer created a child Lightning web component nested inside a parent Lightning web component, parent component needs to pass a string value to the child component.


In which two ways can this be accomplished? Choose 2 answers

- A. The parent component can use a custom event to pass the data to the child component,
- B. The parent component can use the Apex controller class to send data to the child component.
- C. The parent component can invoke a method in the child component
- D. The parent component can use a public property to pass the data to the child component.

**Answer:** AD

#### NEW QUESTION 10

A developer created these three Rollup Summary fields in the custom object, Project\_ct,



The developer is asked to create a new field that shows the ratio between rejected and approved timesheets for a given project.

Which should the developer use to Implement the business requirement in order to minimize maintenance overhead?

- A. Record-triggered Flow
- B. Formula field
- C. Apex Trigger
- D. Process Builder

**Answer:** B

#### NEW QUESTION 13

What are three ways for 2 developer to execute tests in an org? Choose 3 answers

- A. Metadata APT
- B. Bulk API

- C. Setup Menu
- D. SalesforceDX
- E. Tooling API

**Answer:** CDE

**NEW QUESTION 15**

What are three capabilities of the <ltng : require> tag when loading JavaScript resources in Aura components? Choose 3 answers

- A. Loading files from Documents
- B. One-time loading for duplicate scripts
- C. Specifying loading order
- D. Loading scripts In parallel
- E. Loading externally hosted scripts

**Answer:** BCD

**NEW QUESTION 16**

Where are two locations a developer can look to find information about the status of asynchronous or future methods? Choose 2 answers

- A. Apex Flex Queue
- B. Apex Jobs
- C. Paused Flow Interviews component
- D. Time-Based Workflow Monitor

**Answer:** AB

**NEW QUESTION 17**

Which two statements are true about using the @testSetup annotation in an Apex test class? Choose 2 answers

- A. Records created in the test setup method cannot be updated in individual test methods.
- B. Qo The @testSetup annotation is not supported when the GisTest(SeeAllData=True) annotation is used.
- C. Test data is inserted once for all test methods in a class.
- D. A method defined with the @testSetup annotation executes once for each test method in the test class and counts towards system limits.

**Answer:** BD

**NEW QUESTION 19**

A developer wants to mark each Account in a List<Account> as either or Inactive based on the LastModified field value being more than 90 days. Which Apex technique should the developer use?

- A. A for loop, with a switch statement inside
- B. A Switch statement, with a for loop inside
- C. An If/else statement, with a for loop inside
- D. A for loop, with an if/else statement inside

**Answer:** D

**NEW QUESTION 24**

For which three items can a trace flag be configured? Choose 3 answers

- A. Process Builder
- B. Visualforce
- C. Apex Class
- D. Apex Trigger
- E. User

**Answer:** CDE

**NEW QUESTION 26**

Universal Containers decides to use exclusively declarative development to build out a new Salesforce application. Which three options should be used to build out the database layer for the application? Choose 3 answers

- A. Roll-Up Summaries
- B. Triggers
- C. Relationships
- D. Process Builder
- E. Custom Objects and Fields

**Answer:** ACD

**NEW QUESTION 29**

Which three resources in an Azure Component can contain JavaScript functions?

- A. Controllers

- B. helper
- C. Design
- D. Style
- E. Renderer

**Answer:** ABE

#### NEW QUESTION 34

Cloud kicks has a multi-screen flow that its call center agents use when handling inbound service desk calls. At one of the steps in the flow, the agents should be presented with a list of order numbers and dates that are retrieved from an external order management system in real time and displayed on the screen. What should a developer use to satisfy this requirement?

- A. An Apex controller
- B. An Apex REST class
- C. An outbound message
- D. An invocable method

**Answer:** B

#### NEW QUESTION 39

What should be used to create scratch orgs?

- A. Developer Console
- B. Salesforce CLI
- C. Workbench
- D. Sandbox refresh

**Answer:** B

#### NEW QUESTION 41

Which two are best practices when it comes to component and application event handling? (Choose two.)

- A. Reuse the event logic in a component bundle, by putting the logic in the helper.
- B. Use component events to communicate actions that should be handled at the application level.
- C. Handle low-level events in the event handler and re-fire them as higher-level events.
- D. Try to use application events as opposed to component events.

**Answer:** AC

#### NEW QUESTION 45

A team of developers is working on a source-driven project that allows them to work independently, with many different org configurations. Which type of Salesforce orgs should they use for their development?

- A. Developer sandboxes
- B. Scratch orgs
- C. Full Copy sandboxes
- D. Developer orgs

**Answer:** B

#### NEW QUESTION 50

Universal Container is building a recruiting app with an Applicant object that stores information about an individual person that represents a job. Each application may apply for more than one job.

What should a developer implement to represent that an applicant has applied for a job?

- A. Master-detail field from Applicant to Job
- B. Formula field on Applicant that references Job
- C. Junction object between Applicant and Job
- D. Lookup field from Applicant to Job

**Answer:** A

#### NEW QUESTION 55

A developer observes that an Apex test method fails in the Sandbox. To identify the issue, the developer copies the code inside the test method and executes it via the Execute Anonymous tool in the Developer Console. The code then executes with no exceptions or errors. Why did the test method fail in the sandbox and pass in the Developer Console?

- A. The test method has a syntax error in the code.
- B. The test method relies on existing data in the sandbox.
- C. The test method is calling an @future method.
- D. The test method does not use System.runAs to execute as a specific user.

**Answer:** B

#### NEW QUESTION 56



Which action causes a before trigger to fire by default for Accounts?

- A. Renaming or replacing picklist
- B. Importing data using the Data Loader and the Bulk API
- C. Converting Leads to Contact accounts
- D. Updating addresses using the Mass Address update tool

**Answer:** B

#### NEW QUESTION 57

Which action may cause triggers to fire?

- A. Updates to Feed Items
- B. Renaming or replacing a picklist entry
- C. Changing a user's default division when the transfer division option is checked
- D. Cascading delete operations

**Answer:** A

#### NEW QUESTION 59

A custom picklist field, Food\_Preference\_\_c, exist on a custom object. The picklist contains the following options: 'Vegan','Kosher','No Preference'. The developer must ensure a value is populated every time a record is created or updated. What is the most efficient way to ensure a value is selected every time a record is saved?

- A. Set "Use the first value in the list as the default value" as True.
- B. Set a validation rule to enforce a value is selected.
- C. Mark the field as Required on the field definition.
- D. Mark the field as Required on the object's page layout.

**Answer:** C

#### NEW QUESTION 64

A developer must create a lightning component that allows users to input contact record information to create a contact record, including a salary\_\_c custom field. what should the developer use, along with a lightning-record-edit form, so that salary\_\_c field functions as a currency input and is only viewable and editable by users that have the correct field levelpermissions on salary\_\_C?

- A. <lightning-input-field field-name="Salary\_\_c"></lightning-input-field>
- B. <lightning-formatted-number value="Salary\_\_c" format-style="currency"></lightning-formatted-number>
- C. <lightning-input type="number" value="Salary\_\_c" formatter="currency"></lightning-input>
- D. <lightning-input-currency value="Salary\_\_c"></lightning-input-currency>

**Answer:** A

#### NEW QUESTION 68

A developer is debugging the following code to determinate why Accounts are not being created Account a = new Account(Name = 'A'); Database.insert(a, false); How should the code be altered to help debug the issue?

- A. Add a System.debug() statement before the insert method
- B. Add a try/catch around the insert method
- C. Set the second insert method parameter to TRUE
- D. Collect the insert method return value a Saveresult variable

**Answer:** B

#### NEW QUESTION 72

A custom object Trainer\_\_c has a lookup field to another custom object Gym\_\_c. Which SOQL query will get the record for the Viridian City gym and it's trainers?

- A. SELECT Id, (SELECT Id FROM Trainers) FROM Gym\_\_C WHERE Name = 'Viridian City Gym'
- B. SELECT Id, (SELECT Id FROM Trainer\_\_c) FROM Gym\_\_c WHERE Name = 'Viridian City Gym'
- C. SELECT ID FROM Trainer\_\_c WHERE Gym\_\_r.Name = 'Viridian City Gym'
- D. SELECT Id, (SELECT Id FROM Trainers) FROM Gym\_\_C WHERE Name = 'Viridian City Gym'

**Answer:** A

#### NEW QUESTION 74

Einstein Next Best Action Is configured at Universal Containers to display recommendations to internal users on the Account detail page.

If the recommendation is approved, a new opportunity record and task should be generated. If the recommendation is rejected, an Apex method must be executed to perform a callout to an external system.

Which three factors should a developer keep Hi mind when implementing the Apex method? Choose 3 answers

- A. The method must use the @AuraEnabled annotation.
- B. The method must use the @Future annotation.
- C. The method must use the @invocableMethod annotation.
- D. The method must be defined as static.
- E. The method must be defined as public.

**Answer:** BDE

**NEW QUESTION 76**

Universal Containers has a Visualforce page that displays a table of every Container\_c. being ..... Is falling with a view state limit because some of the customers rent over 10,000 containers.

What should a developer change about the Visualforce page to help with the page load errors?

- A. Use Lazy loading and a transient List variable.
- B. Use JavaScript remoting with SOQL Offset.
- C. Implement pagination with an OffsetController.
- D. Implement pagination with a StandardSetController,

**Answer: D**

**NEW QUESTION 77**

In terms of the MVC paradigm, what are two advantages of implementing the layer of a Salesforce application using Aura Component-based development over Visualforce? Choose 2 answers

- A. Self-contained and reusable units of an application
- B. Rich component ecosystem
- C. Automatic code generation
- D. Server-side run-time debugging

**Answer: AB**

**NEW QUESTION 81**

A developer creates a new Apex trigger with a helper class, and writes a test class that only exercises 95% coverage of new Apex helper class. Change Set deployment to production fails with the test coverage warning: "Test coverage of selected Apex Trigger is 0%, at least 1% test coverage is required" What should the developer do to successfully deploy the new Apex trigger and helper class?

- A. Create a test class and methods to cover the Apex trigger
- B. Run the tests using the 'Run All Tests' method.
- C. Remove the failing test methods from the test class.
- D. Increase the test class coverage on the helper class

**Answer: C**

**NEW QUESTION 84**

Universal Containers recently transitioned from Classic to Lightning Experience. One of its business processes requires certain value from the opportunity object to be sent via HTTP REST callout to its external order management system based on a user-initiated action on the opportunity page. Example values are as follow

- > Name
- > Amount
- > Account

Which two methods should the developer implement to fulfill the business requirement? (Choose 2 answers)

- A. Create a Lightning component that performs the HTTP REST callout, and use a Lightning Action to expose the component on the Opportunity detail page.
- B. Create a Process Builder on the Opportunity object that executes an Apex immediate action to perform the HTTP REST callout whenever the Opportunity is updated.
- C. Create an after update trigger on the Opportunity object that calls a helper method using @Future(Callout=true) to perform the HTTP REST callout.
- D. Create a Visualforce page that performs the HTTP REST callout, and use a Visualforce quick action to expose the component on the Opportunity detail page.

**Answer: AC**

**NEW QUESTION 88**

Universal Containers wants to back up all of the data and attachments in its Salesforce org once month. Which approach should a developer use to meet this requirement?

- A. Use the Data Loader command line.
- B. Create a Schedulable Apex class.
- C. Schedule a report.
- D. Define a Data Export scheduled job.

**Answer: D**

**Explanation:**

Scheduling a Data Export job is the best way to back up all the data and attachments in a Salesforce org once a month. The Data Export job can be scheduled to run at a certain frequency so that the data can be backed up on a regular basis. This makes it easy to restore the data in case of any emergency.

**NEW QUESTION 91**

A development team wants to use a deployment script to automatically deploy to a sandbox during their development cycles.

Which two tools can they use to run a script that deploys to a sandbox?

Choose 2 answers

- A. Ant Migration Tool
- B. SFDX CLI
- C. Change Sets
- D. Developer Console

**Answer:** AB

#### NEW QUESTION 94

As part of a data cleanup strategy, AW Computing wants to proactively delete associated opportunity records when the related Account is deleted. Which automation tool should be used to meet this business requirement?

- A. Workflow Rules
- B. Scheduled job
- C. Record-Triggered Flow
- D. Process Builder

**Answer:** C

#### NEW QUESTION 95

A developer must modify the following code snippet to prevent the number of SOQL queries issued from exceeding the platform governor limit. public class without sharing OpportunityService{ public static List<OpportunityLineItem> getOpportunityProducts(Set<Id> opportunityIds){ List<OpportunityLineItem> oppLineItems = new List<OpportunityLineItem>(); for(Id thisOppld : opportunityIds){ oppLineItems.addAll([Select Id FROM OpportunityLineItems WHERE OpportunityId = :thisOppld]); } return oppLineItems; } }

The above method might be called during a trigger execution via a Lightning component. Which technique should be implemented to avoid reaching the governor limit?

- A. Use the System.Limits.getQueries() method to ensure the number of queries is less than 100.
- B. Use the System.Limits.getLimitQueries() method to ensure the number of queries is less than 100.
- C. Refactor the code above to perform the SOQL query only if the Set of opportunityIds contains less 100 Ids.
- D. Refactor the code above to perform only one SOQL query, filtering by the Set of opportunityIds.

**Answer:** D

#### NEW QUESTION 96

A developer created a trigger on the Account object and wants to test if the trigger is properly bulkified. The developer team decided that the trigger should be tested with 200 account records with unique names.

What two things should be done to create the test data within the unit test with the least amount of code? Choose 2 answers

A developer created a trigger on the Account object and wants to test if the trigger is properly bulkified. The developer team decided that the trigger should be tested with 200 account records with unique names.

What two things should be done to create the test data within the unit test with the least amount of code? Choose 2 answers

- A. Use the @isTest(isParallel=true) annotation in the test class.
- B. Use Test.loadData to populate data in your test methods.
- C. Use the @isTest(seeAllData=true) annotation in the test class.
- D. Create a static resource containing test data.

**Answer:** BD

#### NEW QUESTION 98

A Lightning component has a wired property, searchResults, that stores a list of Opportunities. Which definition of the Apex method, to which the searchResults property is wired, should be used?

- A. @AuraEnabled(cacheable=true)public static List<Opportunity> search(String term) { /\* implementation\*/ }
- B. @AuraEnabled(cacheable=true) public List<Opportunity> search(String term) { /\*implementation\*/ }
- C. @AuraEnabled(cacheable=false) public static List<Opportunity> search(String term) { /\*implementation\*/ }
- D. @AuraEnabled(cacheable=false) public List<Opportunity> search(String term) { /\*implementation\*/ }

**Answer:** A

#### NEW QUESTION 102

A developer is creating a page that allows users to create multiple Opportunities. The developer is asked to verify the current user's default Opportunity record type, and set certain default values based on the record type before inserting the record. How can the developer find the current user's default record type? ns

- A. Query the Profile where the ID equals userInfo.getProfileID() and then use the profile.Opportunity.getDefaultRecordType() | metho
- B. ] |
- C. Use Opportunit
- D. SObjectType.getDescribe().getRecordTypeInfo() to get a list of record types, and iterate through them until [ JisDefaultRecordTypeMapping() is tru
- E. Pencil & Paper |
- F. Use the Schema.userInfo.Opportunity.getDefaultRecordType() metho
- G. <Create the opportunity and check the opportunity.recordType before inserting, which will have the record ID of the current Dal user's default record type.

**Answer:** B

#### NEW QUESTION 107

Consider the following code snippet:



```
public static List<Lead> obtainAllFields(Set<Id> leadIds) {  
    List<Lead> result = new List<Lead>();  
    for(Id leadId : leadIds){  
        result.add([SELECT FIELDS(ALL) FROM Lead WHERE Id = :leadId]);  
    }  
    return result;  
}
```

Given the multi-tenant architecture of the Salesforce platform, what is a best practice a developer should implement and ensure successful execution of the method?

- A. Avoid executing queries without a limit clause.
- B. Avoid returning an empty List of records.
- C. Avoid using variables as query filters.
- D. Avoid performing queries inside for loops.

**Answer: D**

#### NEW QUESTION 109

An Apex method, `getAccounts`, that returns a list of Accounts given a `searchTerm`, is available for Lightning Web Components to use.

What is the correct definition of a Lightning Web Component property that uses the `getAccounts` method? A)

```
@AuraEnabled(getAccounts, '$searchTerm')  
accountList;
```

B)

```
@wire(getAccounts, { searchTerm: '$searchTerm' })  
accountList;
```

C)

```
@AuraEnabled(getAccounts, { searchTerm: '$searchTerm' })  
accountList;
```

D)

```
@wire(getAccounts, '$searchTerm')  
accountList;
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer: C**

#### NEW QUESTION 110

A developer is asked to prevent anyone other than a user with Sales Manager profile from changing the Opportunity Status to Closed Lost if the lost reason is blank.

Which automation allows the developer to satisfy this requirement in the most efficient manner?

- A. A record trigger flow on the Opportunity object
- B. An Apex trigger on the Opportunity object
- C. approval process on the Opportunity object
- D. An error condition formula on a validation rule on Opportunity

**Answer: D**

#### NEW QUESTION 111

Universal Container uses Service Cloud with a custom field, `stage_c`, on the Case object.

Management wants to send a follow-up email reminder 6 hours after the `stage_c` field is set to “Waiting on customer”. The .... Administrator wants to ensure the solution used is bulk safe.

Which two automation tools should a developer recommend to meet these business requirements? Choose 2 answers

- A. Scheduled Flow
- B. Einstein Next Best Action
- C. Record-Triggered Flow
- D. Process Builder

**Answer: AC**

#### NEW QUESTION 112

How should a developer write unit tests for a private method in an Apex class?

- A. Use the SeeAllData annotation.
- B. Add a test method in the Apex class.
- C. Use the TestVisible annotation.
- D. Mark the Apex class as global.

**Answer: C**

#### NEW QUESTION 117

A developer is implementing an Apex class for a financial system. Within the class, the variables 'creditAmount' and 'debtAmount' should not be able to change once a value is assigned. In which two ways can the developer declare the variables to ensure their value can only be assigned one time? Choose 2 answers

- A. Use the static keyword and assign its value in the class constructor.
- B. Use the final keyword and assign its value in the class constructor.
- C. Use the static keyword and assign its value in a static initializer.
- D. Use the final keyword and assign its value when declaring the variable.

**Answer: BD**

#### NEW QUESTION 118

What does the Lightning Component framework provide to developers?

- A. Extended governor limits for applications
- B. Prebuilt component that can be reused.
- C. Templates to create custom components.
- D. Support for Classic and Lightning UIs.

**Answer: B**

#### NEW QUESTION 123

which statement is true regarding execution order when triggers are associated to the same object and event?

- A. Trigger execution order cannot be guaranteed.
- B. executed In the order they are modified.
- C. Triggers are executed alphabetically by trigger name.
- D. Triggers are executed in the order they are created.

**Answer: A**

#### NEW QUESTION 124

An org tracks customer orders on an Order object and the items of an Order on the Line Item object. The Line Item object has a MasterDetail relationship to the order object. A developer has a requirement to calculate the order amount on an Order and the line amount on each Line item based on quantity and price. What is the correct implementation?

- A. Implement the line amount as a numeric formula field and the order amount as a roll-up summary field.
- B. Write a single before trigger on the Line Item that calculates the item amount and updates the order amount on the Order.
- C. Implement the Line amount as a currency field and the order amount as a SUM formula field.
- D. Write a process on the Line item that calculates the item amount and order amount and updates the field on the Line Item and the order.

**Answer: C**

#### NEW QUESTION 129

Which two events need to happen when deploying to a production org? Choose 2 answers

- A. All triggers must have at least 1% test coverage.
- B. All Apex code must have at least 75% test coverage.
- C. All triggers must have at least 75% test coverage.
- D. All test and triggers must have at least 75% test coverage combined

**Answer: AB**

#### NEW QUESTION 130

Which three code lines are required to create a Lightning component on a Visualforce page? Choose 3 answers

- A. \$Lightning.createComponent
- B. <apex:slds/>
- C. \$Lightning.useComponent
- D. \$Lightning.use
- E. <apex:includeLightning/>

**Answer: ADE**

**NEW QUESTION 131**

What should a developer use to obtain the Id and Name of all the Leads, Accounts, and Contacts that have the company name "Universal Containers"?

- A. FIND 'Universal Containers' IN Name Fields RETURNING leadjid, name), accounted, name), contacted, name)
- B. FIND Universal Containers' IN CompanyName Fietds RETURNING lead{I
- C. name), accounted, name), contacted, name)
- D. SELECT lead(id, name). accountOd, name), contacted, name) FROM Lead, Account, Contact WHERE Name = "universal Containers'
- E. SELECT Lead.i
- F. Lead.Name, Account.Id, AccountName, Contacted, Contact.Name FROM Lead, Account, Contact WHERE CompanvName \* Universal Containers'

**Answer:** A

**NEW QUESTION 136**

What are two ways a developer can get the status of an enqueued job for a class that queueable interface? Choose 2 answers

- A. View the apex status Page
- B. View the apex flex Queue
- C. View the apex Jobs page
- D. Query the AsyncApexJobe object

**Answer:** AC

**NEW QUESTION 139**

A Salesforce Administrator is creating a record-triggered flow. When certain criteria are met, the flow must call an Apex method to execute complex validation involving several types of objects.

When creating the Apex method, which annotation should a developer use to ensure the method Can be used within the flow?

- A. @future
- B. @RemoteAction
- C. @InvocableMethod
- D. @AuraEnaled

**Answer:** C

**NEW QUESTION 141**

A developer needs to implement a custom SOAP Web Service that is used by an external Web Application. The developer chooses to Include helper methods that are not used by the Web Application In the Implementation of the Web Service Class.

Which code segment shows the correct declaration of the class and methods?

A)

```
global class WebServiceClass {  
    private Boolean helperMethod() { /* implementation ... */ }  
    global String updateRecords() { /* implementation ... */ }  
}
```

B)

```
webservice class WebServiceClass {  
    private Boolean helperMethod() { /* implementation ... */ }  
    global static String updateRecords() { /* implementation ... */ }  
}
```

C)

```
global class WebServiceClass {  
    private Boolean helperMethod() { /* implementation ... */ }  
    webservice static String updateRecords() { /* implementation ... */ }  
}
```

D)

```
webservice class WebServiceClass {  
    private Boolean helperMethod() { /* implementation ... */ }  
    webservice static String updateRecords() { /* implementation ... */ }  
}
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer:** C

**NEW QUESTION 142**

Which two sfdx commands can be used to add testing data to a Developer sandbox?

- A. Forced: data:bulk:upsert
- B. Forced: data: object :upsert
- C. Forced: data: tree: upsert
- D. Forced: data:async:upsert

**Answer:** AC

**NEW QUESTION 146**

Which three Salesforce resources can be accessed from a Lightning web component? Choose 3 answers

- A. SVG resources
- B. Third-party web components
- C. Content asset files
- D. Static resources
- E. All external libraries

**Answer:** ADE

**NEW QUESTION 151**

Cloud kicks has a multi-screen flow that its call center agents use when handling inbound service desk calls. At one of the steps in the flow, the agents should be presented with a list of order numbers and dates that are retrieved from an external order management system in real time and displayed on the screen. What should a developer use to satisfy this requirement?

- A. An Apex controller
- B. An Apex REST class
- C. An outbound message
- D. An invocable method

**Answer:** B

**NEW QUESTION 156**

A company has a custom object, Sales, }\_Help\_Request\_\_c, that has a Lookup relationship to Opportunity. The Seles Help Request\_\_c has a number field, Number\_ct\_Hours\_\_c, that represents the amount of time spent on the Sales\_Help Request\_\_C.

A developer is tasked with creating a field, total\_Hour2\_\_c, on Opportunity that should be the sum of all of the Number\_of\_Hours\_c values for the Sales\_Help\_Request\_\_c records related to that Opportunity.

What should the developer use to implement this?

- A. A roll-up summary field on the sales Help\_Request\_\_c object
- B. A trigger on the Opportunity object
- C. A roll-up summary field on the Opportunity object
- D. A record-triggered flow on the Sales Help Request\_\_c object

**Answer:** B

**NEW QUESTION 161**

If apex code executes inside the execute() method of an Apex class when implementing the Batchable interface, which statement are true regarding governor limits? Choose 2 answers

- A. The Apex governor limits might be higher due to the asynchronous nature of the transaction.
- B. The apex governor limits are reset for each iteration of the execute() method.
- C. The Apex governor limits are relaxed while calling the constructor of the Apex class.
- D. The Apex governor limits cannot be exceeded due to the asynchronous nature of the transaction,

**Answer:** AB

**NEW QUESTION 165**

Which salesforce org has a complete duplicate copy of the production org including data and configuration?

- A. Developer Pro Sandbox
- B. Partial Copy Sandbox
- C. Production
- D. Full Sandbox

**Answer:** D

**NEW QUESTION 166**

A developer must provide custom user interfaces when users edit a Contact in either Salesforce Classic or Lightning Experience. What should the developer use to override the Contact's Edit button and provide this functionality?

- A. A Visualforce page in Salesforce Classic and a Lightning component in Lightning Experience
- B. A Lightning component in 5alesforce Classic and a Lightning component in lightning Experience
- C. A Visualforce page in Salesforce Classic and a Lightning page in Lightning Experience
- D. A Lightning page in Salesforce Classic and a Visualforce page in Lightning Experience



**Answer:** A

#### NEW QUESTION 170

A developer must create a CreditcardPayment class that provides an implementation of an existing Payment class. Public virtual class Payment { public virtual void makePayment(Decimal amount) { /\*implementation\*/ } } Which is the correct implementation?

- A. Public class CreditcardPayment extends Payment {public override void makePayment(Decimal amount) { /\*implementation\*/ } }
- B. Public class CreditCardPayment implements Payment {public virtual void makePayment(Decimal amount) { /\*implementation\*/ } }
- C. Public class CreditCardPayment extends Payment {public virtual void makePayment(Decimal amount) { /\*implementation\*/ } }
- D. Public class CreditCardPayment implements Payment {public override void makePayment(Decimal amount) { /\*Implementation\*/ } }

**Answer:** A

#### NEW QUESTION 173

Universal Container(UC) wants to lower its shipping cost while making the shipping process more efficient. The Distribution Officer advises UC to implement global addresses to allow multiple Accounts to share a default pickup address. The Developer is tasked to create the supporting object and relationship for this business requirement and uses the Setup Menu to create a custom object called "Global Address". Which field should the developer add to create the most efficient model that supports the business need?

- A. Add a Master-Detail field on the Account object to the Global Address object
- B. Add a Master-Detail field on the Global Address object to the Account object.
- C. Add a Lookup field on the Account object to the Global Address object.
- D. Add a Lookup field on the Global Address object to the Account object

**Answer:** B

#### NEW QUESTION 177

A developer completed modification to a customized feature that is comprised of two elements: Apex trigger Trigger handler Apex class What are two factors that the developer must take into account to properly deploy the modification to the production environment?

- A. Apex classes must have at least 75% code coverage org-wide.
- B. At least one line of code must be executed for the Apex trigger.
- C. All methods in the test classes must use @isTest.
- D. Test methods must be declared with the testMethod keyword.

**Answer:** AB

#### NEW QUESTION 180

A developer wrote Apex code that calls out to an external system. How should a developer write the test to provide test coverage?

- A. Write a class that extends HTTPCalloutMock.
- B. Write a class that implements the HTTPCalloutMock interface.
- C. Write a class that implements the WebserviceMock interface.
- D. Write a class that extends WebserviceMock

**Answer:** B

#### NEW QUESTION 182

Universal Containers has a Visualforce page that displays a table of every Container\_\_c. being ..... Is failing with a view state limit because some of the customers rent over 10,000 containers.

What should a developer change about the Visualforce page to help with the page load errors?

- A. Use Lazy loading and a transient List variable.
- B. Use JavaScript remoting with SOQL Offset.
- C. Implement pagination with an OffsetController.
- D. Implement pagination with a StandardSetController,

**Answer:** D

#### NEW QUESTION 186

The Job\_Application\_\_c custom object has a field that is a Master-Detail relationship to the Contact object, where the Contact object is the Master. As part of a feature implementation, a developer needs to retrieve a list containing all Contact records where the related Account Industry is 'Technology' while also retrieving the contact's Job\_Application\_\_c records.

Based on the object's relationships, what is the most efficient statement to retrieve the list of contacts?

- A. [SELECT Id, (SELECT Id FROM Job\_Applications\_\_r) FROM Contact WHERE Account.Industry = 'Technology'];
- B. [SELECT Id, (SELECT Id FROM Job\_Applications\_\_r) FROM Contact WHERE Accounts.Industry = 'Technology'];
- C. [SELECT Id, (SELECT Id FROM Job\_Applications\_\_c) FROM Contact WHERE Accounts.Industry = 'Technology'];
- D. [SELECT Id, (SELECT Id FROM Job\_Application\_\_c) FROM Contact WHERE Account.Industry = 'Technology'];

**Answer:** B

#### NEW QUESTION 187

.....



## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### Platform-Developer-I Practice Exam Features:

- \* Platform-Developer-I Questions and Answers Updated Frequently
- \* Platform-Developer-I Practice Questions Verified by Expert Senior Certified Staff
- \* Platform-Developer-I Most Realistic Questions that Guarantee you a Pass on Your First Try
- \* Platform-Developer-I Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The Platform-Developer-I Practice Test Here](#)**