

Exam Questions 101-500

LPIC-1 Exam 101 - Part 1 of 2 - version 5.0

<https://www.2passeasy.com/dumps/101-500/>



NEW QUESTION 1

- (Exam Topic 1)

Which of the following statements is correct when talking about /proc/?

- A. All changes to files in /proc/ are stored in /etc/proc.d/ and restored on reboot.
- B. All files within /proc/ are read-only and their contents cannot be changed.
- C. All changes to files in /proc/ are immediately recognized by the kernel.
- D. All files within /proc/ are only readable by the root user.

Answer: C

NEW QUESTION 2

- (Exam Topic 1)

What information can the lspci command display about the system hardware? (Choose THREE correct answers.)

- A. Device IRQ settings
- B. PCI bus speed
- C. System battery type
- D. Device vendor identification
- E. Ethernet MAC address

Answer: ABD

NEW QUESTION 3

- (Exam Topic 1)

During a system boot cycle, what program is executed after the BIOS completes its tasks?

- A. The bootloader
- B. The inetd program
- C. The init program
- D. The kernel

Answer: A

NEW QUESTION 4

- (Exam Topic 1)

Which of the following information is stored within the BIOS? (Choose TWO correct answers.)

- A. Boot device order
- B. Linux kernel version
- C. Timezone
- D. Hardware configuration
- E. The system's hostname

Answer: AD

NEW QUESTION 5

- (Exam Topic 1)

Which of the following kernel parameters instructs the kernel to suppress most boot messages?

- A. silent
- B. verbose=0
- C. nomsg
- D. quiet

Answer: D

NEW QUESTION 6

- (Exam Topic 1)

The system is having trouble and the engineer wants to bypass the usual /sbin/init start up and run /bin/sh. What is the usual way to pass this change to the kernel from your boot loader?

- A. Start in runlevel 1.
- B. Pass init=/bin/sh on the kernel parameter line.
- C. Pass /bin/sh on the kernel parameter line.
- D. Pass start=/bin/sh on the kernel parameter line.

Answer: B

NEW QUESTION 7

- (Exam Topic 1)

The USB device filesystem can be found under /proc/_____/usb/. (Please fill in the blank with the single word only)

- A. Mastered

B. Not Mastered

Answer: A

Explanation:

bus

NEW QUESTION 8

- (Exam Topic 1)

Which of the following commands reboots the system when using SysV init? (Choose TWO correct answers.)

- A. shutdown -r now
- B. shutdown -r "rebooting"
- C. telinit 6
- D. telinit 0
- E. shutdown -k now "rebooting"

Answer: AC

NEW QUESTION 9

- (Exam Topic 1)

You suspect that a new ethernet card might be conflicting with another device. Which file should you check within the /proc tree to learn which IRQs are being used by which kernel drivers?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

interrupts, /proc/interrupts

NEW QUESTION 10

- (Exam Topic 1)

The message "Hard Disk Error" is displayed on the screen during Stage 1 of the GRUB boot process. What does this indicate?

- A. The kernel was unable to execute /bin/init
- B. The next Stage cannot be read from the hard disk because GRUB was unable to determine the size and geometry of the disk
- C. One or more of the filesystems on the hard disk has errors and a filesystem check should be run
- D. The BIOS was unable to read the necessary data from the Master Boot Record to begin the boot process

Answer: B

NEW QUESTION 10

- (Exam Topic 1)

Which run levels should never be declared as the default run level when using SysV init? (Choose TWO correct answers.)

- A. 1
- B. 3
- C. 5
- D. 6

Answer: AE

NEW QUESTION 15

- (Exam Topic 1)

Which of the following are init systems used within Linux systems? (Choose THREE correct answers.)

- A. startd
- B. systemd
- C. Upstart
- D. SysInit
- E. SysV init

Answer: BCE

NEW QUESTION 19

- (Exam Topic 1)

What of the following statements are true regarding /dev/ when using udev? (Choose TWO correct answers.)

- A. Entries for all possible devices get created on boot even if those devices are not connected.
- B. Additional rules for udev can be created by adding them to /etc/udev/rules.d/.
- C. When using udev, it is not possible to create block or character devices in /dev/ using mknod.
- D. The /dev/ directory is a filesystem of type tmpfs and is mounted by udev during system startup.
- E. The content of /dev/ is stored in /etc/udev/dev and is restored during system startup.

Answer: BD

NEW QUESTION 22

- (Exam Topic 2)

What is the name of the main configuration file for GNU GRUB? (Specify the file name only without any path.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

menu.lst, grub.conf, grub.cfg

NEW QUESTION 25

- (Exam Topic 2)

In which directory must definition files be placed to add additional repositories to yum?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/etc/yum.repos.d, /etc/yum.repos.d/, yum.repos.d, yum.repos.d/

NEW QUESTION 28

- (Exam Topic 2)

The dpkg-_____ command will ask configuration questions for a specified package, just as if the package were being installed for the first time.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

reconfigure

NEW QUESTION 29

- (Exam Topic 2)

Which of the following is correct when talking about mount points?

- A. Every existing directory can be used as a mount point.
- B. Only empty directories can be used as a mount point.
- C. Directories need to have the SetUID flag set to be used as a mount point.
- D. Files within a directory are deleted when the directory is used as a mount point.

Answer: A

NEW QUESTION 32

- (Exam Topic 2)

Which option to the yum command will update the entire system? (Specify ONLY the option name without any additional parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

update, upgrade

NEW QUESTION 37

- (Exam Topic 2)

To what environment variable will you assign or append a value if you need to tell the dynamic linker to look in a build directory for some of a program's shared libraries?

- A. LD_LOAD_PATH
- B. LD_LIB_PATH
- C. LD_LIBRARY_PATH
- D. LD_SHARE_PATH
- E. LD_RUN_PATH

Answer: C

NEW QUESTION 40

- (Exam Topic 2)

Which RPM command will output the name of the package which supplied the file /etc/exports?

- A. rpm -F /etc/exports
- B. rpm -qf /etc/exports
- C. rpm -Kl /etc/exports
- D. rpm -qp /etc/exports
- E. rpm -qi/etc/exports

Answer: B

NEW QUESTION 43

- (Exam Topic 2)

Which of the following environment variables overrides or extends the list of directories holding shared libraries?

- A. LD_LOAD_PATH
- B. LD_LIB_PATH
- C. LD_LIBRARY_PATH
- D. LD_SHARE_PATH
- E. LD_RUN_PATH

Answer: C

NEW QUESTION 48

- (Exam Topic 2)

Which of the following commands lists all currently installed packages when using RPM package management?

- A. yum --query --all
- B. yum --list --installed
- C. rpm --query --all
- D. rpm --list --installed

Answer: C

NEW QUESTION 49

- (Exam Topic 2)

To prevent users from being able to fill up the / partition, the _____ directory should be on a separate partition if possible because it is world writeable.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/tmp, tmp

NEW QUESTION 52

- (Exam Topic 2)

An administrator has issued the following command: grub-install --root-directory=/custom-grub /dev/sda

In which directory will new configuration files be found? (Provide the full directory path only without the filename)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/custom-grub/boot/grub/, /custom-grub/boot/grub

NEW QUESTION 54

- (Exam Topic 2)

Which of the following apt-get commands will install the newest versions of all currently installed packages without removing any packages or installing new packages that are not already installed?

- A. auto-update
- B. upgrade
- C. dist-upgrade
- D. install
- E. update

Answer: B

NEW QUESTION 55

- (Exam Topic 2)

When removing a package, which of the following dpkg options will completely remove the files including configuration files?

- A. --clean
- B. --delete
- C. --purge
- D. --remove

Answer: C

NEW QUESTION 56

- (Exam Topic 2)

Which of the following commands can be used to perform a full text search on all available packages on a Debian system?

- A. apt
- B. apt-cache
- C. apt-get
- D. apt-search
- E. dpkg

Answer: B

NEW QUESTION 57

- (Exam Topic 2)

You want to preview where the package file, apache.xml.i386.rpm, will install its files before installing it. What command do you issue?

- A. rpm -qp apache.xml.i386.rpm
- B. rpm -qv apache.xml.i386.rpm
- C. rpm -ql apache.xml.i386.rpm
- D. rpm -qpl apache.xml.i386.rpm

Answer: D

NEW QUESTION 61

- (Exam Topic 2)

What can the Logical Volume Manager (LVM) be used for? (Choose THREE correct answers.)

- A. To create RAID 9 arrays.
- B. To dynamically change the size of logical volumes.
- C. To encrypt logical volumes.
- D. To create snapshots.
- E. To dynamically create or delete logical volumes.

Answer: BDE

NEW QUESTION 62

- (Exam Topic 2)

Which of the following commands updates the linker cache of shared libraries?

- A. mkcache
- B. soconfig
- C. mkldconfig
- D. lddconfig
- E. ldconfig

Answer: E

NEW QUESTION 66

- (Exam Topic 3)

What happens after issuing the command vi without any additional parameters?

- A. vi starts and loads the last file used and moves the cursor to the position where vi was when it last exited.
- B. vi starts and requires the user to explicitly either create a new or load an existing file.
- C. vi exits with an error message as it cannot be invoked without a file name to operate on.
- D. vi starts in command mode and opens a new empty file.
- E. vi starts and opens a new file which is filled with the content of the vi buffer if the buffer contains text.

Answer: D

NEW QUESTION 70

- (Exam Topic 3)

When given the following command line. echo "foo bar" | tee bar | cat

Which of the following output is created?

- A. cat
- B. foo bar
- C. tee bar
- D. bar
- E. foo

Answer: B

NEW QUESTION 74

- (Exam Topic 3)

Which of the following commands will print the last 10 lines of a text file to the standard output?

- A. cat -n 10 filename
- B. dump -n 10 filename
- C. head -n 10 filename
- D. tail -n 10 filename

Answer: D

NEW QUESTION 77

- (Exam Topic 3)

Which of the following commands will send output from the program myapp to both standard output (stdout) and the file file1.log?

- A. cat < myapp | cat > file1.log
- B. myapp 0>&1 | cat > file1.log
- C. myapp | cat > file1.log
- D. myapp | tee file1.log
- E. tee myapp file1.log

Answer: D

NEW QUESTION 82

- (Exam Topic 3)

Which of the following commands determines the type of a file by using a definition database file which contains information about all common file types?

- A. magic
- B. type
- C. file
- D. pmagic
- E. hash

Answer: C

NEW QUESTION 86

- (Exam Topic 3)

Which of the following commands displays the contents of a gzip compressed tar archive?

- A. gzip archive.tgz | tar xvf -
- B. tar ztf archive.tgz
- C. gzip -d archive.tgz | tar tvf -
- D. tar cf archive.tgz

Answer: B

NEW QUESTION 89

- (Exam Topic 3)

In the vi editor, which of the following commands will copy the current line into the vi buffer?

- A. c
- B. cc
- C. 1c
- D. yy
- E. 1y

Answer: D

NEW QUESTION 93

- (Exam Topic 3)

What is the effect of the egrep command when the -v option is used?

- A. It enables color to highlight matching parts.
- B. It only outputs non-matching lines.
- C. It shows the command's version information.
- D. It changes the output order showing the last matching line first.

Answer: B

NEW QUESTION 98

- (Exam Topic 3)

In compliance with the FHS, in which of the directories are man pages found?

- A. /usr/share/man
- B. /opt/man
- C. /usr/doc/
- D. /var/pkg/man
- E. /var/man

Answer: A

NEW QUESTION 102

- (Exam Topic 3)

Which of the following commands prints a list of usernames (first column) and their primary group (fourth column) from the /etc/passwd file?

- A. fmt -f 1,4 /etc/passwd
- B. split -c 1,4 /etc/passwd
- C. cut -d : -f 1,4 /etc/passwd
- D. paste -f 1,4 /etc/passwd

Answer: C

NEW QUESTION 103

- (Exam Topic 3)

Which of the following commands replaces each occurrence of 'bob' in the file letter with 'Bob' and writes the result to the file newsletter?

- A. sed '/bob/Bob' letter > newsletter
- B. sed s/bob/Bob/ letter < newsletter
- C. sed's/bob/Bob' letter > newsletter
- D. sed 's/bob/Bob/g' letter > newsletter
- E. sed 's/bob, Bob/' letter > newsletter

Answer: D

NEW QUESTION 105

- (Exam Topic 3)

What is the maximum niceness value that a regular user can assign to a process with the nice command when executing a new process?

- A. 9
- B. 19
- C. 49
- D. 99

Answer: B

NEW QUESTION 106

- (Exam Topic 3)

Which of the following commands prints all files and directories within the /tmp directory or its subdirectories which are also owned by the user root? (Choose TWO correct answers.)

- A. find /tmp -uid root -print
- B. find -path /tmp -uid root
- C. find /tmp -user root -print
- D. find /tmp -user root
- E. find -path /tmp -user root -print

Answer: CD

NEW QUESTION 109

- (Exam Topic 3)

Which command displays a list of all background tasks running in the current shell? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

jobs

NEW QUESTION 110

- (Exam Topic 3)

Which of the following characters can be combined with a separator string in order to read from the current input source until the separator string, which is on a separate line and without any trailing spaces, is reached?

- A. <<
- B. <|
- C. !<
- D. &<

Answer: A

NEW QUESTION 112

- (Exam Topic 3)

Which of the following commands can be used to create a USB storage media from a disk image?

- A. gdisk
- B. dd
- C. cc
- D. fdisk
- E. mount

Answer: B

NEW QUESTION 114

- (Exam Topic 3)

When running the command

```
sed -e "s/a/b/" /tmp/file >/tmp/file
```

While /tmp/file contains data, why is /tmp/file empty afterwards?

- A. The file order is incorrec
- B. The destination file must be mentioned before the command to ensure redirection.
- C. The command sed did not match anything in that file therefore the output is empty.
- D. When the shell establishes the redirection it overwrites the target file before the redirected command starts and opens itfor reading.
- E. Redirection for shell commands do not work using the > characte
- F. It only works using the | character instead.

Answer: C

NEW QUESTION 119

- (Exam Topic 3)

Which command is used in a Linux environment to create a new directory? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

mkdir, /usr/bin/mkdir

NEW QUESTION 121

- (Exam Topic 3)

What is the output of the following command? echo "Hello World" | tr -d aeiou

- A. Hello World
- B. eoo
- C. Hll Wrld
- D. eoo Hll Wrld

Answer: C

NEW QUESTION 124

- (Exam Topic 3)

From a Bash shell, which of the following commands directly executes the instruction from the file /usr/local/bin/runme.sh without starting a subshell? (Please select TWO answers.)

- A. source /usr/local/bin/runme.sh
- B. . /usr/local/bin/runme.sh
- C. /bin/bash /usr/local/bin/runme.sh
- D. /usr/local/bin/runme.sh
- E. run /usr/local/bin/runme.sh

Answer: AB

NEW QUESTION 126

- (Exam Topic 3)

Regarding the command: nice -5 /usr/bin/prog

Which of the following statements is correct?

- A. /usr/bin/prog is executed with a nice level of -5.
- B. /usr/bin/prog is executed with a nice level of 5.
- C. /usr/bin/prog is executed with a priority of -5.
- D. /usr/bin/prog is executed with a priority of 5.

Answer: B

NEW QUESTION 128

- (Exam Topic 3)

What does the + symbol mean in the following grep regular expression: `grep '^d[aei]\+d$' /usr/share/dict/words`

- A. Match the preceding character set ([aei]) one or more times.
- B. Match the preceding character set ([aei]) zero or more times.
- C. Match the preceding character set ([aei]) zero or one times.
- D. Match a literal + symbol.

Answer: A

NEW QUESTION 130

- (Exam Topic 3)

Which signal is missing from the following command that is commonly used to instruct a daemon to reinitialize itself, including reading configuration files?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

`killall -s _____ daemon`
HUP, SIGHUP, 1

NEW QUESTION 133

- (Exam Topic 3)

Which of the following commands kills the process with the PID 123 but allows the process to "clean up" before exiting?

- A. `kill -PIPE 123`
- B. `kill -KILL 123`
- C. `kill -STOP 123`
- D. `kill -TERM 123`

Answer: D

NEW QUESTION 136

- (Exam Topic 3)

Which character, added to the end of a command, runs that command in the background as a child process of the current shell?

- A. !
- B. +
- C. &
- D. %
- E. #

Answer: C

NEW QUESTION 139

- (Exam Topic 4)

Which umask value will result in the default access permissions of 600 (rw-----) for files and 700 (rwx-----) for directories? (Specify only the numerical umask value.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

0077, 077

NEW QUESTION 140

- (Exam Topic 4)

Following the Filesystem Hierarchy Standard (FHS), where should binaries that have been compiled by the system administrator be placed in order to be made available to all users on the system?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

`/usr/local/bin/`

NEW QUESTION 141

- (Exam Topic 4)

Which of the following commands will produce the following output?

USER	PID	%CPU	%MEM	VSZ	RSS	TTY	STAT	START	TIME	COMMAND
root	1255	4.4	0.9	60716	34824	tty7	Ss+	09:25	19:04	/usr/bin/X :0 -
root	2016	0.0	0.0	1792	560	tty1	Ss+	09:26	0:00	/sbin/getty -8
matt	5204	0.0	0.1	6320	3696	pts/4	Ss	13:12	0:00	bash
matt	5219	0.0	0.0	3988	1624	pts/4	S+	13:12	0:00	man bash
matt	5229	0.0	0.0	3584	932	pts/4	S+	13:12	0:00	pager -s
matt	6768	0.0	0.1	10504	3880	pts/2	S+	15:11	0:00	vi README.txt

- A. jobs
- B. proclist
- C. netstat
- D. ps

Answer: D

NEW QUESTION 145

- (Exam Topic 4)

Which of the following commands instructs SysVinit to reload its configuration file?

- A. reinit
- B. initreload
- C. telinit 7
- D. telinit q
- E. init reinit

Answer: D

NEW QUESTION 146

- (Exam Topic 4)

Which of the following commands will change all CR-LF pairs in an imported text file, userlist.txt, to Linux standard LF characters and store it as newlist.txt?

- A. tr '\r\n' " < userlist.txt > newlist.txt
- B. tr -c '\n\r' " < newlist.txt > userlist.txt
- C. tr -d '\r' < userlist.txt > newlist.txt
- D. tr '\r' '\n' userlist.txt newlist.txt
- E. tr -s '^M' '^J' userlist.txt newlist.txt

Answer: C

NEW QUESTION 149

- (Exam Topic 4)

Which command is used to create and initialize the files used to store quota information? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

quotacheck

NEW QUESTION 154

- (Exam Topic 4)

After successfully creating a hard link called bar to the ordinary file foo, foo is deleted from the filesystem. Which of the following describes the resulting situation?

- A. foo and bar would both be removed.
- B. foo would be removed while bar would remain accessible.
- C. foo would be remove
- D. bar would still exist but would be unusable.
- E. Both foo and bar would remain accessible.
- F. The user is prompted whether bar should be removed, too.

Answer: B

NEW QUESTION 156

- (Exam Topic 4)

Which of the following commands will load a kernel module along with any required dependency modules?

- A. depmod
- B. insmod
- C. modprobe
- D. module_install
- E. loadmod

Answer: C

NEW QUESTION 158

- (Exam Topic 4)

What do the permissions -rwSr-xr-x mean for a binary file when it is executed as a command?

- A. The command is SetUID and it will be executed with the effective rights of the owner.
- B. The command will be executed with the effective rights of the group instead of the owner.
- C. The execute flag is not set for the owner.
- D. Therefore the SetUID flag is ignored.
- E. The command will be executed with the effective rights of the owner and group.

Answer: C

NEW QUESTION 160

- (Exam Topic 4)

Which of the following commands set the sticky bit for the directory /tmp? (Choose TWO correct answers.)

- A. chmod +s /tmp
- B. chmod +t /tmp
- C. chmod 1775 /tmp
- D. chmod 4775 /tmp
- E. chmod 2775 /tmp

Answer: BC

NEW QUESTION 162

- (Exam Topic 4)

Which of the following commands prints a list of available package updates when using RPM-based package management?

- A. dpkg list
- B. yum list
- C. dpkg check-update
- D. yum check-update
- E. yum list-update

Answer: D

NEW QUESTION 165

- (Exam Topic 4)

Which utility would be used to change how often a filesystem check is performed on an ext2 filesystem without losing any data stored on that filesystem?

- A. mod2fs
- B. fsck
- C. tune2fs
- D. mke2fs
- E. fixe2fs

Answer: C

NEW QUESTION 168

- (Exam Topic 4)

Which command creates a swap space on a block device or a file? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

mkswap

NEW QUESTION 171

- (Exam Topic 4)

Which type of filesystem is created by mkfs when it is executed with the block device name only and without any additional parameters?

- A. ext2
- B. ext3
- C. ext4
- D. XFS
- E. VFAT

Answer: A

NEW QUESTION 174

- (Exam Topic 4)

Which of the following is a limitation of the cut command?

- A. The cut command can only select output by field position.
- B. The cut command cannot reorder fields.
- C. The cut command only works on ASCII text.
- D. The cut command cannot use different input and output delimiters.

Answer: B

NEW QUESTION 178

- (Exam Topic 4)

Which of the following options must be passed to a filesystem's entry in /etc/fstab in order to mount the file system without root privileges?

- A. auto
- B. norestrict
- C. noauto
- D. user

Answer: D

NEW QUESTION 181

- (Exam Topic 4)

Which SysV init configuration file is commonly used to set the default run level? (Specify the full name of the file, including path.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

inittab

NEW QUESTION 182

- (Exam Topic 4)

Which of the following commands converts spaces in a file to tab characters and prints the result to standard output?

- A. iconv
- B. expand
- C. unexpand
- D. tab

Answer: C

NEW QUESTION 187

- (Exam Topic 4)

Which of the following commands will print important system information such as the kernel version and machine hardware architecture?

- A. sysinfo
- B. uname
- C. lspci
- D. arch
- E. info

Answer: B

NEW QUESTION 191

- (Exam Topic 4)

Where does the BIOS search for a bootloader?

- A. On all connected storage media regardless of the boot device order.
- B. On all connected storage media in the defined boot device order.
- C. Only on hard disk drives in the defined boot device order.
- D. Only on the last added storage media.
- E. The BIOS is not responsible to search for a valid bootloader.

Answer: B

NEW QUESTION 196

- (Exam Topic 4)

Which permissions and ownership should the file /etc/passwd have?

- A. -rw-----1 rootroot531 Jun 5 22:45 /etc/passwd
- B. -rw-r--r--1 rootroot531 Jun 5 22:45 /etc/passwd
- C. -rw-r--r--1 11531 Jun 5 22:45 /etc/passwd
- D. -rw-----1 11531 Jun 5 22:45 /etc/passwd

Answer: B

NEW QUESTION 198

- (Exam Topic 4)

What is the purpose of the xargs command?

- A. It passes arguments to an X server.
- B. It reads standard input (STDIN) and builds up command lines to execute.
- C. It helps shells scripts take variable argument lists.
- D. It asks a question, graphically, and returns the answer to the shell.
- E. It allows users to specify long options for commands that normally only accept short options.

Answer: B

NEW QUESTION 200

- (Exam Topic 4)

The system configuration file named _____ is commonly used to set the default runlevel. (Please provide the file name with full path information)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/etc/inittab

NEW QUESTION 203

- (Exam Topic 4)

Which program updates the database that is used by the locate command?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

updatedb

NEW QUESTION 208

- (Exam Topic 4)

Which of the following commands can be used to create a new file that is 100kB in size?

- A. dd
- B. file
- C. mkfile
- D. touch

Answer: A

NEW QUESTION 209

- (Exam Topic 4)

How is a symbolic link called bar.conf pointing to foo.conf created?

- A. ln -s foo.conf bar.conf
- B. ln foo.conf bar.conf
- C. ln -s bar.conf foo.conf
- D. ln bar.conf foo.conf

Answer: A

NEW QUESTION 212

- (Exam Topic 4)

When piping the output of find to the xargs command, what option to find is useful if the filenames have spaces in them?

- A. -rep-space
- B. -print0
- C. -nospace
- D. -ignore-space

Answer: B

NEW QUESTION 214

- (Exam Topic 4)

Which of the following is true for hard linked files? (Choose three.)

- A. The output of `stat` will report hard instead of regular file.
- B. The hard linked files have the same permissions and owner.
- C. The hard linked files share the same inode.
- D. The hard linked files are indicated by a `->` when listed with `ls -l`.
- E. The hard linked files must be on the same filesystem.

Answer: BCE

NEW QUESTION 218

- (Exam Topic 4)

What does the command `mount -a` do?

- A. It ensures that all file systems listed with the option `noauto` in `/etc/fstab` are mounted.
- B. It shows all mounted file systems that have been automatically mounted.
- C. It opens an editor with root privileges and loads `/etc/fstab` for editing.
- D. It ensures that all file systems listed with the option `auto` in `/etc/fstab` are mounted.
- E. It ensures that all file systems listed in `/etc/fstab` are mounted regardless of their options.

Answer: D

NEW QUESTION 221

- (Exam Topic 4)

Which of the following commands shows the definition of a given shell command?

- A. `where`
- B. `stat`
- C. `type`
- D. `case`

Answer: C

NEW QUESTION 222

- (Exam Topic 4)

After running the command `umount /mnt`, the following error message is displayed: `umount: /mnt: device is busy`.

What is a common reason for this message?

- A. The kernel has not finished flushing disk writes to the mounted device.
- B. A user has a file open in the `/mnt` directory.
- C. Another file system still contains a symlink to a file inside `/mnt`.
- D. The files in `/mnt` have been scanned and added to the locate database.
- E. The kernel thinks that a process is about to open a file in `/mnt` for reading.

Answer: B

NEW QUESTION 224

- (Exam Topic 4)

Which file from the `/proc` file system contains a list of all currently mounted devices? (Specify ONLY the command without any path or parameters.)

- A. `Mastered`
- B. `Not Mastered`

Answer: A

Explanation:

`mounts`

NEW QUESTION 226

- (Exam Topic 4)

Which command shows all shared libraries required by a binary executable or another shared library? (Specify ONLY the command without any path or parameters.)

- A. `Mastered`
- B. `Not Mastered`

Answer: A

Explanation:

`ldd`

NEW QUESTION 229

- (Exam Topic 4)

Which option to the `tee` command will cause the output to be concatenated on the end of the output file instead of overwriting the existing file contents?

- A. `-a`
- B. `-c`
- C. `--no-clobber`

D. --continue

Answer: A

NEW QUESTION 234

- (Exam Topic 4)

Which of the following commands are common Linux commands for file management? (Choose three correct answers.)

- A. copy
- B. mv
- C. move
- D. cp
- E. mkdir

Answer: BDE

NEW QUESTION 236

- (Exam Topic 4)

Which of the following commands creates an ext3 filesystem on /dev/sdb1? (Choose TWO correct answers.)

- A. /sbin/mke2fs -j /dev/sdb1
- B. /sbin/mkfs -t ext3 /dev/sdb1
- C. /sbin/mkfs -c ext3 /dev/sdb1
- D. /sbin/mke3fs -j /dev/sdb1

Answer: AB

NEW QUESTION 239

- (Exam Topic 4)

Which of the following commands changes the number of days before the ext3 filesystem on /dev/sda1 has to run through a full filesystem check while booting?

- A. tune2fs -d 200 /dev/sda1
- B. tune2fs -c 200 /dev/sda1
- C. tune2fs -i 200 /dev/sda1
- D. tune2fs -n 200 /dev/sda1
- E. tune2fs --days 200 /dev/sda1

Answer: C

NEW QUESTION 243

- (Exam Topic 4)

Which of the following commands will display the inode usage of each mounted filesystem?

- A. du -i
- B. df -i
- C. lsfs -i
- D. printfs -i

Answer: B

NEW QUESTION 245

- (Exam Topic 4)

Which of the following file permissions belong to a symbolic link?

- A. -rwxrwxrwx
- B. +rwxrwxrwx
- C. lrwxrwxrwx
- D. srwxrwxrwx

Answer: C

NEW QUESTION 250

- (Exam Topic 4)

Which of the following is the device file name for the second partition on the only SCSI drive?

- A. /dev/hda1
- B. /dev/sda2
- C. /dev/sd0a2
- D. /dev/sd1p2

Answer: B

NEW QUESTION 251

- (Exam Topic 5)

Consider the following directory:

drwxrwxr-x 2 root sales 4096 Jan 1 15:21 sales

Which command ensures new files created within the directory sales are owned by the group sales? (Choose two.)

- A. chmod g+s sales
- B. setpol -R newgroup=sales sales
- C. chgrp -p sales sales
- D. chown --persistent *.sales sales
- E. chmod 2775 sales

Answer: CE

NEW QUESTION 252

- (Exam Topic 5)

Which command must be entered before exiting vi to save the current file as filea.txt?

- A. %s filea.txt
- B. %w filea.txt
- C. :save filea.txt
- D. :w filea.txt
- E. :s filea.txt

Answer: D

NEW QUESTION 253

- (Exam Topic 5)

Which of the following commands displays the path to the executable file that would be executed when the command foo is invoked?

- A. lsattr foo
- B. apropos foo
- C. locate foo
- D. whatis foo
- E. which foo

Answer: A

NEW QUESTION 257

- (Exam Topic 5)

Which program runs a command in specific intervals and refreshes the display of the program's output? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

watch

NEW QUESTION 260

- (Exam Topic 5)

Which of the following properties of a Linux system should be changed when a virtual machine is cloned? (Choose two.)

- A. The partitioning scheme
- B. The file system
- C. The D-Bus Machine ID
- D. The permissions of /root/
- E. The SSH host keys

Answer: DE

NEW QUESTION 265

- (Exam Topic 5)

When is the content of the kernel ring buffer reset? (Choose two.)

- A. When the ring buffer is explicitly reset using the command dmesg --clear
- B. When the ring buffer is read using dmesg without any additional parameters
- C. When a configurable amount of time, 15 minutes by default, has passed
- D. When the kernel loads a previously unloaded kernel module
- E. When the system is shut down or rebooted

Answer: AE

NEW QUESTION 266

- (Exam Topic 5)

A Debian package creates several files during its installation. Which of the following commands searches for packages owning the file /etc/debian_version?

- A. apt-get search /etc/debian_version

- B. apt -r /etc/debian_version
- C. find /etc/debian_version -dpkg
- D. dpkg -S /etc/debian_version
- E. apt-file /etc/debian_version

Answer: C

NEW QUESTION 269

- (Exam Topic 5)

Which command displays the current disk space usage for all mounted file systems? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

du

NEW QUESTION 272

- (Exam Topic 5)

Which of the following regular expressions represents a single upper-case letter?

- A. :UPPER:
- B. [A-Z]
- C. !a-z
- D. %C
- E. {AZ}

Answer: B

NEW QUESTION 273

- (Exam Topic 5)

When redirecting the output of find to the xargs command, what option to find is useful if the filenames contain spaces?

- A. -rep-space
- B. -printrul
- C. -nospace
- D. -ignore-space
- E. -print0

Answer: E

NEW QUESTION 276

- (Exam Topic 5)

Which is the default percentage of reserved space for the root user on new ext4 filesystems?

- A. 10%
- B. 3%
- C. 15%
- D. 0%
- E. 5%

Answer: E

NEW QUESTION 279

- (Exam Topic 5)

What output will be displayed when the user fred executes the following command? echo 'fred \$USER'

- A. fred fred
- B. fred /home/fred/
- C. 'fred \$USER'
- D. fred \$USER
- E. 'fred fred'

Answer: A

NEW QUESTION 284

- (Exam Topic 5)

Consider the following output from the command ls -li:

```
525385 -rw-rw-r-- 2 1000 1000 0 Feb 12 19:44 a.txt
526255 lrwxrwxrwx 1 1000 1000 5 Feb 12 19:44 b.txt -> a.txt
```

How would a new file named c.txt be created with the same inode number as a.txt (Inode 525385)?

- A. ln -h a.txt c.txt
- B. ln c.txt a.txt

- C. ln a.txt c.txt
- D. ln -f c.txt a.txt
- E. ln -i 525385 c.txt

Answer: C

NEW QUESTION 285

- (Exam Topic 5)

Which of the following files exist in a standard GRUB 2 installation? (Choose two.)

- A. /boot/grub/stages/stage0
- B. /boot/grub/i386-pc/1vm.mod
- C. /boot/grub/fstab
- D. /boot/grub/grub.cfg
- E. /boot/grub/linux/vmlinuz

Answer: BD

NEW QUESTION 287

- (Exam Topic 5)

What is the first program the Linux kernel starts at boot time when using System V init?

- A. /lib/init.so
- B. /proc/sys/kernel/init
- C. /etc/rc.d/rcinit
- D. /sbin/init
- E. /boot/init

Answer: D

NEW QUESTION 291

- (Exam Topic 5)

Which of the following files, located in a user's home directory, contains the Bash history?

- A. .bashrc_history
- B. .bash_histfile
- C. .history
- D. .bash_history
- E. .history_bash

Answer: B

NEW QUESTION 295

- (Exam Topic 5)

Which of the following commands prints a list of usernames (first column) and their primary group (fourth column) from the /etc/passwd file?

- A. fmt -f 1,4 /etc/passwd
- B. cut -d : -f 1,4 /etc/passwd
- C. sort -t : -k 1,4 /etc/passwd
- D. paste -f 1,4 /etc/passwd
- E. split -c 1,4 /etc/passwd

Answer: B

NEW QUESTION 296

- (Exam Topic 5)

What is true regarding the configuration of yum? (Choose two.)

- A. Changes to the repository configuration become active after running yum confupdate
- B. Changes to the yum configuration become active after restarting the yum service
- C. The configuration of package repositories can be divided into multiple files
- D. Repository configurations can include variables such as \$basearch or \$releasever
- E. In case /etc/yum.repos.d/ contains files, /etc/yum.conf is ignored

Answer: DE

NEW QUESTION 298

- (Exam Topic 5)

Which of the following vi commands deletes two lines, the current and the following line?

- A. d2
- B. 2d
- C. 2dd
- D. dd2
- E. de12

Answer: C

NEW QUESTION 299

- (Exam Topic 5)

Which of the following commands displays the output of the foo command on the screen and also writes it to a file called /tmp/foodata?

- A. foo | less /tmp/foodata
- B. foo | cp /tmp/foodata
- C. foo > /tmp/foodata
- D. foo | tee /tmp/foodata
- E. foo > stdout >> /tmp/foodata

Answer: D

NEW QUESTION 302

Which Bash environment variable defines in which file the user history is stored when exiting a Bash process? (Specify ONLY the variable name.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

HISTFILE

NEW QUESTION 304

Which of the following commands will NOT update the modify timestamp on the file /tmp/myfile.txt?

- A. file /tmp/myfile.txt
- B. echo "Hello" >/tmp/myfile.txt
- C. sed -ie "s/1/2/" /tmp/myfile.txt
- D. echo -n "Hello" >>/tmp/myfile.txt
- E. touch/tmp/myfile.txt

Answer: A

NEW QUESTION 309

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 101-500 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 101-500 Product From:

<https://www.2passeasy.com/dumps/101-500/>

Money Back Guarantee

101-500 Practice Exam Features:

- * 101-500 Questions and Answers Updated Frequently
- * 101-500 Practice Questions Verified by Expert Senior Certified Staff
- * 101-500 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 101-500 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year