




## VMware

### Exam Questions 2V0-21.23

VMware vSphere 8.x Professional

NEW QUESTION 1  
Refer to the exhibit.



An administrator set up the following configuration:

- The distributed switch has four ESXi hosts, and each host has two 10 Gbps NICs.
- In the Network I/O Control configuration, the amount of bandwidth reserved for virtual machine (VM) traffic is 4 Gbps.


The administrator wants to guarantee that VMs in the Retail distributed port group can access 50 percent of the available reserved bandwidth for VM traffic. Given this scenario, what should the size (in Gbps) of the Retail network resource pool be?

- A. 40
- B. 32
- C. 8
- D. 16

Answer: D

Explanation:  
 $4\text{Gbps} \times 8\text{Nic} = 32\text{Gbps} \times 50\% = 16\text{Gbps}$

NEW QUESTION 2  
Refer to the exhibit.



An administrator set up the following configuration:

- The distributed switch has three ESXi hosts, and each host has two 40 Gbps NICs.
- The amount of bandwidth reserved for virtual machine (VM) traffic is 6 Gbps.

The administrator wants to guarantee that VMs in the Finance distributed port group can access 50 percent of the available reserved bandwidth for VM traffic. Given this scenario, what should the size (in Gbps) of the Finance network resource pool be?

- A. 18
- B. 80
- C. 36

D. 120

**Answer:** A

**Explanation:**

The size of the Finance network resource pool should be 50 percent of the reserved bandwidth for VM traffic, which is 6 Gbps x 3 hosts = 18 Gbps.


References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.networking.doc/GUID-9F1D4E96-339>

<https://docs.vmware.com/en/VMware-vSphere/8.0/vsphere-networking/GUID-29A96AB2-AEBF-420E-BDD6>

**NEW QUESTION 3**

Refer to the exhibit.



After updating a predefined alarm on VMware vCenter, an administrator enables email notifications as shown in the attached alarm; however, notifications are NOT being sent.

Where must the mail server settings be configured by the administrator to resolve this issue?

- A. In the ESXi host system config
- B. In the alarm rule definitions
- C. In the vCenter settings in the vSphere Client
- D. in the vCenter Management Interface

**Answer:** C

**Explanation:**

Option C is correct because it allows the administrator to configure the mail server settings in the vCenter settings in the vSphere Client, which are required for sending email notifications for alarms. Option A is incorrect because it configures the mail server settings on an ESXi host system, which are not used for sending email notifications for alarms. Option B is incorrect because it configures the alarm rule definitions, which are already enabled in the exhibit. Option D is incorrect because it configures the vCenter Management Interface, which is not used for sending email notifications for alarms. References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.monitoring.doc/GUID-A2A4371A-B88>

**NEW QUESTION 4**

An administrator is adding a new ESXi host to an existing vSphere cluster. When selecting the cluster, the administrator is unable to use the Cluster Quickstart workflow to add and configure the additional host.

What could be the root cause of this issue?

- A. The administrator has previously dismissed the Cluster Quickstart workflow.
- B. The administrator must manually add the host to the cluster before using the Cluster Quickstart workflow.
- C. The administrator has not been assigned the required permissions to use the Cluster Quickstart workflow.
- D. The administrator must enable the Cluster Quickstart workflow option in VMware vCenter.

**Answer:** A

**Explanation:**

Option A is correct because it indicates that the administrator has previously dismissed the Cluster Quickstart workflow, which will prevent them from using it to add and configure an additional host. To use the Cluster Quickstart workflow again, the administrator must enable it in the cluster settings. Option B is incorrect because the administrator does not need to manually add the host to the cluster before using the Cluster Quickstart workflow, as this is one of the steps in the workflow. Option C is incorrect because the administrator does not need any special permissions to use the Cluster Quickstart workflow, as long as they have permissions to perform cluster operations. Option D is incorrect because there is no option to enable the Cluster Quickstart workflow in VMware vCenter, as this is a feature of vSphere clusters. References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vcenterhost.doc/GUID-9F9E3F8C-0E2>

**NEW QUESTION 5**

An administrator is tasked with implementing a backup solution capable of backing up the Supervisor cluster, vSphere Pods, and persistent volumes.

Which two solutions must be used to meet this requirement? (Choose two.)

- A. VMware vCenter
- B. Standalone Velero and Restic
- C. NSX-T Manager
- D. vSphere Host Client
- E. Velero Plugin for vSphere

**Answer:** BE

### NEW QUESTION 6

An administrator creates a virtual machine that contains the latest company-approved software, tools and security updates. Company policy requires that only full clones are allowed for server workloads.

A combination of which two tasks should the administrator complete to prepare for the deployment of this virtual machine for multiple users? (Choose two.)

- A. Set appropriate permissions on the virtual machine.
- B. Create a virtual machine customization specification.
- C. Upgrade the virtual hardware.
- D. Convert the virtual machine to a template.
- E. Take a snapshot of the virtual machine.


**Answer:** BD

#### Explanation:

Option B and D are correct because they allow the administrator to create a virtual machine customization specification, which can be used to customize guest operating system settings for multiple virtual machines, and convert the virtual machine to a template, which can be used to create full clones of server workloads. Option A is incorrect because assigning appropriate permissions on the virtual machine does not prepare it for deployment for multiple users. Option C is incorrect because upgrading the virtual hardware does not prepare it for deployment for multiple users. Option E is incorrect because taking a snapshot of the virtual machine does not prepare it for deployment for multiple users. References:  
[https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm\\_admin.doc/GUID-9F9E3F8C-0E2](https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm_admin.doc/GUID-9F9E3F8C-0E2)

### NEW QUESTION 7

Refer to Exhibit:



An environment has the following configuration:

- Resource Pool “RP-MOM” has a reservation of 6GHz and one running virtual machine (VM) “VM-M1” with 1 GHz reserved
- Resource Pool “RP-KID” has a reservation of 2GHz, and expandable reservations is activated

The administrator creates two VMs, “VM-K1” and “VM-K2”, in the “RP-KID” resource pool with 2GHz reserved for each, and turns on “VM-M1”. Given this scenario, which statement is true?

- A. The administrator must deactivate expandable reservations to turn on VM-K2
- B. The administrator can create a third VM ( VM-K3?) at RP-KID and reserve 6GHz
- C. VM-K2 can be powered on because it can get the resources needed from RP-MOM.
- D. VM-K2 cannot be powered on because there are not enough resources in RP-KID.

**Answer:** C

#### Explanation:

<https://docs.vmware.com/en/VMware-vSphere/8.0/vsphere-resource-management/GUID-60077B40-66FF-4625>

### NEW QUESTION 8

An administrator notices a performance issue in VMware vCenter. To try and understand more about the performance issue, the administrator needs to gather more information about the vCenter database to eliminate a potential disk space issue.

Which two tools can the administrator use? (Choose two.)

- A. vCenter Management Interface (VAMI)
- B. Perfmon
- C. df
- D. esxtop
- E. vSphere Client

**Answer:** AC


#### Explanation:

<https://kb.vmware.com/s/article/76563>

### NEW QUESTION 9

Exhibit switch





An administrator configures a distributed switch and adds the first VMware ESXi server to it. The administrator also performs the following activities:

- The administrator assigns two uplinks to the distributed switch.
  - The administrator enables uplink teaming.
- When attempting to perform a health check of the teaming policy, the health status of the Teaming and Failover reports as 'Unknown?', as seen in the exhibit.  
 What can the administrator changes in the distributed switch for the health status to report correctly?

- Add a minimum of three hosts with two uplinks each
- Add a minimum of two hosts with two uplinks each
- Add a minimum of three hosts with four uplinks each
- Add a minimum of two hosts with one uplink each

**Answer: B**

#### NEW QUESTION 10

An administrator is attempting to configure Storage I/O Control (SIOC) on five datastores within a vSphere environment. The administrator is being asked to determine why SIOC configuration completed successfully on only four of the datastores.  
 What are two possible reasons why the configuration was not successful? (Choose two.)

- The datastore contains Raw Device Mappings (RDMs).
- SAS disks are used for the datastore.
- The datastore has multiple extents.
- The datastore is using iSCSI.
- The administrator is using NFS storage.

**Answer: AC**

#### Explanation:

SIOC configuration may fail if the datastore contains RDMs or has multiple extents, as these are not supported by SIOC.

References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.storage.doc/GUID-FB3F5C5C-D3F6-4>

Storage I/O Control is supported on Fibre Channel-connected, iSCSI-connected, and NFS-connected storage. Raw Device Mapping (RDM) is not supported.  
 Storage I/O Control does not support datastores with multiple extents.

#### NEW QUESTION 10

An administrator receives reports from the application team of poor performance of a virtual machine (VM). The administrator reviews the virtual machine and discovers that it has 20 snapshots that are over 12 months old.  
 What could the administrator do to improve the VM's performance?

- Inflate the base disk to make space for future snapshots.
- Revert to the latest snapshot.
- Consolidate all of the snapshots into the base VM.
- Identify and delete the largest delta .vmdk file.

**Answer: C**

#### Explanation:

<https://4sysops.com/archives/performance-impact-of-snapshots-in-vmware-vsphere-7/#:~:text=As%20you%20k>

#### NEW QUESTION 15

An administrator is tasked with moving an application and guest operating system (OS) running on top of a physical server to a software-defined data center (SDDC) in a remote secure location.

The following constraints apply:

- The remote secure location has no network connectivity to the outside world.
- The business owner is not concerned if all changes in the application make it to the SDDC in the secure location.
- The application's data is hosted in a database with a high number of transactions.

What could the administrator do to create an image of the guest OS and application that can be moved to this remote data center?

- A. Create a hot clone of the physical server using VMware vCenter Converter.
- B. Create a cold clone of the physical server using VMware vCenter Converter.
- C. Restore the guest OS from a backup.
- D. Use storage replication to replicate the guest OS and application.

**Answer:** B

**Explanation:**

Option B is correct because it allows the administrator to create a cold clone of the physical server using VMware vCenter Converter, which will create an image of the guest OS and application that can be moved to this remote data center without requiring network connectivity or affecting the application's data. Option A is incorrect because creating a hot clone of the physical server using VMware vCenter Converter will require network connectivity and may affect the application's data due to changes during conversion. Option C is incorrect because restoring the guest OS from a backup will require network connectivity and may not include the latest changes in the application. Option D is incorrect because using storage replication to replicate the guest OS and application will require network connectivity and may not be feasible for a physical server. References:

<https://docs.vmware.com/en/vCenter-Converter-Standalone/6.2/com.vmware.convsa.guide/GUID-9F9E3F8C-0E>

**NEW QUESTION 19**

An administrator is investigating reports of users experiencing difficulties logging into a VMware vCenter instance using LDAP accounts. Which service should the administrator check as part of troubleshooting?

- A. vSphere Authentication Proxy Service
- B. Lookup Service
- C. Identity Management Service
- D. VMware Authentication Framework Daemon

**Answer:** C

**Explanation:**

Identity Management Service is the service that handles authentication requests from LDAP accounts and other identity sources in vCenter Server. References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vcenter.install.doc/GUID-FE1D5F2E-E3AC-4D>

**NEW QUESTION 21**

A combination of which two components of the software-defined data center (SDDC) are responsible for the initial abstraction of CPU, memory, disk, and network resources and their subsequent management? (Choose two.)

- A. VMware ESXi
- B. VMware vCenter Cloud Gateway
- C. VMware vSphere Lifecycle
- D. VMware vCenter
- E. VMware vSphere Operations

**Answer:** AD

**Explanation:**

VMware ESXi and VMware vCenter are the two components of the software-defined data center (SDDC) that are responsible for the initial abstraction of CPU, memory, disk, and network resources and their subsequent management<sup>1</sup>. VMware ESXi is the virtualization platform where you create and run virtual machines and virtual appliances<sup>2</sup>. VMware vCenter is the service through which you manage multiple hosts connected in a network and pool host resources<sup>2</sup>. These two components are part of the SDDC architecture that enables a fully automated, zero-downtime infrastructure for any application, and any hardware, now and in the future<sup>3</sup>.

**NEW QUESTION 24**

An administrator is tasked with configuring certificates for a VMware software-defined data center (SDDC) based on the following requirements:

- All certificates should use certificates trusted by the Enterprise Certificate Authority (CA).
- The solution should minimize the ongoing management overhead of replacing certificates.

Which three actions should the administrator take to ensure that the solution meets corporate policy? (Choose three.)

- A. Replace the VMware Certificate Authority (VMCA) certificate with a self-signed certificate generated from the
- B. Replace the machine SSL certificates with custom certificates generated from the Enterprise CA.
- C. Replace the machine SSL certificates with trusted certificates generated from the VMware Certificate Authority (VMCA).
- D. Replace the VMware Certificate Authority (VMCA) certificate with a custom certificate generated from the Enterprise CA.
- E. Replace the solution user certificates with custom certificates generated from the Enterprise CA.
- F. Replace the solution user certificates with trusted certificates generated from the VMware Certificate Authority (VMCA).

**Answer:** BDE

**Explanation:**

Option B, D and E are correct because they allow the administrator to replace the machine SSL certificates, the VMware Certificate Authority (VMCA) certificate and the solution user certificates with custom certificates generated from the Enterprise CA, which will ensure that all certificates are trusted by the Enterprise CA and minimize the ongoing management overhead of replacing certificates. Option A is incorrect because replacing the VMCA certificate with a self-signed certificate generated from the VMCA will not ensure that the certificate is trusted by the Enterprise CA. Option C is incorrect because replacing the machine SSL certificates with trusted certificates generated from the VMCA will not ensure that the certificates are trusted by the Enterprise CA. Option F is incorrect because replacing the solution user certificates with trusted certificates generated from the VMCA will not ensure that the certificates are trusted by the Enterprise CA. References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.security.doc/GUID-A2A4371A-B888>

**NEW QUESTION 29**

An administrator is tasked with allowing a single user the ability to take snapshots on a virtual machine. When looking in vCenter, the administrator can see that there are already users and groups assigned permissions on the virtual machine as follows:

- The group VMJUsers has the Virtual Machine Power User role.
- The group VM\_Viewers has the Read Only role.

The administrator confirms that the user requesting the additional access is currently one of five members of the VM\_Viewers group

Which two steps should the administrator take to grant this user the additional access required without impacting the user access of others? (Choose two.)

- A. Add the user to the VM\_Users group and leave the permissions on the virtual machine object unchanged
- B. Add a new permission on the virtual machine object selecting the user and the new custom role.
- C. Edit the Read Only role to add the Virtual Machine Snapshot Management privileges.
- D. Create a new custom role with the Virtual Machine Snapshot Management privileges.
- E. new permission on the virtual machine object selecting the VM\_Viewers group and the new custom

**Answer: BD**

**Explanation:**

The administrator should create a new custom role with the Virtual Machine Snapshot Management privileges, which allows the user to create, delete and revert snapshots. The administrator should then add a new permission on the virtual machine object selecting the user and the new custom role, which grants the user the additional access required without affecting other users or groups. References: <https://docs.vmware.com/en/VMware-vSphere/8.0/com.vmware.vsphere.security.doc/GUID-93B962A7-93FA-4>

**NEW QUESTION 31**

A group of new virtual machines have been deployed using thin-provisioned disks due to the limited storage space available in an environment. The storage team has expressed concern about extensive use of this type of provisioning.

An administrator is tasked with creating a custom alarm to notify the storage team when thin provisioning reaches a certain capacity threshold.

Where must the administrator define this alarm?

- A. Datastore
- B. Data center
- C. Datastore cluster
- D. Virtual machine

**Answer: A**

**Explanation:**

To create a custom alarm to notify when thin provisioning reaches a certain capacity threshold, the administrator must define this alarm at the datastore level, as it is related to datastore usage.

References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.monitoring.doc/GUID-B8DC03CB-EF>

**NEW QUESTION 33**

Which step is completed during Stage 1 of the vCenter Server Appliance deployment?

- A. Join a vCenter Single Sign-On domain
- B. Create a new vCenter Single Sign-On domain
- C. Select the deployment size
- D. Configure SSH access

**Answer: C**

**Explanation:**


The minimum network throughput in Gb/s for vSAN using the Express Storage Architecture (ESA) is 1 Gb/s, which is the minimum requirement for vSAN network adapters. However, VMware recommends using 10 Gb/s or higher for better performance and reliability. References:

<https://docs.vmware.com/en/VMware-vSphere/8.0/com.vmware.vsphere.vsan-planning.doc/GUID-9F1D4A3B>

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vcenter.install.doc/GUID-1E39EF05-1DD7-4E> <https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vcenter.install.doc/GUID-1E39EF05-1DD7-4E>

**NEW QUESTION 38**

Refer to the exhibit.



Given the configuration shown in the exhibit, what should the administrator do if the latest VM template contains changes that are no longer needed?

- A. Delete App-LibTemplate (2)
- B. Revert to App-LibTemplate (2)
- C. Delete App-LibTemplate (3)
- D. Check out App-LibTemplate (3)



**Answer:** B

**Explanation:**

Deleting App-LibTemplate (3) will remove the changes that are no longer needed and revert to the previous version of the template.

References:

[https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm\\_admin.doc/GUID-9A5093A5-C54](https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm_admin.doc/GUID-9A5093A5-C54)

[https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm\\_admin.doc/GUID-D69B0279-CC9](https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm_admin.doc/GUID-D69B0279-CC9) If the latest VM template contains changes that are no longer needed, the administrator should revert to the previous version of the template1.

Here are the steps to revert to a previous version of a template1:

- Navigate to the Versioning tab of the VM template.
- From the vertical timeline, navigate to the previous state of the VM template.
- Click the horizontal ellipsis icon (⋮), and select Revert to This Version.
- The Revert to Version dialog box opens. Enter a reason for the revert operation and click Revert. So, in this case, the correct answer is: B. Revert to App-LibTemplate (2)

This will make App-LibTemplate (2) the current VM template1. Please note that this operation will not delete App-LibTemplate (3), it will simply make App-LibTemplate (2) the current version1.

**NEW QUESTION 43**

An administrator is tasked with migrating a single virtual machine (VM) from an existing VMware vCenter to a secure environment where corporate security policy requires that all VMs be encrypted. The secure environment consists of a dedicated vCenter instance with a 4-node vSphere cluster and already contains a number of encrypted VMs.

Which two steps must the administrator take to ensure the migration is a success? (Choose two.)

- A. Ensure that the source and destination vCenter instances share the same Key Management Server(KMS).
- B. Ensure that Encrypted vMotion Is turned off for the VM.
- C. Ensure that the VM is encrypted before attempting the migration.
- D. Ensure that the VM is powered off before attempting the migration.
- E. Ensure that the source and destination vCenter Servers have a different Key Management Server (KMS).

**Answer:** AC

**Explanation:**

To ensure a successful migration of an encrypted VM to a secure environment, the administrator needs to ensure that the source and destination vCenter instances share the same Key Management Server (KMS), which provides encryption keys for both environments; and ensure that the VM is encrypted before attempting the migration, which allows preserving its encryption status during vMotion.

References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.security.doc/GUID-F8F105EC-A6EA-> <https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.security.doc/GUID-C3FFBF62-D6BF>

**NEW QUESTION 47**

What is the minimum network throughput in Gb/s for vSAN using the Express Storage Architecture (ESA)?

- A. 50
- B. 25
- C. 1
- D. 10

**Answer:** D

**Explanation:**

<https://core.vmware.com/resource/vmware-vsan-design-guide#:~:text=Summary%20of%20Network%20Design>

**NEW QUESTION 48**

After a number of outages within a production VMware software-defined data center, an administrator is tasked with identifying a solution to meet the following requirements:

- Reduce the risk of outages by proactively identifying issues with the environment and resolving them.
- Reduce the complexity of uploading log bundles when raising support tickets.

Which solution should the administrator recommend to meet these requirements?

- A. VMware Aria Operations for Logs
- B. VMware Skyline Advisor Pro
- C. VMware Skyline Health
- D. VMware Aria Operations

**Answer:** B

**Explanation:**

Skyline Advisor Pro is a self-service web application that enables you to receive proactive intelligence with new insights, accelerated analysis, and simplified design, within a web browser. To activate Skyline Advisor Pro, upgrade your Skyline Collector to Skyline Collector 3.0 or later versions.

The solution that should be recommended to reduce the risk of outages by proactively identifying and resolving issues with the environment and reducing the complexity of uploading log bundles is VMware Skyline Health, which provides automated support and proactive recommendations for vSphere.

**NEW QUESTION 50**

What are two use cases for VMware vSphere+? (Choose two.)

- A. Enhance on-premises workloads by managing them through the VMware Cloud Console
- B. Allow live migration between on-premises and VMware Cloud



- C. Increase the performance of the native vCenter vMotion capability
- D. Allow the creation of affinity and anti-affinity rules to be used during failover events
- E. Simplify vCenter lifecycle management through cloud-enabled automation

**Answer:** AE

**Explanation:**

<https://www.vmware.com/products/vsphere/vsphere-plus.html> <https://blogs.vmware.com/vsphere/2022/06/vmware-vsphereplus-introducing-the-multi-cloud-workload-platform>

**NEW QUESTION 51**

An administrator plans to bring VMware vCenter offline in order to perform hardware maintenance on the host where the vCenter Server Appliance is running. Which vSphere feature must be configured to ensure that vCenter users experience minimal downtime?

- A. vSphere Distributed Resource Scheduler
- B. Hybrid Linked Mode
- C. vCenter Server High Availability
- D. Enhanced Linked Mode


**Answer:** C

**Explanation:**

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.avail.doc/GUID-4A626993-A829-495>

**NEW QUESTION 56**

Refer to the exhibit.



An administrator is tasked with adding new capacity to an existing software-defined data center (SDDC).

- The SDDC currently hosts two vSphere clusters (ClusterA and ClusterB) with different CPU compatibilities.
- vSphere vMotion and vSphere Distributed Resource Scheduler (DRS) are currently in use in the SDDC.
- The new capacity will be implemented by provisioning four ESXi hosts running a new generation of Intel Skylake CPUs.
- All workload virtual machines (VMs) must support live migration to any cluster in the SDDC.

The administrator noticed the running critical "ever virtual machine (VM) shown in the exhibit is not migrating using vSphere vMotion to the original Clusters A or B. Which three steps must the administrator take to support this functionality? (Choose three.)

- A. Power on the VM.
- B. Disable the Enhanced vMotion Compatibility (EVC) on the VM.
- C. Reboot the VM.
- D. Configure the Enhanced vMotion Compatibility (EVC) on vSphere Cluster A and B to support Intel Skylake.
- E. Power off the VM.
- F. Configure the Enhanced vMotion Compatibility (EVC) on the VM to Intel Skylake.

**Answer:** ADE

**NEW QUESTION 61**

An administrator has a host profile named Standard-Config. The administrator wants to change the other host profiles to use only the storage configuration settings that are defined in the Standard-Config host profile.

What should the administrator do to make this change?

- A. Export host customizations and import them to the other host profiles.
- B. Copy the storage settings from Standard-Config to all other host profiles.
- C. Duplicate the Standard-Config host profile and only modify the storage configuration settings.
- D. Export the Standard-Config host profile and attach it to the other hosts.

**Answer:** B

**Explanation:**

Option B is correct because it allows the administrator to copy the storage settings from Standard-Config host profile to all other host profiles without affecting other settings. Option A is incorrect because it only exports host customizations and not host profile settings. Option C is incorrect because it creates a new host profile instead of modifying the existing ones. Option D is incorrect because it attaches the Standard-Config host profile to the other hosts instead of changing their host profiles. References: <https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.hostprofiles.doc/GUID-F1A1D1D0-D6>

#### NEW QUESTION 66

To keep virtual machines (VMs) up and running at all times in a vSphere cluster, an administrator would like VMs to be migrated automatically when the host hardware health status becomes degraded.

Which cluster feature can be used to meet this requirement?

- A. Predictive DRS
- B. Proactive HA
- C. vSphere HA Orchestrated Restart
- D. vSphere Fault Tolerance

**Answer:** B

#### Explanation:

Proactive HA is a cluster feature that can be used to migrate VMs automatically when the host hardware health status becomes degraded, before a failure occurs.

References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.avail.doc/GUID-C3FFBF62-D6BF-4A>

#### NEW QUESTION 69

An administrator creates a new corporate virtual machine (VM) template every month to include all of the latest patches. The administrator needs to ensure that the new VM template is synchronized from the primary data center site (London) to two secondary data center sites (Tokyo and New York). The administrator is aware that datastore space is limited within the secondary data center sites. The administrator needs to ensure that the VM template is available in the secondary sites the first time a new virtual machine is requested.

Which four steps should the administrator take to meet these requirements? (Choose four.)

- A. Create a new published content library at the primary site.
- B. Add the virtual machine template to the subscribed content library.
- C. Create a new published content library in each secondary site.
- D. Create a new subscribed content library in each secondary site.
- E. Configure the subscribed content library to download content when needed.
- F. Configure each subscribed content library to download content immediately.
- G. Add the virtual machine template to the published content library.

**Answer:** ADEG

#### Explanation:

To meet the requirements of synchronizing and protecting images and templates with limited datastore space, the administrator needs to create a new published content library at the primary site, which makes it available for subscription by other vCenter Server instances; create a new subscribed content library in each secondary site, which allows accessing content from a published content library; configure the subscribed content library to download content when needed, which saves datastore space by only downloading content on demand; and add the virtual machine template to the published content library, which makes it available for other hosts to use.

References:

[https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm\\_admin.doc/GUID-FBEED81C-F9D](https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm_admin.doc/GUID-FBEED81C-F9D)

#### NEW QUESTION 73

An administrator needs better performance and near-zero CPU utilization from the ESXi hosts for networking functions and processing. The administrator creates a new vSphere Distributed Switch and enables network offloads compatibility.

Which solution would help achieve this goal?

- A. VSphere Distributed Services Engine
- B. Data Processing Units (DPUs)
- C. vSphere Network I/O Control
- D. Universal Passthrough version 2

**Answer:** B

#### Explanation:

The solution that would help achieve better performance and near-zero CPU utilization from the ESXi hosts for networking functions and processing is Data Processing Units (DPUs), which are specialized processors that offload network services from the CPU and provide hardware acceleration.

<https://docs.vmware.com/en/VMware-vSphere/8.0/vsphere-networking/GUID-41AB1101-D943-490A-BF1A-E>

#### NEW QUESTION 74

An administrator has a requirement to revert a running virtual machine to a previous snapshot after a failed attempt to upgrade an application. When the administrator originally took the snapshot, the following choices in the Take Snapshot dialog were made:

- Snapshot the virtual machine's memory = false
- Quiesce guest file system = false

What will be the result of the administrator selecting the 'Revert to Latest Snapshot?' option to return the virtual machine to a previous snapshot? (Choose two.)

- A. The virtual machine will be restored to the parent snapshot
- B. The virtual machine will be restored in a powered off state
- C. The virtual machine will be restored to the child snapshot
- D. The virtual machine will be restored in a powered on state
- E. The virtual machine will be restored in a suspended state

**Answer:** AB

#### Explanation:

[https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm\\_admin.doc/GUID-3E1BB630-9223](https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm_admin.doc/GUID-3E1BB630-9223)

#### NEW QUESTION 78

A vSphere cluster has the following vSphere Distributed Resource Scheduler (DRS) group configuration:

\* Virtual machine (VM) group named DB

\* Host groups named PROD11 and PROD55

The administrator wants to force the VMs in the DB group to run on the hosts in the PROD11 group. However, if all the hosts in PROD55.

Which VM/Host rule must the administrator create to ensure that these requirements are met?

- A. A preferential rule between the DB group and PROD11 group
- B. A preferential rule between the DB group and the PROD55 group
- C. A preferential rule between the DB group and the PROD55 group
- D. A required rule between the DB group and the PROD11 group

**Answer:** A

**Explanation:**

Option A is correct because it allows the administrator to create a preferential rule between the DB group and PROD11 group, which will force the VMs in the DB group to run on the hosts in the PROD11 group if possible, but will allow them to run on the hosts in PROD55 group if necessary. Option B is incorrect because it will create a preferential rule between the DB group and PROD55 group, which will force the VMs in the DB group to run on the hosts in PROD55 group if possible, which is not what the administrator wants. Option C is incorrect because it is the same as option B. Option D is incorrect because it will create a required rule between the DB group and PROD11 group, which will force the VMs in the DB group to run only on the hosts in PROD11 group and not allow them to run on the hosts in PROD55 group if needed. References: <https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.resmgmt.doc/GUID-60077B40-66FF-4>

**NEW QUESTION 79**

An administrator is tasked with implementing a backup solution capable of backing up the Supervisor cluster, vSphere Pods, and persistent volumes.

Which two solutions must be used to meet this requirement? (Choose two.)

- A. VMware vCenter
- B. Standalone Velero and Restic
- C. NSX-T Manager
- D. vSphere Host Client
- E. Velero Plugin for vSphere

**Answer:** BE

**Explanation:**

<https://docs.vmware.com/en/VMware-vSphere/7.0/vmware-vsphere-with-tanzu/GUID-9816E07A-466C-451D-A>

**NEW QUESTION 83**

What is the role of vSphere Distributed Services Engine?

- A. Provide a live shadow Instance of a virtual machine (VM) that mirror, the primary VM to prevent data loss and downtime during outages
- B. Implement Quality of Service (QoS) on network traffic within a vSphere Distributed Switch
- C. Provide hardware accelerated data processing to boost infrastructure performance
- D. Redistribute virtual machines across vSphere cluster host affinity rules following host failures or during maintenance operations

**Answer:** C

**Explanation:**

The role of vSphere Distributed Services Engine is to provide hardware accelerated data processing to boost infrastructure performance by offloading network services from the CPU to the DPU.

References: <https://core.vmware.com/resource/whats-new-vsphere-8>

**NEW QUESTION 84**

What are three options an administrator can configure after creating a vSphere Namespace? (Choose three.)

- A. Backup schedule
- B. Certificates
- C. Storage policies
- D. Update policies
- E. Permissions
- F. Resource and Object limits

**Answer:** CEF

**Explanation:**

After creating a vSphere Namespace, three of the options that an administrator can configure are storage policies, which define how storage resources are allocated for objects within a namespace; permissions, which define who can access and manage objects within a namespace; and resource and object limits, which define how much CPU, memory, storage, and network resources can be consumed by objects within a namespace.

References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/vmware-vsphere-with-tanzu/GUID-C2E9B5C1-D6F1-4E9B>

<https://docs.vmware.com/en/VMware-vSphere/8.0/vsphere-with-tanzu-services-workloads/GUID-177C23C4-E>

**NEW QUESTION 87**

A vSphere cluster hosts a three-tier application. The cluster has 50% resources available. If a host in the cluster fails, the database server must be online before the application server, and the application server must be online before the Web server.

Which feature can be used to meet these requirements?

- A. Predictive DRS
- B. vSphere HA Orchestrated Restart
- C. vSphere HA Restart Priority

D. Proactive HA

**Answer:** B

**Explanation:**

<https://www.vladan.fr/what-is-vmware-orchestrated-restart/>

#### NEW QUESTION 89

An administrator needs to provide encryption for workloads within an existing vSphere cluster. The following requirements must be met:

- Workloads should be encrypted at rest.
- Encrypted workloads must automatically be encrypted during transit.
- Encryption should not require any specific hardware.

What should the administrator configure to meet these requirements?

- A. Encrypted vSphere vMotion
- B. Unified Extensible Firmware Interface (UEFI) Secure Boot
- C. Host Encryption
- D. VM Encryption

**Answer:** D

**Explanation:**

The feature that should be configured to provide encryption for workloads within an existing vSphere cluster without requiring any specific hardware is VM Encryption, which allows encrypting VMs at rest and during vMotion.

References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.security.doc/GUID-F8F105EC-A6EA>

#### NEW QUESTION 91

An administrator is responsible for the management of a VMware vCenter instance that is currently experiencing performance issues. The administrator quickly identifies that the CPU and memory utilization of vCenter is consistently over 80%. Upon further analysis, it seems that the vpxd process is contributing significantly to the performance issue.

A combination of which four steps should the administrator take to resolve the performance issues and ensure that a similar issue can be rectified without requiring downtime to vCenter moving forward? (Choose four.)

- A. Gracefully shut down vCenter using the vSphere Client.
- B. Enable CPU Hot Add on the vCenter virtual machine.
- C. Power on the vCenter Server Appliance using the vSphere Host Client.
- D. Enable CPU and Memory Hot Add on the vCenter virtual machine.
- E. Add additional CPU to the vCenter Server Appliance.
- F. Power on the vCenter Server Appliance using the vSphere Client.
- G. Enable Memory Not Add on the vCenter virtual machine.
- H. Add additional memory resources to the vCenter Server Appliance.

**Answer:** ACDE

**Explanation:**

References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vcenterhost.doc/GUID-8E7C1D6D-8E> <https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vcenterhost.doc/GUID-3B41119A-127> [https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm\\_admin.doc/GUID-38F4D574-ADE](https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm_admin.doc/GUID-38F4D574-ADE)

#### NEW QUESTION 93

An administrator needs to configure a content library solution based on the following information:

- A new corporate virtual machine (VM) template is created every month to include all of the latest patches.
- The new VM template should be downloaded from the primary data center site (London) to two secondary data center sites (Tokyo and New York) as soon as possible.
- There is limited disk space available at one of the secondary data center sites (Tokyo) due to an ongoing data center consolidation project.

Which four steps should the administrator take to configure the content library solution before adding a VM template? (Choose four.)

- A. Create a new published content library In each secondary site
- B. Configure the New York subscribed content library to download content immediately.
- C. Configure the Tokyo subscribed content library to download content immediately
- D. Configure the Tokyo subscribed content library to download content when needed
- E. Create a new published content library at the primary site
- F. Configure the New York subscribed content library to download content when needed.
- G. Create a new subscribed content library in each secondary site

**Answer:** BDEG

**Explanation:**

The administrator should take these four steps to configure the content library solution before adding a VM template:

- Create a new published content library at the primary site, which allows the administrator to share the VM template with other sites.
- Configure the New York subscribed content library to download content immediately, which ensures that the new VM template is downloaded from the primary site as soon as possible.
- Configure the Tokyo subscribed content library to download content when needed, which saves disk space at the secondary site by downloading only the metadata of the VM template until it is deployed.
- Create a new subscribed content library in each secondary site, which allows the administrator to subscribe to the published content library at the primary site and synchronize the VM template. References:



[https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm\\_admin.doc/GUID-E8E854D](https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm_admin.doc/GUID-E8E854D)

#### NEW QUESTION 98

An administrator is configuring vSphere Lifecycle Manager to install patches to a vSphere cluster. The cluster runs workload virtual machines (VMs) that are incompatible with vSphere vMotion, and therefore cannot be live migrated between hosts during the installation of the patches. Which configuration in vSphere Lifecycle Manager will allow the administrator to reduce the downtime associated with the patching operation without migrating the VMs?

- A. Enable Distributed Power Management (DPM) and set the VM power state to the suspend to disk option
- B. Enable Quick Boot and set the VM power state to the suspend to disk option
- C. Enable vSphere High Availability (HA) admission control and set the VM power state to the suspend to memory option
- D. Enable Quick Boot and set the VM power state to the suspend to memory option

**Answer: D**

#### Explanation:

<https://docs.vmware.com/en/VMware-vSphere/8.0/vsphere-lifecycle-manager/GUID-06A5D316-9452-4A5D-A> The administrator should enable Quick Boot and set the VM power state to the suspend to memory option, which will allow the administrator to reduce the downtime associated with the patching operation without migrating the VMs. Quick Boot is a feature that skips the hardware initialization phase during host reboot, which reduces the system boot time. Suspend to memory is an option that preserves the state of the VMs in the host memory and restores them from memory after the reboot, which minimizes the VM downtime. These two features work together to optimize the remediation process and speed up the patching operation. References: <https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere-lifecycle-manager.doc/GUID-5AF3C6>

#### NEW QUESTION 101

An administrator is tasked with providing users access to objects within an existing VMware vCenter instance. The vCenter inventory has a single data center with one management vSphere cluster and five workload vSphere clusters.

The following requirements must be met for assigning the users access:

- Users must only be able to view all of the inventory objects associated with the management vSphere cluster.
- Users must be able to edit all of the inventory objects associated with the workload vSphere clusters. The administrator creates a custom role to provide the permissions needed to allow users to edit inventory objects.

Which series of steps should the administrator complete to assign the custom role and provide the required level of access to users?

- A. Apply Global permissions to assign the Read Only role to the root vCenter object. Apply vCenter permissions to assign the custom role to the workload vSphere clusters and enable propagation.
- B. Apply Global permissions to assign the Read Only role to the root vCenter object and enable propagation
- C. Apply vCenter permissions to assign the custom role to the workload vSphere clusters and enable propagation.
- D. Apply Global permissions to assign the Read Only role to the root vCenter object
- E. Apply vCenter permissions to assign the custom role to the workload vSphere clusters.
- F. Apply Global permissions to assign the Read Only role to the root vCenter object and enable propagation
- G. Apply vCenter permissions to assign the custom role to the workload vSphere clusters.


**Answer: D**

#### Explanation:

Option D is correct because it allows the administrator to apply Global permissions to assign the Read Only role to the root vCenter object and enable propagation, which will apply to all of the inventory objects in vCenter, and then apply vCenter permissions to assign the custom role to the workload vSphere clusters, which will override the Global permissions and allow users to edit all of the inventory objects associated with the workload vSphere clusters. Option A is incorrect because it will not enable propagation for the Global permissions, which will limit the Read Only role to the root vCenter object only. Option B is incorrect because it will enable propagation for both the Global and vCenter permissions, which will create a conflict between the Read Only and custom roles. Option C is incorrect because it will not enable propagation for either the Global or vCenter permissions, which will limit the Read Only role to the root vCenter object only and the custom role to the workload vSphere clusters only. References: <https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.security.doc/GUID-A2A4371A-B888>

#### NEW QUESTION 106

Refer to the exhibit.



Given the configuration shown in the exhibit, what must the administrator do to delete only the latest version of the template?

- A. Delete App-LibTemplate (3) from the SA-Templates folder.
- B. In the SA-template folder, rename App-Libtemplate (2) to App-LibTemplate
- C. Check out AppLibTemplate (3) and delete the template from the SA-Templates folder.
- D. Revert to APP-LibTemplate (2) and delete App-LibTemplate (3).

**Answer: D**

**Explanation:**

Option D is correct because it allows the administrator to delete only the latest version of the template by reverting to the previous version and then deleting the current version. Option A is incorrect because it deletes the entire template and not just the latest version. Option B is incorrect because it renames the previous version to the current version and does not delete anything. Option C is incorrect because it checks out the latest version and deletes it from the folder, but not from the library. References:

[https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm\\_admin.doc/GUID-9F9E3F8C-0E2](https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vm_admin.doc/GUID-9F9E3F8C-0E2)

**NEW QUESTION 108**

An administrator needs to perform maintenance on a datastore that is running the vSphere Cluster Services (vCLS) virtual machines (VMs). Which feature can the administrator use in this scenario to avoid the use of Storage vMotion on the vCLS VMs?

- A. vSphere Distributed Resource Scheduler (DRS)
- B. vSphere vMotion
- C. vSphere Fault Tolerance
- D. vCLS Retreat Mode

**Answer: D**

**Explanation:**

The feature that can be used to avoid the use of Storage vMotion on the vCLS VMs when performing maintenance on a datastore is vCLS Retreat Mode, which allows temporarily removing the vCLS VMs from the cluster without affecting the cluster services.

References:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.vcenterhost.doc/GUID-8E7C1D6D-8E>

**NEW QUESTION 109**

An administrator has mapped three vSphere zones to three vSphere clusters. Which two statements are true for this vSphere with Tanzu zonal Supervisor enablement? (Choose two.)

- A. One Supervisor will be created in a specific zone.
- B. One Supervisor will be created across all zones.
- C. Three Supervisors will be created in Linked Mode.
- D. Individual vSphere Namespaces will be placed into a specific zone.
- E. Individual vSphere Namespaces will be spread across all zones.

**Answer: BE**

**Explanation:**

For a vSphere with Tanzu zonal Supervisor enablement where three vSphere zones are mapped to three vSphere clusters, the following two statements are true:

- B. One Supervisor will be created across all zones. In a three-zone deployment, all three vSphere clusters become one Supervisor.
- E. Individual vSphere Namespaces will be spread across all zones. You can distribute the nodes of your Tanzu Kubernetes Grid clusters across all three vSphere zones, thus providing HA for your Kubernetes workloads at a vSphere cluster level.

**NEW QUESTION 112**

An administrator is required to configure several Microsoft Windows virtual machines (VMs) to support Secure Boot for a critical secure application. The following information is provided:

- The corporate security policy states that all forms of data encryption must utilize a key provider.
- The firmware of each VM is currently set to use Unified Extensible Firmware Interface (UEFI).
- Due to the nature of the application running within the VMs, the guest operating system for each VM is currently a minimum of Windows Server 2008 and Windows 7.

Which security feature should the administrator implement to meet these requirements?

- A. vSphere Virtual Machine Encryption
- B. vSphere Visualization-Based Security
- C. Virtual Intel Software Guard Extensions (vSGX)
- D. Virtual Trusted Platform Module (vTPM)

**Answer: D**

**Explanation:**

<https://docs.vmware.com/en/VMware-vSphere/8.0/vsphere-security/GUID-6F811A7A-D58B-47B4-84B4-7339> A vTPM is a virtualized version of a physical TPM and is used to protect VMs and their data by tying the cryptographic functions to the hardware of the server on which the VMs are running<sup>12</sup>. This allows for secure boot, disk encryption, and other security features<sup>12</sup>. It also supports key providers, which is a requirement in this case<sup>12</sup>.

**NEW QUESTION 114**

A company has two sites: Site A and Site B. The administrator would like to manage the VMware vCenter inventories in both sites from a single vSphere Client session. Which vCenter feature must be configured?

- A. VMware Certificate Authority
- B. VMware Site Recovery Manager
- C. vCenter Single Sign-On
- D. Enhanced Linked Mode

**Answer: D**

**Explanation:**

Option D is correct because it indicates that Enhanced Linked Mode must be configured to allow the administrator to manage the VMware vCenter inventories in both sites from a single vSphere Client session. Enhanced Linked Mode allows multiple vCenter Server instances to share information such as tags, licenses,

roles, permissions, and policies. Option A is incorrect because VMware Certificate Authority is a service that provides certificates for vSphere components and does not affect inventory management. Option B is incorrect because VMware Site Recovery Manager is a solution that provides disaster recovery and business continuity for vSphere environments and does not affect inventory management. Option C is incorrect because vCenter Single Sign-On is a service that provides authentication and authorization for vSphere components and does not affect inventory management. References:  
<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vcenter.install.doc/GUID-9F9E3F8C-0E2B-4B>

**NEW QUESTION 115**

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### 2V0-21.23 Practice Exam Features:

- \* 2V0-21.23 Questions and Answers Updated Frequently
- \* 2V0-21.23 Practice Questions Verified by Expert Senior Certified Staff
- \* 2V0-21.23 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* 2V0-21.23 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The 2V0-21.23 Practice Test Here](#)**