



## **Salesforce**

### **Exam Questions Platform-Developer-I**

Platform Developer I

#### NEW QUESTION 1

A custom Visualforce controller calls the `ApexPages.addMessage ()` method, but no messages are rendering on the page. Which component should be added to the Visualforce page to display the message?

- A. `<apex: pageMessages />`
- B. `<apex: pageMessage severity="info"/>`
- C. `<Apex: facet name=" message"/>`
- D. `<Apex: message for=" info"/>`

**Answer: B**

#### NEW QUESTION 2

What are three ways for 2 developer to execute tests in an org? Choose 3 answers

- A. Metadata APT
- B. Bulk API
- C. Setup Menu
- D. SalesforceDX
- E. Tooling API

**Answer: CDE**

#### NEW QUESTION 3

Universal Containers has a support process that allows users to request support from its engineering team using a custom object, `Engineering_Support__c`. Users should be able to associate multiple `Engineering_Support__c` records to a single Opportunity record. Additionally, aggregate information about the `Engineering_support__c` records should be shown on the Opportunity record. What should a developer implement to support these requirements?

- A. Master-detail field from `Engineering_Support__c` to Opportunity.
- B. Master-detail field from Opportunity to `Engineering_Support__c`
- C. Lookup field from `Engineering_support__c` to Opportunity
- D. Lookup field from Opportunity to `Engineering_Support__c`

**Answer: A**

#### NEW QUESTION 4

A developer created a custom order management app that uses an Apex class. The order is represented by an `Order` object and an `OrderItem` object that has a master-detail relationship to `Order`. During order processing, an order may be split into multiple orders. What should a developer do to allow their code to move some existing `OrderItem` records to a new `Order` record?

- A. Change the master-detail relationship to an external lookup relationship.
- B. Add `without sharing` to the Apex class declaration.
- C. Create a junction object between `OrderItem` and `Order`.
- D. Select the `Allow reparenting` option on the master-detail relationship.

**Answer: D**

#### NEW QUESTION 5

What are three characteristics of change set deployments? Choose 3 answers

- A. Change sets can only be used between related organizations.
- B. Change sets can be used to transfer records.
- C. Sending a change set between two orgs requires a deployment connection.
- D. Change sets can deploy custom settings data.
- E. Deployment is done in a one-way, single transaction.

**Answer: ABE**

#### NEW QUESTION 6

What are two use cases for executing Anonymous Apex code? Choose 2 answers

- A. To delete 15,000 inactive Accounts in a single transaction after a deployment
- B. To schedule an Apex class to run periodically
- C. To run a batch Apex class to update all Contacts
- D. To add unit test code coverage to an org

**Answer: BC**

#### NEW QUESTION 7

A developer must create a `DrawList` class that provides capabilities defined in the `Sortable` and `Drawable` interfaces. `public interface Sortable { void sort(); }` `public interface Drawable { void draw(); }` Which is the correct implementation?

- A. `Public class DrawList implements Sortable, Implements Drawable { public void sort() { /*implementation*/ } public void draw() { /*implementation*/ } }`
- B. `Public class DrawList extends Sortable, Drawable { public void sort() { /*implementation*/ } public void draw() { /*implementation*/ } }`
- C. `Public class DrawList implements Sortable, Drawable { public void sort() { /*implementation*/ } public void draw() { /*implementation*/ } }`

D. Public class DrawList extends Sortable, extends Sortable, extends Drawable { public void sort() { /\*implementation\*/ }public void draw() { /\* implementation \*/}

**Answer: C**

#### NEW QUESTION 8

A developer must create a lightning component that allows users to input contact record information to create a contact record, including a salary\_\_c custom field. what should the developer use, along with a lightning-record-edit form, so that salary\_\_c field functions as a currency input and is only viewable and editable by users that have the correct field levelpermissions on salary\_\_C?

- A. <lightning-input-field field-name="Salary\_\_c"></lightning-input-field>
- B. <lightning-formatted-number value="Salary\_\_c" format-style="currency"></lightning-formatted-number>
- C. <lightning-input type="number" value="Salary\_\_c" formatter="currency"></lightning-input>
- D. <lightning-input-currency value="Salary\_\_c"></lightning-input-currency>

**Answer: A**

#### NEW QUESTION 9

A developer is debugging the following code to determinate why Accounts are not being created Account a = new Account(Name = 'A'); Database.insert(a, false); How should the code be altered to help debug the issue?

- A. Add a System.debug() statement before the insert method
- B. Add a try/catch around the insert method
- C. Set the second insert method parameter to TRUE
- D. Collect the insert method return value a Saveresult variable

**Answer: B**

#### NEW QUESTION 10

Einstein Next Best Action Is configured at Universal Containers to display recommendations to internal users on the Account detail page. If the recommendation is approved, a new opportunity record and task should be generated. If the recommendation is rejected, an Apex method must be executed to perform a callout to an external system. Which three factors should a developer keep Hi mind when implementing the Apex method? Choose 3 answers

- A. The method must use the @AuraEnabled annotation.
- B. The method must use the @Future annotation.
- C. The method must use the @invocableMethod annotation.
- D. The method must be defined as static.
- E. The method must be defined as public.

**Answer: BDE**

#### NEW QUESTION 10

Universal Containers has a Visualforce page that displays a table of every Container\_c. being ..... Is falling with a view state limit because some of the customers rent over 10,000 containers. What should a developer change about the Visualforce page to help with the page load errors?

- A. Use Lazy loading and a transient List variable.
- B. Use JavaScript remoting with SOQL Offset.
- C. Implement pagination with an OffsetController.
- D. Implement pagination with a StandardSetController,

**Answer: D**

#### NEW QUESTION 11

A developer creates a new Apex trigger with a helper class, and writes a test class that only exercises 95% coverage of new Apex helper class. Change Set deployment to production fails with the test coverage warning: "Test coverage of selected Apex Trigger is 0%, at least 1% test coverage is required" What should the developer do to successfully deploy the new Apex trigger and helper class?

- A. Create a test class and methods to cover the Apex trigger
- B. Run the tests using the 'Run All Tests' method.
- C. Remove the falling test methods from the test class.
- D. Increase the test class coverage on the helper class

**Answer: C**

#### NEW QUESTION 14

Universal Containers wants to back up all of the data and attachments in its Salesforce org once month. Which approach should a developer use to meet this requirement?

- A. Use the Data Loader command line.
- B. Create a Schedulable Apex class.
- C. Schedule a report.
- D. Define a Data Export scheduled job.

**Answer: D**

**Explanation:**

Scheduling a Data Export job is the best way to back up all the data and attachments in a Salesforce org once a month. The Data Export job can be scheduled to run at a certain frequency so that the data can be backed up on a regular basis. This makes it easy to restore the data in case of any emergency.

#### NEW QUESTION 17

A Salesforce Administrator used Flow Builder to create a flow named "accountOnboarding". The flow must be used inside an Aura component. Which tag should a developer use to display the flow in the component?

- A. Lightning-flow
- B. Aura:flow
- C. Lightning:flow
- D. Aura:flow

**Answer: C**

#### NEW QUESTION 19

An Opportunity needs to have an amount rolled up from a custom object that is not in a master-detail relationship. How can this be achieved?

- A. Write a trigger on the child object and use a red-black tree sorting to sum the amount for all related child objects under the Opportunity.
- B. Write a Process Builder that links the custom object to the Opportunity.
- C. Write a trigger on the child object and use an aggregate function to sum the amount for all related child objects under the Opportunity
- D. Use the Streaming API to create real-time roll-up summaries.

**Answer: C**

#### NEW QUESTION 21

Which three operations affect the number of times a trigger can fire? Choose 3 answers

- A. Process Flows
- B. Workflow Rules
- C. Criteria-based Sharing calculations
- D. Email messages
- E. Roll-Up Summary fields

**Answer: ABE**

#### NEW QUESTION 24

A Lightning component has a wired property, searchResults, that stores a list of Opportunities. Which definition of the Apex method, to which the searchResults property is wired, should be used?

- A. `@AuraEnabled(cacheable=true)public static List<Opportunity> search(String term) { /* implementation */ }`
- B. `@AuraEnabled(cacheable=true) public List<Opportunity> search(String term) { /*implementation*/ }`
- C. `@AuraEnabled(cacheable=false) public static List<Opportunity> search(String term) { /*implementation*/ }`
- D. `@AuraEnabled(cacheable=false) public List<Opportunity> search(String term) { /*implementation*/ }`

**Answer: A**

#### NEW QUESTION 28

A developer wants to invoke on outbound message when a record meets a specific criteria. Which three features satisfy this use case? Choose 3 answer

- A. Approval Process has the capacity to check the record criteria and send an outbound message without Apex Code
- B. Process builder can be used to check the record criteria and send an outbound message with Apex Code.
- C. workflows can be used to check the record criteria and send an outbound message.
- D. Process builder can be used to check the record criteria and send an outbound message without Apex Code.
- E. Visual Workflow can be used to check the record criteria and send an outbound message without Apex Code.

**Answer: ABC**

#### NEW QUESTION 31

In the Lightning UI, where should a developer look to find information about a Paused Flow Interview?

- A. On the Paused Row Interviews related List for a given record
- B. In the Paused Interviews section of the Apex Flex Queue
- C. In the system debug log by Altering on Paused Row Interview
- D. On the Paused Row Interviews component on the Home page

**Answer: B**

#### NEW QUESTION 32

A developer wrote an Apex method to update a list of Contacts and wants to make it available for use by Lightning web components. Which annotation should the developer add to the Apex method to achieve this?

A)

```
@AuraEnabled(cacheable=true)
```

B)

```
{AuraEnabled
```

C)

```
{RemoteAction
```

D)

```
{RemoteAction(cacheable=true)
```

- A. Option
- B. Option
- C. Option
- D. Option

**Answer: B**

#### NEW QUESTION 37

n org has an existing flow that creates an Opportunity with an Update Records element. A developer must update the flow to also create a 'Contact and store the created Contact's 1D on the Opportunity.

Which update must the developer make in the flow?

- A. Add a new Get Records element.
- B. Add a new Create Records element.
- C. Add a new Update Records element.
- D. Add a new Roll back Records element

**Answer: B**

#### NEW QUESTION 41

How should a developer write unit tests for a private method in an Apex class?

- A. Use the SeeAllData annotation.
- B. Add a test method in the Apex class.
- C. Use the TestVisible annotation.
- D. Mark the Apex class as global.

**Answer: C**

#### NEW QUESTION 44

which statement is true regarding execution order when triggers are associated to the same object and event?

- A. Trigger execution order cannot be guaranteed.
- B. executed In the order they are modified.
- C. Triggers are executed alphabetically by trigger name.
- D. Triggers are executed in the order they are created.

**Answer: A**

#### NEW QUESTION 47

universal Containers (UC) processes orders in Salesforce in a custom object, Order\_c. They also allow sales reps to upload CSV files with of orders at a time. A developer is tasked with integrating orders placed in Salesforce with UC's enterprise resource planning (ERP) system.

'After the status for an Order\_c is first set to "Placed", the order information must be sent to a REST endpoint in the ERP system that can process one order at a time.

What should the developer implement to accomplish this?

- A. Callout from an @AuraEnabled method called from a trigger
- B. Callout from a @Batchable class called from a scheduled job
- C. Flow with 2 callout from an invocable method
- D. Callout from a @Queueable class called from a trigger

**Answer: A**

#### NEW QUESTION 48

What are two ways a developer can get the status of an enqueued job for a class that queueable interface? Choose 2 answers

- A. View the apex status Page
- B. View the apex flex Queue
- C. View the apex Jobs page
- D. Query the AsyncApexJob object

**Answer: AC**

#### NEW QUESTION 52

Which two sfdx commands can be used to add testing data to a Developer sandbox?

- A. Forced: data:bulk:upsert
- B. Forced: data: object :upsert
- C. Forced: data: tree: upsert
- D. Forced: data:async:upsert

**Answer:** AC

#### NEW QUESTION 53

Which three statements are true regarding custom exceptions in Apex? (Choose three.)

- A. A custom exception class must extend the system Exception class.
- B. A custom exception class can implement one or many interfaces.
- C. A custom exception class cannot contain member variables or methods.
- D. A custom exception class name must end with "Exception".
- E. A custom exception class can extend other classes besides the Exception class.

**Answer:** BDE

#### NEW QUESTION 55

How can a developer check the test coverage of active Process Builder and Flows deploying them in a Changing Set?

- A. Use the Flow properties page.
- B. Use the code Coverage Setup page
- C. Use the Apex testresult class
- D. Use SOQL and the Tooling API

**Answer:** D

#### NEW QUESTION 58

Universal Containers hires a developer to build a custom search page to help user- find the Accounts they want. Users will be able to search on Name, Description, and a custom comments field.

Which consideration should the developer be aware of when deciding between SOQL and SOSL? Choose 2 answers

- A. SOSL is able to return more records.
- B. SOQL is faster for text searches.
- C. SOSL is faster for text searches.
- D. SOQL is able to return more records.

**Answer:** CD

#### NEW QUESTION 60

A developer is creating an app that contains multiple Lightning web components.

One of the child components is used for navigation purposes. When a user click a button called.. component, the parent component must be alerted so it can navigate to the next page.

How should this be accomplished?

- A. Fire a notification.
- B. Update a property on the parent.
- C. Call a method in the Apex controller.
- D. Create a custom event.

**Answer:** D

#### NEW QUESTION 61

A developer must provide custom user interfaces when users edit a Contact in either Salesforce Classic or Lightning Experience.

What should the developer use to override the Contact's Edit button and provide this functionality?

- A. A Visualforce page in Salesforce Classic and a Lightning component in Lightning Experience
- B. A Lightning component in Salesforce Classic and a Lightning component in lightning Experience
- C. A Visualforce page in Salesforce Classic and a Lightning page in Lightning Experience
- D. A Lightning page in Salesforce Classic and a Visualforce page in Lightning Experience

**Answer:** A

#### NEW QUESTION 65

A developer must create a CreditcardPayment class that provides an implementation of an existing Payment class. Public virtual class Payment { public virtual void

makePayment(Decimal amount) { /\*implementation\*/  
} } Which is the correct implementation?

- A. Public class CreditcardPayment extends Payment {public override void makePayment(Decimal amount) { /\*implementation\*/ } }
- B. Public class CreditCardPayment implements Payment {public virtual void makePayment(Decimal amount) { /\*implementation\*/ } }
- C. Public class CreditCardPayment extends Payment {public virtual void makePayment(Decimal amount) { /\*implementation\*/ } }
- D. Public class CreditCardPayment implements Payment {public override void makePayment(Decimal amount) { /\*Implementation\*/ } }

**Answer:** A

#### NEW QUESTION 68

A lead developer creates an Apex interface called "Laptop". Consider the following code snippet:

```
public class SilverLaptop{
    //code implementation
}
```

How can a developer use the Laptop Interface within the Silverlaptop class?

- A. @Extends(class=Laptop") public class SilverLaptop
- B. public calss SilverLaptop extends Laptop
- C. @Interface (class="Laptop") public class SilverLaptop
- D. public class Silverlaptop implements Laptop

**Answer: B**

#### NEW QUESTION 73

When importing and exporting data into Salesforce, which two statements are true? Choose 2 answers

- A. Bulk API can be used to import large data volumes in development environments without bypassing the storage limits.
- B. Bulk API can be used to bypass the storage limits when importing large data volumes in development environments.
- C. Developer and Developer Pro sandboxes have different storage limits.
- D. Data import wizard is a client application provided by Salesforce.

**Answer: CD**

#### NEW QUESTION 76

What should a developer do to check the code coverage of a class after running all tests?

- A. View the Code Coverage column in the list view on the Apex Classes page.
- B. View the Class Test Percentage tab on the Apex Class fist view m Salesforce Setup.
- C. View Use cede coverage percentage for the class using the Overall Code Coverage panel in the Developer Console Tests tab.
- D. Select and run the class on the Apex Test Execution page in the Developer Console.

**Answer: B**

#### NEW QUESTION 79

Universal Container(UC) wants to lower its shipping cost while making the shipping process more efficient. The Distribution Officer advises UC to implement global addresses to allow multiple Accounts to share a default pickup address. The Developer is tasked to create the supporting object and relationship for this business requirement and uses the Setup Menu to create a custom object called "Global Address". Which field should the developer ad to create the most efficient model that supports the business need?

- A. Add a Master-Detail field on the Account object to the Global Address object
- B. Add a Master-Detail field on the Global Address object to the Account object.
- C. Add a Lookup field on the Account object to the Global Address object.
- D. Add a Lookup field on the Global Address object to the Account object

**Answer: B**

#### NEW QUESTION 83

A developer must implement a CheckPaymentProcessor class that provides check processing payment capabilities that adhere to what defined for payments in the PaymentProcessor interface. public interface PaymentProcessor { void pay(Decimal amount); } Which is the correct implementation to use the PaymentProcessor interface class?

- A. Public class CheckPaymentProcessor implements PaymentProcessor { public void pay(Decimal amount) {}}
- B. Public class CheckPaymentProcessor implements PaymentProcessor { public void pay(Decimal amount);}
- C. Public class CheckPaymentProcessor extends PaymentProcessor { public void pay(Decimal amount);}
- D. Public class CheckPaymentProcessor extends PaymentProcessor { public void pay(Decimal amount) {}}

**Answer: B**

#### NEW QUESTION 86

The Job\_Application\_\_c custom object has a field that is a Master-Detail relationship to the Contact object, where the Contact object is the Master. As part of a feature implementation, a developer needs to retrieve a list containing all Contact records where the related Account Industry is 'Technology' while also retrieving the contact's Job\_Application\_\_c records.

Based on the object's relationships, what is the most efficient statement to retrieve the list of contacts?

- A. [SELECT Id, (SELECT Id FROM Job\_Applications\_r) FROM Contact WHERE Account.Industry = 'Technology'];
- B. [SELECT Id, (SELECT Id FROM Job\_Applications\_r) FROM Contact WHEREAccounts.Industry = 'Technology'];
- C. [SELECT Id, (SELECT Id FROM Job\_Applications\_c) FROM Contact WHERE Accounts.Industry = 'Technology'];
- D. [SELECT Id, (SELECT Id FROM Job\_Application\_c) FROM Contact WHERE Account.Industry = 'Technology'];

**Answer: B**

#### NEW QUESTION 90

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### Platform-Developer-I Practice Exam Features:

- \* Platform-Developer-I Questions and Answers Updated Frequently
- \* Platform-Developer-I Practice Questions Verified by Expert Senior Certified Staff
- \* Platform-Developer-I Most Realistic Questions that Guarantee you a Pass on Your First Try
- \* Platform-Developer-I Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
[Order The Platform-Developer-I Practice Test Here](#)