



F5-Networks

Exam Questions 101

Application Delivery Fundamentals

NEW QUESTION 1

TI SISSL prides which functionary when a web browser connects to web site using the HTTPS protocol?

- A. delivers secure communication over a network connection
- B. prevents the web server from being compromised
- C. protects network packets from interception by intermediaries
- D. stop the web browser from automatically downloading malware

Answer: A

NEW QUESTION 2

BIG-IP Administrator runs the command `show config` from the BIG-IP command line and sees a high number of collisions. What is the likely cause?

- A. There is a duplicate IP address on the network
- B. A crossover cable has been used
- C. The interface is set to half duplex
- D. Spanning Tree Protocol is blocking the connection

Answer: D

NEW QUESTION 3

A load balancing decision needs to be made based on custom attributes. What is the most appropriate F5 feature (for this purpose)?

- A. iApps
- B. Scale
- C. iControl
- D. iRules

Answer: D

NEW QUESTION 4

What describes the third "A" in the common authentication acronym AAA?

- A. provides redundancy
- B. measures usage against an identity
- C. provides user filtered access
- D. ensures the correct identity

Answer: C


NEW QUESTION 5

What does HTTP status code 500 mean?

- A. Service unavailable
- B. Internal server error
- C. Gateway timeout
- D. Bad gateway

Answer: B

NEW QUESTION 6




```
01071682:5: SNMP_TRAP: Virtual /Common/GOLF-HO
01010028:3: No members available for pool /Com
01010029:5: Clock advanced by 669 ticks
01140029:4: HA vlan_fs /Common/EXTERNAL fails a
010c0052:5: Standby for traffic group /Common/t
010c0018:5: Standby
01010029:5: Clock advanced by 652 ticks
```

A)



```
EXTERNAL failed
```

B)



```
GOLF-HOTEL-1S became unavailable
```

C)



- A. Option
- B. Option
- C. Option

Answer: A

NEW QUESTION 7

What are the two primary functions of the OSI 7 layer model (Choose two)

- A. to guide interoperability between products made by different vendors
- B. to define protocol behavior
- C. to group communications into logical layers
- D. to define specifications of host-to-host communications
- E. to standardize HTTP communications between different vendors

Answer: AB

NEW QUESTION 8

What does the HTTP status code 404 mean?

- A. Not Acceptable
- B. Forbidden
- C. Request Timeout
- D. Not found

Answer: D

NEW QUESTION 9

in which scenario is a full proxy required?

- A. When a separation between client and server connection is needed
- B. When administration directly access the servers for administration
- C. when the server sends the response through the load balancer
- D. when all TCP client parameters must be seen by the server

Answer: A

Explanation:

Reference <https://devcentral.f5.com/articles/three-things-your-proxy-cant-do-unless-its-a-full-proxy>

NEW QUESTION 10

An administrator needs to allow secure access to application within the corporate data center for remote office, branch office and mobile employees. Which F5 product provides this functionality?

- A. APM
- B. ASM
- C. GTM
- D. AFM

Answer: A

NEW QUESTION 10

What is the primary function of a certificate authority?

- A. to expire outdated certificates
- B. to verify and validate certificates
- C. to store security certificates
- D. to sign certificate signing requests

Answer: D

Explanation:

https://enWikipedia.org/wiki/Certificate_authority

NEW QUESTION 13

Host A sends 10 TCP packets to Host B. All packets arrive at Host B quickly, but some arrive out of order. What will Host B do?

- A. ACK only packets that are in order
- B. drop all packets and wait for arrival in order
- C. drop any packets that arrive out of order
- D. ACK all packets and place them in order

Answer: D

NEW QUESTION 17

A BIG-IP Administrator is trying to send traffic to a server on the same subnet and sees an incomplete in the BIG-IP devices ARP table. What could cause the incomplete status?

- A. BIG-IP device connection is half-duplex
- B. Router does not have a default gateway
- C. Firewall is blocking ICMP
- D. Server's switch connection is in the wrong VLAN

Answer: D

NEW QUESTION 21

Which FTP mode should be used by a client behind a firewall that has no special configurator?

- A. Passive FTP
- B. Secure FTP
- C. Active FTP
- D. Protected FTP

Answer: A

NEW QUESTION 26

Which HTTP response code is returned when a web server requires authentication to access a resource?

- A. 500
- B. 401
- C. 302
- D. 100

Answer: B

NEW QUESTION 29

Which command should a BIG-IP Administrator use to resolve the domain www. F5.com?

- A. grep
- B. ping
- C. dig
- D. find

Answer: C

NEW QUESTION 33

The users in a company are unable to send and receive SMTP e-mails using the BIG-IP Virtual Server. The administrator logs into the BIG IP device to verify if the mail pool member with an IP address of 192. 168. 10. 100. 18 is serving SMTP traffic.

Which command on the BIG-IP device should the administrator use to verify the traffic?

- A. tcpdump - 0 0 host 192 168 10 100 and port 143
- B. curf - 1 smtp1/192 168 10 100
- C. lcpdurnp - 0:0 host 192. 168. 10. 100 and port 25
- D. telnet 192. 168. 10. 100. 143

Answer: C

NEW QUESTION 36

Which type of certificate is pre-installed in a web browser's trusted store?

- A. Root Certificate
- B. Server Certificate
- C. Client Certificate
- D. intermediate Certificate

Answer: A

NEW QUESTION 39

An administrator needs to create a structured application delivery configuration that will prevent individual objects from being modified directly

Which F5 technology should the administrator use?

- A. iRules
- B. iApps
- C. iSessions
- D. iContfol

Answer: B

NEW QUESTION 41

User A and User B's workload are on the same VLAN, but connected through a transparent layer 2 bridge in use B's ARP table. Which MAC address is reported for user A's workstation?

- A. The physical port MAC address on the bridge for user A's workstation
- B. The MAC address of the 12 bridge
- C. The MAC address of User A's workstation
- D. The physical port MAC address on the bridge for user B's workstation

Answer: D

NEW QUESTION 45

which version of SNMP can AuthPriv be used?

- A. 2
- B. 3
- C. 2c
- D. 3c

Answer: B

NEW QUESTION 46

A BIG-IP Administrator needs to configure a MAC masquerade address for traffic-group 1. Where on the GUI should this configuration be performed?

- A. System > Configuration Device General > traffic-group-1
- B. Local Traffic > Traffic Class > traffic -group-1
- C. Device Management > Traffic Groups > traffic-group-1
- D. Network > ARP Static List > traffic-group-1

Answer: C

NEW QUESTION 51

An administrator suspects that a BIG IP appliance is experiencing performing issue due to spikes in CPU usage checks the performance issues does to spikes in CPU usage checks the performance report in the BIG-IP UI on CPU spikes are evident in the graphs. Which section in the BIG IP UI can the administrator check to troubleshoot the issue further?

- A. Statistics > Utilization
- B. System . Utilization
- C. Statics > Dashboard
- D. System > Services

Answer: C

NEW QUESTION 54

An administrator notices the following log message generated by a BIG IP system " diskmonitor 011d005: Disk partition shared has less than 30% tree" Which command should the administrator use to troubleshoot the problem?

- A. parted-1
- B. fdisk-1
- C. isbik
- D. df-h

Answer: D

NEW QUESTION 59

In wh.ch layer of the OSI model is the data transported in the form of a packet?

- A. Transport
- B. Session
- C. Network
- D. Presentation

Answer: C

NEW QUESTION 62

A BIG IP Administrator is trying to reach the internal web server from a workstation

- * The workstation has a MAC address of 00:00 00 00 00 01 and an IP address or 192. 168. 0. 1
 - * An internal web server has a MAC address of 00 00 00 00 00 02 and an IP address of 10. 10. 1. 1
 - * The workstations default gateway has a MAC address of 00 00 00 00 00 03 and IP address of 192 168 0 254
- What is the destination hardware address of the outbound packet when it leaves the workstation?

- A. 00:00.00:00:00:01
- B. 00:00:00 :00:00:00
- C. 00:00:00:00:00:03
- D. 00:00:00:00:00 02

Answer: C

NEW QUESTION 65

Which service should be configured to allow BIG-IP devices to be externally monitored?

- A. SSHD
- B. TMSH
- C. SMTP
- D. SNMP

Answer: D

NEW QUESTION 66

Which protocol data unit (PDU) is associated with the OSI model Network layer?

- A. Frame
- B. Packet
- C. Segment
- D. Bit

Answer: B

Explanation:

https://en.wikipedia.org/wiki/Protocol_data-unit

NEW QUESTION 67

A BIG IP administrator is testing a web server behind ADC. The connection to a Virtual Server is successful but the page is still not loading Where should the administrator test to determine if the server is available?

- A. from server-side interface in ADC.
- B. from client side interface in ADC
- C. from Workstation client
- D. from switch connected to ADC and Server

Answer: A

NEW QUESTION 71

A BIG-IP Administrator configures three Network Time Protocol servers to keep the time of the devices in sync. Which tool should the administrator use to show the synchronization status with the Network Time Protocol servers ?

- A. ntpdate
- B. time
- C. mpa
- D. date

Answer: C

NEW QUESTION 73

In which FTP mode is the server, responsible for initiating the data correction back to the client?

- A. Protected FTP
- B. Active FTP
- C. Secure FTP
- D. Passive FTP

Answer: B

Explanation:

<https://support.f5.com/csp/article/K08859735>

NEW QUESTION 75

Exhibit.



the Web application Server made a query to the Database to present dynamic content for a user who would be the client?

- A. The User

- B. The Big-IP
- C. The Database
- D. The Web application server

Answer: D

NEW QUESTION 80

A new web server VLAN has been created and the IP address 10.1.1.1/24 has been assigned to the BIG IP device. The BIG IP Administrator needs to create the new Self IP and prevent administrator access to the BIG-IP device from the newly created network. Which TMSH command should be used?

- A. create /net self internal address 10 1.1. 1/24 vlan VLAN 10 allow service none.
- B. add 'net self internal address 10.1.1. 1/24 vlan VLAN 10 allow-service none
- C. create /net self internal address 10. 1. 1. 1/24 vlan VLAN 10 allow service default
- D. add /net self internal address 10 111 mask 265. 255. 2550 vlan VLAN 10 allow

Answer: A

Explanation:

White the default differs from version to version, H typically allows HTTP SSH and iQuety for BIG-IP to BIG-IP communication

NEW QUESTION 85

A load balancer receives a TCP SYN packet from a client and immediately sends the packet on to a server. This is an example of which type of solution?

- A. packet forwarding architecture
- B. Full proxy architecture
- C. TCP compression
- D. TCP optimization

Answer: A

NEW QUESTION 87

A client's operating system needs to make sure that data received from a server is mapped to the application that requested it. How does it complete this mapping?

- A. using the TCP sequence number
- B. using the client source port
- C. using the TCP acknowledgement number
- D. using the server source port

Answer: B

NEW QUESTION 90


A certificate chain can be used for which purpose?

- A. Creating anonymous connections on the internet
- B. anchoring the geographic location of a client or server
- C. Ensuring multiple layers of decryption and encryption
- D. Determining a client or server should be trusted

Answer: D

NEW QUESTION 92

Which of the following would happen?



- A. The PC sends a DNS query for 172. 17. 10. 1
- B. The PC sends an ARP looking for the MAC address of 172. 17. 10. 4
- C. The PC sends an ARP looking for the MAC address of 172. 17. 10. 1
- D. The PC sends a DNS query for 172.17.10 4

Answer: B

NEW QUESTION 94

A BIG IP Administrator observes that the pool member status is a blue square What does this status indicate?

- A. The object is available

- B. The availability of the object is unknown.
- C. The object has reached its configured connection limit
- D. The object is unavailable.

Answer: B

NEW QUESTION 98

A company would like to create a web service for multiple data centers (US EU, ASia) where each data center uses the same IP address Requests will be routed to the closest data center. Which address type is the appropriate solution?

- A. Broadcast
- B. Unicast
- C. Anycast
- D. Micast

Answer: C

NEW QUESTION 103

A user wishes to retries a file from an FTP server
minimum of how many TCP connections are required to perform this action?

- A. 3
- B. 1
- C. 4
- D. 2

Answer: D

NEW QUESTION 107

What is a common use of an iRule?

- A. to modify application traffic between the client and server
- B. to create a reuseable application delivery template
- C. to integrate a BIG IP into an enterprise orchestration tool
- D. to create an accelerated session between two BIG-IP devices

Answer: A

NEW QUESTION 108

An Administrator enables HTTP keep alive. How does this affect the network?

- A. HTTP connections will remain open longer
- B. Fewer TCP connections will need to be opened
- C. HTTP connections will close when the keep-alive times out
- D. More TCP connections will need to be opened

Answer: B

Explanation:

[https //en wikipedia org/wiki/HTTPpersistentconnection](https://en.wikipedia.org/wiki/HTTPpersistentconnection)

NEW QUESTION 111

A device needs to decrypt traffic and send unencrypted traffic to the web server. Which method should the BIG-IP Administrator use?

- A. SSL Optimization
- B. SSL Caching
- C. SSL Termination
- D. SSL Bridging

Answer: C

NEW QUESTION 114

An administrator is designing a remote host connection using an ICMP based network troubleshooting utility and receive an ICMP error diagram with the following error code.

* 11. Times exceeded What does this mean?

- A. A faulty router on the network is unable to process the packet in a timely manner
- B. A switch on the network the frame due to an incorrect checksum
- C. The TTL field of the IP header was set to 255. and this was consequently dropped by a router
- D. The TTL field of the IP header was decremented to 0. and this was consequently dropped by a router

Answer: D

NEW QUESTION 117

What is used to provide mutual authentication for TLS/SSL?

- A. X 509 Certificate
- B. Access List
- C. Shared Secret key
- D. Mutually Trusted issuer

Answer: A

NEW QUESTION 119

Which two protocol are used for the retrieval of email? (Choose two)

- A. ICAP
- B. SMTP
- C. IMAP
- D. POP3
- E. SNMP

Answer: CD

NEW QUESTION 122

An administrator encounter an error while working on eBiG.IP device and contacts F5 Support to open a case. While opening the case Support of the administrator that a BIO-IP version update is required.

Which F5 Support policy requires the administrator to upgrade the BIG-IP version.

- A. End of Software Support
- B. End of Support Contact Renewal
- C. End of Technical Support
- D. End of Return to Manufacturing

Answer: A

NEW QUESTION 123


ARP provides translation between which two address types?

- A. IP addresses and hardware addresses
- B. Hardware addresses and VLAN
- C. VLAN and IP addresses
- D. Hostnames and IP addresses

Answer: A

NEW QUESTION 125

An administrator is having a connectivity issue with a server in the same network. Upon checking with the command arp -a on a Windows machine, the two outputs are taken on a 1 minute interval "hat is likely causing this issue?



Internet Address	Physical Address	Type
192.168.56.101	08-00-27-21-fb-45	dynamic
192.168.56.255	ff-ff-ff-ff-ff-ff	static

Internet Address	Physical Address	Type
192.168.56.101	08-00-27-74-17-01	dynamic
192.168.56.255	ff-ff-ff-ff-ff-ff	static

- A. Interface down
- B. MAC address conflict
- C. No route available
- D. IP address conflict

Answer: D

NEW QUESTION 129

A company deploys F5 load balancers to manage a large number of secure applications. The company manage certificates. Which F5 provides this functionality?

- A. iHealthy
- B. BIG-IQ
- C. GTM
- D. LTM

Answer: B

Explanation:

<https://devcentral.f5.com/articles/what-is-big-iq-26702>

NEW QUESTION 133

What does the 5XX group of HTTP status codes indicate?

- A. Redirection
- B. Successful
- C. Client Error
- D. Server Error

Answer: D

NEW QUESTION 138

Which protocols are used for control and session establishment for streaming media?

- A. RTP
- B. RTSP
- C. OTLS
- D. SMB

Answer: A

Explanation:

https://en.wikipedia.org/wiki/Real_Time_Streaming_Protocol

NEW QUESTION 142

A client needs to learn if a web server supports POST. Which HTTP method is used?

- A. OPTIONS
- B. TRACE
- C. LIST
- D. GET

Answer: A

Explanation:

<https://developer.mozilla.org/en-US/docs/Web/HTTP/Methods/OPTION>

NEW QUESTION 143

Ping and Traceroute outputs are provided for a connectivity issue. What is the cause of these results?

- A. routing loop
- B. packets that are routed with a high metric
- C. multiple paths toward the destination

Answer: A

NEW QUESTION 146


Which protocol emphasizes reduced latency over reliability?

- A. TCP
- B. UDP
- C. GRE
- D. RSVP

Answer: B

NEW QUESTION 149

A user is trying to access a website using the URL <https://1.1.1.1/>. The website fails to load. The user can access other websites. Given the packet capture above, what is the most likely issue?



No.	Time	Source	Destination	Protocol	Length	Info
1	0.00000	10.0.0.11	1.1.1.1	TCP	74	33494 → 443 [SYN] Seq=0 Win=29200 Len=0 MSS=1460
2	0.00033	1.1.1.1	10.0.0.11	TCP	60	443 → 33494 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0

- A. The remote server is not responding because it is down
- B. The client machine is not connected to the internet
- C. The client machine's DNS is configured incorrectly
- D. The remote server is actively rejecting the connection

Answer: D

NEW QUESTION 152

A BIG-P Administrator needs to upload a qkview view to evaluate software upgrade options. Which service should be used?

- A. AskF5
- B. iHeath
- C. DevCentral
- D. F5WedSubOon

Answer: B

NEW QUESTION 155

HTTP pool attached to a Virtual Server has three members Pool member A default HTTP monitor in red Pool member 6 custom HTTP monitor in green Pool member C does not monitor
Which pool members participate in the load balancing?

- A. Pool members A and C
- B. Pool members A B and C
- C. Pool members B and C
- D. Pool members A and B

Answer: C

NEW QUESTION 156

A BIG IP Administrator needs to create a virtual server for a new secure end-to-end web application After change in configuration the virtual server .3 still marked down. The configuration of the virtual server and the pool member are correct. A quick server shows the status.



To fix the issue, what should the BIG-IP Administrator inform the web server administrator to do?

- A. change web server configuration to use SSL/TLS
- B. reboot the server
- C. restart the web service
- D. change web server configuration to use SSH/SCP

Answer: A

Explanation:

If the application needs to be secure 'end-to-end' the web server needs to use SSL as well. Most web servers will not required to HTTP requests when configured with HTTPS, so the monitor is failing.

NEW QUESTION 161

What tool should the BIG-IP Administrator use to view the status of all virtual servers and associated resources in one place?

- A. System performance
- B. Network Map
- C. Pool statistics
- D. Virtual server statistics

Answer: B

NEW QUESTION 163

An IPV6 clients tries to connect to <http://myserver.com>
Wh.cn type of DNS request should the client send to its configured server?

- A. type MX
- B. type AAAA
- C. type NS
- D. type A

Answer: B

NEW QUESTION 164

What does ICMP Time Exceeded" mean?

- A. The ping command exceeded the time limit.
- B. The traceroute command exceeded the time limit
- C. Remote host did not respond
- D. TTL has reached zero

Answer: D

NEW QUESTION 168

Which protocol data unit (PDU) is associated with the OSI model's Physical layer?

- A. Frame
- B. Datagram
- C. Segment
- D. Bit

Answer: D

Explanation:

https://en.wikipedia.org/wiki/Protocol_data_unit

NEW QUESTION 173

Which support service is required to synchrony the time stamps in system logs from these devices?

- A. SNMP
- B. Syslog
- C. SMTP
- D. DNS

Answer: B

NEW QUESTION 174

An application has a mix of both and short and long lived connections. Which algorithm would provide and event distributionof all connections across the pool?

- A. Priority group activate
- B. Least connections
- C. Static ration
- D. Round robin

Answer: B

NEW QUESTION 178

HTTPS traffic is being passed from behind a NAT router, through a load balancer, to servers without being decrypted. What is the F5-recommended persistence method in this situation?

- A. SSL session ID persistence
- B. source address persistence
- C. SIP persistence
- D. destination address persistence

Answer: A

NEW QUESTION 183

Which method should an administrator of the BIG-IP use to sync the configuration to only certain other BIG-IPs?

- A. synchronize only certain folders
- B. exclude devices from certain Traffic Groups
- C. exclude devices from certain Sync Groups
- D. exclude devices from certain Device Groups

Answer: C

NEW QUESTION 187

A BIG IP Administrator configures three Network Time Protocol servers to keep the time of the devices in sync. Which tool should the administrator use to show the synchronization status with the Network Time Protocol servers?

- A. time
- B. ntpdate
- C. date
- D. ntpq

Answer: D

Explanation:

nlpq -pn will show thesynchronization status of configured ntp servers

NEW QUESTION 189

Which two functions of AAA does Security Assertion Markup Language (SAML) identity Provider (IdP) offer (Choose two)?

- A. measure usage
- B. provide authentication

- C. provide availability
- D. provide session auditing
- E. filter access

Answer: BD

NEW QUESTION 192

After all expected HTTP data has been sent from a server to a client, the client does not close connection. The server reaps the connection, but after that the client sends a "Keep alive "packet to the server.
Which type of packet will the server respond with?

- A. FIN
- B. RST
- C. ACK
- D. SYN

Answer: B

NEW QUESTION 195

A BIG IP Administrator reviews the Virtual Server configuration and sees the object status represented by a blue square for an unknown status.How should the administrator change the unknown status?

- A. restart the BIG-IP device
- B. assign a monitor to the pool
- C. restart the backend webserver
- D. run a packet capture on the BIG-IP device

Answer: B

NEW QUESTION 200


If there are multiple applications authenticated against a single identity store, which technology solution will simplify access to all applications?

- A. RADIUS
- B. single sign on
- C. multifactor authentication
- D. LDAP

Answer: B

NEW QUESTION 204

An administrate receives an error message when attempting to create a self-IP address on a BIG-IP appliance Which address should the administrator use to resolve the issue?



- A. 2001 0db8.85a3 0000 0000 8a2e 0370 7334
- B. 2001:db8:85a3 Bd3.Ba2e.370 7334
- C. 2001:0db8:85i3:0000:0000: : 8a2i:0370:7334

Answer: A

NEW QUESTION 209

An administrator is performing a capture from a lagged port on an Ethernet SWITCH.
Which OSI layer should be inspected to determine with which VLAN a datagram is associated?

- A. Network layer
- B. Data-link layer
- C. Application layer
- D. Transport layer

Answer: B

NEW QUESTION 212

What are three functions commonly performed by HTTP cookies? (Choose three)

- A. Track users' browsing activities
- B. hold User preferences
- C. maintain session state
- D. execute client side scripts
- E. execute server side scripts

Answer: ABC

NEW QUESTION 214

A company is creating a new department for Security Engineering and needs to create a segregated network segment with only 24 IPS. What should be configured?

- A. configure a new VLAN and assign a netmask of /29
- B. use an existing VLAN and assign a netmask of /28
- C. use an existing VLAN and assign a netmask of /30
- D. configure a new VLAN and assign a netmask of /27

Answer: D

Explanation:

a /28 contains 14 usable IPs and a /27 contains 30 usable IPs

NEW QUESTION 216


A BIG IP Administrator wants to add a new VLAN (VLAN 40) to an LACP trunk (named LACP01) connected to the BIG-IP device. Multiple VLANs exist on LACP01. Which TMSH command should the BIGIP Administrator issue to add the new VLAN to the existing LACP trunk?

- A. create net vlan VLAN40 {interfaces add (LACP01 {lagged}) tag 40}
- B. create net vlan VLAN40 {interfaces replace-all-with {LACP01 {tagged}} tag 40}
- C. create net vlan VLAN40 interfaces replace all with {LACP01 {untagged}} tag 40}
- D. create net vlan VLAN40 {interfaces add {LACP01 {untagged}} tag 40}

Answer: B

NEW QUESTION 219

An administrator is trying to debug why the 10.0.10.0/24 network is inaccessible from a certain server. The server is able to access the internet Successfully.



The administrator inspects the routing table and ARP table on the affected server. Given the terminal output shown, what could be causing this issue?

- A. The default gateway is not sending ARP responses
- B. The static route for 10.0.10.0/24 is misconfigured
- C. The local server is unable to receive ARP responses
- D. The default route (0.0.0.0/0) is misconfigured

Answer: B

NEW QUESTION 222

An administrator needs to protect a web application from cross-site scripting (CSS) exploits. Which F5 protocol provides this functionality?

- A. ASM
- B. APM
- C. AFM
- D. GTM

Answer: A

Explanation:

<https://devcentral.f5.com/articles/the-big-ip-application-security-manager-part-1-what-is-the-asm>

NEW QUESTION 223

In which scenario is a full proxy TCP connection required?

- A. when SIP UPnP load balancing is defined
- B. when DNS load balancing is configured
- C. when compression is enabled

D. when layer 3 load balancing is configured

Answer: C

NEW QUESTION 227

An administrator needs to deploy a VON solution that offers data integrity and origin authentication of IP packets. Which solution the administrator use?

- A. IPSecVPN
- B. PPTP
- C. GRE
- D. SSL VPN

Answer: A

NEW QUESTION 228

Comment calculator DNS error SERVFAIL. HTTP 404 and SMTP error 550 are all examples of which type of error?

- A. Service
- B. Application
- C. Network
- D. Session

Answer: B

NEW QUESTION 233

Which protocol Authenticates network traffic between hosts end without encryption?

- A. PPTP
- B. GRE
- C. IPSec AH
- D. iPSec ESP

Answer: C

Explanation:

[https://developer.ibm.com/answers/questions/37253/what-is-the-difference-between-the-ah-and- esp-port/](https://developer.ibm.com/answers/questions/37253/what-is-the-difference-between-the-ah-and-esp-port/)

NEW QUESTION 234

An administrator needs to provide access to corporate resources for remote users. The administrator also needs to verify that the remote use has anti-virus software installed. Which F5 product provides this functionality?

- A. ASM
- B. APM
- C. AFM
- D. TGM

Answer: B

NEW QUESTION 237

In IPv4 the loopback IP is 127 0.0.1. or IPv6, what is the loopback address?

- A. FEBO::1
- B. FF8Q 0.0 : :1
- C. 2001 :: 127 :: 1
- D. : : 1

Answer: D

NEW QUESTION 242

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

101 Practice Exam Features:

- * 101 Questions and Answers Updated Frequently
- * 101 Practice Questions Verified by Expert Senior Certified Staff
- * 101 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 101 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 101 Practice Test Here](#)