


HPE2-T37 Dumps

Using HPE OneView

<https://www.certleader.com/HPE2-T37-dumps.html>



NEW QUESTION 1

Refer to the exhibit.

OneView			Search	
SANs 3			SAN1_1 General	
			General	
			State Discovered	
			Type FC	
			Principal switch 29007A2B21E00086	
			Primary SAN manager 172.18.15.1	
			Alternate SAN managers none	
			Associated networks none	
			Zoning Policy Edit	
			Zoned Yes	
			Automate zoning Yes	

After adding SAN Manager to HPE OneView, you noticed that all SANs are in the discovered state. How will this affect HPE OneView storage management capabilities?

- A. Snapshot functionality will be limited only to the volumes not using these SANs.
- B. Volume presentation through server profile will work with the discovered state.
- C. Auto-zoning functionality will not work until SANs are associated with networks.
- D. Volume provisioning will only work for arrays that ate accessible through these SANs.

Answer: B

NEW QUESTION 2

After replacing a failed Compute Module, you notice the server profile Is not automatically assigned to the replaced server hardware. What can cause this issue?

- A. IL0 firmware of the replacement server is different than firmware in broken server.
- B. Server profile affinity is configured to Device Day + server hardware.
- C. The enclosure group has to be updated to match the original enclosure group.
- D. The replacement server has more memory or CPUs than broken machine.

Answer: A

NEW QUESTION 3

Which parameters can be defined in a server profile template for HPE Synergy Compute Modules? (Select two.)

- A. partition layout for servers running Linux.
- B. IL0 IPv4 or IPv6 address.
- C. local storage and BIOS settings.
- D. NIC teaming setup at OS level.
- E. network and storage connectivity.

Answer: CE

NEW QUESTION 4

You try to add an HPE Primera array to HPE OneView, but you get a connectivity error. However, you can connect to the array using SSMC. What should you verify before adding HPE Primera to HPE OneView?

- A. whether WSAPI service is enabled on HPE Primera array.
- B. whether the appropriate license for HPE Primera Is available in HPE OneView.
- C. whether array management using HPE OneView is enabled in SSMC.
- D. whether there are at least two Fibre Channel networks defined in HPE OneView.

Answer: A

NEW QUESTION 5

Refer to the exhibit.

OneView

▼

Search

Firmware Compliance

0

Actions

▼

This view shows the firmware compliance for shared infrastructure and server hardware (Gen9 and newer) which are not compliant with the firmware bundles available in the OneView repositories. This is generated by comparing the installed firmware versions of the resources with the version included in the firmware bundles.

Hardware	Model	▲ Logical Resource	Firmware Bundle	Update Category	Estimated Update Time
No firmware compliance					

A customer complains that firmware compliance is empty. The customer confirmed that Synergy Service Pack is uploaded to the HPE OneView repository. How should you respond?

- A. The refresh procedure must be performed on each logical enclosure to refresh firmware.
- B. All of the components are up to date and compliant with firmware baseline.
- C. The firmware repository service must be restarted using maintenance connection.
- D. The firmware repository is not defined within firmware compliance report.

Answer: C

NEW QUESTION 6

You are creating a Logical Interconnect Group (LIG) that will be used to configure SAS connectivity. What is the maximum number of frames that can be inducted in this LIG?

- A. 2 frames
- B. 4 frames
- C. 3 frames
- D. 1 frame
- E. 5 frames

Answer: D

NEW QUESTION 7

What event occurs on iLO when an HPE ProLiant server is added to HPE OneView?

- A. IPMI credentials are configured for the iLO
- B. REST API plugin is enabled for iLO
- C. Active Directory configuration is performed on iLO
- D. SSO certificate is added to the iLO

Answer: B

NEW QUESTION 8


what is required to add a remote frame to the primary management ring?

- A. UUD of the remote HPE Composer
- B. Serial number of one of the remote frames
- C. Remote frame Link Module IPv6 address
- D. Request code from the primary HPE Composer

Answer: D

NEW QUESTION 9

Refer to the exhibit.



You discovered that one of the profiles is not compliant with the server profile template. What could cause this profile to be inconsistent with the server profile template?

- A. The server was powered off or rebooted recently and iLO did not reconnect to HPE OneView.
- B. HPE OneView was restored from a backup that created inconsistency with the server profile template.
- C. Network connectivity for HPE Synergy Compute Module was changed outside HPE OneView.
- D. Changes to the server profile were implemented directly on the server profile.

Answer: D

NEW QUESTION 10

Which licenses are optional to be purchased separately for HPE Synergy?

- A. Global Dashboard licenses

- B. FC Upgrade licenses
- C. HPE OneView licenses
- D. Virtual Connect licenses

Answer: B

Explanation:

Licenses were not purchased in the original order for the modules and were ordered separately.

NEW QUESTION 10


Which connection type can be defined within a server profile for an MPE ProLiant DL server?

- A. iSCSI
- B. RoCE
- C. FC
- D. Ethernet

Answer: C

NEW QUESTION 12

Click the option that will allow you to update the firmware of master and satellite modules.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Settings

NEW QUESTION 13

Your customer is considering HPE Synergy as a hardware platform for visualization workload. The customer environment is wry dynamic, and they often have to modify hypervisor networking.

Which resource provided by HPE should you discuss with this customer?

- A. HPE OneView Global Dashboard allows server profile replication and change management.
- B. PowerShell Library for HPE OneView allows scripted environment modification.
- C. HPE OneView for VMware vCenter Server will enable host profile functionality and simplify changes.
- D. HPE Image Streamer provides templates which can be updated to map the hypervisor requirements

Answer: C

NEW QUESTION 14

Your customer asks you if it is possible to perform HPE Synergy initial setup remotely. How should you respond?

- A. Remote HPE Synergy setup is possible if HPE Composer 2 is used and a DHCP server is available in the management network.
- B. Remote HPE Synergy Installation can be done only if an additional set of the services was purchased together with hardware platform.
- C. HPE Synergy cannot be deployed remotely, as Initial setup must be performed using a local console connection.
- D. HPE Synergy can be configured remotely through a secure connection to the FLM if this option was enabled in the factory.

Answer: D

Explanation:

HPE Synergy 4-port Frame Link Modules have SFP+ ports which enable connections to distant frames and remote subnets.

NEW QUESTION 16

Click option that will allow you to select a FlexNIC function for the specified connection.

Add Connection

General

Name: Management

Function Type: Ethernet

Network: Eth-1

Port: Auto

Link aggregation group: None

Requested bandwidth (Gb/s): 2,5

Requested virtual functions: ☒ None ☐ Custom ☐ Auto

Boot: Not bootable

☐ Use user-specified IDs

Add Add + Cancel

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface Description automatically generated

NEW QUESTION 19

You are implementing an HPE Synergy solution with multiple frames in one management ring. Image Streamer is not a part of this solution. How can an IPv4 address pool defined by the administrator be used in HPE OneView?

- A. to provide static IP addresses to ILO and interconnect modules if applicable
- B. to provide static IP addresses for an operating system running on a Compute Module
- C. to provide static IP addresses for Logical Interconnects and Logical Enclosures
- D. to provide static IP addresses for storage systems managed in HPE OneView

Answer: A

NEW QUESTION 24

Refer to the exhibit.

OneView

Search

Networks 13

+ Create network

Name	VLAN	Type
Eth-1	Untagged	Ethernet
FC-A		FC
FC-B		FC
FT-01	Untagged	Ethernet
FT-02	Untagged	Ethernet
FT-03	Untagged	Ethernet
FT-04	Untagged	Ethernet
FT-05	Untagged	Ethernet
vMotion-01	Untagged	Ethernet
vMotion-02	Untagged	Ethernet
vMotion-03	Untagged	Ethernet
vMotion-04	Untagged	Ethernet
vMotion-05	Untagged	Ethernet

Eth-1

Overview

General

Type

Ethernet

VLAN

Untagged

Associated with IPv4 subnet ID

none

Associated with IPv6 subnet ID

none

Purpose

Management

Preferred bandwidth

2.5 Gb/s

Maximum bandwidth

20 Gb/s

Smart link

Yes

Private network

No

Uplink set

ETH-Uplink

Used by

2 server profiles
3 server profile templates

Member of

no network sets

exhibit 39.18.1.2

Your customer created multiple networks in HPE OneView, but only Eth-1 is available to be used within a server profile. What is a likely cause of this situation?

- A. The other networks are not configured with the required Smart Link parameter.
- B. The other networks are not added to the Logical Interconnect Group configuration.
- C. The other networks have Private Network' selected, which hides them from Compute Modules.
- D. The other networks are configured with a purpose other than General or Management.

Answer: B

NEW QUESTION 25


Click the option from the HPE OneView main menu that will allow you to define UPS or other components that will work as a placeholder in a rack system.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

**NEW QUESTION 27**

You plan to update HPE OneView to the latest version. What should you do before starting HPE OneView update?

- A. Disable HPE Remote Support at the HPE OneView appliance level
- B. Put all servers managed through HPE OneView to maintenance state
- C. Run the Update Readiness checker tool to evaluate HPE OneView health status
- D. Create a support dump for the appliance and for all managed logical interconnects

Answer: C

NEW QUESTION 29

You want to add the latest iLO firmware to an HPE OneView firmware repository. How can you complete this task?

- A. A PowerShell script must be used to upload iLO firmware to the internal or external firmware repository.
- B. A custom SPP ISO image must be created with the new iLO firmware version and uploaded to the repository.
- C. An external repository must be created, because standalone components are supported only in an external repository.
- D. iLO firmware can be marked as a hotfix and uploaded directly to the internal or external firmware repository.

Answer: B

NEW QUESTION 30

Where is the association between an HPE OneView network and uplink port defined?

- A. Within an Enclosure Group definition
- B. Within an HPE OneView network definition
- C. At the network set level
- D. At the Logical Interconnect Group level

Answer: D

NEW QUESTION 33

What is required to add remote frame link topology to HPE OneView?

- A. The HPE OneView certificate from the primary site must be added to HPE OneView in the remote site.
- B. The IP address assigned to HPE Composer installed in a remote site must be registered in a primary site.
- C. Multi-site licenses must be added to HPE OneView and activate for all available HPE Synergy frames.
- D. Management ports of the remote frame link topology must be connected to the management LAN.

Answer: D

NEW QUESTION 35

For each feature, indicate whether it is available with both HPE OneView Standard and HPE OneView Advanced licenses, or only with an HPE OneView Advanced license.

Answer Area	License	Feature
both Standard and Advanced		Firmware management
only Advanced		Remote Support
		Reporting
		Smart Search, Activity View, Dashboard

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Graphical user interface, application Description automatically generated

NEW QUESTION 36
How will setting the Purpose field within the network definition of a server profile impact the network traffic?

- A. network purpose can give higher priority for a specific type of traffic
- B. network purpose will impact the traffic only if Virtual Connect modules are used
- C. network purpose will define QoS within Logical Interconnect
- D. network purpose does not affect the behavior of the network

Answer: C

NEW QUESTION 40
.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your HPE2-T37 Exam with Our Prep Materials Via below:

<https://www.certleader.com/HPE2-T37-dumps.html>