

Amazon

Exam Questions AWS-Solution-Architect-Associate

Amazon AWS Certified Solutions Architect - Associate



NEW QUESTION 1

- (Exam Topic 1)

A solutions architect is designing the cloud architecture for a new application being deployed on AWS. The process should run in parallel while adding and removing application nodes as needed based on the number of jobs to be processed. The processor application is stateless. The solutions architect must ensure that the application is loosely coupled and the job items are durably stored.

Which design should the solutions architect use?

- A. Create an Amazon SNS topic to send the jobs that need to be processed Create an Amazon Machine Image (AMI) that consists of the processor application Create a launch configuration that uses the AMI Create an Auto Scaling group using the launch configuration Set the scaling policy for the Auto Scaling group to add and remove nodes based on CPU usage
- B. Create an Amazon SQS queue to hold the jobs that need to be processed Create an Amazon Machine image (AMI) that consists of the processor application Create a launch configuration that uses the AMI Create an Auto Scaling group using the launch configuration Set the scaling policy for the Auto Scaling group to add and remove nodes based on network usage
- C. Create an Amazon SQS queue to hold the jobs that need to be processed Create an Amazon Machine image (AMI) that consists of the processor application Create a launch template that uses the AMI Create an Auto Scaling group using the launch template Set the scaling policy for the Auto Scaling group to add and remove nodes based on the number of items in the SQS queue
- D. Create an Amazon SNS topic to send the jobs that need to be processed Create an Amazon Machine Image (AMI) that consists of the processor application Create a launch template that uses the AMI Create an Auto Scaling group using the launch template Set the scaling policy for the Auto Scaling group to add and remove nodes based on the number of messages published to the SNS topic

Answer: C

Explanation:

"Create an Amazon SQS queue to hold the jobs that need to be processed. Create an Amazon EC2 Auto Scaling group for the compute application. Set the scaling policy for the Auto Scaling group to add and remove nodes based on the number of items in the SQS queue"

In this case we need to find a durable and loosely coupled solution for storing jobs. Amazon SQS is ideal for this use case and can be configured to use dynamic scaling based on the number of jobs waiting in the queue. To configure this scaling you can use the backlog per instance metric with the target value being the acceptable backlog per instance to maintain. You can calculate these numbers as follows: Backlog per instance: To calculate your backlog per instance, start with the `ApproximateNumberOfMessages` queue attribute to determine the length of the SQS queue

NEW QUESTION 2

- (Exam Topic 1)

An application development team is designing a microservice that will convert large images to smaller, compressed images. When a user uploads an image through the web interface, the microservice should store the image in an Amazon S3 bucket, process and compress the image with an AWS Lambda function, and store the image in its compressed form in a different S3 bucket.

A solutions architect needs to design a solution that uses durable, stateless components to process the images automatically.

Which combination of actions will meet these requirements? (Choose two.)

- A. Create an Amazon Simple Queue Service (Amazon SQS) queue Configure the S3 bucket to send a notification to the SQS queue when an image is uploaded to the S3 bucket
- B. Configure the Lambda function to use the Amazon Simple Queue Service (Amazon SQS) queue as the invocation source When the SQS message is successfully processed, delete the message in the queue
- C. Configure the Lambda function to monitor the S3 bucket for new uploads When an uploaded image is detected write the file name to a text file in memory and use the text file to keep track of the images that were processed
- D. Launch an Amazon EC2 instance to monitor an Amazon Simple Queue Service (Amazon SQS) queue When items are added to the queue log the file name in a text file on the EC2 instance and invoke the Lambda function
- E. Configure an Amazon EventBridge (Amazon CloudWatch Events) event to monitor the S3 bucket When an image is uploaded
- F. Send an alert to an Amazon Simple Notification Service (Amazon SNS) topic with the application owner's email address for further processing

Answer: AB

Explanation:

➤ Creating an Amazon Simple Queue Service (SQS) queue and configuring the S3 bucket to send a notification to the SQS queue when an image is uploaded to the S3 bucket will ensure that the Lambda function is triggered in a stateless and durable manner.

➤ Configuring the Lambda function to use the SQS queue as the invocation source, and deleting the message in the queue after it is successfully processed will ensure that the Lambda function processes the image in a stateless and durable manner.

Amazon SQS is a fully managed message queuing service that enables you to decouple and scale microservices, distributed systems, and serverless applications. SQS eliminates the complexity and overhead associated with managing and operating message-oriented middleware, and empowers developers to focus on differentiating work. When new images are uploaded to the S3 bucket, SQS will trigger the Lambda function to process the image and compress it. Once the image is processed, the SQS message is deleted, ensuring that the Lambda function is stateless and durable.

NEW QUESTION 3

- (Exam Topic 1)

A company runs a shopping application that uses Amazon DynamoDB to store customer information. In case of data corruption, a solutions architect needs to design a solution that meets a recovery point objective (RPO) of 15 minutes and a recovery time objective (RTO) of 1 hour.

What should the solutions architect recommend to meet these requirements?

- A. Configure DynamoDB global table
- B. For RPO recovery, point the application to a different AWS Region.
- C. Configure DynamoDB point-in-time recover
- D. For RPO recovery, restore to the desired point in time.
- E. Export the DynamoDB data to Amazon S3 Glacier on a daily basis
- F. For RPO recovery, import the data from S3 Glacier to DynamoDB.
- G. Schedule Amazon Elastic Block Store (Amazon EBS) snapshots for the DynamoDB table every 15 minutes
- H. For RPO recovery, restore the DynamoDB table by using the EBS snapshot.

Answer: B

Explanation:

<https://docs.aws.amazon.com/amazondynamodb/latest/developerguide/PointInTimeRecovery.html>

NEW QUESTION 4

- (Exam Topic 1)

A company is hosting a web application on AWS using a single Amazon EC2 instance that stores user-uploaded documents in an Amazon EBS volume. For better scalability and availability, the company duplicated the architecture and created a second EC2 instance and EBS volume in another Availability Zone placing both behind an Application Load Balancer. After completing this change, users reported that, each time they refreshed the website, they could see one subset of their documents or the other, but never all of the documents at the same time. What should a solutions architect propose to ensure users see all of their documents at once?

- A. Copy the data so both EBS volumes contain all the documents.
- B. Configure the Application Load Balancer to direct a user to the server with the documents
- C. Copy the data from both EBS volumes to Amazon EFS. Modify the application to save new documents to Amazon EFS.
- D. Configure the Application Load Balancer to send the request to both servers. Return each document from the correct server.

Answer: A

Explanation:

Amazon EFS provides file storage in the AWS Cloud. With Amazon EFS, you can create a file system, mount the file system on an Amazon EC2 instance, and then read and write data to and from your file system. You can mount an Amazon EFS file system in your VPC, through the Network File System versions 4.0 and a4.1 (NFSv4) protocol. We recommend using a current generation Linux NFSv4.1 client, such as those found in the latest Amazon Linux, Redhat, and Ubuntu AMIs, in conjunction with the Amazon EFS Mount Helper. For instructions, see [Using the amazon-efs-utils Tools](#). For a list of Amazon EC2 Linux Amazon Machine Images (AMIs) that support this protocol, see [NFS Support](#). For some AMIs, you'll need to install an NFS client to mount your file system on your Amazon EC2 instance. For instructions, see [Installing the NFS Client](#). You can access your Amazon EFS file system concurrently from multiple NFS clients, so applications that scale beyond a single connection can access a file system. Amazon EC2 instances running in multiple Availability Zones within the same AWS Region can access the file system, so that many users can access and share a common data source.

<https://docs.aws.amazon.com/efs/latest/ug/how-it-works.html#how-it-works-ec2>

NEW QUESTION 5

- (Exam Topic 1)

A company is implementing a shared storage solution for a media application that is hosted in the AWS Cloud. The company needs the ability to use SMB clients to access data. The solution must be fully managed. Which AWS solution meets these requirements?

- A. Create an AWS Storage Gateway volume gateway.
- B. Create a file share that uses the required client protocol. Connect the application server to the file share.
- C. Create an AWS Storage Gateway tape gateway. Configure it to use Amazon S3. Connect the application server to the tape gateway.
- D. Create an Amazon EC2 Windows instance. Install and configure a Windows file share role on the instance.
- E. Connect the application server to the file share.
- F. Create an Amazon FSx for Windows File Server file system. Attach the file system to the origin server. Connect the application server to the file system.

Answer: D

Explanation:

<https://aws.amazon.com/fsx/lustre/>

Amazon FSx has native support for Windows file system features and for the industry-standard Server Message Block (SMB) protocol to access file storage over a network. <https://docs.aws.amazon.com/fsx/latest/WindowsGuide/what-is.html>

NEW QUESTION 6

- (Exam Topic 1)

A company hosts its multi-tier applications on AWS. For compliance, governance, auditing, and security, the company must track configuration changes on its AWS resources and record a history of API calls made to these resources. What should a solutions architect do to meet these requirements?

- A. Use AWS CloudTrail to track configuration changes and AWS Config to record API calls.
- B. Use AWS Config to track configuration changes and AWS CloudTrail to record API calls.
- C. Use AWS Config to track configuration changes and Amazon CloudWatch to record API calls.
- D. Use AWS CloudTrail to track configuration changes and Amazon CloudWatch to record API calls.

Answer: B

NEW QUESTION 7

- (Exam Topic 1)

A company recently launched a variety of new workloads on Amazon EC2 instances in its AWS account. The company needs to create a strategy to access and administer the instances remotely and securely. The company needs to implement a repeatable process that works with native AWS services and follows the AWS Well-Architected Framework. Which solution will meet these requirements with the LEAST operational overhead?

- A. Use the EC2 serial console to directly access the terminal interface of each instance for administration.
- B. Attach the appropriate IAM role to each existing instance and new instance.
- C. Use AWS Systems Manager Session Manager to establish a remote SSH session.
- D. Create an administrative SSH key pair.
- E. Load the public key into each EC2 instance.
- F. Deploy a bastion host in a public subnet to provide a tunnel for administration of each instance.
- G. Establish an AWS Site-to-Site VPN connection.
- H. Instruct administrators to use their local on-premises machines to connect directly to the instances by using SSH keys across the VPN tunnel.

Answer: B

Explanation:

<https://docs.aws.amazon.com/systems-manager/latest/userguide/setup-launch-managed-instance.html>

NEW QUESTION 8

- (Exam Topic 1)

A company needs to store data in Amazon S3 and must prevent the data from being changed. The company wants new objects that are uploaded to Amazon S3 to remain unchangeable for a nonspecific amount of time until the company decides to modify the objects. Only specific users in the company's AWS account can have the ability to delete the objects. What should a solutions architect do to meet these requirements?

- A. Create an S3 Glacier vault Apply a write-once, read-many (WORM) vault lock policy to the objects
- B. Create an S3 bucket with S3 Object Lock enabled Enable versioning Set a retention period of 100 years Use governance mode as the S3 bucket's default retention mode for new objects
- C. Create an S3 bucket Use AWS CloudTrail to track any S3 API events that modify the objects Upon notification, restore the modified objects from any backup versions that the company has
- D. Create an S3 bucket with S3 Object Lock enabled Enable versioning Add a legal hold to the objects Add the s3 PutObjectLegalHold permission to the IAM policies of users who need to delete the objects

Answer: D

Explanation:

"The Object Lock legal hold operation enables you to place a legal hold on an object version. Like setting a retention period, a legal hold prevents an object version from being overwritten or deleted. However, a legal hold doesn't have an associated retention period and remains in effect until removed."

<https://docs.aws.amazon.com/AmazonS3/latest/userguide/batch-ops-legal-hold.html>

NEW QUESTION 9

- (Exam Topic 1)

A company recently signed a contract with an AWS Managed Service Provider (MSP) Partner for help with an application migration initiative. A solutions architect needs to share an Amazon Machine Image (AMI) from an existing AWS account with the MSP Partner's AWS account. The AMI is backed by Amazon Elastic Block Store (Amazon EBS) and uses a customer managed customer master key (CMK) to encrypt EBS volume snapshots.

What is the MOST secure way for the solutions architect to share the AMI with the MSP Partner's AWS account?

- A. Make the encrypted AMI and snapshots publicly available
- B. Modify the CMK's key policy to allow the MSP Partner's AWS account to use the key
- C. Modify the launchPermission property of the AMI
- D. Share the AMI with the MSP Partner's AWS account only
- E. Modify the CMK's key policy to allow the MSP Partner's AWS account to use the key.
- F. Modify the launchPermission property of the AMI Share the AMI with the MSP Partner's AWS account only
- G. Modify the CMK's key policy to trust a new CMK that is owned by the MSP Partner for encryption.
- H. Export the AMI from the source account to an Amazon S3 bucket in the MSP Partner's AWS account. Encrypt the S3 bucket with a CMK that is owned by the MSP Partner Copy and launch the AMI in the MSP Partner's AWS account.

Answer: B

Explanation:

Share the existing KMS key with the MSP external account because it has already been used to encrypt the AMI snapshot.

<https://docs.aws.amazon.com/kms/latest/developerguide/key-policy-modifying-external-accounts.html>

NEW QUESTION 10

- (Exam Topic 1)

A company wants to improve its ability to clone large amounts of production data into a test environment in the same AWS Region. The data is stored in Amazon EC2 instances on Amazon Elastic Block Store (Amazon EBS) volumes. Modifications to the cloned data must not affect the production environment. The software that accesses this data requires consistently high I/O performance.

A solutions architect needs to minimize the time that is required to clone the production data into the test environment.

Which solution will meet these requirements?

- A. Take EBS snapshots of the production EBS volume
- B. Restore the snapshots onto EC2 instance store volumes in the test environment.
- C. Configure the production EBS volumes to use the EBS Multi-Attach feature
- D. Take EBS snapshots of the production EBS volume
- E. Attach the production EBS volumes to the EC2 instances in the test environment.
- F. Take EBS snapshots of the production EBS volume
- G. Create and initialize new EBS volume
- H. Attach the new EBS volumes to EC2 instances in the test environment before restoring the volumes from the production EBS snapshots.
- I. Take EBS snapshots of the production EBS volume
- J. Turn on the EBS fast snapshot restore feature on the EBS snapshot
- K. Restore the snapshots into new EBS volume
- L. Attach the new EBS volumes to EC2 instances in the test environment.

Answer: C

NEW QUESTION 10

- (Exam Topic 1)

An ecommerce company wants to launch a one-deal-a-day website on AWS. Each day will feature exactly one product on sale for a period of 24 hours. The company wants to be able to handle millions of requests each hour with millisecond latency during peak hours.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Use Amazon S3 to host the full website in different S3 buckets Add Amazon CloudFront distributions Set the S3 buckets as origins for the distributions Store the

order data in Amazon S3

- B. Deploy the full website on Amazon EC2 instances that run in Auto Scaling groups across multiple Availability Zones Add an Application Load Balancer (ALB) to distribute the website traffic Add another ALB for the backend APIs Store the data in Amazon RDS for MySQL
- C. Migrate the full application to run in containers Host the containers on Amazon Elastic Kubernetes Service (Amazon EKS) Use the Kubernetes Cluster Autoscaler to increase and decrease the number of pods to process bursts in traffic Store the data in Amazon RDS for MySQL
- D. Use an Amazon S3 bucket to host the website's static content Deploy an Amazon CloudFront distributio
- E. Set the S3 bucket as the origin Use Amazon API Gateway and AWS Lambda functions for the backend APIs Store the data in Amazon DynamoDB

Answer: D

NEW QUESTION 13

- (Exam Topic 1)

A development team needs to host a website that will be accessed by other teams. The website contents consist of HTML, CSS, client-side JavaScript, and images Which method is the MOST cost-effective for hosting the website?

- A. Containerize the website and host it in AWS Fargate.
- B. Create an Amazon S3 bucket and host the website there
- C. Deploy a web server on an Amazon EC2 instance to host the website.
- D. Configure an Application Load Balancer with an AWS Lambda target that uses the Express js framework.

Answer: B

Explanation:

In Static Websites, Web pages are returned by the server which are prebuilt. They use simple languages such as HTML, CSS, or JavaScript.

There is no processing of content on the server (according to the user) in Static Websites. Web pages are returned by the server with no change therefore, static Websites are fast.

There is no interaction with databases.

Also, they are less costly as the host does not need to support server-side processing with different languages.

=====

In Dynamic Websites, Web pages are returned by the server which are processed during runtime means they are not prebuilt web pages but they are built during runtime according to the user's demand.

These use server-side scripting languages such as PHP, Node.js, ASP.NET and many more supported by the server.

So, they are slower than static websites but updates and interaction with databases are possible.

NEW QUESTION 15

- (Exam Topic 1)

A company hosts its web applications in the AWS Cloud. The company configures Elastic Load Balancers to use certificate that are imported into AWS Certificate Manager (ACM). The company's security team must be notified 30 days before the expiration of each certificate.

What should a solutions architect recommend to meet the requirement?

- A. Add a rule in ACM to publish a custom message to an Amazon Simple Notification Service (Amazon SNS) topic every day beginning 30 days before any certificate will expire.
- B. Create an AWS Config rule that checks for certificates that will expire within 30 day
- C. Configure Amazon EventBridge (Amazon CloudWatch Events) to invoke a custom alert by way of Amazon Simple Notification Service (Amazon SNS) when AWS Config reports a noncompliant resource
- D. Use AWS trusted Advisor to check for certificates that will expire within to day
- E. Create an Amazon CloudWatch alarm that is based on Trusted Advisor metrics for check status changes Configure the alarm to send a custom alert by way of Amazon Simple Notification Service (Amazon SNS)
- F. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to detect any certificates that will expire within 30 day
- G. Configure the rule to invoke an AWS Lambda function
- H. Configure the Lambda function to send a custom alert by way of Amazon Simple Notification Service (Amazon SNS).

Answer: B

Explanation:

<https://aws.amazon.com/premiumsupport/knowledge-center/acm-certificate-expiration/>

NEW QUESTION 17

- (Exam Topic 1)

A company has an application that ingests incoming messages. These messages are then quickly consumed by dozens of other applications and microservices. The number of messages varies drastically and sometimes spikes as high as 100,000 each second. The company wants to decouple the solution and increase scalability. Which solution meets these requirements?

- A. Persist the messages to Amazon Kinesis Data Analytic
- B. All the applications will read and process the messages.
- C. Deploy the application on Amazon EC2 instances in an Auto Scaling group, which scales the number of EC2 instances based on CPU metrics.
- D. Write the messages to Amazon Kinesis Data Streams with a single shard
- E. All applications will read from the stream and process the messages.
- F. Publish the messages to an Amazon Simple Notification Service (Amazon SNS) topic with one or more Amazon Simple Queue Service (Amazon SQS) subscription
- G. All applications then process the messages from the queues.

Answer: D

Explanation:

<https://aws.amazon.com/sqs/features/>

By routing incoming requests to Amazon SQS, the company can decouple the job requests from the processing instances. This allows them to scale the number of instances based on the size of the queue, providing more resources when needed. Additionally, using an Auto Scaling group based on the queue size will automatically scale the number of instances up or down depending on the workload. Updating the software to read from the queue will allow it to process the job requests in a more efficient manner, improving the performance of the system.

NEW QUESTION 22

- (Exam Topic 1)

A company needs guaranteed Amazon EC2 capacity in three specific Availability Zones in a specific AWS Region for an upcoming event that will last 1 week. What should the company do to guarantee the EC2 capacity?

- A. Purchase Reserved instances that specify the Region needed
- B. Create an On Demand Capacity Reservation that specifies the Region needed
- C. Purchase Reserved instances that specify the Region and three Availability Zones needed
- D. Create an On-Demand Capacity Reservation that specifies the Region and three Availability Zones needed

Answer: D

Explanation:

<https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/ec2-capacity-reservations.html>

Reserve instances: You will have to pay for the whole term (1 year or 3years) which is not cost effective

NEW QUESTION 26

- (Exam Topic 1)

A company is using a SQL database to store movie data that is publicly accessible. The database runs on an Amazon RDS Single-AZ DB instance. A script runs queries at random intervals each day to record the number of new movies that have been added to the database. The script must report a final total during business hours. The company's development team notices that the database performance is inadequate for development tasks when the script is running. A solutions architect must recommend a solution to resolve this issue. Which solution will meet this requirement with the LEAST operational overhead?

- A. Modify the DB instance to be a Multi-AZ deployment
- B. Create a read replica of the database. Configure the script to query only the read replica.
- C. Instruct the development team to manually export the entries in the database at the end of each day.
- D. Use Amazon ElastiCache to cache the common queries that the script runs against the database.

Answer: B

NEW QUESTION 27

- (Exam Topic 1)

A company recently migrated to AWS and wants to implement a solution to protect the traffic that flows in and out of the production VPC. The company had an inspection server in its on-premises data center. The inspection server performed specific operations such as traffic flow inspection and traffic filtering. The company wants to have the same functionalities in the AWS Cloud. Which solution will meet these requirements?

- A. Use Amazon GuardDuty for traffic inspection and traffic filtering in the production VPC.
- B. Use Traffic Mirroring to mirror traffic from the production VPC for traffic inspection and filtering.
- C. Use AWS Network Firewall to create the required rules for traffic inspection and traffic filtering for the production VPC.
- D. Use AWS Firewall Manager to create the required rules for traffic inspection and traffic filtering for the production VPC.

Answer: C

Explanation:

AWS Network Firewall supports both inspection and filtering as required

NEW QUESTION 30

- (Exam Topic 1)

A company's dynamic website is hosted using on-premises servers in the United States. The company is launching its product in Europe, and it wants to optimize site loading times for new European users. The site's backend must remain in the United States. The product is being launched in a few days, and an immediate solution is needed.

What should the solutions architect recommend?

- A. Launch an Amazon EC2 instance in us-east-1 and migrate the site to it.
- B. Move the website to Amazon S3. Use cross-Region replication between Regions.
- C. Use Amazon CloudFront with a custom origin pointing to the on-premises servers.
- D. Use an Amazon Route 53 geo-proximity routing policy pointing to on-premises servers.

Answer: C

Explanation:

<https://aws.amazon.com/pt/blogs/aws/amazon-cloudfront-support-for-custom-origins/>

You can now create a CloudFront distribution using a custom origin. Each distribution will can point to an S3 or to a custom origin. This could be another storage service, or it could be something more interesting and more dynamic, such as an EC2 instance or even an Elastic Load Balancer

NEW QUESTION 33

- (Exam Topic 1)

A company needs to store its accounting records in Amazon S3. The records must be immediately accessible for 1 year and then must be archived for an additional 9 years. No one at the company, including administrative users and root users, can be able to delete the records during the entire 10-year period. The records must be stored with maximum resiliency.

Which solution will meet these requirements?

- A. Store the records in S3 Glacier for the entire 10-year period.
- B. Use an access control policy to deny deletion of the records for a period of 10 years.
- C. Store the records by using S3 Intelligent-Tiering.
- D. Use an IAM policy to deny deletion of the records. After 10 years, change the IAM policy to allow deletion.
- E. Use an S3 Lifecycle policy to transition the records from S3 Standard to S3 Glacier Deep Archive after 1 year.

- F. Use S3 Object Lock in compliance mode for a period of 10 years.
- G. Use an S3 Lifecycle policy to transition the records from S3 Standard to S3 One Zone-Infrequent Access (S3 One Zone-IA) after 1 year.
- H. Use S3 Object Lock in governance mode for a period of 10 years.

Answer: C

NEW QUESTION 34

- (Exam Topic 1)

A company is storing sensitive user information in an Amazon S3 bucket. The company wants to provide secure access to this bucket from the application tier running on Amazon EC2 instances inside a VPC.

Which combination of steps should a solutions architect take to accomplish this? (Select TWO.)

- A. Configure a VPC gateway endpoint for Amazon S3 within the VPC
- B. Create a bucket policy to make the objects in the S3 bucket public
- C. Create a bucket policy that limits access to only the application tier running in the VPC
- D. Create an IAM user with an S3 access policy and copy the IAM credentials to the EC2 instance
- E. Create a NAT instance and have the EC2 instances use the NAT instance to access the S3 bucket

Answer: AC

Explanation:

<https://aws.amazon.com/premiumsupport/knowledge-center/s3-private-connection-no-authentication/>

NEW QUESTION 38

- (Exam Topic 1)

A company is developing a two-tier web application on AWS. The company's developers have deployed the application on an Amazon EC2 instance that connects directly to a backend Amazon RDS database. The company must not hardcode database credentials in the application. The company must also implement a solution to automatically rotate the database credentials on a regular basis.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Store the database credentials in the instance metadata
- B. Use Amazon EventBridge (Amazon CloudWatch Events) rules to run a scheduled AWS Lambda function that updates the RDS credentials and instance metadata at the same time.
- C. Store the database credentials in a configuration file in an encrypted Amazon S3 bucket
- D. Use Amazon EventBridge (Amazon CloudWatch Events) rules to run a scheduled AWS Lambda function that updates the RDS credentials and the credentials in the configuration file at the same time
- E. Use S3 Versioning to ensure the ability to fall back to previous values.
- F. Store the database credentials as a secret in AWS Secrets Manager
- G. Turn on automatic rotation for the secret
- H. Attach the required permission to the EC2 role to grant access to the secret.
- I. Store the database credentials as encrypted parameters in AWS Systems Manager Parameter Store
- J. Turn on automatic rotation for the encrypted parameter
- K. Attach the required permission to the EC2 role to grant access to the encrypted parameters.

Answer: C

Explanation:

https://docs.aws.amazon.com/secretsmanager/latest/userguide/create_database_secret.html

NEW QUESTION 40

- (Exam Topic 1)

A company is migrating applications to AWS. The applications are deployed in different accounts. The company manages the accounts centrally by using AWS Organizations. The company's security team needs a single sign-on (SSO) solution across all the company's accounts. The company must continue managing the users and groups in its on-premises self-managed Microsoft Active Directory.

Which solution will meet these requirements?

- A. Enable AWS Single Sign-On (AWS SSO) from the AWS SSO console
- B. Create a one-way forest trust or a one-way domain trust to connect the company's self-managed Microsoft Active Directory with AWS SSO by using AWS Directory Service for Microsoft Active Directory.
- C. Enable AWS Single Sign-On (AWS SSO) from the AWS SSO console
- D. Create a two-way forest trust to connect the company's self-managed Microsoft Active Directory with AWS SSO by using AWS Directory Service for Microsoft Active Directory.
- E. Use AWS Directory Service
- F. Create a two-way trust relationship with the company's self-managed Microsoft Active Directory.
- G. Deploy an identity provider (IdP) on-premise
- H. Enable AWS Single Sign-On (AWS SSO) from the AWS SSO console.

Answer: A

NEW QUESTION 45

- (Exam Topic 1)

A company wants to run its critical applications in containers to meet requirements for scalability and availability. The company prefers to focus on maintenance of the critical applications. The company does not want to be responsible for provisioning and managing the underlying infrastructure that runs the containerized workload.

What should a solutions architect do to meet those requirements?

- A. Use Amazon EC2 instances, and install Docker on the instances
- B. Use Amazon Elastic Container Service (Amazon ECS) on Amazon EC2 worker nodes
- C. Use Amazon Elastic Container Service (Amazon ECS) on AWS Fargate

D. Use Amazon EC2 instances from an Amazon Elastic Container Service (Amazon ECS)-optimized Amazon Machine Image (AMI).

Answer: C

Explanation:

using AWS ECS on AWS Fargate since they requirements are for scalability and availability without having to provision and manage the underlying infrastructure to run the containerized workload. <https://docs.aws.amazon.com/AmazonECS/latest/userguide/what-is-fargate.html>

NEW QUESTION 49

- (Exam Topic 1)

A company is running an SMB file server in its data center. The file server stores large files that are accessed frequently for the first few days after the files are created. After 7 days the files are rarely accessed.

The total data size is increasing and is close to the company's total storage capacity. A solutions architect must increase the company's available storage space without losing low-latency access to the most recently accessed files. The solutions architect must also provide file lifecycle management to avoid future storage issues.

Which solution will meet these requirements?

- A. Use AWS DataSync to copy data that is older than 7 days from the SMB file server to AWS.
- B. Create an Amazon S3 File Gateway to extend the company's storage space.
- C. Create an S3 Lifecycle policy to transition the data to S3 Glacier Deep Archive after 7 days.
- D. Create an Amazon FSx for Windows File Server file system to extend the company's storage space.
- E. Install a utility on each user's computer to access Amazon S3. Create an S3 Lifecycle policy to transition the data to S3 Glacier Flexible Retrieval after 7 days.

Answer: A

NEW QUESTION 52

- (Exam Topic 1)

A development team runs monthly resource-intensive tests on its general purpose Amazon RDS for MySQL DB instance with Performance Insights enabled. The testing lasts for 48 hours once a month and is the only process that uses the database. The team wants to reduce the cost of running the tests without reducing the compute and memory attributes of the DB instance.

Which solution meets these requirements MOST cost-effectively?

- A. Stop the DB instance when tests are complete.
- B. Restart the DB instance when required.
- C. Use an Auto Scaling policy with the DB instance to automatically scale when tests are completed.
- D. Create a snapshot when tests are complete.
- E. Terminate the DB instance and restore the snapshot when required.
- F. Modify the DB instance to a low-capacity instance when tests are complete.
- G. Modify the DB instance again when required.

Answer: A

NEW QUESTION 55

- (Exam Topic 1)

A company runs multiple Windows workloads on AWS. The company's employees use Windows file shares that are hosted on two Amazon EC2 instances. The file shares synchronize data between themselves and maintain duplicate copies. The company wants a highly available and durable storage solution that preserves how users currently access the files.

What should a solutions architect do to meet these requirements?

- A. Migrate all the data to Amazon S3. Set up IAM authentication for users to access files.
- B. Set up an Amazon S3 File Gateway.
- C. Mount the S3 File Gateway on the existing EC2 instances.
- D. Extend the file share environment to Amazon FSx for Windows File Server with a Multi-AZ configuration.
- E. Migrate all the data to FSx for Windows File Server.
- F. Extend the file share environment to Amazon Elastic File System (Amazon EFS) with a Multi-AZ configuration.
- G. Migrate all the data to Amazon EFS.

Answer: A

NEW QUESTION 56

- (Exam Topic 1)

A company runs an online marketplace web application on AWS. The application serves hundreds of thousands of users during peak hours. The company needs a scalable, near-real-time solution to share the details of millions of financial transactions with several other internal applications. Transactions also need to be processed to remove sensitive data before being stored in a document database for low-latency retrieval.

What should a solutions architect recommend to meet these requirements?

- A. Store the transactions data into Amazon DynamoDB. Set up a rule in DynamoDB to remove sensitive data from every transaction upon write. Use DynamoDB Streams to share the transactions data with other applications.
- B. Stream the transactions data into Amazon Kinesis Data Firehose to store data in Amazon DynamoDB and Amazon S3. Use AWS Lambda integration with Kinesis Data Firehose to remove sensitive data.
- C. Other applications can consume the data stored in Amazon S3.
- D. Stream the transactions data into Amazon Kinesis Data Streams. Use AWS Lambda integration to remove sensitive data from every transaction and then store the transactions data in Amazon DynamoDB. Other applications can consume the transactions data off the Kinesis data stream.
- E. Store the batched transactions data in Amazon S3 as file.
- F. Use AWS Lambda to process every file and remove sensitive data before updating the files in Amazon S3. The Lambda function then stores the data in Amazon DynamoDB. Other applications can consume transaction files stored in Amazon S3.

Answer: C

Explanation:

The destination of your Kinesis Data Firehose delivery stream. Kinesis Data Firehose can send data records to various destinations, including Amazon Simple Storage Service (Amazon S3), Amazon Redshift, Amazon OpenSearch Service, and any HTTP endpoint that is owned by you or any of your third-party service providers. The following are the supported destinations:

- * Amazon OpenSearch Service
- * Amazon S3
- * Datadog
- * Dynatrace
- * Honeycomb
- * HTTP Endpoint
- * Logic Monitor
- * MongoDB Cloud
- * New Relic
- * Splunk
- * Sumo Logic <https://docs.aws.amazon.com/firehose/latest/dev/create-name.html> <https://aws.amazon.com/kinesis/data-streams/>

Amazon Kinesis Data Streams (KDS) is a massively scalable and durable real-time data streaming service. KDS can continuously capture gigabytes of data per second from hundreds of thousands of sources such as website clickstreams, database event streams, financial transactions, social media feeds, IT logs, and location-tracking events.

NEW QUESTION 60

- (Exam Topic 1)

A solutions architect is using Amazon S3 to design the storage architecture of a new digital media application. The media files must be resilient to the loss of an Availability Zone. Some files are accessed frequently while other files are rarely accessed in an unpredictable pattern. The solutions architect must minimize the costs of storing and retrieving the media files.

Which storage option meets these requirements?

- A. S3 Standard
- B. S3 Intelligent-Tiering
- C. S3 Standard-Infrequent Access (S3 Standard-IA)
- D. S3 One Zone-Infrequent Access (S3 One Zone-IA)

Answer: B

Explanation:

S3 Intelligent-Tiering - Perfect use case when you don't know the frequency of access or irregular patterns of usage.

Amazon S3 offers a range of storage classes designed for different use cases. These include S3 Standard for general-purpose storage of frequently accessed data; S3 Intelligent-Tiering for data with unknown or changing access patterns; S3 Standard-Infrequent Access (S3 Standard-IA) and S3 One Zone-Infrequent Access (S3 One Zone-IA) for long-lived, but less frequently accessed data; and Amazon S3 Glacier (S3 Glacier) and Amazon S3 Glacier Deep Archive (S3 Glacier Deep Archive) for long-term archive and digital preservation. If you have data residency requirements that can't be met by an existing AWS Region, you can use the S3 Outposts storage class to store your S3 data on-premises. Amazon S3 also offers capabilities to manage your data throughout its lifecycle. Once an S3 Lifecycle policy is set, your data will automatically transfer to a different storage class without any changes to your application.

https://aws.amazon.com/getting-started/hands-on/getting-started-using-amazon-s3-intelligent-tiering/?nc1=h_ls

NEW QUESTION 61

- (Exam Topic 1)

A company's application integrates with multiple software-as-a-service (SaaS) sources for data collection. The company runs Amazon EC2 instances to receive the data and to upload the data to an Amazon S3 bucket for analysis. The same EC2 instance that receives and uploads the data also sends a notification to the user when an upload is complete. The company has noticed slow application performance and wants to improve the performance as much as possible.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Create an Auto Scaling group so that EC2 instances can scale out
- B. Configure an S3 event notification to send events to an Amazon Simple Notification Service (Amazon SNS) topic when the upload to the S3 bucket is complete.
- C. Create an Amazon AppFlow flow to transfer data between each SaaS source and the S3 bucket. Configure an S3 event notification to send events to an Amazon Simple Notification Service (Amazon SNS) topic when the upload to the S3 bucket is complete.
- D. Create an Amazon EventBridge (Amazon CloudWatch Events) rule for each SaaS source to send output data
- E. Configure the S3 bucket as the rule's target
- F. Create a second EventBridge (CloudWatch Events) rule to send events when the upload to the S3 bucket is complete
- G. Configure an Amazon Simple Notification Service (Amazon SNS) topic as the second rule's target.
- H. Create a Docker container to use instead of an EC2 instance
- I. Host the containerized application on Amazon Elastic Container Service (Amazon ECS). Configure Amazon CloudWatch Container Insights to send events to an Amazon Simple Notification Service (Amazon SNS) topic when the upload to the S3 bucket is complete.

Answer: B

Explanation:

Amazon AppFlow is a fully managed integration service that enables you to securely transfer data between Software-as-a-Service (SaaS) applications like Salesforce, SAP, Zendesk, Slack, and ServiceNow, and AWS services like Amazon S3 and Amazon Redshift, in just a few clicks.

<https://aws.amazon.com/appflow/>

NEW QUESTION 62

- (Exam Topic 1)

A company needs to configure a real-time data ingestion architecture for its application. The company needs an API, a process that transforms data as the data is streamed, and a storage solution for the data.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Deploy an Amazon EC2 instance to host an API that sends data to an Amazon Kinesis data stream. Create an Amazon Kinesis Data Firehose delivery stream that uses the Kinesis data stream as a data source
- B. Use AWS Lambda functions to transform the data
- C. Use the Kinesis Data Firehose delivery stream to send the data to Amazon S3.
- D. Deploy an Amazon EC2 instance to host an API that sends data to AWS Glue

- E. Stop source/destination checking on the EC2 instance
- F. Use AWS Glue to transform the data and to send the data to Amazon S3.
- G. Configure an Amazon API Gateway API to send data to an Amazon Kinesis data stream
- H. Create an Amazon Kinesis Data Firehose delivery stream that uses the Kinesis data stream as a data source
- I. Use AWS Lambda functions to transform the data
- J. Use the Kinesis Data Firehose delivery stream to send the data to Amazon S3.
- K. Configure an Amazon API Gateway API to send data to AWS Glue
- L. Use AWS Lambda functions to transform the data
- M. Use AWS Glue to send the data to Amazon S3.

Answer: C

NEW QUESTION 67

- (Exam Topic 1)

A company uses 50 TB of data for reporting. The company wants to move this data from on premises to AWS. A custom application in the company's data center runs a weekly data transformation job. The company plans to pause the application until the data transfer is complete and needs to begin the transfer process as soon as possible.

The data center does not have any available network bandwidth for additional workloads. A solutions architect must transfer the data and must configure the transformation job to continue to run in the AWS Cloud.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Use AWS DataSync to move the data. Create a custom transformation job by using AWS Glue.
- B. Order an AWS Snowcone device to move the data. Deploy the transformation application to the device.
- C. Order an AWS Snowball Edge Storage Optimized device.
- D. Copy the data to the device.
- E. Create a custom transformation job by using AWS Glue.
- F. Order an AWS
- G. Snowball Edge Storage Optimized device that includes Amazon EC2 compute. Copy the data to the device. Create a new EC2 instance on AWS to run the transformation application.

Answer: C

NEW QUESTION 70

- (Exam Topic 1)

A company is implementing a new business application. The application runs on two Amazon EC2 instances and uses an Amazon S3 bucket for document storage. A solutions architect needs to ensure that the EC2 instances can access the S3 bucket.

What should the solutions architect do to meet this requirement?

- A. Create an IAM role that grants access to the S3 bucket.
- B. Attach the role to the EC2 instances.
- C. Create an IAM policy that grants access to the S3 bucket.
- D. Attach the policy to the EC2 instances.
- E. Create an IAM group that grants access to the S3 bucket.
- F. Attach the group to the EC2 instances.
- G. Create an IAM user that grants access to the S3 bucket.
- H. Attach the user account to the EC2 instances.

Answer: A

Explanation:

<https://aws.amazon.com/premiumsupport/knowledge-center/ec2-instance-access-s3-bucket/>

NEW QUESTION 72

- (Exam Topic 1)

A company is preparing to deploy a new serverless workload. A solutions architect must use the principle of least privilege to configure permissions that will be used to run an AWS Lambda function. An Amazon EventBridge (Amazon CloudWatch Events) rule will invoke the function.

Which solution meets these requirements?

- A. Add an execution role to the function with `lambda:InvokeFunction` as the action and `*` as the principal.
- B. Add an execution role to the function with `lambda:InvokeFunction` as the action and `Service:amazonaws.com` as the principal.
- C. Add a resource-based policy to the function with `lambda:*` as the action and `Service:events.amazonaws.com` as the principal.
- D. Add a resource-based policy to the function with `lambda:InvokeFunction` as the action and `Service:events.amazonaws.com` as the principal.

Answer: D

Explanation:

<https://docs.aws.amazon.com/eventbridge/latest/userguide/resource-based-policies-eventbridge.html#lambda-pe>

NEW QUESTION 76

- (Exam Topic 1)

A company has an application that provides marketing services to stores. The services are based on previous purchases by store customers. The stores upload transaction data to the company through SFTP, and the data is processed and analyzed to generate new marketing offers. Some of the files can exceed 200 GB in size.

Recently, the company discovered that some of the stores have uploaded files that contain personally identifiable information (PII) that should not have been included. The company wants administrators to be alerted if PII is shared again. The company also wants to automate remediation.

What should a solutions architect do to meet these requirements with the LEAST development effort?

- A. Use an Amazon S3 bucket as a secure transfer point.
- B. Use Amazon Inspector to scan the objects in the bucket.

- C. If objects contain PII
- D. trigger an S3 Lifecycle policy to remove the objects that contain PII.
- E. Use an Amazon S3 bucket as a secure transfer point
- F. Use Amazon Macie to scan the objects in the bucket
- G. If objects contain PII
- H. Use Amazon Simple Notification Service (Amazon SNS) to trigger a notification to the administrators to remove the objects that contain PII.
- I. Implement custom scanning algorithms in an AWS Lambda function
- J. Trigger the function when objects are loaded into the bucket
- K. If objects contain PII
- L. use Amazon Simple Notification Service (Amazon SNS) to trigger a notification to the administrators to remove the objects that contain PII.
- M. Implement custom scanning algorithms in an AWS Lambda function
- N. Trigger the function when objects are loaded into the bucket
- O. If objects contain PII
- P. use Amazon Simple Email Service (Amazon SES) to trigger a notification to the administrators and trigger on S3 Lifecycle policy to remove the objects that contain PII.

Answer: B

NEW QUESTION 79

- (Exam Topic 1)

A company observes an increase in Amazon EC2 costs in its most recent bill. The billing team notices unwanted vertical scaling of instance types for a couple of EC2 instances. A solutions architect needs to create a graph comparing the last 2 months of EC2 costs and perform an in-depth analysis to identify the root cause of the vertical scaling.

How should the solutions architect generate the information with the LEAST operational overhead?

- A. Use AWS Budgets to create a budget report and compare EC2 costs based on instance types.
- B. Use Cost Explorer's granular filtering feature to perform an in-depth analysis of EC2 costs based on instance types.
- C. Use graphs from the AWS Billing and Cost Management dashboard to compare EC2 costs based on instance types for the last 2 months.
- D. Use AWS Cost and Usage Reports to create a report and send it to an Amazon S3 bucket. Use Amazon QuickSight with Amazon S3 as a source to generate an interactive graph based on instance types.

Answer: B

Explanation:

AWS Cost Explorer is a tool that enables you to view and analyze your costs and usage. You can explore your usage and costs using the main graph, the Cost Explorer cost and usage reports, or the Cost Explorer RI reports. You can view data for up to the last 12 months, forecast how much you're likely to spend for the next 12 months, and get recommendations for what Reserved Instances to purchase. You can use Cost Explorer to identify areas that need further inquiry and see trends that you can use to understand your costs. <https://docs.aws.amazon.com/cost-management/latest/userguide/ce-what-is.html>

NEW QUESTION 81

- (Exam Topic 1)

A company hosts a data lake on AWS. The data lake consists of data in Amazon S3 and Amazon RDS for PostgreSQL. The company needs a reporting solution that provides data visualization and includes all the data sources within the data lake. Only the company's management team should have full access to all the visualizations. The rest of the company should have only limited access.

Which solution will meet these requirements?

- A. Create an analysis in Amazon QuickSight.
- B. Connect all the data sources and create new dataset.
- C. Publish dashboards to visualize the data.
- D. Share the dashboards with the appropriate IAM roles.
- E. Create an analysis in Amazon QuickSight.
- F. Connect all the data sources and create new dataset.
- G. Publish dashboards to visualize the data.
- H. Share the dashboards with the appropriate users and groups.
- I. Create an AWS Glue table and crawler for the data in Amazon S3. Create an AWS Glue extract, transform, and load (ETL) job to produce report.
- J. Publish the reports to Amazon S3. Use S3 bucket policies to limit access to the reports.
- K. Create an AWS Glue table and crawler for the data in Amazon S3. Use Amazon Athena Federated Query to access data within Amazon RDS for PostgreSQL.
- L. Generate reports by using Amazon Athena.
- M. Publish the reports to Amazon S3. Use S3 bucket policies to limit access to the reports.

Answer: A

NEW QUESTION 84

- (Exam Topic 1)

A solutions architect must design a highly available infrastructure for a website. The website is powered by Windows web servers that run on Amazon EC2 instances. The solutions architect must implement a solution that can mitigate a large-scale DDoS attack that originates from thousands of IP addresses. Downtime is not acceptable for the website.

Which actions should the solutions architect take to protect the website from such an attack? (Select TWO.)

- A. Use AWS Shield Advanced to stop the DDoS attack.
- B. Configure Amazon GuardDuty to automatically block the attackers.
- C. Configure the website to use Amazon CloudFront for both static and dynamic content.
- D. Use an AWS Lambda function to automatically add attacker IP addresses to VPC network ACLs.
- E. Use EC2 Spot Instances in an Auto Scaling group with a target tracking scaling policy that is set to 80% CPU utilization.

Answer: AC

Explanation:

(<https://aws.amazon.com/cloudfront>)

NEW QUESTION 87

- (Exam Topic 1)

A company recently migrated a message processing system to AWS. The system receives messages into an ActiveMQ queue running on an Amazon EC2 instance. Messages are processed by a consumer application running on Amazon EC2. The consumer application processes the messages and writes results to a MySQL database running on Amazon EC2. The company wants this application to be highly available with low operational complexity. Which architecture offers the HIGHEST availability?

- A. Add a second ActiveMQ server to another Availability Zone. Add an additional consumer EC2 instance in another Availability Zone.
- B. Replicate the MySQL database to another Availability Zone.
- C. Use Amazon MQ with active/standby brokers configured across two Availability Zones. Add an additional consumer EC2 instance in another Availability Zone.
- D. Replicate the MySQL database to another Availability Zone.
- E. Use Amazon MQ with active/standby brokers configured across two Availability Zones.
- F. Add an additional consumer EC2 instance in another Availability Zone.
- G. Use Amazon RDS for MySQL with Multi-AZ enabled.
- H. Use Amazon MQ with active/standby brokers configured across two Availability Zones. Add an Auto Scaling group for the consumer EC2 instances across two Availability Zones.
- I. Use Amazon RDS for MySQL with Multi-AZ enabled.

Answer: D

NEW QUESTION 92

- (Exam Topic 1)

A company has more than 5 TB of file data on Windows file servers that run on premises. Users and applications interact with the data each day. The company is moving its Windows workloads to AWS. As the company continues this process, the company requires access to AWS and on-premises file storage with minimum latency. The company needs a solution that minimizes operational overhead and requires no significant changes to the existing file access patterns. The company uses an AWS Site-to-Site VPN connection for connectivity to AWS. What should a solutions architect do to meet these requirements?

- A. Deploy and configure Amazon FSx for Windows File Server on AWS.
- B. Move the on-premises file data to FSx for Windows File Server.
- C. Reconfigure the workloads to use FSx for Windows File Server on AWS.
- D. Deploy and configure an Amazon S3 File Gateway on premises. Move the on-premises file data to the S3 File Gateway. Reconfigure the on-premises workloads and the cloud workloads to use the S3 File Gateway.
- E. Deploy and configure an Amazon S3 File Gateway on premises. Move the on-premises file data to Amazon S3. Reconfigure the workloads to use either Amazon S3 directly or the S3 File Gateway, depending on each workload's location.
- F. Deploy and configure Amazon FSx for Windows File Server on AWS. Deploy and configure an Amazon FSx File Gateway on premises. Move the on-premises file data to the FSx File Gateway. Configure the cloud workloads to use FSx for Windows File Server on AWS. Configure the on-premises workloads to use the FSx File Gateway.

Answer: D

NEW QUESTION 93

- (Exam Topic 1)

A company needs to review its AWS Cloud deployment to ensure that its Amazon S3 buckets do not have unauthorized configuration changes. What should a solutions architect do to accomplish this goal?

- A. Turn on AWS Config with the appropriate rules.
- B. Turn on AWS Trusted Advisor with the appropriate checks.
- C. Turn on Amazon Inspector with the appropriate assessment template.
- D. Turn on Amazon S3 server access logging.
- E. Configure Amazon EventBridge (Amazon CloudWatch Events).

Answer: D

NEW QUESTION 96

- (Exam Topic 1)

A company wants to move a multi-tiered application from on premises to the AWS Cloud to improve the application's performance. The application consists of application tiers that communicate with each other by way of RESTful services. Transactions are dropped when one tier becomes overloaded. A solutions architect must design a solution that resolves these issues and modernizes the application. Which solution meets these requirements and is the MOST operationally efficient?

- A. Use Amazon API Gateway and direct transactions to the AWS Lambda functions as the application layer.
- B. Use Amazon Simple Queue Service (Amazon SQS) as the communication layer between application services.
- C. Use Amazon CloudWatch metrics to analyze the application performance history to determine the server's peak utilization during the performance failure.
- D. Increase the size of the application server's Amazon EC2 instances to meet the peak requirements.
- E. Use Amazon Simple Notification Service (Amazon SNS) to handle the messaging between application servers running on Amazon EC2 in an Auto Scaling group.
- F. Use Amazon CloudWatch to monitor the SNS queue length and scale up and down as required.
- G. Use Amazon Simple Queue Service (Amazon SQS) to handle the messaging between application servers running on Amazon EC2 in an Auto Scaling group.
- H. Use Amazon CloudWatch to monitor the SQS queue length and scale up when communication failures are detected.

Answer: A

Explanation:

<https://aws.amazon.com/getting-started/hands-on/build-serverless-web-app-lambda-apigateway-s3-dynamodb-c/> Build a Serverless Web Application with AWS Lambda, Amazon API Gateway, AWS Amplify, Amazon DynamoDB, and Amazon Cognito. This example showed similar setup as question: Build a Serverless Web Application with AWS Lambda, Amazon API Gateway, AWS Amplify, Amazon DynamoDB, and Amazon Cognito.

NEW QUESTION 99

- (Exam Topic 1)

A company is migrating a distributed application to AWS. The application serves variable workloads. The legacy platform consists of a primary server that coordinates jobs across multiple compute nodes. The company wants to modernize the application with a solution that maximizes resiliency and scalability. How should a solutions architect design the architecture to meet these requirements?

- A. Configure an Amazon Simple Queue Service (Amazon SQS) queue as a destination for the jobs. Implement the compute nodes with Amazon EC2 instances that are managed in an Auto Scaling group.
- B. Configure EC2 Auto Scaling to use scheduled scaling.
- C. Configure an Amazon Simple Queue Service (Amazon SQS) queue as a destination for the jobs. Implement the compute nodes with Amazon EC2 instances that are managed in an Auto Scaling group. Configure EC2 Auto Scaling based on the size of the queue.
- D. Implement the primary server and the compute nodes with Amazon EC2 instances that are managed in an Auto Scaling group.
- E. Configure AWS CloudTrail as a destination for the jobs. Configure EC2 Auto Scaling based on the load on the primary server.
- F. Implement the primary server and the compute nodes with Amazon EC2 instances that are managed in an Auto Scaling group. Configure Amazon EventBridge (Amazon CloudWatch Events) as a destination for the jobs. Configure EC2 Auto Scaling based on the load on the compute nodes.

Answer: B

NEW QUESTION 103

- (Exam Topic 1)

A bicycle sharing company is developing a multi-tier architecture to track the location of its bicycles during peak operating hours. The company wants to use these data points in its existing analytics platform. A solutions architect must determine the most viable multi-tier option to support this architecture. The data points must be accessible from the REST API.

Which action meets these requirements for storing and retrieving location data?

- A. Use Amazon Athena with Amazon S3.
- B. Use Amazon API Gateway with AWS Lambda.
- C. Use Amazon QuickSight with Amazon Redshift.
- D. Use Amazon API Gateway with Amazon Kinesis Data Analytics.

Answer: D

Explanation:

<https://aws.amazon.com/solutions/implementations/aws-streaming-data-solution-for-amazon-kinesis/>

NEW QUESTION 105

- (Exam Topic 1)

A company has an application that runs on Amazon EC2 instances and uses an Amazon Aurora database. The EC2 instances connect to the database by using user names and passwords that are stored locally in a file. The company wants to minimize the operational overhead of credential management.

What should a solutions architect do to accomplish this goal?

- A. Use AWS Secrets Manager.
- B. Turn on automatic rotation.
- C. Use AWS Systems Manager Parameter Store.
- D. Turn on automatic rotation.
- E. Create an Amazon S3 bucket to store objects that are encrypted with an AWS Key Management Service (AWS KMS) encryption key.
- F. Migrate the credential file to the S3 bucket.
- G. Point the application to the S3 bucket.
- H. Create an encrypted Amazon Elastic Block Store (Amazon EBS) volume for each EC2 instance.
- I. Attach the new EBS volume to each EC2 instance.
- J. Migrate the credential file to the new EBS volume.
- K. Point the application to the new EBS volume.

Answer: A

Explanation:

<https://aws.amazon.com/cn/blogs/security/how-to-connect-to-aws-secrets-manager-service-within-a-virtual-private-cloud/> <https://aws.amazon.com/blogs/security/rotate-amazon-rds-database-credentials-automatically-with-aws-secrets-manager/>

NEW QUESTION 106

- (Exam Topic 1)

A company has a data ingestion workflow that consists of the following:

- An Amazon Simple Notification Service (Amazon SNS) topic for notifications about new data deliveries.
- An AWS Lambda function to process the data and record metadata.

The company observes that the ingestion workflow fails occasionally because of network connectivity issues. When such a failure occurs, the Lambda function does not ingest the corresponding data unless the company manually reruns the job.

Which combination of actions should a solutions architect take to ensure that the Lambda function ingests all data in the future? (Select TWO.)

- A. Configure the Lambda function in multiple Availability Zones.
- B. Create an Amazon Simple Queue Service (Amazon SQS) queue, and subscribe it to the SNS topic.
- C. Increase the CPU and memory that are allocated to the Lambda function.
- D. Increase the provisioned throughput for the Lambda function.
- E. Modify the Lambda function to read from an Amazon Simple Queue Service (Amazon SQS) queue.

Answer: BE

NEW QUESTION 107

- (Exam Topic 1)

A company stores call transcript files on a monthly basis. Users access the files randomly within 1 year of the call, but users access the files infrequently after 1

year. The company wants to optimize its solution by giving users the ability to query and retrieve files that are less than 1-year-old as quickly as possible. A delay in retrieving older files is acceptable.

Which solution will meet these requirements MOST cost-effectively?

- A. Store individual files with tags in Amazon S3 Glacier Instant Retrieval
- B. Query the tags to retrieve the files from S3 Glacier Instant Retrieval.
- C. Store individual files in Amazon S3 Intelligent-Tiering
- D. Use S3 Lifecycle policies to move the files to S3 Glacier Flexible Retrieval after 1 year
- E. Query and retrieve the files that are in Amazon S3 by using Amazon Athena
- F. Query and retrieve the files that are in S3 Glacier by using S3 Glacier Select.
- G. Store individual files with tags in Amazon S3 Standard storage
- H. Store search metadata for each archive in Amazon S3 Standard storage
- I. Use S3 Lifecycle policies to move the files to S3 Glacier Instant Retrieval after 1 year
- J. Query and retrieve the files by searching for metadata from Amazon S3.
- K. Store individual files in Amazon S3 Standard storage
- L. Use S3 Lifecycle policies to move the files to S3 Glacier Deep Archive after 1 year
- M. Store search metadata in Amazon S3
- N. Query the files from Amazon S3
- O. Retrieve the files from S3 Glacier Deep Archive.

Answer: B

Explanation:

"For archive data that needs immediate access, such as medical images, news media assets, or genomics data, choose the S3 Glacier Instant Retrieval storage class, an archive storage class that delivers the lowest cost storage with milliseconds retrieval. For archive data that does not require immediate access but needs the flexibility to retrieve large sets of data at no cost, such as backup or disaster recovery use cases, choose S3 Glacier Flexible Retrieval (formerly S3 Glacier), with retrieval in minutes or free bulk retrievals in 5-12 hours."

<https://aws.amazon.com/about-aws/whats-new/2021/11/amazon-s3-glacier-instant-retrieval-storage-class/>

NEW QUESTION 111

- (Exam Topic 1)

A company has an application that generates a large number of files, each approximately 5 MB in size. The files are stored in Amazon S3. Company policy requires the files to be stored for 4 years before they can be deleted. Immediate accessibility is always required as the files contain critical business data that is not easy to reproduce. The files are frequently accessed in the first 30 days of the object creation but are rarely accessed after the first 30 days. Which storage solution is MOST cost-effective?

- A. Create an S3 bucket lifecycle policy to move files from S3 Standard to S3 Glacier 30 days from object creation. Delete the files 4 years after object creation.
- B. Create an S3 bucket lifecycle policy to move files from S3 Standard to S3 One Zone-Infrequent Access (S3 One Zone-IA) 30 days from object creation. Delete the files 4 years after object creation.
- C. Delete the files 4 years after object creation.
- D. Create an S3 bucket lifecycle policy to move files from S3 Standard-Infrequent Access (S3 Standard-IA) 30 days from object creation. Delete the files 4 years after object creation.
- E. Delete the files 4 years after object creation.
- F. Create an S3 bucket lifecycle policy to move files from S3 Standard to S3 Standard-Infrequent Access (S3 Standard-IA) 30 days from object creation. Move the files to S3 Glacier 4 years after object creation.

Answer: B

Explanation:

https://aws.amazon.com/s3/storage-classes/?trk=66264cd8-3b73-416c-9693-ea7cf4fe846a&sc_channel=ps&s_k

NEW QUESTION 116

- (Exam Topic 1)

A company has a three-tier web application that is deployed on AWS. The web servers are deployed in a public subnet in a VPC. The application servers and database servers are deployed in private subnets in the same VPC. The company has deployed a third-party virtual firewall appliance from AWS Marketplace in an inspection VPC. The appliance is configured with an IP interface that can accept IP packets.

A solutions architect needs to integrate the web application with the appliance to inspect all traffic to the application before the traffic reaches the web server.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Create a Network Load Balancer in the public subnet of the application's VPC to route the traffic to the appliance for packet inspection.
- B. Create an Application Load Balancer in the public subnet of the application's VPC to route the traffic to the appliance for packet inspection.
- C. Deploy a transit gateway in the inspection VPC. Configure route tables to route the incoming packets through the transit gateway.
- D. Deploy a Gateway Load Balancer in the inspection VPC. Create a Gateway Load Balancer endpoint to receive the incoming packets and forward the packets to the appliance.

Answer: D

Explanation:

<https://aws.amazon.com/blogs/networking-and-content-delivery/scaling-network-traffic-inspection-using-aws-ga>

NEW QUESTION 121

- (Exam Topic 1)

An application runs on an Amazon EC2 instance in a VPC. The application processes logs that are stored in an Amazon S3 bucket. The EC2 instance needs to access the S3 bucket without connectivity to the internet.

Which solution will provide private network connectivity to Amazon S3?

- A. Create a gateway VPC endpoint to the S3 bucket.
- B. Stream the logs to Amazon CloudWatch Log.
- C. Export the logs to the S3 bucket.
- D. Create an instance profile on Amazon EC2 to allow S3 access.
- E. Create an Amazon API Gateway API with a private link to access the S3 endpoint.

Answer: A

Explanation:

VPC endpoint allows you to connect to AWS services using a private network instead of using the public Internet

NEW QUESTION 123

- (Exam Topic 1)

A company wants to migrate an on-premises data center to AWS. The data center hosts an SFTP server that stores its data on an NFS-based file system. The server holds 200 GB of data that needs to be transferred. The server must be hosted on an Amazon EC2 instance that uses an Amazon Elastic File System (Amazon EFS) file system

When combination of steps should a solutions architect take to automate this task? (Select TWO)

- A. Launch the EC2 instance into the same Availability Zone as the EFS file system
- B. install an AWS DataSync agent in the on-premises data center
- C. Create a secondary Amazon Elastic Block Store (Amazon EBS) volume on the EC2 instance for the data
- D. Manually use an operating system copy command to push the data to the EC2 instance
- E. Use AWS DataSync to create a suitable location configuration for the on-premises SFTP server

Answer: AB

NEW QUESTION 128

- (Exam Topic 2)

A company stores its application logs in an Amazon CloudWatch Logs log group. A new policy requires the company to store all application logs in Amazon OpenSearch Service (Amazon Elasticsearch Service) in near-real time.

Which solution will meet this requirement with the LEAST operational overhead?

- A. Configure a CloudWatch Logs subscription to stream the logs to Amazon OpenSearch Service (Amazon Elasticsearch Service).
- B. Create an AWS Lambda function
- C. Use the log group to invoke the function to write the logs to Amazon OpenSearch Service (Amazon Elasticsearch Service).
- D. Create an Amazon Kinesis Data Firehose delivery stream
- E. Configure the log group as the delivery stream's source
- F. Configure Amazon OpenSearch Service (Amazon Elasticsearch Service) as the delivery stream's destination.
- G. Install and configure Amazon Kinesis Agent on each application server to deliver the logs to Amazon Kinesis Data Stream
- H. Configure Kinesis Data Streams to deliver the logs to Amazon OpenSearch Service (Amazon Elasticsearch Service)

Answer: B

Explanation:

<https://computingforgeeks.com/stream-logs-in-aws-from-cloudwatch-to-elasticsearch/>

NEW QUESTION 130

- (Exam Topic 2)

A company is migrating its on-premises PostgreSQL database to Amazon Aurora PostgreSQL. The on-premises database must remain online and accessible during the migration. The Aurora database must remain synchronized with the on-premises database. Which combination of actions must a solutions architect take to meet these requirements? (Choose two.)

- A. Create an ongoing replication task.
- B. Create a database backup of the on-premises database
- C. Create an AWS Database Migration Service (AWS DMS) replication server
- D. Convert the database schema by using the AWS Schema Conversion Tool (AWS SCT).
- E. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to monitor the database synchronization

Answer: CD

NEW QUESTION 134

- (Exam Topic 2)

A company wants to run a gaming application on Amazon EC2 instances that are part of an Auto Scaling group in the AWS Cloud. The application will transmit data by using UDP packets. The company wants to ensure that the application can scale out and in as traffic increases and decreases.

What should a solutions architect do to meet these requirements?

- A. Attach a Network Load Balancer to the Auto Scaling group
- B. Attach an Application Load Balancer to the Auto Scaling group.
- C. Deploy an Amazon Route 53 record set with a weighted policy to route traffic appropriately
- D. Deploy a NAT instance that is configured with port forwarding to the EC2 instances in the Auto Scaling group.

Answer: B

NEW QUESTION 135

- (Exam Topic 2)

An ecommerce company has an order-processing application that uses Amazon API Gateway and an AWS Lambda function. The application stores data in an Amazon Aurora PostgreSQL database. During a recent sales event, a sudden surge in customer orders occurred. Some customers experienced timeouts and the application did not process the orders of those customers. A solutions architect determined that the CPU utilization and memory utilization were high on the database because of a large number of open connections. The solutions architect needs to prevent the timeout errors while making the least possible changes to the application.

Which solution will meet these requirements?

- A. Configure provisioned concurrency for the Lambda function. Modify the database to be a global database in multiple AWS Regions
- B. Use Amazon RDS Proxy to create a proxy for the database. Modify the Lambda function to use the RDS Proxy endpoint instead of the database endpoint

- C. Create a read replica for the database in a different AWS Region Use query string parameters in API Gateway to route traffic to the read replica
- D. Migrate the data from Aurora PostgreSQL to Amazon DynamoDB by using AWS Database Migration Service (AWS DMS) Modify the Lambda function to use the OynamoDB table

Answer: D

NEW QUESTION 138

- (Exam Topic 2)

A company wants to direct its users to a backup static error page if the company's primary website is unavailable. The primary website's DNS records are hosted in Amazon Route 53. The domain is pointing to an Application Load Balancer (ALB). The company needs a solution that minimizes changes and infrastructure overhead.

Which solution will meet these requirements?

- A. Update the Route 53 records to use a latency routing polic
- B. Add a static error page that is hosted in an Amazon S3 bucket to the records so that the traffic is sent to the most responsive endpoints.
- C. Set up a Route 53 active-passive failover configuratio
- D. Direct traffic to a static error page that is hosted in an Amazon S3 bucket when Route 53 health checks determine that the ALB endpoint is unhealthy.
- E. Set up a Route 53 active-active configuration with the ALB and an Amazon EC2 instance that hosts a static error page as endpoint
- F. Configure Route 53 to send requests to the instance only if the health checks fail for the ALB.
- G. Update the Route 53 records to use a multivalue answer routing polic
- H. Create a health chec
- I. Direct traffic to the website if the health check passe
- J. Direct traffic to a static error page that is hosted in Amazon S3 if the health check does not pass.

Answer: B

NEW QUESTION 142

- (Exam Topic 2)

A company is building a web-based application running on Amazon EC2 instances in multiple Availability Zones. The web application will provide access to a repository of text documents totaling about 900 TB in size. The company anticipates that the web application will experience periods of high demand. A solutions architect must ensure that the storage component for the text documents can scale to meet the demand of the application at all times. The company is concerned about the overall cost of the solution.

Which storage solution meets these requirements MOST cost-effectively?

- A. Amazon Elastic Block Store (Amazon EBS)
- B. Amazon Elastic File System (Amazon EFS)
- C. Amazon Elasticsearch Service (Amazon ES)
- D. Amazon S3

Answer: D

Explanation:

Amazon S3 is cheapest and can be accessed from anywhere.

NEW QUESTION 147

- (Exam Topic 2)

A company has an AWS account used for software engineering. The AWS account has access to the company's on-premises data center through a pair of AWS Direct Connect connections. All non-VPC traffic routes to the virtual private gateway.

A development team recently created an AWS Lambda function through the console. The development team needs to allow the function to access a database that runs in a private subnet in the company's data center.

Which solution will meet these requirements?

- A. Configure the Lambda function to run in the VPC with the appropriate security group.
- B. Set up a VPN connection from AWS to the data cente
- C. Route the traffic from the Lambda function through the VPN.
- D. Update the route tables in the VPC to allow the Lambda function to access the on-premises data center through Direct Connect.
- E. Create an Elastic IP address
- F. Configure the Lambda function to send traffic through the Elastic IP address without an elastic network interface.

Answer: A

Explanation:

<https://docs.aws.amazon.com/lambda/latest/dg/configuration-vpc.html#vpc-managing-eni>

NEW QUESTION 150

- (Exam Topic 2)

A company uses a popular content management system (CMS) for its corporate website. However, the required patching and maintenance are burdensome. The company is redesigning its website and wants anew solution. The website will be updated four times a year and does not need to have any dynamic content available. The solution must provide high scalability and enhanced security.

Which combination of changes will meet these requirements with the LEAST operational overhead? (Choose two.)

- A. Deploy an AWS WAF web ACL in front of the website to provide HTTPS functionality
- B. Create and deploy an AWS Lambda function to manage and serve the website content
- C. Create the new website and an Amazon S3 bucket Deploy the website on the S3 bucket with static website hosting enabled
- D. Create the new websit
- E. Deploy the website by using an Auto Scaling group of Amazon EC2 instances behind an Application Load Balancer.

Answer: AD

NEW QUESTION 153

- (Exam Topic 2)

A solutions architect must design a solution that uses Amazon CloudFront with an Amazon S3 origin to store a static website. The company's security policy requires that all website traffic be inspected by AWS WAF.

How should the solutions architect comply with these requirements?

- A. Configure an S3 bucket policy to accept requests coming from the AWS WAF Amazon Resource Name (ARN) only.
- B. Configure Amazon CloudFront to forward all incoming requests to AWS WAF before requesting content from the S3 origin.
- C. Configure a security group that allows Amazon CloudFront IP addresses to access Amazon S3 only. Associate AWS WAF to CloudFront.
- D. Configure Amazon CloudFront and Amazon S3 to use an origin access identity (OAI) to restrict access to the S3 bucket.
- E. Enable AWS WAF on the distribution.

Answer: D

Explanation:

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/private-content-restricting-access-to-s3>

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/distribution-web-aws-waf.html>

NEW QUESTION 155

- (Exam Topic 2)

A solutions architect is designing a customer-facing application for a company. The application's database will have a clearly defined access pattern throughout the year and will have a variable number of reads and writes that depend on the time of year. The company must retain audit records for the database for 7 days. The recovery point objective (RPO) must be less than 5 hours.

Which solution meets these requirements?

- A. Use Amazon DynamoDB with auto scaling. Use on-demand backups and Amazon DynamoDB Streams.
- B. Use Amazon Redshift.
- C. Configure concurrency scaling.
- D. Activate audit logging.
- E. Perform database snapshots every 4 hours.
- F. Use Amazon RDS with Provisioned IOPS. Activate the database auditing parameter. Perform database snapshots every 5 hours.
- G. Use Amazon Aurora MySQL with auto scaling.
- H. Activate the database auditing parameter.

Answer: B

NEW QUESTION 156

- (Exam Topic 2)

A company has a Windows-based application that must be migrated to AWS. The application requires the use of a shared Windows file system attached to multiple Amazon EC2 Windows instances that are deployed across multiple Availability Zones.

What should a solutions architect do to meet this requirement?

- A. Configure AWS Storage Gateway in volume gateway mode.
- B. Mount the volume to each Windows instance.
- C. Configure Amazon FSx for Windows File Share.
- D. Mount the Amazon FSx file system to each Windows instance.
- E. Configure a file system by using Amazon Elastic File System (Amazon EFS). Mount the EFS file system to each Windows instance.
- F. Configure an Amazon Elastic Block Store (Amazon EBS) volume with the required size.
- G. Attach each EC2 instance to the volume.
- H. Mount the file system within the volume to each Windows instance.

Answer: B

NEW QUESTION 158

- (Exam Topic 2)

A company owns an asynchronous API that is used to ingest user requests and, based on the request type, dispatch requests to the appropriate microservice for processing. The company is using Amazon API Gateway to deploy the API front end, and an AWS Lambda function that invokes Amazon DynamoDB to store user requests before dispatching them to the processing microservices.

The company provisioned as much DynamoDB throughput as its budget allows, but the company is still experiencing availability issues and is losing user requests. What should a solutions architect do to address this issue without impacting existing users?

- A. Add throttling on the API Gateway with server-side throttling limits.
- B. Use DynamoDB Accelerator (DAX) and Lambda to buffer writes to DynamoDB.
- C. Create a secondary index in DynamoDB for the table with the user requests.
- D. Use the Amazon Simple Queue Service (Amazon SQS) queue and Lambda to buffer writes to DynamoDB.

Answer: D

Explanation:

By using an SQS queue and Lambda, the solutions architect can decouple the API front end from the processing microservices and improve the overall scalability and availability of the system. The SQS queue acts as a buffer, allowing the API front end to continue accepting user requests even if the processing microservices are experiencing high workloads or are temporarily unavailable. The Lambda function can then retrieve requests from the SQS queue and write them to DynamoDB, ensuring that all user requests are stored and processed. This approach allows the company to scale the processing microservices independently from the API front end, ensuring that the API remains available to users even during periods of high demand.

NEW QUESTION 160

- (Exam Topic 2)

A company wants to migrate its MySQL database from on-premises to AWS. The company recently experienced a database outage that significantly impacted the business. To ensure this does not happen again, the company wants a reliable database solution on AWS that minimizes data loss and stores every transaction on

at least two nodes.
Which solution meets these requirements?

- A. Create an Amazon RDS DB instance with synchronous replication to three nodes in three Availability Zones.
- B. Create an Amazon RDS MySQL DB instance with Multi-AZ functionality enabled to synchronously replicate the data.
- C. Create an Amazon RDS MySQL DB instance and then create a read replica in a separate AWS Region that synchronously replicates the data.
- D. Create an Amazon EC2 instance with a MySQL engine installed that triggers an AWS Lambda function to synchronously replicate the data to an Amazon RDS MySQL DB instance.

Answer: B

Explanation:

Q: What does Amazon RDS manage on my behalf?

Amazon RDS manages the work involved in setting up a relational database: from provisioning the infrastructure capacity you request to installing the database software. Once your database is up and running, Amazon RDS automates common administrative tasks such as performing backups and patching the software that powers your database. With optional Multi-AZ deployments, Amazon RDS also manages synchronous data replication across Availability Zones with automatic failover.

<https://aws.amazon.com/rds/faqs/>

NEW QUESTION 165

- (Exam Topic 2)

A company has a highly dynamic batch processing job that uses many Amazon EC2 instances to complete it. The job is stateless in nature, can be started and stopped at any given time with no negative impact, and typically takes upwards of 60 minutes total to complete. The company has asked a solutions architect to design a scalable and cost-effective solution that meets the requirements of the job.

What should the solutions architect recommend?

- A. Implement EC2 Spot Instances
- B. Purchase EC2 Reserved Instances
- C. Implement EC2 On-Demand Instances
- D. Implement the processing on AWS Lambda

Answer: A

NEW QUESTION 168

- (Exam Topic 2)

A company is planning to move its data to an Amazon S3 bucket. The data must be encrypted when it is stored in the S3 bucket. Additionally, the encryption key must be automatically rotated every year.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Move the data to the S3 bucket
- B. Use server-side encryption with Amazon S3 managed encryption keys (SSE-S3). Use the built-in key rotation behavior of SSE-S3 encryption keys.
- C. Create an AWS Key Management Service (AWS KMS) customer managed key
- D. Enable automatic key rotation
- E. Set the S3 bucket's default encryption behavior to use the customer managed KMS key
- F. Move the data to the S3 bucket.
- G. Create an AWS Key Management Service (AWS KMS) customer managed key
- H. Set the S3 bucket's default encryption behavior to use the customer managed KMS key
- I. Move the data to the S3 bucket
- J. Manually rotate the KMS key every year.
- K. Encrypt the data with customer key material before moving the data to the S3 bucket
- L. Create an AWS Key Management Service (AWS KMS) key without key material
- M. Import the customer key material into the KMS key
- N. Enable automatic key rotation.

Answer: C

NEW QUESTION 172

- (Exam Topic 2)

A company wants to build a scalable key management Infrastructure to support developers who need to encrypt data in their applications.

What should a solutions architect do to reduce the operational burden?

- A. Use multifactor authentication (MFA) to protect the encryption keys.
- B. Use AWS Key Management Service (AWS KMS) to protect the encryption keys
- C. Use AWS Certificate Manager (ACM) to create, store, and assign the encryption keys
- D. Use an IAM policy to limit the scope of users who have access permissions to protect the encryption keys

Answer: B

Explanation:

<https://aws.amazon.com/kms/faqs/#:~:text=If%20you%20are%20a%20developer%20who%20needs%20to%20d>

NEW QUESTION 176

- (Exam Topic 2)

A company has a legacy data processing application that runs on Amazon EC2 instances. Data is processed sequentially, but the order of results does not matter. The application uses a monolithic architecture. The only way that the company can scale the application to meet increased demand is to increase the size of the instances.

The company's developers have decided to rewrite the application to use a microservices architecture on Amazon Elastic Container Service (Amazon ECS).

What should a solutions architect recommend for communication between the microservices?

- A. Create an Amazon Simple Queue Service (Amazon SQS) queue
- B. Add code to the data producers, and send data to the queue
- C. Add code to the data consumers to process data from the queue.
- D. Create an Amazon Simple Notification Service (Amazon SNS) topic
- E. Add code to the data producers, and publish notifications to the topic
- F. Add code to the data consumers to subscribe to the topic.
- G. Create an AWS Lambda function to pass message
- H. Add code to the data producers to call the Lambda function with a data object
- I. Add code to the data consumers to receive a data object that is passed from the Lambda function.
- J. Create an Amazon DynamoDB table
- K. Enable DynamoDB Stream
- L. Add code to the data producers to insert data into the table
- M. Add code to the data consumers to use the DynamoDB Streams API to detect new table entries and retrieve the data.

Answer: A

Explanation:

Queue has Limited throughput (300 msg/s without batching, 3000 msg/s with batching whereby up-to 10 msg per batch operation; Msg duplicates not allowed in the queue (exactly-once delivery); Msg order is preserved (FIFO); Queue name must end with .fifo

NEW QUESTION 181

- (Exam Topic 2)

A company is building a containerized application on premises and decides to move the application to AWS. The application will have thousands of users soon after it is deployed. The company is unsure how to manage the deployment of containers at scale. The company needs to deploy the containerized application in a highly available architecture that minimizes operational overhead.

Which solution will meet these requirements?

- A. Store container images in an Amazon Elastic Container Registry (Amazon ECR) repository
- B. Use an Amazon Elastic Container Service (Amazon ECS) cluster with the AWS Fargate launch type to run the container
- C. Use target tracking to scale automatically based on demand.
- D. Store container images in an Amazon Elastic Container Registry (Amazon ECR) repository
- E. Use an Amazon Elastic Container Service (Amazon ECS) cluster with the Amazon EC2 launch type to run the container
- F. Use target tracking to scale automatically based on demand.
- G. Store container images in a repository that runs on an Amazon EC2 instance
- H. Run the containers on EC2 instances that are spread across multiple Availability Zones
- I. Monitor the average CPU utilization in Amazon CloudWatch
- J. Launch new EC2 instances as needed
- K. Create an Amazon EC2 Amazon Machine Image (AMI) that contains the container image. Launch EC2 instances in an Auto Scaling group across multiple Availability Zones
- L. Use an Amazon CloudWatch alarm to scale out EC2 instances when the average CPU utilization threshold is breached.

Answer: A

NEW QUESTION 185

- (Exam Topic 2)

A company is running several business applications in three separate VPCs within the us-east-1 Region. The applications must be able to communicate between VPCs. The applications also must be able to consistently send hundreds to gigabytes of data each day to a latency-sensitive application that runs in a single on-premises data center.

A solutions architect needs to design a network connectivity solution that maximizes cost-effectiveness. Which solution meets those requirements?

- A. Configure three AWS Site-to-Site VPN connections from the data center to AWS. Establish connectivity by configuring one VPN connection for each VPC.
- B. Launch a third-party virtual network appliance in each VPC. Establish an IPsec VPN tunnel between the Data center and each virtual appliance.
- C. Set up three AWS Direct Connect connections from the data center to a Direct Connect gateway in us-east-1. Establish connectivity by configuring each VPC to use one of the Direct Connect connections.
- D. Set up one AWS Direct Connect connection from the data center to AWS.
- E. Create a transit gateway, and attach each VPC to the transit gateway.
- F. Establish connectivity between the Direct Connect connection and the transit gateway.

Answer: D

Explanation:

<https://docs.aws.amazon.com/whitepapers/latest/aws-vpc-connectivity-options/aws-direct-connect-aws-transit-g>

NEW QUESTION 186

- (Exam Topic 2)

A company is planning to build a high performance computing (HPC) workload as a service solution that is hosted on AWS. A group of 16 Amazon EC2 Linux instances requires the lowest possible latency for node-to-node communication. The instances also need a shared block device volume for high-performing storage.

Which solution will meet these requirements?

- A. Use a cluster placement group
- B. Attach a single Provisioned IOPS SSD Amazon Elastic Block Store (Amazon EBS) volume to all the instances by using Amazon EBS Multi-Attach
- C. Use a partition placement group
- D. Create shared file systems across the instances by using Amazon Elastic File System (Amazon EFS)
- E. Use a partition placement group
- F. Create shared file systems across the instances by using Amazon Elastic File System (Amazon EFS).
- G. Use a spread placement group
- H. Attach a single Provisioned IOPS SSD Amazon Elastic Block Store (Amazon EBS) volume to all the instances by using Amazon EBS Multi-Attach

Answer: A

NEW QUESTION 190

- (Exam Topic 2)

A media company is evaluating the possibility of moving its systems to the AWS Cloud. The company needs at least 10 TB of storage with the maximum possible I/O performance for video processing, 300 TB of very durable storage for storing media content, and 900 TB of storage to meet requirements for archival media that is not in use anymore.

Which set of services should a solutions architect recommend to meet these requirements?

- A. Amazon EBS for maximum performance, Amazon S3 for durable data storage, and Amazon S3 Glacier for archival storage
- B. Amazon EBS for maximum performance, Amazon EFS for durable data storage and Amazon S3 Glacier for archival storage
- C. Amazon EC2 instance store for maximum performance
- D. Amazon EFS for durable data storage and Amazon S3 for archival storage
- E. Amazon EC2 Instance store for maximum performance
- F. Amazon S3 for durable data storage, and Amazon S3 Glacier for archival storage

Answer: A

Explanation:

<https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/InstanceStorage.html>

NEW QUESTION 191

- (Exam Topic 2)

A company wants to migrate its on-premises data center to AWS. According to the company's compliance requirements, the company can use only the ap-northeast-3 Region. Company administrators are not permitted to connect VPCs to the internet.

Which solutions will meet these requirements? (Choose two.)

- A. Use AWS Control Tower to implement data residency guardrails to deny internet access and deny access to all AWS Regions except ap-northeast-3.
- B. Use rules in AWS WAF to prevent internet access
- C. Deny access to all AWS Regions except ap-northeast-3 in the AWS account settings.
- D. Use AWS Organizations to configure service control policies (SCPs) that prevent VPCs from gaining internet access
- E. Deny access to all AWS Regions except ap-northeast-3.
- F. Create an outbound rule for the network ACL in each VPC to deny all traffic from 0.0.0.0/0. Create an IAM policy for each user to prevent the use of any AWS Region other than ap-northeast-3.
- G. Use AWS Config to activate managed rules to detect and alert for internet gateways and to detect and alert for new resources deployed outside of ap-northeast-3.

Answer: AC

NEW QUESTION 195

- (Exam Topic 2)

A company hosts a website analytics application on a single Amazon EC2 On-Demand Instance. The analytics software is written in PHP and uses a MySQL database. The analytics software, the web server that provides PHP, and the database server are all hosted on the EC2 instance. The application is showing signs of performance degradation during busy times and is presenting 5xx errors. The company needs to make the application scale seamlessly.

Which solution will meet these requirements MOST cost-effectively?

- A. Migrate the database to an Amazon RDS for MySQL DB instance
- B. Create an AMI of the web application
- C. Use the AMI to launch a second EC2 On-Demand Instance
- D. Use an Application Load Balancer to distribute the load to each EC2 instance.
- E. Migrate the database to an Amazon RDS for MySQL DB instance
- F. Create an AMI of the web application
- G. Use the AMI to launch a second EC2 On-Demand Instance
- H. Use Amazon Route 53 weighted routing to distribute the load across the two EC2 instances.
- I. Migrate the database to an Amazon Aurora MySQL DB instance
- J. Create an AWS Lambda function to stop the EC2 instance and change the instance type
- K. Create an Amazon CloudWatch alarm to invoke the Lambda function when CPU utilization surpasses 75%.
- L. Migrate the database to an Amazon Aurora MySQL DB instance
- M. Create an AMI of the web application. Apply the AMI to a launch template
- N. Create an Auto Scaling group with the launch template. Configure the launch template to use a Spot Fleet
- O. Attach an Application Load Balancer to the Auto Scaling group.

Answer: D

NEW QUESTION 199

- (Exam Topic 2)

Organizers for a global event want to put daily reports online as static HTML pages. The pages are expected to generate millions of views from users around the world. The files are stored in an Amazon S3 bucket. A solutions architect has been asked to design an efficient and effective solution.

Which action should the solutions architect take to accomplish this?

- A. Generate presigned URLs for the files.
- B. Use cross-Region replication to all Regions.
- C. Use the geoproximity feature of Amazon Route 53.
- D. Use Amazon CloudFront with the S3 bucket as its origin.

Answer: D

NEW QUESTION 204

- (Exam Topic 2)

A medical records company is hosting an application on Amazon EC2 instances. The application processes customer data files that are stored on Amazon S3. The EC2 instances are hosted in public subnets. The EC2 instances access Amazon S3 over the internet, but they do not require any other network access.

A new requirement mandates that the network traffic for file transfers take a private route and not be sent over the internet.

Which change to the network architecture should a solutions architect recommend to meet this requirement?

- A. Create a NAT gateway
- B. Configure the route table for the public subnets to send traffic to Amazon S3 through the NAT gateway.
- C. Configure the security group for the EC2 instances to restrict outbound traffic so that only traffic to the S3 prefix list is permitted.
- D. Move the EC2 instances to private subnet
- E. Create a VPC endpoint for Amazon S3, and link the endpoint to the route table for the private subnets
- F. Remove the internet gateway from the VP
- G. Set up an AWS Direct Connect connection, and route traffic to Amazon S3 over the Direct Connect connection.

Answer: C

NEW QUESTION 206

- (Exam Topic 2)

A company's website provides users with downloadable historical performance reports. The website needs a solution that will scale to meet the company's website demands globally. The solution should be

cost-effective, limit the provisioning of infrastructure resources, and provide the fastest possible response time.

Which combination should a solutions architect recommend to meet these requirements?

- A. Amazon CloudFront and Amazon S3
- B. AWS Lambda and Amazon DynamoDB
- C. Application Load Balancer with Amazon EC2 Auto Scaling
- D. Amazon Route 53 with internal Application Load Balancers

Answer: A

Explanation:

Cloudfront for rapid response and s3 to minimize infrastructure.

NEW QUESTION 211

- (Exam Topic 2)

A company uses AWS Organizations to create dedicated AWS accounts for each business unit to manage each business unit's account independently upon request. The root email recipient missed a notification that was sent to the root user email address of one account. The company wants to ensure that all future notifications are not missed. Future notifications must be limited to account administrators.

Which solution will meet these requirements?

- A. Configure the company's email server to forward notification email messages that are sent to the AWS account root user email address to all users in the organization.
- B. Configure all AWS account root user email addresses as distribution lists that go to a few administrators who can respond to alert
- C. Configure AWS account alternate contacts in the AWS Organizations console or programmatically.
- D. Configure all AWS account root user email messages to be sent to one administrator who is responsible for monitoring alerts and forwarding those alerts to the appropriate groups.
- E. Configure all existing AWS accounts and all newly created accounts to use the same root user email address
- F. Configure AWS account alternate contacts in the AWS Organizations console or programmatically.

Answer: D

NEW QUESTION 216

- (Exam Topic 2)

A company has implemented a self-managed DNS solution on three Amazon EC2 instances behind a Network Load Balancer (NLB) in the us-west-2 Region. Most of the company's users are located in the United States and Europe. The company wants to improve the performance and availability of the solution. The company launches and configures three EC2 instances in the eu-west-1 Region and adds the EC2 instances as targets for a new NLB.

Which solution can the company use to route traffic to all the EC2 instances?

- A. Create an Amazon Route 53 geolocation routing policy to route requests to one of the two NLB
- B. Create an Amazon CloudFront distributio
- C. Use the Route 53 record as the distribution's origin.
- D. Create a standard accelerator in AWS Global Accelerato
- E. Create endpoint groups in us-west-2 and eu-west-1. Add the two NLBs as endpoints for the endpoint groups.
- F. Attach Elastic IP addresses to the six EC2 instance
- G. Create an Amazon Route 53 geolocation routing policy to route requests to one of the six EC2 instance
- H. Create an Amazon CloudFront distributio
- I. Use the Route 53 record as the distribution's origin.
- J. Replace the two NLBs with two Application Load Balancers (ALBs). Create an Amazon Route 53 latency routing policy to route requests to one of the two ALB
- K. Create an Amazon CloudFront distributio
- L. Use the Route 53 record as the distribution's origin.

Answer: B

Explanation:

For standard accelerators, Global Accelerator uses the AWS global network to route traffic to the optimal regional endpoint based on health, client location, and policies that you configure, which increases the availability of your applications. Endpoints for standard accelerators can be Network Load Balancers, Application Load Balancers, Amazon EC2 instances, or Elastic IP addresses that are located in one AWS Region or multiple Regions.

<https://docs.aws.amazon.com/global-accelerator/latest/dg/what-is-global-accelerator.html>

NEW QUESTION 218

- (Exam Topic 2)

A company has a dynamic web application hosted on two Amazon EC2 instances. The company has its own SSL certificate, which is on each instance to perform SSL termination.

There has been an increase in traffic recently, and the operations team determined that SSL encryption and decryption is causing the compute capacity of the web servers to reach their maximum limit.

What should a solutions architect do to increase the application's performance?

- A. Create a new SSL certificate using AWS Certificate Manager (ACM) install the ACM certificate on each instance
- B. Create an Amazon S3 bucket Migrate the SSL certificate to the S3 bucket Configure the EC2 instances to reference the bucket for SSL termination
- C. Create another EC2 instance as a proxy server Migrate the SSL certificate to the new instance and configure it to direct connections to the existing EC2 instances
- D. Import the SSL certificate into AWS Certificate Manager (ACM) Create an Application Load Balancer with an HTTPS listener that uses the SSL certificate from ACM

Answer: D

Explanation:

<https://aws.amazon.com/certificate-manager/>:

"With AWS Certificate Manager, you can quickly request a certificate, deploy it on ACM-integrated AWS resources, such as Elastic Load Balancers, Amazon CloudFront distributions, and APIs on API Gateway, and let AWS Certificate Manager handle certificate renewals. It also enables you to create private certificates for

your internal resources and manage the certificate lifecycle centrally."

NEW QUESTION 220

- (Exam Topic 2)

A security team wants to limit access to specific services or actions in all of the team's AWS accounts. All accounts belong to a large organization in AWS Organizations. The solution must be scalable and there must be a single point where permissions can be maintained.

What should a solutions architect do to accomplish this?

- A. Create an ACL to provide access to the services or actions.
- B. Create a security group to allow accounts and attach it to user groups.
- C. Create cross-account roles in each account to deny access to the services or actions.
- D. Create a service control policy in the root organizational unit to deny access to the services or actions.

Answer: D

Explanation:

Service control policies (SCPs) are one type of policy that you can use to manage your organization. SCPs offer central control over the maximum available permissions for all accounts in your organization, allowing you to ensure your accounts stay within your organization's access control guidelines. See

https://docs.aws.amazon.com/organizations/latest/userguide/orgs_manage_policies_scp.html.

NEW QUESTION 221

- (Exam Topic 2)

A company's web application is running on Amazon EC2 instances behind an Application Load Balancer. The company recently changed its policy, which now requires the application to be accessed from one specific country only.

Which configuration will meet this requirement?

- A. Configure the security group for the EC2 instances.
- B. Configure the security group on the Application Load Balancer.
- C. Configure AWS WAF on the Application Load Balancer in a VPC.
- D. Configure the network ACL for the subnet that contains the EC2 instances.

Answer: C

Explanation:

<https://aws.amazon.com/about-aws/whats-new/2017/10/aws-waf-now-supports-geographic-match/>

NEW QUESTION 222

- (Exam Topic 2)

A business's backup data totals 700 terabytes (TB) and is kept in network attached storage (NAS) at its data center. This backup data must be available in the event of occasional regulatory inquiries and preserved for a period of seven years. The organization has chosen to relocate its backup data from its on-premises data center to Amazon Web Services (AWS). Within one month, the migration must be completed. The company's public internet connection provides 500 Mbps of dedicated capacity for data transport.

What should a solutions architect do to ensure that data is migrated and stored at the LOWEST possible cost?

- A. Order AWS Snowball devices to transfer the data
- B. Use a lifecycle policy to transition the files to Amazon S3 Glacier Deep Archive.
- C. Deploy a VPN connection between the data center and Amazon VP
- D. Use the AWS CLI to copy the data from on premises to Amazon S3 Glacier.
- E. Provision a 500 Mbps AWS Direct Connect connection and transfer the data to Amazon S3. Use a lifecycle policy to transition the files to Amazon S3 Glacier Deep Archive.
- F. Use AWS DataSync to transfer the data and deploy a DataSync agent on premise
- G. Use the DataSync task to copy files from the on-premises NAS storage to Amazon S3 Glacier.

Answer: A

Explanation:

<https://www.omnicalculator.com/other/data-transfer>

NEW QUESTION 227

- (Exam Topic 2)

A company wants to move its application to a serverless solution. The serverless solution needs to analyze existing and new data by using SL. The company stores the data in an Amazon S3 bucket. The data requires encryption and must be replicated to a different AWS Region. Which solution will meet these requirements with the LEAST operational overhead?

- A. Create a new S3 bucket
- B. Load the data into the new S3 bucket
- C. Use S3 Cross-Region Replication (CRR) to replicate encrypted objects to an S3 bucket in another Region
- D. Use server-side encryption with AWS KMS multi-Region keys (SSE-KMS). Use Amazon Athena to query the data.
- E. Create a new S3 bucket
- F. Load the data into the new S3 bucket
- G. Use S3 Cross-Region Replication (CRR) to replicate encrypted objects to an S3 bucket in another Region
- H. Use server-side encryption with AWS KMS multi-Region keys (SSE-KMS). Use Amazon RDS to query the data.
- I. Load the data into the existing S3 bucket
- J. Use S3 Cross-Region Replication (CRR) to replicate encrypted objects to an S3 bucket in another Region
- K. Use server-side encryption with Amazon S3 managed encryption keys (SSE-S3). Use Amazon Athena to query the data.
- L. Load the data into the existing S3 bucket
- M. Use S3 Cross-Region Replication (CRR) to replicate encrypted objects to an S3 bucket in another Region
- N. Use server-side encryption with Amazon S3 managed encryption keys (SSE-S3). Use Amazon RDS to query the data.

Answer: A

NEW QUESTION 228

- (Exam Topic 2)

A company has a service that produces event data. The company wants to use AWS to process the event data as it is received. The data is written in a specific order that must be maintained throughout processing. The company wants to implement a solution that minimizes operational overhead. How should a solutions architect accomplish this?

- A. Create an Amazon Simple Queue Service (Amazon SQS) FIFO queue to hold messages. Set up an AWS Lambda function to process messages from the queue.
- B. Create an Amazon Simple Notification Service (Amazon SNS) topic to deliver notifications containing payloads to process. Configure an AWS Lambda function as a subscriber.
- C. Create an Amazon Simple Queue Service (Amazon SQS) standard queue to hold messages.
- D. Set up an AWS Lambda function to process messages from the queue independently.
- E. Create an Amazon Simple Notification Service (Amazon SNS) topic to deliver notifications containing payloads to process.
- F. Configure an Amazon Simple Queue Service (Amazon SQS) queue as a subscriber.

Answer: A

Explanation:

The details are revealed in below url: <https://docs.aws.amazon.com/AWSSimpleQueueService/latest/SQSDeveloperGuide/FIFO-queues.html>

FIFO (First-In-First-Out) queues are designed to enhance messaging between applications when the order of operations and events is critical, or where duplicates can't be tolerated. Examples of situations where you might use FIFO queues include the following: To make sure that user-entered commands are run in the right order. To display the correct product price by sending price modifications in the right order. To prevent a student from enrolling in a course before registering for an account.

NEW QUESTION 231

- (Exam Topic 2)

A company wants to measure the effectiveness of its recent marketing campaigns. The company performs batch processing on CSV files of sales data and stores the results in an Amazon S3 bucket once every hour. The S3 bucket has petabytes of objects. The company runs one-time queries in Amazon Athena to determine which products are most popular on a particular date for a particular region. Queries sometimes fail or take longer than expected to finish. Which actions should a solutions architect take to improve the query performance and reliability? (Select TWO.)

- A. Reduce the S3 object sizes to less than 128 MB
- B. Partition the data by date and region in Amazon S3
- C. Store the files as large, single objects in Amazon S3.
- D. Use Amazon Kinesis Data Analytics to run the queries as part of the batch processing operation
- E. Use an AWS Glue extract, transform, and load (ETL) process to convert the CSV files into Apache Parquet format.

Answer: CE

NEW QUESTION 236

- (Exam Topic 2)

A company runs a high performance computing (HPC) workload on AWS. The workload required low-latency network performance and high network throughput with tightly coupled node-to-node communication. The Amazon EC2 instances are properly sized for compute and storage capacity, and are launched using default options.

What should a solutions architect propose to improve the performance of the workload?

- A. Choose a cluster placement group while launching Amazon EC2 instances.
- B. Choose dedicated instance tenancy while launching Amazon EC2 instances.
- C. Choose an Elastic Inference accelerator while launching Amazon EC2 instances.
- D. Choose the required capacity reservation while launching Amazon EC2 instances.

Answer: A

Explanation:

<https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/aws-resource-ec2-placementgroup.html> "A cluster placement group is a logical grouping of instances within a single Availability Zone that benefit from low network latency, high network throughput"

NEW QUESTION 237

- (Exam Topic 2)

A company has a multi-tier application that runs six front-end web servers in an Amazon EC2 Auto Scaling group in a single Availability Zone behind an Application Load Balancer (ALB). A solutions architect needs to modify the infrastructure to be highly available without modifying the application.

Which architecture should the solutions architect choose that provides high availability?

- A. Create an Auto Scaling group that uses three instances across each of two Regions.
- B. Modify the Auto Scaling group to use three instances across each of two Availability Zones.
- C. Create an Auto Scaling template that can be used to quickly create more instances in another Region.
- D. Change the ALB in front of the Amazon EC2 instances in a round-robin configuration to balance traffic to the web tier.

Answer: B

Explanation:

High availability can be enabled for this architecture quite simply by modifying the existing Auto Scaling group to use multiple availability zones. The ASG will automatically balance the load so you don't actually need to specify the instances per AZ.

NEW QUESTION 241

- (Exam Topic 2)

A company runs a stateless web application in production on a group of Amazon EC2 On-Demand Instances behind an Application Load Balancer. The application experiences heavy usage during an 8-hour period each business day. Application usage is moderate and steady overnight. Application usage is low during weekends.

The company wants to minimize its EC2 costs without affecting the availability of the application. Which solution will meet these requirements?

- A. Use Spot Instances for the entire workload.
- B. Use Reserved instances for the baseline level of usage. Use Spot Instances for any additional capacity that the application needs.
- C. Use On-Demand Instances for the baseline level of usage.
- D. Use Spot Instances for any additional capacity that the application needs.
- E. Use Dedicated Instances for the baseline level of usage.
- F. Use On-Demand Instances for any additional capacity that the application needs.

Answer: B

NEW QUESTION 246

- (Exam Topic 3)

A company is migrating a Linux-based web server group to AWS. The web servers must access files in a shared file store for some content. The company must not make any changes to the application.

What should a solutions architect do to meet these requirements?

- A. Create an Amazon S3 Standard bucket with access to the web servers.
- B. Configure an Amazon CloudFront distribution with an Amazon S3 bucket as the origin.
- C. Create an Amazon Elastic File System (Amazon EFS) file system.
- D. Mount the EFS file system on all web servers.
- E. Configure a General Purpose SSD (gp3) Amazon Elastic Block Store (Amazon EBS) volume.
- F. Mount the EBS volume to all web servers.

Answer: C

NEW QUESTION 250

- (Exam Topic 3)

An ecommerce company needs to run a scheduled daily job to aggregate and filter sales records for analytics. The company stores the sales records in an Amazon S3 bucket. Each object can be up to 10 GB in size. Based on the number of sales events, the job can take up to an hour to complete. The CPU and memory usage of the job are constant and are known in advance.

A solutions architect needs to minimize the amount of operational effort that is needed for the job to run. Which solution meets these requirements?

- A. Create an AWS Lambda function that has an Amazon EventBridge notification. Schedule the EventBridge event to run once a day.
- B. Create an AWS Lambda function. Create an Amazon API Gateway HTTP API, and integrate the API with the function. Create an Amazon EventBridge scheduled event that calls the API and invokes the function.
- C. Create an Amazon Elastic Container Service (Amazon ECS) cluster with an AWS Fargate launch type. Create an Amazon EventBridge scheduled event that launches an ECS task on the cluster to run the job.
- D. Create an Amazon Elastic Container Service (Amazon ECS) cluster with an Amazon EC2 launch type and an Auto Scaling group with at least one EC2 instance.
- E. Create an Amazon EventBridge scheduled event that launches an ECS task on the cluster to run the job.

Answer: C

NEW QUESTION 255

- (Exam Topic 3)

A company wants to deploy a new public web application on AWS. The application includes a web server tier that uses Amazon EC2 instances. The application also includes a database tier that uses an Amazon RDS for MySQL DB instance.

The application must be secure and accessible for global customers that have dynamic IP addresses. How should a solutions architect configure the security groups to meet these requirements?

- A. Configure the security group for the web servers to allow inbound traffic on port 443 from 0.0.0.0/0. Configure the security group for the DB instance to allow inbound traffic on port 3306 from the security group of the web servers.
- B. Configure the security group for the web servers to allow inbound traffic on port 443 from the IP addresses of the customers. Configure the security group for the DB instance to allow inbound traffic on port 3306 from the security group of the web servers.
- C. Configure the security group for the web servers to allow inbound traffic on port 443 from the IP addresses of the customers. Configure the security group for the DB instance to allow inbound traffic on port 3306 from the IP addresses of the customers.
- D. Configure the security group for the web servers to allow inbound traffic on port 443 from 0.0.0.0/0. Configure the security group for the DB instance to allow inbound traffic on port 3306 from the security group of the web servers.

inbound traffic on port 3306 from 0.0.0.0/0)

Answer: A

NEW QUESTION 257

- (Exam Topic 3)

A company is planning to migrate a commercial off-the-shelf application from its on-premises data center to AWS. The software has a software licensing model using sockets and cores with predictable capacity and uptime requirements. The company wants to use its existing licenses, which were purchased earlier this year.

Which Amazon EC2 pricing option is the MOST cost-effective?

- A. Dedicated Reserved Hosts
- B. Dedicated On-Demand Hosts
- C. Dedicated Reserved Instances
- D. Dedicated On-Demand Instances

Answer: A

NEW QUESTION 259

- (Exam Topic 3)

A company needs to export its database once a day to Amazon S3 for other teams to access. The exported object size varies between 2 GB and 5 GB. The S3 access pattern for the data is variable and changes rapidly. The data must be immediately available and must remain accessible for up to 3 months. The company needs the most cost-effective solution that will not increase retrieval time.

Which S3 storage class should the company use to meet these requirements?

- A. S3 Intelligent-Tiering
- B. S3 Glacier Instant Retrieval
- C. S3 Standard
- D. S3 Standard-Infrequent Access (S3 Standard-IA)

Answer: D

Explanation:

S3 Intelligent-Tiering is a cost-optimized storage class that automatically moves data to the most cost-effective access tier based on changing access patterns. Although it offers cost savings, it also introduces additional latency and retrieval time into the data retrieval process, which may not meet the requirement of "immediately available" data. On the other hand, S3 Standard-Infrequent Access (S3 Standard-IA) provides low cost storage with low latency and high throughput performance. It is designed for infrequently accessed data that can be recreated if lost, and can be retrieved in a timely manner if required. It is a cost-effective solution that meets the requirement of immediately available data and remains accessible for up to 3 months.

NEW QUESTION 263

- (Exam Topic 3)

A company has deployed a Java Spring Boot application as a pod that runs on Amazon Elastic Kubernetes Service (Amazon EKS) in private subnets. The application needs to write data to an Amazon DynamoDB table. A solutions architect must ensure that the application can interact with the DynamoDB table without exposing traffic to the internet.

Which combination of steps should the solutions architect take to accomplish this goal? (Choose two.)

- A. Attach an IAM role that has sufficient privileges to the EKS pod.
- B. Attach an IAM user that has sufficient privileges to the EKS pod.
- C. Allow outbound connectivity to the DynamoDB table through the private subnets' network ACLs.
- D. Create a VPC endpoint for DynamoDB.
- E. Embed the access keys in the Java Spring Boot code.

Answer: AD

Explanation:

<https://docs.aws.amazon.com/amazondynamodb/latest/developerguide/vpc-endpoints-dynamodb.html> <https://aws.amazon.com/about-aws/whats-new/2019/09/amazon-eks-adds-support-to-assign-iam-permissions-to->

NEW QUESTION 267

- (Exam Topic 3)

A company deploys an application on five Amazon EC2 instances. An Application Load Balancer (ALB) distributes traffic to the instances by using a target group. The average CPU usage on each of the instances is below 10% most of the time. With occasional surges to 65%.

A solution architect needs to implement a solution to automate the scalability of the application. The solution must optimize the cost of the architecture and must ensure that the application has enough CPU resources when surges occur.

Which solution will meet these requirements?

- A. Create an Amazon CloudWatch alarm that enters the ALARM state when the CPUUtilization metric is less than 20%. Create an AWS Lambda function that the CloudWatch alarm invokes to terminate one of the EC2 instances in the ALB target group.
- B. Create an EC2 Auto Scaling
- C. Select the existing ALB as the load balancer and the existing target group as the target group.
- D. Set a target tracking scaling policy that is based on the ASGAverageCPUUtilization metric.
- E. Set the minimum instances to 2, the desired capacity to 3, the maximum instances to 6, and the target value to 50%. Add the EC2 instances to the Auto Scaling group.
- F. Create an EC2 Auto Scaling
- G. Select the existing ALB as the load balancer and the existing target group. Set the minimum instances to 2, the desired capacity to 3, and the maximum instances to 6. Add the EC2 instances to the Scaling group.
- H. Create two Amazon CloudWatch alarms.
- I. Configure the first CloudWatch alarm to enter the ALARM state when the average CPUUtilization metric is below 20%. Configure the second CloudWatch alarm to enter the ALARM state when the average CPUUtilization metric is above 50%. Configure the alarms to publish to an Amazon Simple Notification Service.

(Amazon SNS) topic to send an email messag

J. After receiving the message, log in to decrease or increase the number of EC2 instances that are running

Answer: B

NEW QUESTION 268

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

AWS-Solution-Architect-Associate Practice Exam Features:

- * AWS-Solution-Architect-Associate Questions and Answers Updated Frequently
- * AWS-Solution-Architect-Associate Practice Questions Verified by Expert Senior Certified Staff
- * AWS-Solution-Architect-Associate Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AWS-Solution-Architect-Associate Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AWS-Solution-Architect-Associate Practice Test Here](#)