

## Exam Questions CRT-450

Salesforce Certified Platform Developer I (SU18)

<https://www.2passeasy.com/dumps/CRT-450/>



#### NEW QUESTION 1

Which statement results in an Apex compiler error?

- A. Map<Id,Leas> lmap = new Map<Id,Lead>([Select ID from Lead Limit 8]);
- B. Date d1 = Date.Today(), d2 = Date.ValueOf('2018-01-01');
- C. Integer a=5, b=6, c, d = 7;
- D. List<string> s = List<string>{'a','b','c'};

**Answer:** D

#### NEW QUESTION 2

How should a developer make sure that a child record on a custom object, with a lookup to the Account object, has the same sharing access as its associated account?

- A. Create a Sharing Rule comparing the custom object owner to the account owner.
- B. Create a validation rule on the custom object comparing the record owners on both records.
- C. Include the sharing related list on the custom object page layout.
- D. Ensure that the relationship between the objects is Master-Detail

**Answer:** D

#### NEW QUESTION 3

What is a capability of the <ltng:require> tag that is used for loading external Javascript libraries in Lightning Component? (Choose three.)

- A. Loading files from Documents.
- B. One-time loading for duplicate scripts.
- C. Specifying loading order.
- D. Loading scripts in parallel.
- E. Loading externally hosted script

**Answer:** BCD

#### NEW QUESTION 4

Which two platform features align to the Controller portion of MVC architecture? (Choose two.)

- A. Process Builder actions
- B. Workflow rules
- C. Standard objects
- D. Date fields

**Answer:** AB

#### NEW QUESTION 5

A developer created a Lightning component to display a short text summary for an object and wants to use it with multiple Apex classes. How should the developer design the Apex classes?

- A. Have each class define method getObject() that returns the sObject that is controlled by the Apex class.
- B. Extend each class from the same base class that has a method getTextSummary() that returns the summary.
- C. Have each class implement an interface that defines method getTextSummary() that returns the summary.
- D. Have each class define method getTextSummary() that returns the summar

**Answer:** C

#### NEW QUESTION 6

What are three characteristics of static methods? (Choose three.)

- A. Initialized only when a class is loaded
- B. A static variable outside of the scope of an Apex transaction
- C. Allowed only in outer classes
- D. Allowed only in inner classes
- E. Excluded from the view state for a Visualforce page

**Answer:** ACE

#### NEW QUESTION 7

For which three items can a trace flag be configured? (Choose three.)

- A. Apex Trigger
- B. Apex Class
- C. Process Builder
- D. User
- E. Visualforce

**Answer:** ABD

#### NEW QUESTION 8

When viewing a Quote, the sales representative wants to easily see how many discounted items are included in the Quote Line Items. What should a developer do to meet this requirement?

- A. Create a trigger on the Quote object that queries the Quantity field on discounted Quote Line Items.
- B. Create a Workflow Rule on the Quote Line Item object that updates a field on the parent Quote when the item is discounted.
- C. Create a roll-up summary field on the Quote object that performs a SUM on the quote Line Item Quantity field, filtered for only discounted Quote Line Items.
- D. Create a formula field on the Quote object that performs a SUM on the Quote Line Item Quantity field, filtered for only discounted Quote Line Items.

**Answer:** C

#### NEW QUESTION 9

Given:

Map<ID, Account> accountMap = new Map<ID, Account> ([SELECT Id, Name FROM Account]); What are three valid Apex loop structures for iterating through items in the collection? (Choose three.)

- A. for (ID accountID : accountMap.keySet()) {...}
- B. for (Account accountRecord : accountMap.values()) {...}
- C. for (Integer i=0; i < accountMap.size(); i++) {...}
- D. for (ID accountID : accountMap) {...}
- E. for (Account accountRecord : accountMap.keySet()) {...}

**Answer:** ABC

#### NEW QUESTION 10

What are two valid options for iterating through each Account in the collection List<Account> named AccountList? (Choose two.)

- A. for (Account theAccount : AccountList) {...}
- B. for(AccountList) {...}
- C. for (List L : AccountList) {...}
- D. for (Integer i=0; i < AccountList.Size(); i++) {...}

**Answer:** AD

#### NEW QUESTION 10

A developer created a Visualforce page and a custom controller with methods to handle different buttons and events that can occur on the page. What should the developer do to deploy to production?

- A. Create a test class that provides coverage of the Visualforce page.
- B. Create a test page that provides coverage of the Visualforce page.
- C. Create a test page that provides coverage of the custom controller.
- D. Create a test class that provides coverage of the custom controller.

**Answer:** D

#### NEW QUESTION 13

A developer is asked to set a picklist field to 'Monitor' on any new Leads owned by a subset of Users. How should the developer implement this request?

- A. Create an after insert Lead trigger.
- B. Create a before insert Lead trigger.
- C. Create a Lead Workflow Rule Field Update.
- D. Create a Lead formula field.

**Answer:** C

#### NEW QUESTION 15

Which two Apex data types can be used to reference a Salesforce record ID dynamically? (Choose two.)

- A. ENUM
- B. sObject
- C. External ID
- D. String

**Answer:** AD

#### NEW QUESTION 20

A company has a custom object named Warehouse. Each Warehouse record has a distinct record owner, and is related to a parent Account in Salesforce. Which kind of relationship would a developer use to relate the Account to the Warehouse?

- A. One -to -Many
- B. Lookup
- C. Master -Detail
- D. Parent -Child

**Answer:** B

#### NEW QUESTION 23

An sObject named Application\_c has a lookup relationship to another sObject named Position\_c. Both Application\_c and Position\_c have a picklist field named Status\_c. When the Status\_c field on Position\_c is updated, the Status\_c field on Application\_c needs to be populated automatically with the same value, and execute a workflow rule on Application\_c. How can a developer accomplish this?

- A. By changing Application\_c.Status\_c into a roll-up summary field.
- B. By changing Application\_c.Status\_c into a formula field.
- C. By using an Apex trigger with a DML operation.
- D. By configuring a cross-object field update with a workflow

**Answer:** C

#### NEW QUESTION 25

What is an accurate statement about variable scope? (Choose 3)

- A. Parallel blocks can use the same variable name.
- B. A variable can be defined at any point in a block.
- C. Sub-blocks cannot reuse a parent block's variable name.
- D. Sub-blocks can reuse a parent block's variable name if its value is null.
- E. A static variable can restrict the scope to the current block if its value is null

**Answer:** ABC

#### NEW QUESTION 26

When can a developer use a custom Visualforce page in a Force.com application? (Choose 2)

- A. To generate a PDF document with application data
- B. To create components for dashboards and layouts
- C. To deploy components between two organizations
- D. To modify the page layout settings for a custom object

**Answer:** AB

#### NEW QUESTION 31

What is a characteristic of the Lightning Component Framework? Choose 2 answers:

- A. It has an event-driven architecture.
- B. It works with existing Visualforce pages.
- C. It includes responsive components.
- D. It uses XML as its data format

**Answer:** AC

#### NEW QUESTION 32

What is a capability of cross-object formula fields? Choose 3 answers

- A. Formula fields can reference fields from master-detail or lookup parent relationships.
- B. Formula fields can expose data the user does not have access to in a record.
- C. Formula fields can be used in three roll-up summaries per object.
- D. Formula fields can reference fields in a collection of records from a child relationship.
- E. Formula fields can reference fields from objects that are up to 10 relationships away

**Answer:** ABE

#### NEW QUESTION 35

Which scenario is invalid for execution by unit tests?

- A. Executing methods for negative test scenarios
- B. Loading the standard Pricebook ID using a system method
- C. Loading test data in place of user input for Flows.
- D. Executing methods as different user

**Answer:** C

#### NEW QUESTION 40

Which requirement needs to be implemented by using standard workflow instead of Process Builder? Choose 2 answers

- A. Create activities at multiple intervals.
- B. Send an outbound message without Apex code.
- C. Copy an account address to its contacts.
- D. Submit a contract for approval

**Answer:** BC

#### NEW QUESTION 45

What is the accurate statement about with sharing keyword? choose 2 answers

- A. Inner class do not inherit the sharing setting from the container class
- B. Both inner and outer class can be declared as with sharing
- C. Either inner class or outer classes can be declared as with sharing but not both
- D. Inner class inherit the sharing setting from the container class

**Answer:** AB

#### NEW QUESTION 46

How would a developer determine if a CustomObject c record has been manually shared with the current user in Apex?

- A. By querying the role hierarchy.
- B. By calling the isShared() method for the record.
- C. By querying CustomObject Share.
- D. By calling the profile settings of the current use

**Answer:** C

#### NEW QUESTION 49

What is the preferred way to reference web content such as images, style sheets, JavaScript, and other libraries that is used in Visualforce pages?

- A. By accessing the content from Chatter Files.
- B. By uploading the content in the Documents tab.
- C. By accessing the content from a third -party CON.
- D. By uploading the content as a Static Resourc

**Answer:** D

#### NEW QUESTION 53

A developer creates a new Visualforce page and Apex extension, and writes test classes that exercise 95% coverage of the new Apex extension. Change set deployment to production fails with the test coverage warning: "Average test coverage across all Apex classes and triggers is 74%, at least 75% test coverage is required." What can the developer do to successfully deploy the new Visualforce page and extension?

- A. Create test classes to exercise the Visualforce page markup.
- B. Select "Disable Parallel Apex Testing" to run all the tests.
- C. Add test methods to existing test classes from previous deployments.
- D. Select "Fast Deployment" to bypass running all the test

**Answer:** C

#### NEW QUESTION 57

What is a capability of formula fields? (Choose 3)

- A. Generate a link using the HYPERLINK function to a specific record in a legacy system.
- B. Display the previous values for a field using the PRIORVALUE function.
- C. Return and display a field value from another object using the VLOOKUP function.
- D. Determine if a datetime field has passed using the NOW function.
- E. Determine which of three different images to display using the IF functio

**Answer:** ADE

#### NEW QUESTION 58

A developer needs to create records for the object Property c. The developer creates the following code block: List propertiesToCreate = helperClass.createProperties(); try { // line 3 } catch (Exception exp ) { //exception handling } Which line of code would the developer insert at line 3 to ensure that at least some records are created, even if a few records have errors and fail to be created?

- A. Database.insert(propertiesToCreate, false);
- B. insert propertiesToCreate;
- C. Database.insert(propertiesToCreate, System.ALLOW\_PARTIAL);
- D. Database.insert(propertiesToCreate);

**Answer:** A

#### NEW QUESTION 63

Where would a developer build a managed package?

- A. Developer Sandbox
- B. Unlimited Edition
- C. Partial Copy Sandbox
- D. Developer Edition

**Answer:** D

#### NEW QUESTION 67

Which two are true regarding a Dyno? Choose 2 answers

- A. Is a light weight VM used to run code on the Heroku Platform
- B. Has the ability to sleep as a standard and performance Dyno
- C. Is a lightweight Linux container used in a collection to run Heroku applications
- D. Has Ephemeral filesystems and is rebooted every 24 hour

**Answer:** CD

#### NEW QUESTION 69

In the Lightning Component framework, where is client-side controller logic contained?

- A. Apex
- B. Visualforce
- C. HTML
- D. JavaScript

**Answer:** D

#### NEW QUESTION 72

A company that uses a Custom object to track candidates would like to send candidate information automatically to a third -party human resource system when a candidate is hired. What can a developer do to accomplish this task?

- A. Create an escalation rule to the hiring manager.
- B. Create an auto response rule to the candidate.
- C. Create a Process Builder with an outbound message action.
- D. Create a workflow rule with an outbound message action.

**Answer:** D

#### NEW QUESTION 77

When the number of record in a recordset is unknown, which control statement should a developer use to implement a set of code that executes for every record in the recordset, without performing a .size() or .length() method call?

- A. For (init\_stmt, exit\_condition; increment\_stmt) { }
- B. Do { } While (Condition)
- C. For (variable : list\_or\_set) { }
- D. While (Condition) { ... }

**Answer:** C

#### NEW QUESTION 78

What is the easiest way to verify a user before showing them sensitive content?

- A. Sending the user a SMS message with a passcode.
- B. Calling the generateVerificationUrl method in apex.
- C. Sending the user an Email message with a passcode.
- D. Calling the Session.forcedLoginUrl method in ape

**Answer:** B

#### NEW QUESTION 83

What are the supported content sources for custom buttons and links? (Choose 2 Answers)

- A. VisualForce Page.
- B. Static Resource.
- C. URL.
- D. Chatter File.
- E. Lightning Pag

**Answer:** AC

#### NEW QUESTION 88

What is the result when a Visualforce page calls an Apex controller, which calls another Apex class, which then results in hitting a governor limit?

- A. Any changes up to the error are saved.
- B. Any changes up to the error are rolled back.
- C. All changes before a savepoint are saved.
- D. All changes are saved in the first Apex clas

**Answer:** B

#### NEW QUESTION 90

A developer runs the following anonymous code block:



List<Account> acc = [SELECT Id FROM Account LIMIT 10];Delete acc;Database.emptyRecycleBin(acc);system.debug(Limits.getDMLStatements()+ ' ', '+Limits.getLimitDMLStatements());What is the result?

- A. 11, 150
- B. 150, 2
- C. 150, 11
- D. 2, 150

**Answer:** D

#### NEW QUESTION 91

Which component is available to deploy using Metadata API? Choose 2 answers

- A. Case Layout
- B. Account Layout
- C. Case Feed Layout
- D. ConsoleLayout

**Answer:** AB

#### NEW QUESTION 96

Which statement should a developer avoid using inside procedural loops? (Choose 2)

- A. System.debug('Amount of CPU time (in ms) used so far: ' + Limits.getCpuTime() );
- B. List contacts = [SELECT Id, Salutation, FirstName, LastName, Email FROM Contact WHERE AccountId = :a.Id];
- C. If(o.accountId == a.id)
- D. Update contactList;

**Answer:** BD

#### NEW QUESTION 99

A developer has a block of code that omits any statements that indicate whether the code block should execute with or without sharing. What will automatically obey the organization-wide defaults and sharing settings for the user who executes the code in the Salesforce organization?

- A. Apex Triggers
- B. HTTP Callouts
- C. Apex Controllers
- D. Anonymous Blocks

**Answer:** D

#### NEW QUESTION 104

A developer creates an Apex class that includes private methods. What can the developer do to ensure that the private methods can be accessed by the test class?

- A. Add the TestVisible attribute to the Apex class
- B. Add the SeeAllData attribute to the test methods.
- C. Add the TestVisible attribute to the apex methods.
- D. Add the SeeAllData attribute to the test class

**Answer:** C

#### NEW QUESTION 107

A developer tasked with creating a schema to track Movies, Actors, and contracts. A single movie can have many contracts and a single actor can have many contracts. Each contract is owned and actively managed by a single user. Which schema should be created to enable user to easily manage the contract they own; without requiring access to the movie or the actor records?

- A. A master detail relationship to the movie object and a lookup relationship to the actor object
- B. A lookup relationship to the movie object and a lookup relationship to the actor object
- C. A lookup relationship to the movie object and a master detail relationship to the actor object
- D. A master detail relationship to the movie object and a master detail relationship to the actor object

**Answer:** B

#### NEW QUESTION 112

What are two correct examples of the model in the salesforce MVC architecture? Choose 2 answers.

- A. Custom field on the custom wizard\_c object
- B. Standard lightning component
- C. Workflow rule on the contact object
- D. Standard account lookup on the contract object

**Answer:** BC

#### NEW QUESTION 115

A developer is creating a test coverage for a class and needs to insert records to validate functionality. Which method annotation should be used to create records for every method in the test class?

- A. @BeforeTest
- B. @isTest(SeeAllData=True)
- C. @TestSetup
- D. @PreTest

**Answer:** C

#### NEW QUESTION 118

Which resource can be included in a Lightning Component bundle? Choose 2 answers

- A. Apex class
- B. Adobe Flash
- C. JavaScript
- D. Documentation

**Answer:** CD

#### NEW QUESTION 119

On which object can an administrator create a roll-up summary field?

- A. Any object that is on the master side of a master-detail relationship.
- B. Any object that is on the parent side of a lookup relationship.
- C. Any object that is on the detail side of a master-detail relationship.
- D. Any object that is on the child side of a lookup relationship

**Answer:** A

#### NEW QUESTION 122

How can a developer avoid exceeding governor limits when using Apex Triggers? (Choose 2)

- A. By using a helper class that can be invoked from multiple triggers
- B. By using Maps to hold data from query results
- C. By using the Database class to handle DML transactions
- D. By performing DML transactions on a list of sObject

**Answer:** BD

#### NEW QUESTION 126

Which option would a developer use to display the Accounts created in the current week and the number of related Contacts using a debug statement in Apex?

- A. `For(Account acc: [SELECT Id, Name,(SELECT Id, Name FROM Contacts) FROM Account WHERE CreatedDate = THIS_WEEK]) { List cons = acc.Contacts; System.debug(acc.Name + ' has ' + cons.size() + 'Contacts'; }`
- B. `For(Account acc: [SELECT Id, Name, (SELECT Id, Name FROM Contacts) FROM Account WHERE CreatedDate = CURRENT_WEEK]){ List cons = acc.Contacts; System.debug(acc.Name + ' has ' + cons.size() + 'Contacts'); }`
- C. `For(Account acc:[SELECT Id, Name, Account.Contacts FROM Account WHERE CreatedDate = CURRENT_WEEK]) { List cons = acc.Account.Contacts; System.debug(acc.Name + ' has ' + cons.size() + 'Contacts'); }`
- D. `For(Account acc: [SELECT Id, Name, Account.Contacts FROM Account WHERE CreatedDate = THIS_WEEK]){ List cons = acc.Account.Contacts; System.debug(acc.Name + ' has ' + cons.size() + 'Contacts' }`

**Answer:** A

#### NEW QUESTION 128

.....



## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual CRT-450 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the CRT-450 Product From:

<https://www.2passeasy.com/dumps/CRT-450/>

## Money Back Guarantee

### **CRT-450 Practice Exam Features:**

- \* CRT-450 Questions and Answers Updated Frequently
- \* CRT-450 Practice Questions Verified by Expert Senior Certified Staff
- \* CRT-450 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* CRT-450 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year