

300-715 Dumps


Implementing and Configuring Cisco Identity Services Engine (SISE)

<https://www.certleader.com/300-715-dumps.html>



NEW QUESTION 1**DRAG DROP**

Drag the steps to configure a Cisco ISE node as a primary administration node from the left into the correct order on the right.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference: https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_dis_deploy.html

NEW QUESTION 2

Which supplicant(s) and server(s) are capable of supporting EAP-CHAINING?

- A. Cisco Secure Services Client and Cisco Access Control Server
- B. Cisco AnyConnect NAM and Cisco Identity Service Engine
- C. Cisco AnyConnect NAM and Cisco Access Control Server
- D. Windows Native Supplicant and Cisco Identity Service Engine

Answer: B

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/wireless-mobility/eap-fast/200322-Understanding-EAP-FAST-and-Chaining-imp.html>

NEW QUESTION 3

What is a method for transporting security group tags throughout the network?

- A. by embedding the security group tag in the 802.1Q header
- B. by the Security Group Tag Exchange Protocol
- C. by enabling 802.1AE on every network device
- D. by embedding the security group tag in the IP header

Answer: B

NEW QUESTION 4

How is policy services node redundancy achieved in a deployment?

- A. by creating a node group
- B. by deploying both primary and secondary node
- C. by enabling VIP
- D. by utilizing RADIUS server list on the NAD

Answer: B

NEW QUESTION 5

Which interface-level command is needed to turn on 802.1X authentication?

- A. dot1x system-auth-control
- B. dot1x pae authenticator
- C. aaa server radius dynamic-author
- D. authentication host-mode single- host

Answer: B

Explanation:

Reference: <https://www.cisco.com/c/en/us/td/docs/switches/lan/catalyst4500/12-2/31sg/configuration/guide/conf/dot1x.html>

NEW QUESTION 6

Which RADIUS attribute is used to dynamically assign the Inactivity active timer for MAB users from the Cisco ISE node?

- A. session-timeout
- B. termination-action
- C. radius-server timeout
- D. idle-timeout

Answer: D

NEW QUESTION 7

What does the dot1x system-auth-control command do?

- A. globally enables 802.1x
- B. causes a network access switch not to track 802.1x sessions
- C. enables 802.1x on a network access device interface
- D. causes a network access switch to track 802.1x sessions

Answer: A

Explanation:

Reference: <https://www.cisco.com/c/en/us/td/docs/switches/lan/catalyst4500/XE3-8-0E/15-24E/configuration/guide/xe-380-configuration/dot1x.html>

NEW QUESTION 8

What must be configured on the Cisco ISE authentication policy for unknown MAC addresses/identities for successful authentication?

- A. continue
- B. pass
- C. drop
- D. reject

Answer: A

NEW QUESTION 9

Refer to the exhibit.

```
Interface: GigabitEthernet2/0/36
MAC Address: 000e.84af.59af
Status: Authz Success
Domain: DATA
Oper host mode: single-host
Authorized By: Authentication Server
Vlan Policy: 10
Handle: 0xE0000000
Runnable methods list:
Method State
dot1x Authc Success
```

Which command is typed within the CLI of a switch to view the troubleshooting output?

- A. show authentication sessions mac 000e.84af.59af details
- B. show authentication registrations
- C. show authentication interface gigabitethernet2/0/36
- D. show authentication sessions method

Answer: A

NEW QUESTION 10

What gives Cisco ISE an option to scan endpoints for vulnerabilities?

- A. authentication policy
- B. authorization profile
- C. authentication profile
- D. authorization policy

Answer: B

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/2-2/admin_guide/b_ise_admin_guide_22/b_ise_admin_guide_22_chapter_010100.html

NEW QUESTION 10

Which two values are compared by the binary comparison function in authentication that is based on Active Directory?

- A. user-presented certificate and a certificate stored in Active Directory
- B. MS-CHAPv2 provided machine credentials and credentials stored in Active Directory
- C. user-presented password hash and a hash stored in Active Directory
- D. subject alternative name and the common name

Answer: D

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/ISE-ADIntegrationDoc/b_ISE-ADIntegration.html

NEW QUESTION 13

Which two methods should a sponsor select to create bulk guest accounts from the sponsor portal? (Choose two.)

- A. Known
- B. Monthly
- C. Daily
- D. Imported
- E. Random

Answer: AE

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/sponsor_guide/b_spons_SponsorPortalUserGuide_13/b_spons_SponsorPortalUserGuide_13_chapter_01.html

NEW QUESTION 16

What is a valid guest portal type?

- A. Sponsor
- B. Sponsored-Guest
- C. Captive-Guest
- D. My Devices

Answer: B

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/admin_guide/b_ise_admin_guide_13/b_ise_admin_guide_sample_chapter_01111.html

NEW QUESTION 18

What is the purpose of the ip http server command on a switch?

- A. It enables the https server for users for web authentication.
- B. It enables dot1x authentication on the switch.
- C. It enables MAB authentication on the switch.
- D. It enables the switch to redirect users for web authentication.

Answer: C

NEW QUESTION 19

Which configuration is required in the Cisco ISE authentication policy to allow Central Web Authentication?

- A. MAB and if user not found, continue
- B. MAB and if authentication failed, continue
- C. Dot1x and if authentication failed, continue
- D. Dot1x and if user not found, continue

Answer: A

NEW QUESTION 23

What is the minimum certainty factor when creating a profiler policy?

- A. the minimum number that a predefined condition provides
- B. the maximum number that a predefined condition provides
- C. the minimum number that a device certainty factor must reach to become a member of the profile
- D. the maximum number that a device certainty factor must reach to become a member of the profile

Answer: C

NEW QUESTION 24

What sends the redirect ACL that is configured in the authorization profile back to the Cisco WLC?

- A. State attribute

- B. Class attribute
- C. Event
- D. Cisco-av-pair

Answer: D

Explanation:

Reference: <https://community.cisco.com/t5/network-access-control/ise-airespace-acl-wlc-problem/td-p/2110491>

NEW QUESTION 29

Which profiling probe collects the user-agent string?

- A. DHCP
- B. HTTP
- C. NMAP
- D. AD

Answer: B

NEW QUESTION 30

Which use case validates a change of authorization?

- A. An endpoint that is disconnected from the network is discovered.
- B. Endpoints are created through device registration for the guests.
- C. An endpoint profiling policy is changed for authorization policy.
- D. An authenticated, wired EAP-capable endpoint is discovered.

Answer: C

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/1-2/user_guide/ise_user_guide/ise_prof_pol.html

NEW QUESTION 32

Which default endpoint identity group does an endpoint that does not match any profile in Cisco ISE become a member of?

- A. blacklist
- B. unknown
- C. whitelist
- D. profiled
- E. endpoint

Answer: B

Explanation:

Reference: https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_man_identities.html

NEW QUESTION 37

What service can be enabled on the Cisco ISE node to identify the types of devices connecting to a network?

- A. profiling
- B. central web authentication
- C. MAB
- D. posture

Answer: A

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/2-1/admin_guide/b_ise_admin_guide_21/b_ise_admin_guide_20_chapter_010100.html

NEW QUESTION 42

Which statement about configuring certificates for BYOD is true?

- A. The SAN field is populated with the end user name.
- B. The CN field is populated with the endpoint host name.
- C. An endpoint certificate is mandatory for the Cisco ISE BYOD.
- D. An Android endpoint uses EST, whereas other operating systems use SCEP for enrollment.

Answer: C

NEW QUESTION 46

What allows an endpoint to obtain a digital certificate from Cisco ISE during a BYOD flow?

- A. Application Visibility and Control
- B. Supplicant Provisioning Wizard
- C. My Devices Portal
- D. Network Access Control

Answer: C

NEW QUESTION 51

Which Cisco ISE service allows an engineer to check the compliance of endpoints before connecting to the network?

- A. qualys
- B. posture
- C. personas
- D. nexpose

Answer: B

NEW QUESTION 55

What must match between Cisco ISE and the network access device to successfully authenticate endpoints?

- A. shared secret
- B. profile
- C. certificate
- D. SNMP version

Answer: A

Explanation:

Reference: https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_man_network_devices.html

NEW QUESTION 58

Which are two characteristics of TACACS+? (Choose two.)

- A. It separates authorization and authentication functions.
- B. It combines authorization and authentication functions.
- C. It uses UDP port 49.
- D. It encrypts the password only.
- E. It uses TCP port 49.

Answer: AE

Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security-vpn/remote-authentication-dial-user-service-radius/13838-10.html>

NEW QUESTION 61

A user reports that the RADIUS accounting packets are not being seen on the Cisco ISE server. Which command is the user missing in the switch's configuration?

- A. aaa accounting resource default start-stop group radius
- B. radius-server vsa send accounting
- C. aaa accounting network default start-stop group radius
- D. aaa accounting exec default start-stop group radius

Answer: B

Explanation:

Reference: https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_sw_cnfg.pdf

NEW QUESTION 64

Which two responses from the RADIUS server to NAS are valid during the authentication process? (Choose two.)

- A. access-challenge
- B. access-accept
- C. access-request
- D. access-reserved
- E. access-response

Answer: AB

NEW QUESTION 67

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 300-715 Exam with Our Prep Materials Via below:

<https://www.certleader.com/300-715-dumps.html>