

CCSK Dumps

Certificate of Cloud Security Knowledge

<https://www.certleader.com/CCSK-dumps.html>



NEW QUESTION 1

What is known as the interface used to connect with the metastructure and configure the cloud environment?

- A. Administrative access
- B. Management plane
- C. Identity and Access Management
- D. Single sign-on
- E. Cloud dashboard

Answer: B

NEW QUESTION 2

APIs and web services require extensive hardening and must assume attacks from authenticated and unauthenticated adversaries.

- A. False
- B. True

Answer: B

NEW QUESTION 3

Sending data to a provider's storage over an API is likely as much more reliable and secure than setting up your own SFTP server on a VM in the same provider

- A. False
- B. True

Answer: B

NEW QUESTION 4

Without virtualization, there is no cloud.

- A. False
- B. True

Answer: B

NEW QUESTION 5

CCM: The following list of controls belong to which domain of the CCM?

GRM 06 – Policy GRM 07 – Policy Enforcement GRM 08 – Policy Impact on Risk Assessments GRM 09 – Policy Reviews GRM 10 – Risk Assessments GRM 11 – Risk Management Framework

- A. Governance and Retention Management
- B. Governance and Risk Management
- C. Governing and Risk Metrics

Answer: B

NEW QUESTION 6

What factors should you understand about the data specifically due to legal, regulatory, and jurisdictional factors?

- A. The physical location of the data and how it is accessed
- B. The fragmentation and encryption algorithms employed
- C. The language of the data and how it affects the user
- D. The implications of storing complex information on simple storage systems
- E. The actual size of the data and the storage format

Answer: D

NEW QUESTION 7

REST APIs are the standard for web-based services because they run over HTTPS and work well across diverse environments.

- A. False
- B. True

Answer: B

NEW QUESTION 8

When mapping functions to lifecycle phases, which functions are required to successfully process data?

- A. Create, Store, Use, and Share
- B. Create and Store
- C. Create and Use
- D. Create, Store, and Use
- E. Create, Use, Store, and Delete

Answer: A

NEW QUESTION 9

ENISA: A reason for risk concerns of a cloud provider being acquired is:

- A. Arbitrary contract termination by acquiring company
- B. Resource isolation may fail
- C. Provider may change physical location
- D. Mass layoffs may occur
- E. Non-binding agreements put at risk

Answer: E

NEW QUESTION 10

How does running applications on distinct virtual networks and only connecting networks as needed help?

- A. It reduces hardware costs
- B. It provides dynamic and granular policies with less management overhead
- C. It locks down access and provides stronger data security
- D. It reduces the blast radius of a compromised system
- E. It enables you to configure applications around business groups

Answer: D

NEW QUESTION 10

What method can be utilized along with data fragmentation to enhance security?

- A. Encryption
- B. Organization
- C. Knowledge management
- D. IDS
- E. Insulation

Answer: E

NEW QUESTION 13

Which data security control is the LEAST likely to be assigned to an IaaS provider?

- A. Application logic
- B. Access controls
- C. Encryption solutions
- D. Physical destruction
- E. Asset management and tracking

Answer: A

NEW QUESTION 16

What are the encryption options available for SaaS consumers?

- A. Any encryption option that is available for volume storage, object storage, or PaaS
- B. Provider-managed and (sometimes) proxy encryption
- C. Client/application and file/folder encryption
- D. Object encryption Volume storage encryption

Answer: B

NEW QUESTION 18

How can virtual machine communications bypass network security controls?

- A. VM communications may use a virtual network on the same hardware host
- B. The guest OS can invoke stealth mode
- C. Hypervisors depend upon multiple network interfaces
- D. VM images can contain rootkits programmed to bypass firewalls
- E. Most network security systems do not recognize encrypted VM traffic

Answer: A

NEW QUESTION 21

Which of the following is NOT normally a method for detecting and preventing data migration into the cloud?

- A. Intrusion Prevention System
- B. URL filters
- C. Data Loss Prevention
- D. Cloud Access and Security Brokers (CASB)
- E. Database Activity Monitoring

Answer: A

NEW QUESTION 24

Use elastic servers when possible and move workloads to new instances.

- A. False
- B. True

Answer: B

NEW QUESTION 25

Which layer is the most important for securing because it is considered to be the foundation for secure cloud operations?

- A. Infrastructure
- B. Datastructure
- C. Infostructure
- D. Applistructure
- E. Metastructure

Answer: A

NEW QUESTION 28

In volume storage, what method is often used to support resiliency and security?

- A. proxy encryption
- B. data rights management
- C. hypervisor agents
- D. data dispersion
- E. random placement

Answer: D

NEW QUESTION 30

What are the primary security responsibilities of the cloud provider in the management infrastructure?

- A. Building and properly configuring a secure network infrastructure
- B. Configuring second factor authentication across the network
- C. Properly configuring the deployment of the virtual network, especially the firewalls
- D. Properly configuring the deployment of the virtual network, except the firewalls
- E. Providing as many API endpoints as possible for custom access and configurations

Answer: D

NEW QUESTION 35

CCM: In the CCM tool, ais a measure that modifies risk and includes any process, policy, device, practice or any other actions which modify risk.

- A. Risk Impact
- B. Domain
- C. Control Specification

Answer: C

NEW QUESTION 39

CCM: In the CCM tool, “Encryption and Key Management” is an example of which of the following?

- A. Risk Impact
- B. Domain
- C. Control Specification

Answer: B

NEW QUESTION 43

When investigating an incident in an Infrastructure as a Service (IaaS) environment, what can the user investigate on their own?

- A. The CSP server facility
- B. The logs of all customers in a multi-tenant cloud
- C. The network components controlled by the CSP
- D. The CSP office spaces
- E. Their own virtual instances in the cloud

Answer: E

NEW QUESTION 46

ENISA: Lock-in is ranked as a high risk in ENISA research, a key underlying vulnerability causing lock in is:

- A. Lack of completeness and transparency in terms of use
- B. Lack of information on jurisdictions
- C. No source escrow agreement
- D. Unclear asset ownership
- E. Audit or certification not available to customers

Answer: A

NEW QUESTION 48

Which of the following is a perceived advantage or disadvantage of managing enterprise risk for cloud deployments?

- A. More physical control over assets and processes.
- B. Greater reliance on contracts, audits, and assessments due to lack of visibility or management.
- C. Decreased requirement for proactive management of relationship and adherence to contracts.
- D. Increased need, but reduction in costs, for managing risks accepted by the cloud provider.
- E. None of the above.

Answer: B

NEW QUESTION 51

For third-party audits or attestations, what is critical for providers to publish and customers to evaluate?

- A. Scope of the assessment and the exact included features and services for the assessment
- B. Provider infrastructure information including maintenance windows and contracts
- C. Network or architecture diagrams including all end point security devices in use
- D. Service-level agreements between all parties
- E. Full API access to all required services

Answer: C

NEW QUESTION 54

What can be implemented to help with account granularity and limit blast radius with IaaS and PaaS?

- A. Configuring secondary authentication
- B. Establishing multiple accounts
- C. Maintaining tight control of the primary account holder credentials
- D. Implementing least privilege accounts
- E. Configuring role-based authentication

Answer: B

NEW QUESTION 57

What is the newer application development methodology and philosophy focused on automation of application development and deployment?

- A. Agile
- B. BusOps
- C. DevOps
- D. SecDevOps
- E. Scrum

Answer: C

NEW QUESTION 61

Which cloud security model type provides generalized templates for helping implement cloud security?

- A. Conceptual models or frameworks
- B. Design patterns
- C. Controls models or frameworks
- D. Reference architectures
- E. Cloud Controls Matrix (CCM)

Answer: D

NEW QUESTION 65

Which of the following items is NOT an example of Security as a Service (SecaaS)?

- A. Spam filtering
- B. Authentication
- C. Provisioning
- D. Web filtering
- E. Intrusion detection

Answer: C

NEW QUESTION 69

ENISA: An example high risk role for malicious insiders within a Cloud Provider includes

- A. Sales
- B. Marketing
- C. Legal counsel
- D. Auditors
- E. Accounting

Answer: D

NEW QUESTION 71

Which of the following statements best defines the "authorization" as a component of identity, entitlement, and access management?

- A. The process of specifying and maintaining access policies
- B. Checking data storage to make sure it meets compliance requirements
- C. Giving a third party vendor permission to work on your cloud solution
- D. Establishing/asserting the identity to the application
- E. Enforcing the rules by which access is granted to the resources

Answer: D

NEW QUESTION 72

Which statement best describes the impact of Cloud Computing on business continuity management?

- A. A general lack of interoperability standards means that extra focus must be placed on the security aspects of migration between Cloud providers.
- B. The size of data sets hosted at a Cloud provider can present challenges if migration to another provider becomes necessary.
- C. Customers of SaaS providers in particular need to mitigate the risks of application lock-in.
- D. Clients need to do business continuity planning due diligence in case they suddenly need to switch providers.
- E. Geographic redundancy ensures that Cloud Providers provide highly available services.

Answer: E

NEW QUESTION 73

How does virtualized storage help avoid data loss if a drive fails?

- A. Multiple copies in different locations
- B. Drives are backed up, swapped, and archived constantly
- C. Full back ups weekly
- D. Data loss is unavoidable with drive failures
- E. Incremental backups daily

Answer: A

NEW QUESTION 74

Vulnerability assessments cannot be easily integrated into CI/CD pipelines because of provider restrictions.

- A. False
- B. True

Answer: A

NEW QUESTION 78

Audits should be robustly designed to reflect best practice, appropriate resources, and tested protocols and standards. They should also use what type of auditors?

- A. Auditors working in the interest of the cloud customer
- B. Independent auditors
- C. Certified by CSA
- D. Auditors working in the interest of the cloud provider
- E. None of the above

Answer: B

NEW QUESTION 81

Which attack surfaces, if any, does virtualization technology introduce?

- A. The hypervisor
- B. Virtualization management components apart from the hypervisor
- C. Configuration and VM sprawl issues
- D. All of the above

Answer: D

NEW QUESTION 84

Which concept provides the abstraction needed for resource pools?

- A. Virtualization
- B. Applistructure
- C. Hypervisor
- D. Metastructure
- E. Orchestration

Answer: A

NEW QUESTION 86

In the cloud provider and consumer relationship, which entity manages the virtual or abstracted infrastructure?

- A. Only the cloud consumer
- B. Only the cloud provider
- C. Both the cloud provider and consumer
- D. It is determined in the agreement between the entities
- E. It is outsourced as per the entity agreement

Answer: C

NEW QUESTION 91

Which of the following statements best describes an identity federation?

- A. A library of data definitions
- B. A group of entities which have decided to exist together in a single cloud
- C. Identities which share similar attributes
- D. Several countries which have agreed to define their identities with similar attributes
- E. The connection of one identity repository to another

Answer: E

NEW QUESTION 96

ENISA: “VM hopping” is:

- A. Improper management of VM instances, causing customer VMs to be commingled with other customer systems.
- B. Looping within virtualized routing systems.
- C. Lack of vulnerability management standards.
- D. Using a compromised VM to exploit a hypervisor, used to take control of other VMs.
- E. Instability in VM patch management causing VM routing errors.

Answer: D

NEW QUESTION 101

What is a potential concern of using Security-as-a-Service (SecaaS)?

- A. Lack of visibility
- B. Deployment flexibility
- C. Scaling and costs
- D. Intelligence sharing
- E. Insulation of clients

Answer: A

NEW QUESTION 106

ENISA: Which is a potential security benefit of cloud computing?

- A. More efficient and timely system updates
- B. ISO 27001 certification
- C. Provider can obfuscate system O/S and versions
- D. Greater compatibility with customer IT infrastructure
- E. Lock-In

Answer: A

NEW QUESTION 108

Which of the following statements are NOT requirements of governance and enterprise risk management in a cloud environment?

- A. Inspect and account for risks inherited from other members of the cloud supply chain and take active measures to mitigate and contain risks through operational resiliency.
- B. Respect the interdependency of the risks inherent in the cloud supply chain and communicate the corporate risk posture and readiness to consumers and dependent parties.
- C. Negotiate long-term contracts with companies who use well-vetted software application to avoid the transient nature of the cloud environment.
- D. Provide transparency to stakeholders and shareholders demonstrating fiscal solvency and organizational transparency.
- E. Both B and C.

Answer: C

NEW QUESTION 111

All assets require the same continuity in the cloud.

- A. False
- B. True

Answer: A

NEW QUESTION 113

What is true of a workload?

- A. It is a unit of processing that consumes memory
- B. It does not require a hardware stack
- C. It is always a virtual machine
- D. It is configured for specific, established tasks
- E. It must be containerized

Answer: A

NEW QUESTION 116

What is resource pooling?

- A. The provider's computing resources are pooled to serve multiple consumers.
- B. Internet-based CPUs are pooled to enable multi-threading.
- C. The dedicated computing resources of each client are pooled together in a colocation facility.
- D. Placing Internet ("cloud") data centers near multiple sources of energy, such as hydroelectric dams.
- E. None of the above.

Answer: A

NEW QUESTION 121

What is defined as the process by which an opposing party may obtain private documents for use in litigation?

- A. Discovery
- B. Custody
- C. Subpoena
- D. Risk Assessment
- E. Scope

Answer: A

NEW QUESTION 123

Dynamic Application Security Testing (DAST) might be limited or require pre-testing permission from the provider.

- A. False
- B. True

Answer: B

NEW QUESTION 125

Which cloud storage technology is basically a virtual hard drive for instanced or VMs?

- A. Volume storage
- B. Platform
- C. Database
- D. Application
- E. Object storage

Answer: A

NEW QUESTION 127

How is encryption managed on multi-tenant storage?

- A. Single key for all data owners
- B. One key per data owner
- C. Multiple keys per data owner
- D. The answer could be A, B, or C depending on the provider
- E. C for data subject to the EU Data Protection Directive; B for all others

Answer: B

NEW QUESTION 131

Which of the following encryption methods would be utilized when object storage is used as the back-end for an application?

- A. Database encryption

- B. Media encryption
- C. Asymmetric encryption
- D. Object encryption
- E. Client/application encryption

Answer: E

NEW QUESTION 132

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your CCSK Exam with Our Prep Materials Via below:

<https://www.certleader.com/CCSK-dumps.html>