



# Microsoft

## Exam Questions SC-300

Microsoft Identity and Access Administrator

## About ExamBible

*[Your Partner of IT Exam](#)*

## Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

## Our Advances

### \* 99.9% Uptime

All examinations will be up to date.

### \* 24/7 Quality Support

We will provide service round the clock.

### \* 100% Pass Rate

Our guarantee that you will pass the exam.

### \* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

### NEW QUESTION 1

- (Exam Topic 2)

You need to meet the technical requirements for the probability that user identifies were compromised. What should the users do first, and what should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

The users must first:	<input type="checkbox"/> Provide consent for any app to access the data of Contoso. <input type="checkbox"/> Register for multi-factor authentication (MFA). <input type="checkbox"/> Register for self-service password reset (SSPR).
You must configure:	<input type="checkbox"/> A sign-in risk policy <input type="checkbox"/> A user risk policy <input type="checkbox"/> An Azure AD Password Protection policy

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

The users must first:	<input type="checkbox"/> Provide consent for any app to access the data of Contoso. <input type="checkbox"/> Register for multi-factor authentication (MFA). <input type="checkbox"/> Register for self-service password reset (SSPR).
You must configure:	<input type="checkbox"/> A sign-in risk policy <input type="checkbox"/> A user risk policy <input type="checkbox"/> An Azure AD Password Protection policy

### NEW QUESTION 2

- (Exam Topic 2)

You need to meet the planned changes for the User administrator role. What should you do?

- A. Create an access review.
- B. Modify Role settings
- C. Create an administrator unit.
- D. Modify Active Assignments.

**Answer:** D

### NEW QUESTION 3

- (Exam Topic 2)

You need to meet the planned changes and technical requirements for App1. What should you implement?

- A. a policy set in Microsoft Endpoint Manager
- B. an app configuration policy in Microsoft Endpoint Manager
- C. an app registration in Azure AD
- D. Azure AD Application Proxy

**Answer:** C

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/develop/quickstart-register-app>

### NEW QUESTION 4

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant that contains the objects shown in the following table.

Name	Type	Directly assigned license
User1	User	None
User2	User	Microsoft Office 365 Enterprise E5
Group1	Security group	Microsoft Office 365 Enterprise E5
Group2	Microsoft 365 group	None
Group3	Mail-enabled security group	None

Which objects can you add as members to Group3?

- A. User2 and Group2 only
- B. User2, Group1, and Group2 only
- C. User1, User2, Group1 and Group2
- D. User1 and User2 only
- E. User2 only

**Answer:** E

**Explanation:**

Reference:

<https://bitsizedbytes.wordpress.com/2018/12/10/distribution-security-and-office-365-groups-nesting/>

**NEW QUESTION 5**

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant that contains the following objects:

- A device named Device1
- Users named User1, User2, User3, User4, and User5
- Groups named Group1, Group2, Group3, Group4, and Group5

The groups are configured as shown in the following table.

Name	Type	Membership type	Members
Group1	Security	Assigned	User1, User3, Group2, Group3
Group2	Security	Dynamic User	User2
Group3	Security	Dynamic Device	Device1
Group4	Microsoft 365	Assigned	User4
Group5	Microsoft 365	Dynamic User	User5

To which groups can you assign a Microsoft Office 365 Enterprise E5 license directly?

- A. Group1 and Group4 only
- B. Group1, Group2, Group3, Group4, and Group5
- C. Group1 and Group2 only
- D. Group1 only
- E. Group1, Group2, Group4, and Group5 only

**Answer: C**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/licensing-group-advanced>

**NEW QUESTION 6**

- (Exam Topic 3)

You have a Microsoft 365 tenant that uses the domain named fabrikam.com. The Guest invite settings for Azure Active Directory (Azure AD) are configured as shown in the exhibit. (Click theExhibittab.)

## Guest user access

### Guest user access restrictions (Preview) ⓘ

[Learn more](#)

- ☐ Guest users have the same access as members (most inclusive)
- ☒ Guest users have limited access to properties and memberships of directory objects
- ☐ Guest user access is restricted to properties and memberships of their own directory objects (most restrictive)

## Guest invite settings

### Admins and users in the guest inviter role can invite ⓘ

☒ Yes ☐ No

### Members can invite ⓘ

☒ Yes ☐ No

### Guests can invite ⓘ

☐ Yes ☒ No

### Email One-Time Passcode for guests ⓘ

[Learn more](#)

☒ Yes ☐ No

### Enable guest self-service sign up via user flows (Preview) ⓘ

[Learn more](#)

☒ Yes ☐ No

## Collaboration restrictions

- ☒ Allow invitations to be sent to any domain (most inclusive)
- ☐ Deny invitations to the specified domains
- ☐ Allow invitations only to the specified domains (most restrictive)

A user named bsmith@fabrikam.com shares a Microsoft SharePoint Online document library to the users shown in the following table.

Name	Email	Description
User1	User1@contoso.com	A guest user in fabrikam.com
User2	User2@outlook.com	A user who has never accessed resources in fabrikam.com
User3	User3@fabrkam.com	A user in fabrikam.com

Which users will be emailed a passcode?

- A. User2 only
- B. User1 only
- C. User1 and User2 only
- D. User1, User2, and User3

**Answer:** A

### Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/external-identities/one-time-passcode>

## NEW QUESTION 7

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant that contains three users named User1, User1, and User3,

You create a group named Group1. You add User2 and User3 to Group1.

You configure a role in Azure AD Privileged identity Management (PIM) as shown in the application administrator exhibit. (Click the application Administrator tab.)



## Role setting details - Application Administrator

Privileged Identity Management | Azure AD roles

 Edit

### Activation

Setting	State
Activation maximum duration (hours)	5 hour(s)
Require justification on activation	Yes
Require ticket information on activation	No
Require approval to activate	Yes
Approvers	0 Member(s), 1 Group

### Assignment

Setting	State
Allow permanent eligible assignment	No
Expire eligible assignments after	3 month(s)
Allow permanent active assignment	No
Expire active assignments after	1 month(s)
Require Azure Multi-Factor Authentication on activation	No
Require justification on active assignment	Yes

Group1 is configured as the approver for the application administrator role. You configure User2 to be eligible for the application administrator role. For User1, you add an assignment to the Application administrator role as shown in the Assignment exhibit. (Click Assignment tab)

## Add assignments

Privileged Identity Management | Azure AD roles

Membership Setting

Assignment type ⓘ

- ☒ Eligible  
☐ Active

Maximum allowed eligible duration is 3 month(s).

Assignment starts \*

01/01/2021 12:00:00 AM

Assignment ends \*

01/31/2021 11:59:00 PM

For each of the following statement, select Yes if the statement is true, Otherwise, select No. NOTE: Each correct selection is worth one point.

### Answer Area

#### Statements

	Yes	No
User1 is assigned the Application administrator role automatically.	<input type="radio"/>	<input type="radio"/>
When User2 requests to be assigned the Application administrator role, only User3 can approve the request.	<input type="radio"/>	<input type="radio"/>
If a request by User1 to be assigned the Application administrator role is approved on January 31, 2021, at 23:00, User1 can use the role until February 1, 2021, at 04:00.	<input type="radio"/>	<input type="radio"/>

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

#### Answer Area

Statements	Yes	No
User1 is assigned the Application administrator role automatically.	<input checked="" type="radio"/>	<input type="radio"/>
When User2 requests to be assigned the Application administrator role, only User3 can approve the request.	<input checked="" type="radio"/>	<input type="radio"/>
If a request by User1 to be assigned the Application administrator role is approved on January 31, 2021, at 23:00, User1 can use the role until February 1, 2021, at 04:00.	<input type="radio"/>	<input checked="" type="radio"/>

#### NEW QUESTION 8

- (Exam Topic 3)

Your company recently implemented Azure Active Directory (Azure AD) Privileged Identity Management (PIM).

While you review the roles in PIM, you discover that all 15 users in the IT department at the company have permanent security administrator rights.

You need to ensure that the IT department users only have access to the Security administrator role when required.

What should you configure for the Security administrator role assignment?

- A. Expire eligible assignments afterfrom the Role settings details
- B. Expire active assignments afterfrom the Role settings details
- C. Assignment type toActive
- D. Assignment type toEligible

**Answer:** D

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure>

#### NEW QUESTION 9

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

All users who run applications registered in Azure AD are subject to conditional access policies. You need to prevent the users from using legacy authentication.

What should you include in the conditional access policies to filter out legacy authentication attempts?

- A. a cloud apps or actions condition
- B. a user risk condition
- C. a client apps condition
- D. a sign-in risk condition

**Answer:** C

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/block-legacy-authentication>

#### NEW QUESTION 10

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 tenant.

You have 100 IT administrators who are organized into 10 departments. You create the access review shown in the exhibit. (Click theExhibittab.)

## Create an access review

Access reviews allow reviewers to attest to whether users still need to be in a role.

Review name \*

Description

Start date \*

Frequency

Duration (in days)

End  End by

Number of times

End date

Users

Scope ☒ Everyone

Review role membership (permanent and eligible) \*

[Application Administrator and 72 others](#)

Reviewers

Reviewers

(Preview) Fallback reviewers

Upon completion settings

**Start**

You discover that all access review requests are received by Megan Bowen.

You need to ensure that the manager of each department receives the access reviews of their respective department.

Solution: You set Reviewers to Member (self).

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

## NEW QUESTION 10

- (Exam Topic 3)

You have an Azure subscription that contains the resource shown in the following table.

Name	Type
Group1	Group that has the Assigned membership type
App1	Enterprise application in Azure Active Directory (Azure AD)
Contributor	Azure subscription role
Role1	Azure Active Directory (Azure AD) role

For which resources can you create an access review?

- A. Group1, App1, Contributor, and Role1
- B. Hotel and Contributor only
- C. Group1, Role1, and Contributor only
- D. Group1 only

**Answer: D**

## NEW QUESTION 11

- (Exam Topic 3)

You have a Microsoft 365 E5 tenant. You purchase a cloud app named App1.

You need to enable real-time session-level monitoring of App1 by using Microsoft Cloud app Security.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the



correct order.

Actions

From Microsoft Cloud App Security, create a session policy.

Create a conditional access policy that has session controls configured.

Publish App1 in Azure Active Directory (Azure AD).

Implement Azure AD Application Proxy.

From Microsoft Cloud App Security, modify the Connected apps settings for App1.

>

<

Answer Area

↑

↓

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

From Microsoft Cloud App Security, create a session policy.

Create a conditional access policy that has session controls configured.

Publish App1 in Azure Active Directory (Azure AD).

Implement Azure AD Application Proxy.

From Microsoft Cloud App Security, modify the Connected apps settings for App1.

>

<

Answer Area

From Microsoft Cloud App Security, modify the Connected apps settings for App1.

Publish App1 in Azure Active Directory (Azure AD).

From Microsoft Cloud App Security, create a session policy.

Implement Azure AD Application Proxy.

>

<

↑

↓

#### NEW QUESTION 15

- (Exam Topic 3)

You have a Microsoft Exchange organization that uses an SMTP address space of contoso.com.

Several users use their contoso.com email address for self-service sign up to Azure Active Directory (Azure AD).

You gain global administrator privileges to the Azure AD tenant that contains the self-signed users.

You need to prevent the users from creating user accounts in the contoso.com Azure AD tenant for self-service sign-up to Microsoft 365 services.

Which PowerShell cmdlet should you run?

- A. Set-MsolCompanySettings
- B. Set-MsolDomainFederationSettings
- C. Update-MsolFederatedDomain
- D. Set-MsolDomain

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/directory-self-service-signup>

#### NEW QUESTION 18

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant that syncs to an Active Directory forest.

You discover that when a user account is disabled in Active Directory, the disabled user can still authenticate to Azure AD for up to 30 minutes.

You need to ensure that when a user account is disabled in Active Directory, the user account is immediately prevented from authenticating to Azure AD.

Solution: You configure password writeback. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/choose-ad-authn>

### NEW QUESTION 19

- (Exam Topic 3)

You have a Microsoft 365 tenant named contoso.com. Guest user access is enabled.

Users are invited to collaborate with contoso.com as shown in the following table.

User email	User type	Invitation accepted	Shared resource
User1@outlook.com	Guest	No	Enterprise application
User2@fabrikam.com	Guest	Yes	Enterprise application

From the External collaboration settings in the Azure Active Directory admin center, you configure the Collaboration restrictions settings as shown in the following exhibit.

#### Collaboration restrictions

- ☐ Allow invitations to be sent to any domain (most inclusive)  
☐ Deny invitations to the specified domains  
☒ Allow invitations only to the specified domains (most restrictive)

 Delete

☒ TARGET DOMAINS

☐ Outlook.com

From a Microsoft SharePoint Online site, a user invites user3@adatum.com to the site.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE:Each correct selection is worth one point.

Statements	Yes	No
User1 can accept the invitation and gain access to the enterprise application.	<input type="radio"/>	<input type="radio"/>
User2 can access the enterprise application.	<input type="radio"/>	<input type="radio"/>
User3 can accept the invitation and gain access to the SharePoint site.	<input type="radio"/>	<input type="radio"/>

- A. Mastered  
 B. Not Mastered

**Answer:** A

#### Explanation:

Box 1: Yes

Invitations can only be sent to outlook.com. Therefore, User1 can accept the invitation and access the application.

Box 2: Yes

Invitations can only be sent to outlook.com. However, User2 has already received and accepted an invitation so User2 can access the application.

Box 3: No

Invitations can only be sent to outlook.com. Therefore, User3 will not receive an invitation.

### NEW QUESTION 24

- (Exam Topic 3)

You have an Azure Active Directory (Azure Azure) tenant that contains the objects shown in the following table.

- A device named Device1
- Users named User1, User2, User3, User4, and User5
- Five groups named Group1, Group2, Group3, Group4, and Group5

The groups are configured as shown in the following table.

Name	Type	Membership type	Members
Group1	Security	Assigned	User1, User3, Group2, Group4
Group2	Security	Dynamic User	User2
Group3	Security	Dynamic Device	Device1
Group4	Microsoft 365	Assigned	Group5
Group5	Microsoft 365	Assigned	User5

How many licenses are used if you assign the Microsoft Office 365 Enterprise E5 license to Group1?

- A. 2




- B. 3  
C. 4

Answer: B


NEW QUESTION 25

- (Exam Topic 3)


You have a Microsoft 365 tenant that contains a group named Group1 as shown in the Group1 exhibit. (Click the Group 1 tab.)



You create an enterprise application named App1 as shown in the App1 Properties exhibit. (Click the App1 Properties tab.)



You configure self-service for App1 as shown in the App1 Self-service exhibit: (Click the App1 Self-service tab.)



For each of the following statements, select Yes if the statement is true, Otherwise select NO. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The members of Group3 can access App1 without first being approved by User1.	<input type="radio"/>	<input type="radio"/>
After you configure self-service for App1, the owner of Group1 is User1.	<input type="radio"/>	<input type="radio"/>
App1 appears in the Microsoft Office 365 app launcher of User4.	<input type="radio"/>	<input type="radio"/>

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
The members of Group3 can access App1 without first being approved by User1.	<input type="radio"/>	<input checked="" type="radio"/>
After you configure self-service for App1, the owner of Group1 is User1.	<input type="radio"/>	<input checked="" type="radio"/>
App1 appears in the Microsoft Office 365 app launcher of User4.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 29

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant that has multi-factor authentication (MFA) enabled. The account lockout settings are configured as shown in the following exhibit.

Account lockout

Temporarily lock accounts in the multi-factor authentication service if there are too many denied authentication attempts in a row. This feature only applies to users who enter a PIN to authenticate.

Number of MFA denials to trigger account lockout \*

3

✓

Minutes until account lockout counter is reset \*

60

✓

Minutes until account is automatically unblocked \*

30

✓

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
NOTE: Each correct selection is worth one point.

Answer Area

A user account will be locked out if the user enters the wrong [answer choice] three times.

email address

Microsoft Authenticator app code

password

If a user account is locked, the user can sign in again successfully after [answer choice] minutes.

30

60

90

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

A user account will be locked out if the user enters the wrong [answer choice] three times.

email address

Microsoft Authenticator app code

password

If a user account is locked, the user can sign in again successfully after [answer choice] minutes.

30

60

90

NEW QUESTION 34

- (Exam Topic 3)

You have a Microsoft 365 tenant.

The Azure Active Directory (Azure AD) tenant syncs to an on-premises Active Directory domain. The domain contains the servers shown in the following table.

Name	Operating system	Configuration
Server1	Windows Server 2019	Domain controller
Server2	Windows Server 2019	Domain controller
Server3	Windows Server 2019	Azure AD Connect

The domain controllers are prevented from communicating to the internet. You implement Azure AD Password Protection on Server1 and Server2. You deploy a new server named Server4 that runs Windows Server 2019.

You need to ensure that Azure AD Password Protection will continue to work if a single server fails. What should you implement on Server4?

- A. Azure AD Connect
- B. Azure AD Application Proxy
- C. Password Change Notification Service (PCNS)



D. the Azure AD Password Protection proxy service

**Answer:** D

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-password-ban-bad-on-premisesdep>

#### NEW QUESTION 38

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant that contains the groups shown in the following table.

Name	Type	Membership type
Group1	Security	Assigned
Group2	Security	Dynamic User
Group3	Security	Dynamic Device
Group4	Microsoft 365	Assigned
Group5	Microsoft 365	Dynamic User

For which groups can you create an access review?

- A. Group1 only
- B. Group1 and Group4 only
- C. Group1 and Group2 only
- D. Group1, Group2, Group4, and Group5 only
- E. Group1, Group2, Group3, Group4 and Group5

**Answer:** D

**Explanation:**

You cannot create access reviews for device groups. Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/create-access-review>

#### NEW QUESTION 41

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant. You open the risk detections report.

Which risk detection type is classified as a user risk?

- A. impossible travel
- B. anonymous IP address
- C. atypical travel
- D. leaked credentials

**Answer:** D

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-risks>

#### NEW QUESTION 44

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant that contains the users shown in the following table.

Name	Type	Member of
User1	Member	Group1
User2	Member	Group1
User3	Guest	Group1

User1 is the owner of Group1.

You create an access review that has the following settings:

- > Users to review: Members of a group
- > Scope: Everyone
- > Group: Group1
- > Reviewers: Members (self)

Which users can perform access reviews for User3?

- A. User1, User2, and User3
- B. User3 only
- C. User1 only
- D. User1 and User2 only

**Answer:** B

#### NEW QUESTION 46

- (Exam Topic 3)

You have a new Microsoft 365 tenant that uses a domain name of contoso.conmicrosoft.com. You register the name contoso.com with a domain registrar.

You need to use contoso.com as the default domain name for new Microsoft 365 users.

Which four actions should you perform in sequenced? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the



correct order.

Actions	Answer Area
Register a custom domain name of contoso.com.	
Create a new TXT record in DNS.	
Set the domain to primary.	
Delete the contoso.onmicrosoft.com domain.	
Verify the domain name.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Register a custom domain name of contoso.com.	Create a new TXT record in DNS.
Create a new TXT record in DNS.	Register a custom domain name of contoso.com.
Set the domain to primary.	Set the domain to primary.
Delete the contoso.onmicrosoft.com domain.	
Verify the domain name.	Verify the domain name.

NEW QUESTION 47

- (Exam Topic 3)

Your company has an Azure Active Directory (Azure AD) tenant named contoso.com. The company is developing a web service named App1. You need to ensure that App1 can use Microsoft Graph to read directory data in contoso.com.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create an app registration.	
Add a group claim.	
Add app permissions.	
Grant admin consent.	
Add delegated permissions.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Create an app registration.	Create an app registration.
Add a group claim.	
Add app permissions.	Add app permissions.
Grant admin consent.	Grant admin consent.
Add delegated permissions.	

NEW QUESTION 49

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant.

You need to review the Azure AD sign-ins log to investigate sign ins that occurred in the past. For how long does Azure AD store events in the sign-in log?

- A. 14 days
- B. 30 days
- C. 90 days
- D. 365 days

Answer: B

#### NEW QUESTION 54

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

You plan to bulk invite Azure AD business-to-business (B2B) collaboration users.

Which two parameters must you include when you create the bulk invite? Each correct answer presents part of the solution

NOTE:Each correct selection is worth one point.

- A. email address
- B. redirection URL
- C. username
- D. shared key
- E. password

Answer: AB

#### Explanation:


Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/external-identities/tutorial-bulk-invite>

#### NEW QUESTION 59

- (Exam Topic 3)

You configure Azure Active Directory (Azure AD) Password Protection as shown in the exhibit. (Click theExhibittab.)



The screenshot shows the 'Custom smart logout' section of the Azure AD Password Protection configuration. It includes the following settings:

- Custom smart logout**
  - Lockout threshold**: 5 (with a green checkmark)
  - Lockout duration in seconds**: 3600 (with a green checkmark)
- Custom banned passwords**
  - Enforce custom list**: Yes (selected)
  - Custom banned password list**:
    - Contoso (with a green checkmark)
    - Litware
    - Tailwind
    - project
    - Zettabyte
    - MainStreet
- Password protection for Windows Server Active Directory**
  - Enable password protection on Windows Server Active Directory**: Yes (selected)
  - Mode**: Enforced (selected)

You are evaluating the following passwords:

- > Pr0jectlitw@re
- > T@ilw1nd
- > C0nt0s0

Which passwords will be blocked?

- A. Pr0jectlitw@re and T@ilw1nd only
- B. C0nt0s0 only
- C. C0nt0s0, Pr0jectlitw@re, and T@ilw1nd
- D. C0nt0s0 and T@ilw1nd only
- E. C0nt0s0 and Pr0jectlitw@re only

Answer: C

#### Explanation:

Reference:

<https://blog.enablingtechcorp.com/azure-ad-password-protection-password-evaluation>

#### NEW QUESTION 63

- (Exam Topic 3)

Your network contains an on-premises Active Directory domain that sync to an Azure Active Directory (Azure AD) tenant. The tenant contains the shown in the following table.

Name	Type	Directory synced
User1	User	No
User2	User	Yes
User3	Guest	No

All the users work remotely.

Azure AD Connect is configured in Azure as shown in the following exhibit.

PROVISION FROM ACTIVE DIRECTORY



Azure AD Connect cloud provisioning

This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

Azure AD Connect sync

Sync Status

Enabled

Last Sync

Less than 1 hour ago

Password Hash Sync

Enabled

USER SIGN-IN



Federation

Disabled

0 domains

Seamless single sign-on

Disabled

0 domains

Pass-through authentication

Enabled

2 agents

Connectivity from the on-premises domain to the internet is lost. Which user can sign in to Azure AD?

- A. User1 only
- B. User1 and User 3 only
- C. User1, and User2 only
- D. User1, User2, and User3

Answer: A

NEW QUESTION 67

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant that syncs to an Active Directory forest.

You discover that when a user account is disabled in Active Directory, the disabled user can still authenticate to Azure AD for up to 30 minutes.

You need to ensure that when a user account is disabled in Active Directory, the user account is immediately prevented from authenticating to Azure AD.

Solution: You configure pass-through authentication. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/choose-ad-authn>

NEW QUESTION 72

- (Exam Topic 3)

You have a Microsoft 365 tenant.

You need to identify users who have leaked credentials. The solution must meet the following requirements.

- Identity sign-ins by users who ate suspected of having leaked credentials.
- Rag the sign-ins as a high risk event.
- Immediately enforce a control to mitigate the risk, while still allowing the user to access applications. What should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Your Partner of IT Exam

visit - <https://www.examible.com>



Answer Area

To classify leaked credentials as high-risk, use:

Azure Active Directory (Azure AD) Identity Protection  
Azure Active Directory (Azure AD) Privileged Identity Management (PIM)  
Identity Governance  
Self-service password reset (SSPR)

To trigger remediation, use:

Client apps not using Modern authentication  
Device state  
Sign-in risk  
User location  
User risk

To mitigate the risk, select:

Apply app-enforced restrictions  
Block access  
Grant access but require app protection policy  
Grant access but require multi-factor authentication  
Grant access but require password change

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:  
Answer Area

To classify leaked credentials as high-risk, use:

Azure Active Directory (Azure AD) Identity Protection  
Azure Active Directory (Azure AD) Privileged Identity Management (PIM)  
Identity Governance  
Self-service password reset (SSPR)

To trigger remediation, use:

Client apps not using Modern authentication  
Device state  
Sign-in risk  
User location  
User risk

To mitigate the risk, select:

Apply app-enforced restrictions  
Block access  
Grant access but require app protection policy  
Grant access but require multi-factor authentication  
Grant access but require password change

NEW QUESTION 73

- (Exam Topic 3)

Your company has an Azure Active Directory (Azure AD) tenant named contosri.com. The company has the business partners shown in the following table.

Name	Description
Fabrikam, Inc.	An Azure AD tenant that has two verified domains: named fabrikam.com and adatum.com
Litware, Inc.	A third-party identity provider that uses the domain names of litwareinc.com and contoso.com

users can request access by using package 1.  
Users at Fabrikam and Litware use ail then respective domain names for email addresses.  
You plan to create an access package named packaqel that will be accessible only to the Fabrikam and Litware users.  
You need to configure connected organizations for Fabrikam and litware so that any of their users can request access by using package1.  
What is the minimum of connected organization that you should create.

- A. 1
- B. 2
- C. 3
- D. 4

Answer: C

NEW QUESTION 74

.....

## Relate Links

**100% Pass Your SC-300 Exam with ExamBible Prep Materials**

<https://www.exambible.com/SC-300-exam/>

## Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>