

300-710 Dumps

Securing Networks with Cisco Firepower (SNCF)

<https://www.certleader.com/300-710-dumps.html>



NEW QUESTION 1

Which two conditions are necessary for high availability to function between two Cisco FTD devices? (Choose two.)

- A. The units must be the same version
- B. Both devices can be part of a different group that must be in the same domain when configured within the FMC.
- C. The units must be different models if they are part of the same series.
- D. The units must be configured only for firewall routed mode.
- E. The units must be the same model.

Answer: AE

NEW QUESTION 2

On the advanced tab under inline set properties, which allows interfaces to emulate a passive interface?

- A. transparent inline mode
- B. TAP mode
- C. strict TCP enforcement
- D. propagate link state

Answer: D

NEW QUESTION 3

What are the minimum requirements to deploy a managed device inline?

- A. inline interfaces, security zones, MTU, and mode
- B. passive interface, MTU, and mode
- C. inline interfaces, MTU, and mode
- D. passive interface, security zone, MTU, and mode

Answer: C

NEW QUESTION 4

What is the difference between inline and inline tap on Cisco Firepower?

- A. Inline tap mode can send a copy of the traffic to another device.
- B. Inline tap mode does full packet capture.
- C. Inline mode cannot do SSL decryption.
- D. Inline mode can drop malicious traffic.

Answer: D

NEW QUESTION 5

Which protocol establishes network redundancy in a switched Firepower device deployment?

- A. STP
- B. HSRP
- C. GLBP
- D. VRRP

Answer: A

NEW QUESTION 6

Which interface type allows packets to be dropped?

- A. passive
- B. inline
- C. ERSPAN
- D. TAP

Answer: B

NEW QUESTION 7

Which policy rule is included in the deployment of a local DMZ during the initial deployment of a Cisco NGFW through the Cisco FMC GUI?

- A. a default DMZ policy for which only a user can change the IP addresses.
- B. deny ip any
- C. no policy rule is included
- D. permit ip any

Answer: C

NEW QUESTION 8

When creating a report template, how can the results be limited to show only the activity of a specific subnet?

- A. Create a custom search in Firepower Management Center and select it in each section of the report.
- B. Add an Input Parameter in the Advanced Settings of the report, and set the type to Network/IP.
- C. Add a Table View section to the report with the Search field defined as the network in CIDR format.
- D. Select IP Address as the X-Axis in each section of the report.

Answer: B

NEW QUESTION 9

What is the disadvantage of setting up a site-to-site VPN in a clustered-units environment?

- A. VPN connections can be re-established only if the failed master unit recovers.
- B. Smart License is required to maintain VPN connections simultaneously across all cluster units.
- C. VPN connections must be re-established when a new master unit is elected.
- D. Only established VPN connections are maintained when a new master unit is elected.

Answer: C

NEW QUESTION 10

Which command is run on an FTD unit to associate the unit to an FMC manager that is at IP address 10.0.0.10, and that has the registration key Cisco123?

- A. configure manager local 10.0.0.10 Cisco123
- B. configure manager add Cisco123 10.0.0.10
- C. configure manager local Cisco123 10.0.0.10
- D. configure manager add 10.0.0.10 Cisco123

Answer: D

NEW QUESTION 10

Which two routing options are valid with Cisco Firepower Threat Defense? (Choose two.)

- A. BGPv6
- B. ECMP with up to three equal cost paths across multiple interfaces
- C. ECMP with up to three equal cost paths across a single interface
- D. BGPv4 in transparent firewall mode
- E. BGPv4 with nonstop forwarding

Answer: AC

NEW QUESTION 11

Which object type supports object overrides?

- A. time range
- B. security group tag
- C. network object
- D. DNS server group

Answer: C

NEW QUESTION 14

Which Cisco Firepower rule action displays an HTTP warning page?

- A. Monitor
- B. Block
- C. Interactive Block
- D. Allow with Warning

Answer: C

NEW QUESTION 17

Which Firepower feature allows users to configure bridges in routed mode and enables devices to perform Layer 2 switching between interfaces?

- A. FlexConfig
- B. BDI
- C. SGT
- D. IRB

Answer: D

NEW QUESTION 18

In which two places can thresholding settings be configured? (Choose two.)

- A. on each IPS rule
- B. globally, within the network analysis policy
- C. globally, per intrusion policy
- D. on each access control rule

E. per preprocessor, within the network analysis policy

Answer: AC

NEW QUESTION 20

In which two ways do access control policies operate on a Cisco Firepower system? (Choose two.)

- A. Traffic inspection can be interrupted temporarily when configuration changes are deployed.
- B. The system performs intrusion inspection followed by file inspection.
- C. They can block traffic based on Security Intelligence data.
- D. File policies use an associated variable set to perform intrusion prevention.
- E. The system performs a preliminary inspection on trusted traffic to validate that it matches the trusted parameters.

Answer: AC

NEW QUESTION 23

Which report template field format is available in Cisco FMC?

- A. box lever chart
- B. arrow chart
- C. bar chart
- D. benchmark chart

Answer: C

NEW QUESTION 26

DRAG DROP

Drag and drop the steps to restore an automatic device registration failure on the standby Cisco FMC from the left into the correct order on the right. Not all options are used.

Select and Place:

- A. Mastered
- B. Not Mastered

Answer: A

NEW QUESTION 29

Which command is typed at the CLI on the primary Cisco FTD unit to temporarily stop running high-availability?

- A. configure high-availability resume
- B. configure high-availability disable
- C. system support network-options
- D. configure high-availability suspend

Answer: B

NEW QUESTION 31

Which command must be run to generate troubleshooting files on an FTD?

- A. system support view-files
- B. sudo sf_troubleshoot.pl
- C. system generate-troubleshoot all
- D. show tech-support

Answer: B

NEW QUESTION 32

When do you need the file-size command option during troubleshooting with packet capture?

- A. when capture packets are less than 16 MB
- B. when capture packets are restricted from the secondary memory
- C. when capture packets exceed 10 GB
- D. when capture packets exceed 32 MB

Answer: D

NEW QUESTION 35

What is a functionality of port objects in Cisco FMC?

- A. to mix transport protocols when setting both source and destination port conditions in a rule
- B. to represent protocols other than TCP, UDP, and ICMP
- C. to represent all protocols in the same way
- D. to add any protocol other than TCP or UDP for source port conditions in access control rules.

Answer: B

NEW QUESTION 39

What is the maximum bit size that Cisco FMC supports for HTTPS certificates?

- A. 1024
- B. 8192
- C. 4096
- D. 2048

Answer: D

NEW QUESTION 44

What is a behavior of a Cisco FMC database purge?

- A. User login and history data are removed from the database if the User Activity check box is selected.
- B. Data can be recovered from the device.
- C. The appropriate process is restarted.
- D. The specified data is removed from Cisco FMC and kept for two weeks.

Answer: C

NEW QUESTION 46

Which two packet captures does the FTD LINA engine support? (Choose two.)

- A. Layer 7 network ID
- B. source IP
- C. application ID
- D. dynamic firewall importing
- E. protocol

Answer: BE

NEW QUESTION 48

Which two features of Cisco AMP for Endpoints allow for an uploaded file to be blocked? (Choose two.)

- A. application blocking
- B. simple custom detection
- C. file repository
- D. exclusions
- E. application whitelisting

Answer: AB

NEW QUESTION 49

Which connector is used to integrate Cisco ISE with Cisco FMC for Rapid Threat Containment?

- A. pxGrid
- B. FTD RTC
- C. FMC RTC
- D. ISEGrid

Answer: A

NEW QUESTION 53

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 300-710 Exam with Our Prep Materials Via below:

<https://www.certleader.com/300-710-dumps.html>