

Google

Exam Questions Professional-Cloud-Security-Engineer

Google Cloud Certified - Professional Cloud Security Engineer



NEW QUESTION 1

A customer's company has multiple business units. Each business unit operates independently, and each has their own engineering group. Your team wants visibility into all projects created within the company and wants to organize their Google Cloud Platform (GCP) projects based on different business units. Each business unit also requires separate sets of IAM permissions.

Which strategy should you use to meet these needs?

- A. Create an organization node, and assign folders for each business unit.
- B. Establish standalone projects for each business unit, using gmail.com accounts.
- C. Assign GCP resources in a project, with a label identifying which business unit owns the resource.
- D. Assign GCP resources in a VPC for each business unit to separate network access.

Answer: A

NEW QUESTION 2

You are the security admin of your company. You have 3,000 objects in your Cloud Storage bucket. You do not want to manage access to each object individually. You also do not want the uploader of an object to always have full control of the object. However, you want to use Cloud Audit Logs to manage access to your bucket.

What should you do?

- A. Set up an ACL with OWNER permission to a scope of allUsers.
- B. Set up an ACL with READER permission to a scope of allUsers.
- C. Set up a default bucket ACL and manage access for users using IAM.
- D. Set up Uniform bucket-level access on the Cloud Storage bucket and manage access for users using IAM.

Answer: A

NEW QUESTION 3

You are the Security Admin in your company. You want to synchronize all security groups that have an email address from your LDAP directory in Cloud IAM.

- A. Configure Google Cloud Directory Sync to sync security groups using LDAP search rules that have "user email address" as the attribute to facilitate one-way sync.
- B. Configure Google Cloud Directory Sync to sync security groups using LDAP search rules that have "user email address" as the attribute to facilitate bidirectional sync.
- C. Use a management tool to sync the subset based on the email address attribut
- D. Create a group in the Google domai
- E. A group created in a Google domain will automatically have an explicit Google Cloud Identity and Access Management (IAM) role.
- F. Use a management tool to sync the subset based on group object class attribut
- G. Create a group in the Google domai
- H. A group created in a Google domain will automatically have an explicit Google Cloud Identity and Access Management (IAM) role.

Answer: C

NEW QUESTION 4

Your team sets up a Shared VPC Network where project co-vpc-prod is the host project. Your team has configured the firewall rules, subnets, and VPN gateway on the host project. They need to enable Engineering Group A to attach a Compute Engine instance to only the 10.1.1.0/24 subnet.

What should your team grant to Engineering Group A to meet this requirement?

- A. Compute Network User Role at the host project level.
- B. Compute Network User Role at the subnet level.
- C. Compute Shared VPC Admin Role at the host project level.
- D. Compute Shared VPC Admin Role at the service project level.

Answer: C

NEW QUESTION 5

A customer has an analytics workload running on Compute Engine that should have limited internet access. Your team created an egress firewall rule to deny (priority 1000) all traffic to the internet.

The Compute Engine instances now need to reach out to the public repository to get security updates. What should your team do?

- A. Create an egress firewall rule to allow traffic to the CIDR range of the repository with a priority greater than 1000.
- B. Create an egress firewall rule to allow traffic to the CIDR range of the repository with a priority less than 1000.
- C. Create an egress firewall rule to allow traffic to the hostname of the repository with a priority greater than 1000.
- D. Create an egress firewall rule to allow traffic to the hostname of the repository with a priority less than 1000.

Answer: C

NEW QUESTION 6

Which two implied firewall rules are defined on a VPC network? (Choose two.)

- A. A rule that allows all outbound connections
- B. A rule that denies all inbound connections
- C. A rule that blocks all inbound port 25 connections
- D. A rule that blocks all outbound connections
- E. A rule that allows all inbound port 80 connections

Answer: AB

NEW QUESTION 7

In order to meet PCI DSS requirements, a customer wants to ensure that all outbound traffic is authorized. Which two cloud offerings meet this requirement without additional compensating controls? (Choose two.)

- A. App Engine
- B. Cloud Functions
- C. Compute Engine
- D. Google Kubernetes Engine
- E. Cloud Storage

Answer: AC

NEW QUESTION 8

A company has been running their application on Compute Engine. A bug in the application allowed a malicious user to repeatedly execute a script that results in the Compute Engine instance crashing. Although the bug has been fixed, you want to get notified in case this hack re-occurs. What should you do?

- A. Create an Alerting Policy in Stackdriver using a Process Health condition, checking that the number of executions of the script remains below the desired threshold
- B. Enable notifications.
- C. Create an Alerting Policy in Stackdriver using the CPU usage metric
- D. Set the threshold to 80% to be notified when the CPU usage goes above this 80%.
- E. Log every execution of the script to Stackdriver Logging
- F. Create a User-defined metric in Stackdriver Logging on the logs, and create a Stackdriver Dashboard displaying the metric.
- G. Log every execution of the script to Stackdriver Logging
- H. Configure BigQuery as a log sink, and create a BigQuery scheduled query to count the number of executions in a specific timeframe.

Answer: C

NEW QUESTION 9

A customer has 300 engineers. The company wants to grant different levels of access and efficiently manage IAM permissions between users in the development and production environment projects. Which two steps should the company take to meet these requirements? (Choose two.)

- A. Create a project with multiple VPC networks for each environment.
- B. Create a folder for each development and production environment.
- C. Create a Google Group for the Engineering team, and assign permissions at the folder level.
- D. Create an Organizational Policy constraint for each folder environment.
- E. Create projects for each environment, and grant IAM rights to each engineering user.

Answer: BD

NEW QUESTION 10

A customer wants to make it convenient for their mobile workforce to access a CRM web interface that is hosted on Google Cloud Platform (GCP). The CRM can only be accessed by someone on the corporate network. The customer wants to make it available over the internet. Your team requires an authentication layer in front of the application that supports two-factor authentication. Which GCP product should the customer implement to meet these requirements?

- A. Cloud Identity-Aware Proxy
- B. Cloud Armor
- C. Cloud Endpoints
- D. Cloud VPN

Answer: D

NEW QUESTION 10

You are on your company's development team. You noticed that your web application hosted in staging on GKE dynamically includes user data in web pages without first properly validating the inputted data. This could allow an attacker to execute gibberish commands and display arbitrary content in a victim user's browser in a production environment. How should you prevent and fix this vulnerability?

- A. Use Cloud IAP based on IP address or end-user device attributes to prevent and fix the vulnerability.
- B. Set up an HTTPS load balancer, and then use Cloud Armor for the production environment to prevent the potential XSS attack.
- C. Use Web Security Scanner to validate the usage of an outdated library in the code, and then use a secured version of the included library.
- D. Use Web Security Scanner in staging to simulate an XSS injection attack, and then use a templating system that supports contextual auto-escaping.

Answer: D

NEW QUESTION 12

When working with agents in a support center via online chat, an organization's customers often share pictures of their documents with personally identifiable information (PII). The organization that owns the support center is concerned that the PII is being stored in their databases as part of the regular chat logs they retain for review by internal or external analysts for customer service trend analysis. Which Google Cloud solution should the organization use to help resolve this concern for the customer while still maintaining data utility?

- A. Use Cloud Key Management Service (KMS) to encrypt the PII data shared by customers before storing it for analysis.
- B. Use Object Lifecycle Management to make sure that all chat records with PII in them are discarded and not saved for analysis.

- C. Use the image inspection and redaction actions of the DLP API to redact PII from the images before storing them for analysis.
- D. Use the generalization and bucketing actions of the DLP API solution to redact PII from the texts before storing them for analysis.

Answer: D

Explanation:

Reference; <https://cloud.google.com/dlp/docs/deidentify-sensitive-data>

NEW QUESTION 16

An organization adopts Google Cloud Platform (GCP) for application hosting services and needs guidance on setting up password requirements for their Cloud Identity account. The organization has a password policy requirement that corporate employee passwords must have a minimum number of characters. Which Cloud Identity password guidelines can the organization use to inform their new requirements?

- A. Set the minimum length for passwords to be 8 characters.
- B. Set the minimum length for passwords to be 10 characters.
- C. Set the minimum length for passwords to be 12 characters.
- D. Set the minimum length for passwords to be 6 characters.

Answer: C

NEW QUESTION 21

A large e-retailer is moving to Google Cloud Platform with its ecommerce website. The company wants to ensure payment information is encrypted between the customer's browser and GCP when the customers checkout online. What should they do?

- A. Configure an SSL Certificate on an L7 Load Balancer and require encryption.
- B. Configure an SSL Certificate on a Network TCP Load Balancer and require encryption.
- C. Configure the firewall to allow inbound traffic on port 443, and block all other inbound traffic.
- D. Configure the firewall to allow outbound traffic on port 443, and block all other outbound traffic.

Answer: A

NEW QUESTION 26

Which two security characteristics are related to the use of VPC peering to connect two VPC networks? (Choose two.)

- A. Central management of routes, firewalls, and VPNs for peered networks
- B. Non-transitive peered networks; where only directly peered networks can communicate
- C. Ability to peer networks that belong to different Google Cloud Platform organizations
- D. Firewall rules that can be created with a tag from one peered network to another peered network
- E. Ability to share specific subnets across peered networks

Answer: AD

NEW QUESTION 28

A customer is collaborating with another company to build an application on Compute Engine. The customer is building the application tier in their GCP Organization, and the other company is building the storage tier in a different GCP Organization. This is a 3-tier web application. Communication between portions of the application must not traverse the public internet by any means. Which connectivity option should be implemented?

- A. VPC peering
- B. Cloud VPN
- C. Cloud Interconnect
- D. Shared VPC

Answer: B

NEW QUESTION 30

Your team needs to make sure that their backend database can only be accessed by the frontend application and no other instances on the network. How should your team design this network?

- A. Create an ingress firewall rule to allow access only from the application to the database using firewall tags.
- B. Create a different subnet for the frontend application and database to ensure network isolation.
- C. Create two VPC networks, and connect the two networks using Cloud VPN gateways to ensure network isolation.
- D. Create two VPC networks, and connect the two networks using VPC peering to ensure network isolation.

Answer: A

NEW QUESTION 34

A business unit at a multinational corporation signs up for GCP and starts moving workloads into GCP. The business unit creates a Cloud Identity domain with an organizational resource that has hundreds of projects. Your team becomes aware of this and wants to take over managing permissions and auditing the domain resources. Which type of access should your team grant to meet this requirement?

- A. Organization Administrator
- B. Security Reviewer
- C. Organization Role Administrator
- D. Organization Policy Administrator

Answer: C

NEW QUESTION 35

Your team needs to obtain a unified log view of all development cloud projects in your SIEM. The development projects are under the NONPROD organization folder with the test and pre-production projects. The development projects share the ABC-BILLING billing account with the rest of the organization. Which logging export strategy should you use to meet the requirements?

- A. 1. Export logs to a Cloud Pub/Sub topic with folders/NONPROD parent and includeChildren property set to True in a dedicated SIEM projec
- B. 2. Subscribe SIEM to the topic.
- C. 1. Create a Cloud Storage sink with billingAccounts/ABC-BILLING parent and includeChildren property set to False in a dedicated SIEM projec
- D. 2. Process Cloud Storage objects in SIEM.
- E. 1. Export logs in each dev project to a Cloud Pub/Sub topic in a dedicated SIEM projec
- F. 2. Subscribe SIEM to the topic.
- G. 1. Create a Cloud Storage sink with a publicly shared Cloud Storage bucket in each projec
- H. 2. Process Cloud Storage objects in SIEM.

Answer: B

NEW QUESTION 39

You need to provide a corporate user account in Google Cloud for each of your developers and operational staff who need direct access to GCP resources. Corporate policy requires you to maintain the user identity in a third-party identity management provider and leverage single sign-on. You learn that a significant number of users are using their corporate domain email addresses for personal Google accounts, and you need to follow Google recommended practices to convert existing unmanaged users to managed accounts. Which two actions should you take? (Choose two.)

- A. Use Google Cloud Directory Sync to synchronize your local identity management system to Cloud Identity.
- B. Use the Google Admin console to view which managed users are using a personal account for their recovery email.
- C. Add users to your managed Google account and force users to change the email addresses associated with their personal accounts.
- D. Use the Transfer Tool for Unmanaged Users (TTUU) to find users with conflicting accounts and ask them to transfer their personal Google accounts.
- E. Send an email to all of your employees and ask those users with corporate email addresses for personal Google accounts to delete the personal accounts immediately.

Answer: BE

NEW QUESTION 42

A customer's internal security team must manage its own encryption keys for encrypting data on Cloud Storage and decides to use customer-supplied encryption keys (CSEK). How should the team complete this task?

- A. Upload the encryption key to a Cloud Storage bucket, and then upload the object to the same bucket.
- B. Use the gsutil command line tool to upload the object to Cloud Storage, and specify the location of the encryption key.
- C. Generate an encryption key in the Google Cloud Platform Console, and upload an object to Cloud Storage using the specified key.
- D. Encrypt the object, then use the gsutil command line tool or the Google Cloud Platform Console to upload the object to Cloud Storage.

Answer: D

NEW QUESTION 46

A company has redundant mail servers in different Google Cloud Platform regions and wants to route customers to the nearest mail server based on location. How should the company accomplish this?

- A. Configure TCP Proxy Load Balancing as a global load balancing service listening on port 995.
- B. Create a Network Load Balancer to listen on TCP port 995 with a forwarding rule to forward traffic based on location.
- C. Use Cross-Region Load Balancing with an HTTP(S) load balancer to route traffic to the nearest region.
- D. Use Cloud CDN to route the mail traffic to the closest origin mail server based on client IP address.

Answer: D

NEW QUESTION 51

You want to limit the images that can be used as the source for boot disks. These images will be stored in a dedicated project. What should you do?

- A. Use the Organization Policy Service to create a compute.trustedImageProjects constraint on the organization leve
- B. List the trusted project as the whitelist in an allow operation.
- C. Use the Organization Policy Service to create a compute.trustedImageProjects constraint on the organization leve
- D. List the trusted projects as the exceptions in a deny operation.
- E. In Resource Manager, edit the project permissions for the trusted projec
- F. Add the organization as member with the role: Compute Image User.
- G. In Resource Manager, edit the organization permission
- H. Add the project ID as member with the role: Compute Image User.

Answer: B

NEW QUESTION 52

Which international compliance standard provides guidelines for information security controls applicable to the provision and use of cloud services?

- A. ISO 27001
- B. ISO 27002

- C. ISO 27017
- D. ISO 27018

Answer: C

Explanation:

Create a new Service Account that should be able to list the Compute Engine instances in the project. You want to follow Google-recommended practices.

NEW QUESTION 54

Your team uses a service account to authenticate data transfers from a given Compute Engine virtual machine instance of to a specified Cloud Storage bucket. An engineer accidentally deletes the service account, which breaks application functionality. You want to recover the application as quickly as possible without compromising security.

What should you do?

- A. Temporarily disable authentication on the Cloud Storage bucket.
- B. Use the undelete command to recover the deleted service account.
- C. Create a new service account with the same name as the deleted service account.
- D. Update the permissions of another existing service account and supply those credentials to the applications.

Answer: B

NEW QUESTION 57

An organization receives an increasing number of phishing emails.

Which method should be used to protect employee credentials in this situation?

- A. Multifactor Authentication
- B. A strict password policy
- C. Captcha on login pages
- D. Encrypted emails

Answer: D

NEW QUESTION 59

An organization is migrating from their current on-premises productivity software systems to G Suite. Some network security controls were in place that were mandated by a regulatory body in their region for their previous on-premises system. The organization's risk team wants to ensure that network security controls are maintained and effective in G Suite. A security architect supporting this migration has been asked to ensure that network security controls are in place as part of the new shared responsibility model between the organization and Google Cloud.

What solution would help meet the requirements?

- A. Ensure that firewall rules are in place to meet the required controls.
- B. Set up Cloud Armor to ensure that network security controls can be managed for G Suite.
- C. Network security is a built-in solution and Google's Cloud responsibility for SaaS products like G Suite.
- D. Set up an array of Virtual Private Cloud (VPC) networks to control network security as mandated by the relevant regulation.

Answer: B

NEW QUESTION 61

Your team wants to centrally manage GCP IAM permissions from their on-premises Active Directory Service. Your team wants to manage permissions by AD group membership.

What should your team do to meet these requirements?

- A. Set up Cloud Directory Sync to sync groups, and set IAM permissions on the groups.
- B. Set up SAML 2.0 Single Sign-On (SSO), and assign IAM permissions to the groups.
- C. Use the Cloud Identity and Access Management API to create groups and IAM permissions from Active Directory.
- D. Use the Admin SDK to create groups and assign IAM permissions from Active Directory.

Answer: B

NEW QUESTION 63

You are part of a security team that wants to ensure that a Cloud Storage bucket in Project A can only be readable from Project B. You also want to ensure that data in the Cloud Storage bucket cannot be accessed from or copied to Cloud Storage buckets outside the network, even if the user has the correct credentials. What should you do?

- A. Enable VPC Service Controls, create a perimeter with Project A and B, and include Cloud Storage service.
- B. Enable Domain Restricted Sharing Organization Policy and Bucket Policy Only on the Cloud Storage bucket.
- C. Enable Private Access in Project A and B networks with strict firewall rules to allow communication between the networks.
- D. Enable VPC Peering between Project A and B networks with strict firewall rules to allow communication between the networks.

Answer: B

NEW QUESTION 66

A manager wants to start retaining security event logs for 2 years while minimizing costs. You write a filter to select the appropriate log entries.

Where should you export the logs?

- A. BigQuery datasets
- B. Cloud Storage buckets
- C. StackDriver logging

D. Cloud Pub/Sub topics

Answer: C

NEW QUESTION 67

What are the steps to encrypt data using envelope encryption?

- A. Generate a data encryption key (DEK) locally. Use a key encryption key (KEK) to wrap the DE
- B. Encrypt data with the KE
- C. Store the encrypted data and the wrapped KEK.
- D. Generate a key encryption key (KEK) locally. Use the KEK to generate a data encryption key (DEK). Encrypt data with the DE
- E. Store the encrypted data and the wrapped DEK.
- F. Generate a data encryption key (DEK) locally. Encrypt data with the DEK. Use a key encryption key (KEK) to wrap the DE
- G. Store the encrypted data and the wrapped DEK.
- H. Generate a key encryption key (KEK) locally. Generate a data encryption key (DEK) locally
- I. Encrypt data with the KE
- J. Store the encrypted data and the wrapped DEK.

Answer: C

NEW QUESTION 69

Your team needs to prevent users from creating projects in the organization. Only the DevOps team should be allowed to create projects on behalf of the requester.

Which two tasks should your team perform to handle this request? (Choose two.)

- A. Remove all users from the Project Creator role at the organizational level.
- B. Create an Organization Policy constraint, and apply it at the organizational level.
- C. Grant the Project Editor role at the organizational level to a designated group of users.
- D. Add a designated group of users to the Project Creator role at the organizational level.
- E. Grant the billing account creator role to the designated DevOps team.

Answer: BD

NEW QUESTION 70

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

Professional-Cloud-Security-Engineer Practice Exam Features:

- * Professional-Cloud-Security-Engineer Questions and Answers Updated Frequently
- * Professional-Cloud-Security-Engineer Practice Questions Verified by Expert Senior Certified Staff
- * Professional-Cloud-Security-Engineer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * Professional-Cloud-Security-Engineer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The Professional-Cloud-Security-Engineer Practice Test Here](https://www.surepassexam.com/Professional-Cloud-Security-Engineer-exam-dumps.html)