

Exam Questions Professional-Data-Engineer

Google Professional Data Engineer Exam

<https://www.2passeasy.com/dumps/Professional-Data-Engineer/>



NEW QUESTION 1

- (Exam Topic 1)

You are building new real-time data warehouse for your company and will use Google BigQuery streaming inserts. There is no guarantee that data will only be sent in once but you do have a unique ID for each row of data and an event timestamp. You want to ensure that duplicates are not included while interactively querying data. Which query type should you use?

- A. Include ORDER BY DESK on timestamp column and LIMIT to 1.
- B. Use GROUP BY on the unique ID column and timestamp column and SUM on the values.
- C. Use the LAG window function with PARTITION by unique ID along with WHERE LAG IS NOT NULL.
- D. Use the ROW_NUMBER window function with PARTITION by unique ID along with WHERE row equals 1.

Answer: D

NEW QUESTION 2

- (Exam Topic 1)

Your company is migrating their 30-node Apache Hadoop cluster to the cloud. They want to re-use Hadoop jobs they have already created and minimize the management of the cluster as much as possible. They also want to be able to persist data beyond the life of the cluster. What should you do?

- A. Create a Google Cloud Dataflow job to process the data.
- B. Create a Google Cloud Dataproc cluster that uses persistent disks for HDFS.
- C. Create a Hadoop cluster on Google Compute Engine that uses persistent disks.
- D. Create a Cloud Dataproc cluster that uses the Google Cloud Storage connector.
- E. Create a Hadoop cluster on Google Compute Engine that uses Local SSD disks.

Answer: A

NEW QUESTION 3

- (Exam Topic 1)

You want to process payment transactions in a point-of-sale application that will run on Google Cloud Platform. Your user base could grow exponentially, but you do not want to manage infrastructure scaling. Which Google database service should you use?

- A. Cloud SQL
- B. BigQuery
- C. Cloud Bigtable
- D. Cloud Datastore

Answer: A

NEW QUESTION 4

- (Exam Topic 1)

Business owners at your company have given you a database of bank transactions. Each row contains the user ID, transaction type, transaction location, and transaction amount. They ask you to investigate what type of machine learning can be applied to the data. Which three machine learning applications can you use? (Choose three.)

- A. Supervised learning to determine which transactions are most likely to be fraudulent.
- B. Unsupervised learning to determine which transactions are most likely to be fraudulent.
- C. Clustering to divide the transactions into N categories based on feature similarity.
- D. Supervised learning to predict the location of a transaction.
- E. Reinforcement learning to predict the location of a transaction.
- F. Unsupervised learning to predict the location of a transaction.

Answer: BCE

NEW QUESTION 5

- (Exam Topic 1)

You designed a database for patient records as a pilot project to cover a few hundred patients in three clinics. Your design used a single database table to represent all patients and their visits, and you used self-joins to generate reports. The server resource utilization was at 50%. Since then, the scope of the project has expanded. The database must now store 100 times more patient records. You can no longer run the reports, because they either take too long or they encounter errors with insufficient compute resources. How should you adjust the database design?

- A. Add capacity (memory and disk space) to the database server by the order of 200.
- B. Shard the tables into smaller ones based on date ranges, and only generate reports with prespecified date ranges.
- C. Normalize the master patient-record table into the patient table and the visits table, and create other necessary tables to avoid self-join.
- D. Partition the table into smaller tables, with one for each clinic.
- E. Run queries against the smaller table pairs, and use unions for consolidated reports.

Answer: B

NEW QUESTION 6

- (Exam Topic 1)

Your company is performing data preprocessing for a learning algorithm in Google Cloud Dataflow. Numerous data logs are being generated during this step, and the team wants to analyze them. Due to the dynamic nature of the campaign, the data is growing exponentially every hour.

The data scientists have written the following code to read the data for a new key features in the logs. BigQueryIO.Read

```
.named("ReadLogData")
```

```
.from("clouddataflow-readonly:samples.log_data")
```

You want to improve the performance of this data read. What should you do?

- A. Specify the TableReference object in the code.
- B. Use .fromQuery operation to read specific fields from the table.
- C. Use of both the Google BigQuery TableSchema and TableFieldSchema classes.
- D. Call a transform that returns TableRow objects, where each element in the PCollection represents a single row in the table.

Answer: D

NEW QUESTION 7

- (Exam Topic 1)

Your company's on-premises Apache Hadoop servers are approaching end-of-life, and IT has decided to migrate the cluster to Google Cloud Dataproc. A like-for-like migration of the cluster would require 50 TB of Google Persistent Disk per node. The CIO is concerned about the cost of using that much block storage. You want to minimize the storage cost of the migration. What should you do?

- A. Put the data into Google Cloud Storage.
- B. Use preemptible virtual machines (VMs) for the Cloud Dataproc cluster.
- C. Tune the Cloud Dataproc cluster so that there is just enough disk for all data.
- D. Migrate some of the cold data into Google Cloud Storage, and keep only the hot data in Persistent Disk.

Answer: B

NEW QUESTION 8

- (Exam Topic 1)

Your company is using WHILECARD tables to query data across multiple tables with similar names. The SQL statement is currently failing with the following error:

Syntax error : Expected end of statement but got "-" at [4:11] SELECT age

FROM

bigquery-public-data.noaa_gsod.gsod WHERE

age != 99

AND_TABLE_SUFFIX = '1929' ORDER BY

age DESC

Which table name will make the SQL statement work correctly?

- A. 'bigquery-public-data.noaa_gsod.gsod'
- B. bigquery-public-data.noaa_gsod.gsod*
- C. 'bigquery-public-data.noaa_gsod.gsod'*
- D. 'bigquery-public-data.noaa_gsod.gsod'*`

Answer: D

NEW QUESTION 9

- (Exam Topic 1)

You need to store and analyze social media postings in Google BigQuery at a rate of 10,000 messages per minute in near real-time. Initially, design the application to use streaming inserts for individual postings. Your application also performs data aggregations right after the streaming inserts. You discover that the queries after streaming inserts do not exhibit strong consistency, and reports from the queries might miss in-flight data. How can you adjust your application design?

- A. Re-write the application to load accumulated data every 2 minutes.
- B. Convert the streaming insert code to batch load for individual messages.
- C. Load the original message to Google Cloud SQL, and export the table every hour to BigQuery via streaming inserts.
- D. Estimate the average latency for data availability after streaming inserts, and always run queries after waiting twice as long.

Answer: A

NEW QUESTION 10

- (Exam Topic 2)

Flowlogistic's management has determined that the current Apache Kafka servers cannot handle the data volume for their real-time inventory tracking system.

You need to build a new system on Google Cloud Platform (GCP) that will feed the proprietary tracking software. The system must be able to ingest data from a variety of global sources, process and query in real-time, and store the data reliably. Which combination of GCP products should you choose?

- A. Cloud Pub/Sub, Cloud Dataflow, and Cloud Storage
- B. Cloud Pub/Sub, Cloud Dataflow, and Local SSD
- C. Cloud Pub/Sub, Cloud SQL, and Cloud Storage
- D. Cloud Load Balancing, Cloud Dataflow, and Cloud Storage

Answer: C

NEW QUESTION 10

- (Exam Topic 3)

MJTelco is building a custom interface to share data. They have these requirements:

▶ They need to do aggregations over their petabyte-scale datasets.

▶ They need to scan specific time range rows with a very fast response time (milliseconds). Which combination of Google Cloud Platform products should you recommend?

- A. Cloud Datastore and Cloud Bigtable
- B. Cloud Bigtable and Cloud SQL
- C. BigQuery and Cloud Bigtable
- D. BigQuery and Cloud Storage

Answer: C

NEW QUESTION 13

- (Exam Topic 4)

You work for a large fast food restaurant chain with over 400,000 employees. You store employee information in Google BigQuery in a Users table consisting of a FirstName field and a LastName field. A member of IT is building an application and asks you to modify the schema and data in BigQuery so the application can query a FullName field consisting of the value of the FirstName field concatenated with a space, followed by the value of the LastName field for each employee. How can you make that data available while minimizing cost?

- A. Create a view in BigQuery that concatenates the FirstName and LastName field values to produce the FullName.
- B. Add a new column called FullName to the Users tabl
- C. Run an UPDATE statement that updates the FullName column for each user with the concatenation of the FirstName and LastName values.
- D. Create a Google Cloud Dataflow job that queries BigQuery for the entire Users table, concatenates the FirstName value and LastName value for each user, and loads the proper values for FirstName, LastName, and FullName into a new table in BigQuery.
- E. Use BigQuery to export the data for the table to a CSV fil
- F. Create a Google Cloud Dataproc job to process the CSV file and output a new CSV file containing the proper values for FirstName, LastName and FullNam
- G. Run a BigQuery load job to load the new CSV file into BigQuery.

Answer: C

NEW QUESTION 14

- (Exam Topic 4)

Your company produces 20,000 files every hour. Each data file is formatted as a comma separated values (CSV) file that is less than 4 KB. All files must be ingested on Google Cloud Platform before they can be processed. Your company site has a 200 ms latency to Google Cloud, and your Internet connection bandwidth is limited as 50 Mbps. You currently deploy a secure FTP (SFTP) server on a virtual machine in Google Compute Engine as the data ingestion point. A local SFTP client runs on a dedicated machine to transmit the CSV files as is. The goal is to make reports with data from the previous day available to the executives by 10:00 a.m. each day. This design is barely able to keep up with the current volume, even though the bandwidth utilization is rather low. You are told that due to seasonality, your company expects the number of files to double for the next three months. Which two actions should you take? (choose two.)

- A. Introduce data compression for each file to increase the rate file of file transfer.
- B. Contact your internet service provider (ISP) to increase your maximum bandwidth to at least 100 Mbps.
- C. Redesign the data ingestion process to use gsutil tool to send the CSV files to a storage bucket in parallel.
- D. Assemble 1,000 files into a tape archive (TAR) fil
- E. Transmit the TAR files instead, and disassemble the CSV files in the cloud upon receiving them.
- F. Create an S3-compatible storage endpoint in your network, and use Google Cloud Storage Transfer Service to transfer on-premices data to the designated storage bucket.

Answer: CE

NEW QUESTION 16

- (Exam Topic 4)

You are designing the database schema for a machine learning-based food ordering service that will predict what users want to eat. Here is some of the information you need to store:

- ☒ The user profile: What the user likes and doesn't like to eat
- ☒ The user account information: Name, address, preferred meal times
- ☒ The order information: When orders are made, from where, to whom

The database will be used to store all the transactional data of the product. You want to optimize the data schema. Which Google Cloud Platform product should you use?

- A. BigQuery
- B. Cloud SQL
- C. Cloud Bigtable
- D. Cloud Datastore

Answer: A

NEW QUESTION 17

- (Exam Topic 5)

When you design a Google Cloud Bigtable schema it is recommended that you .

- A. Avoid schema designs that are based on NoSQL concepts
- B. Create schema designs that are based on a relational database design
- C. Avoid schema designs that require atomicity across rows
- D. Create schema designs that require atomicity across rows

Answer: C

Explanation:

All operations are atomic at the row level. For example, if you update two rows in a table, it's possible that one row will be updated successfully and the other update will fail. Avoid schema designs that require atomicity across rows.

Reference: <https://cloud.google.com/bigtable/docs/schema-design#row-keys>

NEW QUESTION 19

- (Exam Topic 5)

Which of the following job types are supported by Cloud Dataproc (select 3 answers)?

- A. Hive
- B. Pig
- C. YARN
- D. Spark

Answer: ABD

Explanation:

Cloud Dataproc provides out-of-the box and end-to-end support for many of the most popular job types, including Spark, Spark SQL, PySpark, MapReduce, Hive, and Pig jobs.

Reference: https://cloud.google.com/dataproc/docs/resources/faq#what_type_of_jobs_can_i_run

NEW QUESTION 24

- (Exam Topic 5)

Why do you need to split a machine learning dataset into training data and test data?

- A. So you can try two different sets of features
- B. To make sure your model is generalized for more than just the training data
- C. To allow you to create unit tests in your code
- D. So you can use one dataset for a wide model and one for a deep model

Answer: B

Explanation:

The flaw with evaluating a predictive model on training data is that it does not inform you on how well the model has generalized to new unseen data. A model that is selected for its accuracy on the training dataset rather than its accuracy on an unseen test dataset is very likely to have lower accuracy on an unseen test dataset. The reason is that the model is not as generalized. It has specialized to the structure in the training dataset. This is called overfitting.

Reference: <https://machinelearningmastery.com/a-simple-intuition-for-overfitting/>

NEW QUESTION 28

- (Exam Topic 5)

All Google Cloud Bigtable client requests go through a front-end server they are sent to a Cloud Bigtable node.

- A. before
- B. after
- C. only if
- D. once

Answer: A

Explanation:

In a Cloud Bigtable architecture all client requests go through a front-end server before they are sent to a Cloud Bigtable node.

The nodes are organized into a Cloud Bigtable cluster, which belongs to a Cloud Bigtable instance, which is a container for the cluster. Each node in the cluster handles a subset of the requests to the cluster.

When additional nodes are added to a cluster, you can increase the number of simultaneous requests that the cluster can handle, as well as the maximum throughput for the entire cluster.

Reference: <https://cloud.google.com/bigtable/docs/overview>

NEW QUESTION 32

- (Exam Topic 5)

What is the recommended action to do in order to switch between SSD and HDD storage for your Google Cloud Bigtable instance?

- A. create a third instance and sync the data from the two storage types via batch jobs
- B. export the data from the existing instance and import the data into a new instance
- C. run parallel instances where one is HDD and the other is SDD
- D. the selection is final and you must resume using the same storage type

Answer: B

Explanation:

When you create a Cloud Bigtable instance and cluster, your choice of SSD or HDD storage for the cluster is permanent. You cannot use the Google Cloud Platform Console to change the type of storage that is used for the cluster.

If you need to convert an existing HDD cluster to SSD, or vice-versa, you can export the data from the existing instance and import the data into a new instance.

Alternatively, you can write

a Cloud Dataflow or Hadoop MapReduce job that copies the data from one instance to another. Reference: <https://cloud.google.com/bigtable/docs/choosing-ssd-hdd->

NEW QUESTION 34

- (Exam Topic 5)

Which of these operations can you perform from the BigQuery Web UI?

- A. Upload a file in SQL format.
- B. Load data with nested and repeated fields.
- C. Upload a 20 MB file.
- D. Upload multiple files using a wildcard.

Answer: B

Explanation:

You can load data with nested and repeated fields using the Web UI. You cannot use the Web UI to:

- Upload a file greater than 10 MB in size
- Upload multiple files at the same time
- Upload a file in SQL format

All three of the above operations can be performed using the "bq" command. Reference: <https://cloud.google.com/bigquery/loading-data>

NEW QUESTION 37

- (Exam Topic 5)

Which of these rules apply when you add preemptible workers to a Dataproc cluster (select 2 answers)?

- A. Preemptible workers cannot use persistent disk.
- B. Preemptible workers cannot store data.
- C. If a preemptible worker is reclaimed, then a replacement worker must be added manually.
- D. A Dataproc cluster cannot have only preemptible workers.

Answer: BD

Explanation:

The following rules will apply when you use preemptible workers with a Cloud Dataproc cluster: Processing only—Since preemptibles can be reclaimed at any time, preemptible workers do not store data.

Preemptibles added to a Cloud Dataproc cluster only function as processing nodes.

No preemptible-only clusters—To ensure clusters do not lose all workers, Cloud Dataproc cannot create preemptible-only clusters.

Persistent disk size—As a default, all preemptible workers are created with the smaller of 100GB or the primary worker boot disk size. This disk space is used for local caching of data and is not available through HDFS.

The managed group automatically re-adds workers lost due to reclamation as capacity permits. Reference:

<https://cloud.google.com/dataproc/docs/concepts/preemptible-vms>

NEW QUESTION 38

- (Exam Topic 5)

When running a pipeline that has a BigQuery source, on your local machine, you continue to get permission denied errors. What could be the reason for that?

- A. Your gcloud does not have access to the BigQuery resources
- B. BigQuery cannot be accessed from local machines
- C. You are missing gcloud on your machine
- D. Pipelines cannot be run locally

Answer: A

Explanation:

When reading from a Dataflow source or writing to a Dataflow sink using DirectPipelineRunner, the Cloud Platform account that you configured with the gcloud executable will need access to the corresponding source/sink

Reference:

<https://cloud.google.com/dataflow/java-sdk/JavaDoc/com/google/cloud/dataflow/sdk/runners/DirectPipelineRun>

NEW QUESTION 41

- (Exam Topic 5)

What Dataflow concept determines when a Window's contents should be output based on certain criteria being met?

- A. Sessions
- B. OutputCriteria
- C. Windows
- D. Triggers

Answer: D

Explanation:

Triggers control when the elements for a specific key and window are output. As elements arrive, they are put into one or more windows by a Window transform and its associated WindowFn, and then passed to the associated Trigger to determine if the Windows contents should be output.

Reference:

<https://cloud.google.com/dataflow/java-sdk/JavaDoc/com/google/cloud/dataflow/sdk/transforms/windowing/Tri>

NEW QUESTION 45

- (Exam Topic 5)

Which of the following is NOT one of the three main types of triggers that Dataflow supports?

- A. Trigger based on element size in bytes
- B. Trigger that is a combination of other triggers
- C. Trigger based on element count
- D. Trigger based on time

Answer: A

Explanation:

There are three major kinds of triggers that Dataflow supports: 1. Time-based triggers 2. Data-driven triggers. You can set a trigger to emit results from a window when that window has received a certain number of data elements. 3. Composite triggers. These triggers combine multiple time-based or data-driven triggers in some logical way

Reference: <https://cloud.google.com/dataflow/model/triggers>

NEW QUESTION 48

- (Exam Topic 5)

Which Google Cloud Platform service is an alternative to Hadoop with Hive?

- A. Cloud Dataflow
- B. Cloud Bigtable
- C. BigQuery
- D. Cloud Datastore

Answer: C

Explanation:

Apache Hive is a data warehouse software project built on top of Apache Hadoop for providing data summarization, query, and analysis.

Google BigQuery is an enterprise data warehouse. Reference: https://en.wikipedia.org/wiki/Apache_Hive

NEW QUESTION 52

- (Exam Topic 5)

Which of these statements about exporting data from BigQuery is false?

- A. To export more than 1 GB of data, you need to put a wildcard in the destination filename.
- B. The only supported export destination is Google Cloud Storage.
- C. Data can only be exported in JSON or Avro format.
- D. The only compression option available is GZIP.

Answer: C

Explanation:

Data can be exported in CSV, JSON, or Avro format. If you are exporting nested or repeated data, then CSV format is not supported.

Reference: <https://cloud.google.com/bigquery/docs/exporting-data>

NEW QUESTION 56

- (Exam Topic 5)

How can you get a neural network to learn about relationships between categories in a categorical feature?

- A. Create a multi-hot column
- B. Create a one-hot column
- C. Create a hash bucket
- D. Create an embedding column

Answer: D

Explanation:

There are two problems with one-hot encoding. First, it has high dimensionality, meaning that instead of having just one value, like a continuous feature, it has many values, or dimensions. This makes computation more time-consuming, especially if a feature has a very large number of categories. The second problem is that it doesn't encode any relationships between the categories. They are completely independent from each other, so the network has no way of knowing which ones are similar to each other.

Both of these problems can be solved by representing a categorical feature with an embedding

column. The idea is that each category has a smaller vector with, let's say, 5 values in it. But unlike a one-hot vector, the values are not usually 0. The values are weights, similar to the weights that are used for basic features in a neural network. The difference is that each category has a set of weights (5 of them in this case).

You can think of each value in the embedding vector as a feature of the category. So, if two categories are very similar to each other, then their embedding vectors should be very similar too.

Reference:

<https://cloudacademy.com/google/introduction-to-google-cloud-machine-learning-engine-course/a-wide-and-dee>

NEW QUESTION 60

- (Exam Topic 5)

What are two of the benefits of using denormalized data structures in BigQuery?

- A. Reduces the amount of data processed, reduces the amount of storage required
- B. Increases query speed, makes queries simpler
- C. Reduces the amount of storage required, increases query speed
- D. Reduces the amount of data processed, increases query speed

Answer: B

Explanation:

Denormalization increases query speed for tables with billions of rows because BigQuery's performance degrades when doing JOINS on large tables, but with a denormalized data

structure, you don't have to use JOINS, since all of the data has been combined into one table. Denormalization also makes queries simpler because you do not have to use JOIN clauses.

Denormalization increases the amount of data processed and the amount of storage required because it creates redundant data.

Reference:

https://cloud.google.com/solutions/bigquery-data-warehouse#denormalizing_data

NEW QUESTION 61

- (Exam Topic 5)

Which of the following statements is NOT true regarding Bigtable access roles?

- A. Using IAM roles, you cannot give a user access to only one table in a project, rather than all tables in a project.
- B. To give a user access to only one table in a project, grant the user the Bigtable Editor role for that table.
- C. You can configure access control only at the project level.
- D. To give a user access to only one table in a project, you must configure access through your application.

Answer: B

Explanation:

For Cloud Bigtable, you can configure access control at the project level. For example, you can grant the ability to:
Read from, but not write to, any table within the project.

Read from and write to any table within the project, but not manage instances. Read from and write to any table within the project, and manage instances.

Reference: <https://cloud.google.com/bigtable/docs/access-control>

NEW QUESTION 64

- (Exam Topic 5)

Which of these sources can you not load data into BigQuery from?

- A. File upload
- B. Google Drive
- C. Google Cloud Storage
- D. Google Cloud SQL

Answer: D

Explanation:

You can load data into BigQuery from a file upload, Google Cloud Storage, Google Drive, or Google Cloud Bigtable. It is not possible to load data into BigQuery directly from Google Cloud SQL. One way to get data from Cloud SQL to BigQuery would be to export data from Cloud SQL to Cloud Storage and then load it from there.

Reference: <https://cloud.google.com/bigquery/loading-data>

NEW QUESTION 67

- (Exam Topic 5)

Google Cloud Bigtable indexes a single value in each row. This value is called the .

- A. primary key
- B. unique key
- C. row key
- D. master key

Answer: C

Explanation:

Cloud Bigtable is a sparsely populated table that can scale to billions of rows and thousands of columns, allowing you to store terabytes or even petabytes of data. A single value in each row is indexed; this value is known as the row key.

Reference: <https://cloud.google.com/bigtable/docs/overview>

NEW QUESTION 70

- (Exam Topic 5)

Which of the following is not true about Dataflow pipelines?

- A. Pipelines are a set of operations
- B. Pipelines represent a data processing job
- C. Pipelines represent a directed graph of steps
- D. Pipelines can share data between instances

Answer: D

Explanation:

The data and transforms in a pipeline are unique to, and owned by, that pipeline. While your program can create multiple pipelines, pipelines cannot share data or transforms

Reference: <https://cloud.google.com/dataflow/model/pipelines>

NEW QUESTION 72

- (Exam Topic 5)

How would you query specific partitions in a BigQuery table?

- A. Use the DAY column in the WHERE clause
- B. Use the EXTRACT(DAY) clause
- C. Use the PARTITIONTIME pseudo-column in the WHERE clause
- D. Use DATE BETWEEN in the WHERE clause

Answer: C

Explanation:

Partitioned tables include a pseudo column named `_PARTITIONTIME` that contains a date-based timestamp for data loaded into the table. To limit a query to particular partitions (such as Jan 1st and 2nd of 2017), use a clause similar to this:

`WHERE _PARTITIONTIME BETWEEN TIMESTAMP('2017-01-01') AND TIMESTAMP('2017-01-02')`

Reference: https://cloud.google.com/bigquery/docs/partitioned-tables#the_partitiontime_pseudo_column

NEW QUESTION 75

- (Exam Topic 5)

Scaling a Cloud Dataproc cluster typically involves .

- A. increasing or decreasing the number of worker nodes
- B. increasing or decreasing the number of master nodes
- C. moving memory to run more applications on a single node
- D. deleting applications from unused nodes periodically

Answer: A

Explanation:

After creating a Cloud Dataproc cluster, you can scale the cluster by increasing or decreasing the number of worker nodes in the cluster at any time, even when jobs are running on the cluster. Cloud Dataproc clusters are typically scaled to:

- 1) increase the number of workers to make a job run faster
- 2) decrease the number of workers to save money
- 3) increase the number of nodes to expand available Hadoop Distributed Filesystem (HDFS) storage Reference: <https://cloud.google.com/dataproc/docs/concepts/scaling-clusters>

NEW QUESTION 76

- (Exam Topic 5)

When you store data in Cloud Bigtable, what is the recommended minimum amount of stored data?

- A. 500 TB
- B. 1 GB
- C. 1 TB
- D. 500 GB

Answer: C

Explanation:

Cloud Bigtable is not a relational database. It does not support SQL queries, joins, or multi-row transactions. It is not a good solution for less than 1 TB of data.

Reference: https://cloud.google.com/bigtable/docs/overview#title_short_and_other_storage_options

NEW QUESTION 77

- (Exam Topic 5)

The Dataflow SDKs have been recently transitioned into which Apache service?

- A. Apache Spark
- B. Apache Hadoop
- C. Apache Kafka
- D. Apache Beam

Answer: D

Explanation:

Dataflow SDKs are being transitioned to Apache Beam, as per the latest Google directive Reference: <https://cloud.google.com/dataflow/docs/>

NEW QUESTION 80

- (Exam Topic 5)

What are the minimum permissions needed for a service account used with Google Dataproc?

- A. Execute to Google Cloud Storage; write to Google Cloud Logging
- B. Write to Google Cloud Storage; read to Google Cloud Logging
- C. Execute to Google Cloud Storage; execute to Google Cloud Logging
- D. Read and write to Google Cloud Storage; write to Google Cloud Logging

Answer: D

Explanation:

Service accounts authenticate applications running on your virtual machine instances to other Google Cloud Platform services. For example, if you write an application that reads and writes files on Google Cloud Storage, it must first authenticate to the Google Cloud Storage API. At a minimum, service accounts used with Cloud Dataproc need permissions to read and write to Google Cloud Storage, and to write to Google Cloud Logging.

Reference: https://cloud.google.com/dataproc/docs/concepts/service-accounts#important_notes

NEW QUESTION 83

- (Exam Topic 5)

In order to securely transfer web traffic data from your computer's web browser to the Cloud Dataproc cluster you should use a(n) .

- A. VPN connection
- B. Special browser
- C. SSH tunnel
- D. FTP connection

Answer: C

Explanation:

To connect to the web interfaces, it is recommended to use an SSH tunnel to create a secure connection to the master node.

Reference:

https://cloud.google.com/dataproc/docs/concepts/cluster-web-interfaces#connecting_to_the_web_interfaces

NEW QUESTION 86

- (Exam Topic 5)

Which of the following are feature engineering techniques? (Select 2 answers)

- A. Hidden feature layers
- B. Feature prioritization
- C. Crossed feature columns
- D. Bucketization of a continuous feature

Answer: CD

Explanation:

Selecting and crafting the right set of feature columns is key to learning an effective model. Bucketization is a process of dividing the entire range of a continuous feature into a set of consecutive

bins/buckets, and then converting the original numerical feature into a bucket ID (as a categorical feature) depending on which bucket that value falls into.

Using each base feature column separately may not be enough to explain the data. To learn the differences between different feature combinations, we can add crossed feature columns to the model.

Reference: https://www.tensorflow.org/tutorials/wide#selecting_and_engineering_features_for_the_model

NEW QUESTION 89

- (Exam Topic 5)

You have a job that you want to cancel. It is a streaming pipeline, and you want to ensure that any data that is in-flight is processed and written to the output.

Which of the following commands can you use on the Dataflow monitoring console to stop the pipeline job?

- A. Cancel
- B. Drain
- C. Stop
- D. Finish

Answer: B

Explanation:

Using the Drain option to stop your job tells the Dataflow service to finish your job in its current state. Your job will immediately stop ingesting new data from input sources, but the Dataflow

service will preserve any existing resources (such as worker instances) to finish processing and writing any buffered data in your pipeline.

Reference: <https://cloud.google.com/dataflow/pipelines/stopping-a-pipeline>

NEW QUESTION 92

- (Exam Topic 5)

By default, which of the following windowing behavior does Dataflow apply to unbounded data sets?

- A. Windows at every 100 MB of data
- B. Single, Global Window
- C. Windows at every 1 minute
- D. Windows at every 10 minutes

Answer: B

Explanation:

Dataflow's default windowing behavior is to assign all elements of a PCollection to a single, global window, even for unbounded PCollections

Reference: <https://cloud.google.com/dataflow/model/pcollection>

NEW QUESTION 94

- (Exam Topic 5)

Which of the following is NOT a valid use case to select HDD (hard disk drives) as the storage for Google Cloud Bigtable?

- A. You expect to store at least 10 TB of data.
- B. You will mostly run batch workloads with scans and writes, rather than frequently executing random reads of a small number of rows.
- C. You need to integrate with Google BigQuery.
- D. You will not use the data to back a user-facing or latency-sensitive application.

Answer: C

Explanation:

For example, if you plan to store extensive historical data for a large number of remote-sensing devices and then use the data to generate daily reports, the cost savings for HDD storage may justify the performance tradeoff. On the other hand, if you plan to use the data to display a real-time dashboard, it probably would not make sense to use HDD storage—reads would be much more frequent in this case, and reads are much slower with HDD storage.

Reference: <https://cloud.google.com/bigtable/docs/choosing-ssd-hdd>

NEW QUESTION 97

- (Exam Topic 5)

For the best possible performance, what is the recommended zone for your Compute Engine instance and Cloud Bigtable instance?

- A. Have the Compute Engine instance in the furthest zone from the Cloud Bigtable instance.

- B. Have both the Compute Engine instance and the Cloud Bigtable instance to be in different zones.
- C. Have both the Compute Engine instance and the Cloud Bigtable instance to be in the same zone.
- D. Have the Cloud Bigtable instance to be in the same zone as all of the consumers of your data.

Answer: C

Explanation:

It is recommended to create your Compute Engine instance in the same zone as your Cloud Bigtable instance for the best possible performance, If it's not possible to create a instance in the same zone, you should create your instance in another zone within the same region. For example, if your Cloud Bigtable instance is located in us-central1-b, you could create your instance in us-central1-f. This change may result in several milliseconds of additional latency for each Cloud Bigtable request.

It is recommended to avoid creating your Compute Engine instance in a different region from your Cloud Bigtable instance, which can add hundreds of milliseconds of latency to each Cloud Bigtable request.

Reference: <https://cloud.google.com/bigtable/docs/creating-compute-instance>

NEW QUESTION 98

- (Exam Topic 5)

When a Cloud Bigtable node fails, is lost.

- A. all data
- B. no data
- C. the last transaction
- D. the time dimension

Answer: B

Explanation:

A Cloud Bigtable table is sharded into blocks of contiguous rows, called tablets, to help balance the workload of queries. Tablets are stored on Colossus, Google's file system, in SSTable format. Each tablet is associated with a specific Cloud Bigtable node.

Data is never stored in Cloud Bigtable nodes themselves; each node has pointers to a set of tablets that are stored on Colossus. As a result:

Rebalancing tablets from one node to another is very fast, because the actual data is not copied. Cloud Bigtable simply updates the pointers for each node.

Recovery from the failure of a Cloud Bigtable node is very fast, because only metadata needs to be migrated to the replacement node.

When a Cloud Bigtable node fails, no data is lost Reference: <https://cloud.google.com/bigtable/docs/overview>

NEW QUESTION 99

- (Exam Topic 5)

Cloud Dataproc charges you only for what you really use with billing.

- A. month-by-month
- B. minute-by-minute
- C. week-by-week
- D. hour-by-hour

Answer: B

Explanation:

One of the advantages of Cloud Dataproc is its low cost. Dataproc charges for what you really use with minute-by-minute billing and a low, ten-minute-minimum billing period.

Reference: <https://cloud.google.com/dataproc/docs/concepts/overview>

NEW QUESTION 103

- (Exam Topic 5)

Cloud Dataproc is a managed Apache Hadoop and Apache service.

- A. Blaze
- B. Spark
- C. Fire
- D. Ignite

Answer: B

Explanation:

Cloud Dataproc is a managed Apache Spark and Apache Hadoop service that lets you use open source data tools for batch processing, querying, streaming, and machine learning.

Reference: <https://cloud.google.com/dataproc/docs/>

NEW QUESTION 107

- (Exam Topic 5)

You are developing a software application using Google's Dataflow SDK, and want to use conditional, for loops and other complex programming structures to create a branching pipeline. Which component will be used for the data processing operation?

- A. PCollection
- B. Transform
- C. Pipeline
- D. Sink API

Answer: B

Explanation:

In Google Cloud, the Dataflow SDK provides a transform component. It is responsible for the data processing operation. You can use conditional, for loops, and other complex programming structure to create a branching pipeline.

Reference: <https://cloud.google.com/dataflow/model/programming-model>

NEW QUESTION 109

- (Exam Topic 5)

Which of the following statements about the Wide & Deep Learning model are true? (Select 2 answers.)

- A. The wide model is used for memorization, while the deep model is used for generalization.
- B. A good use for the wide and deep model is a recommender system.
- C. The wide model is used for generalization, while the deep model is used for memorization.
- D. A good use for the wide and deep model is a small-scale linear regression problem.

Answer: AB

Explanation:

Can we teach computers to learn like humans do, by combining the power of memorization and generalization? It's not an easy question to answer, but by jointly training a wide linear model (for memorization) alongside a deep neural network (for generalization), one can combine the strengths of both to bring us one step closer. At Google, we call it Wide & Deep Learning. It's useful for generic large-scale regression and classification problems with sparse inputs (categorical features with a large number of possible feature values), such as recommender systems, search, and ranking problems.

Reference: <https://research.googleblog.com/2016/06/wide-deep-learning-better-together-with.html>

NEW QUESTION 114

- (Exam Topic 5)

Which of the following is NOT true about Dataflow pipelines?

- A. Dataflow pipelines are tied to Dataflow, and cannot be run on any other runner
- B. Dataflow pipelines can consume data from other Google Cloud services
- C. Dataflow pipelines can be programmed in Java
- D. Dataflow pipelines use a unified programming model, so can work both with streaming and batch data sources

Answer: A

Explanation:

Dataflow pipelines can also run on alternate runtimes like Spark and Flink, as they are built using the Apache Beam SDKs

Reference: <https://cloud.google.com/dataflow/>

NEW QUESTION 116

- (Exam Topic 5)

Which is the preferred method to use to avoid hotspotting in time series data in Bigtable?

- A. Field promotion
- B. Randomization
- C. Salting
- D. Hashing

Answer: A

Explanation:

By default, prefer field promotion. Field promotion avoids hotspotting in almost all cases, and it tends to make it easier to design a row key that facilitates queries.

Reference:

https://cloud.google.com/bigtable/docs/schema-design-time-series#ensure_that_your_row_key_avoids_hotspotti

NEW QUESTION 121

- (Exam Topic 5)

Which software libraries are supported by Cloud Machine Learning Engine?

- A. Theano and TensorFlow
- B. Theano and Torch
- C. TensorFlow
- D. TensorFlow and Torch

Answer: C

Explanation:

Cloud ML Engine mainly does two things:

Enables you to train machine learning models at scale by running TensorFlow training applications in the cloud.

Hosts those trained models for you in the cloud so that you can use them to get predictions about new data.

Reference: https://cloud.google.com/ml-engine/docs/technical-overview#what_it_does

NEW QUESTION 126

- (Exam Topic 5)

Suppose you have a table that includes a nested column called "city" inside a column called "person", but when you try to submit the following query in BigQuery, it gives you an error.

```
SELECT person FROM `project1.example.table1` WHERE city = "London"
```

How would you correct the error?

- A. Add ", UNNEST(person)" before the WHERE clause.

- B. Change "person" to "person.city".
- C. Change "person" to "city.person".
- D. Add ", UNNEST(city)" before the WHERE clause.

Answer: A

Explanation:

To access the person.city column, you need to "UNNEST(person)" and JOIN it to table1 using a comma. Reference:
https://cloud.google.com/bigquery/docs/reference/standard-sql/migrating-from-legacy-sql#nested_repeated_resu

NEW QUESTION 127

- (Exam Topic 5)

Which of the following is not possible using primitive roles?

- A. Give a user viewer access to BigQuery and owner access to Google Compute Engine instances.
- B. Give UserA owner access and UserB editor access for all datasets in a project.
- C. Give a user access to view all datasets in a project, but not run queries on them.
- D. Give GroupA owner access and GroupB editor access for all datasets in a project.

Answer: C

Explanation:

Primitive roles can be used to give owner, editor, or viewer access to a user or group, but they can't be used to separate data access permissions from job-running permissions.

Reference: https://cloud.google.com/bigquery/docs/access-control#primitive_iam_roles

NEW QUESTION 129

- (Exam Topic 6)

You are running a pipeline in Cloud Dataflow that receives messages from a Cloud Pub/Sub topic and writes the results to a BigQuery dataset in the EU. Currently, your pipeline is located in europe-west4 and has a maximum of 3 workers, instance type n1-standard-1. You notice that during peak periods, your pipeline is struggling to process records in a timely fashion, when all 3 workers are at maximum CPU utilization. Which two actions can you take to increase performance of your pipeline? (Choose two.)

- A. Increase the number of max workers
- B. Use a larger instance type for your Cloud Dataflow workers
- C. Change the zone of your Cloud Dataflow pipeline to run in us-central1
- D. Create a temporary table in Cloud Bigtable that will act as a buffer for new data
- E. Create a new step in your pipeline to write to this table first, and then create a new pipeline to write from Cloud Bigtable to BigQuery
- F. Create a temporary table in Cloud Spanner that will act as a buffer for new data
- G. Create a new step in your pipeline to write to this table first, and then create a new pipeline to write from Cloud Spanner to BigQuery

Answer: BE

NEW QUESTION 134

- (Exam Topic 6)

Your team is responsible for developing and maintaining ETLs in your company. One of your Dataflow jobs is failing because of some errors in the input data, and you need to improve reliability of the pipeline (incl. being able to reprocess all failing data). What should you do?

- A. Add a filtering step to skip these types of errors in the future, extract erroneous rows from logs.
- B. Add a try... catch block to your DoFn that transforms the data, extract erroneous rows from logs.
- C. Add a try... catch block to your DoFn that transforms the data, write erroneous rows to PubSub directly from the DoFn.
- D. Add a try... catch block to your DoFn that transforms the data, use a sideOutput to create a PCollection that can be stored to PubSub later.

Answer: C

NEW QUESTION 136

- (Exam Topic 6)

You work for a mid-sized enterprise that needs to move its operational system transaction data from an on-premises database to GCP. The database is about 20 TB in size. Which database should you choose?

- A. Cloud SQL
- B. Cloud Bigtable
- C. Cloud Spanner
- D. Cloud Datastore

Answer: A

NEW QUESTION 140

- (Exam Topic 6)

You have a requirement to insert minute-resolution data from 50,000 sensors into a BigQuery table. You expect significant growth in data volume and need the data to be available within 1 minute of ingestion for real-time analysis of aggregated trends. What should you do?

- A. Use bq load to load a batch of sensor data every 60 seconds.
- B. Use a Cloud Dataflow pipeline to stream data into the BigQuery table.
- C. Use the INSERT statement to insert a batch of data every 60 seconds.
- D. Use the MERGE statement to apply updates in batch every 60 seconds.

Answer: C

NEW QUESTION 144

- (Exam Topic 6)

You're training a model to predict housing prices based on an available dataset with real estate properties. Your plan is to train a fully connected neural net, and you've discovered that the dataset contains latitude and longitude of the property. Real estate professionals have told you that the location of the property is highly influential on price, so you'd like to engineer a feature that incorporates this physical dependency. What should you do?

- A. Provide latitude and longitude as input vectors to your neural net.
- B. Create a numeric column from a feature cross of latitude and longitude.
- C. Create a feature cross of latitude and longitude, bucketize at the minute level and use L1 regularization during optimization.
- D. Create a feature cross of latitude and longitude, bucketize it at the minute level and use L2 regularization during optimization.

Answer: B

Explanation:

Reference <https://cloud.google.com/bigquery/docs/gis-data>

NEW QUESTION 148

- (Exam Topic 6)

Your infrastructure includes a set of YouTube channels. You have been tasked with creating a process for sending the YouTube channel data to Google Cloud for analysis. You want to design a solution that allows your world-wide marketing teams to perform ANSI SQL and other types of analysis on up-to-date YouTube channels log data. How should you set up the log data transfer into Google Cloud?

- A. Use Storage Transfer Service to transfer the offsite backup files to a Cloud Storage Multi-Regional storage bucket as a final destination.
- B. Use Storage Transfer Service to transfer the offsite backup files to a Cloud Storage Regional bucket as a final destination.
- C. Use BigQuery Data Transfer Service to transfer the offsite backup files to a Cloud Storage Multi-Regional storage bucket as a final destination.
- D. Use BigQuery Data Transfer Service to transfer the offsite backup files to a Cloud Storage Regional storage bucket as a final destination.

Answer: B

NEW QUESTION 149

- (Exam Topic 6)

You receive data files in CSV format monthly from a third party. You need to cleanse this data, but every third month the schema of the files changes. Your requirements for implementing these transformations include:

- ☒ Executing the transformations on a schedule
- ☒ Enabling non-developer analysts to modify transformations
- ☒ Providing a graphical tool for designing transformations

What should you do?

- A. Use Cloud Dataprep to build and maintain the transformation recipes, and execute them on a scheduled basis
- B. Load each month's CSV data into BigQuery, and write a SQL query to transform the data to a standard schema
- C. Merge the transformed tables together with a SQL query
- D. Help the analysts write a Cloud Dataflow pipeline in Python to perform the transformation
- E. The Python code should be stored in a revision control system and modified as the incoming data's schema changes
- F. Use Apache Spark on Cloud Dataproc to infer the schema of the CSV file before creating a Dataframe. Then implement the transformations in Spark SQL before writing the data out to Cloud Storage and loading into BigQuery

Answer: D

NEW QUESTION 154

- (Exam Topic 6)

You are designing storage for two relational tables that are part of a 10-TB database on Google Cloud. You want to support transactions that scale horizontally. You also want to optimize data for range queries on nonkey columns. What should you do?

- A. Use Cloud SQL for storage
- B. Add secondary indexes to support query patterns.
- C. Use Cloud SQL for storage
- D. Use Cloud Dataflow to transform data to support query patterns.
- E. Use Cloud Spanner for storage
- F. Add secondary indexes to support query patterns.
- G. Use Cloud Spanner for storage
- H. Use Cloud Dataflow to transform data to support query patterns.

Answer: D

Explanation:

Reference: <https://cloud.google.com/solutions/data-lifecycle-cloud-platform>

NEW QUESTION 156

- (Exam Topic 6)

Your company needs to upload their historic data to Cloud Storage. The security rules don't allow access from external IPs to their on-premises resources. After an initial upload, they will add new data from existing on-premises applications every day. What should they do?

- A. Execute gsutil rsync from the on-premises servers.
- B. Use Cloud Dataflow and write the data to Cloud Storage.
- C. Write a job template in Cloud Dataproc to perform the data transfer.

D. Install an FTP server on a Compute Engine VM to receive the files and move them to Cloud Storage.

Answer: B

NEW QUESTION 157

- (Exam Topic 6)

You are developing an application that uses a recommendation engine on Google Cloud. Your solution should display new videos to customers based on past views. Your solution needs to generate labels for the entities in videos that the customer has viewed. Your design must be able to provide very fast filtering suggestions based on data from other customer preferences on several TB of data. What should you do?

- A. Build and train a complex classification model with Spark MLlib to generate labels and filter the results. Deploy the models using Cloud Datapro
- B. Call the model from your application.
- C. Build and train a classification model with Spark MLlib to generate label
- D. Build and train a second classification model with Spark MLlib to filter results to match customer preference
- E. Deploy the Models using Cloud Datapro
- F. Call the models from your application.
- G. Build an application that calls the Cloud Video Intelligence API to generate label
- H. Store data in Cloud Bigtable, and filter the predicted labels to match the user's viewing history to generate preferences.
- I. Build an application that calls the Cloud Video Intelligence API to generate label
- J. Store data in Cloud SQL, and join and filter the predicted labels to match the user's viewing history to generate preferences.

Answer: C

NEW QUESTION 158

- (Exam Topic 6)

You need to move 2 PB of historical data from an on-premises storage appliance to Cloud Storage within six months, and your outbound network capacity is constrained to 20 Mb/sec. How should you migrate this data to Cloud Storage?

- A. Use Transfer Appliance to copy the data to Cloud Storage
- B. Use gsutil cp -J to compress the content being uploaded to Cloud Storage
- C. Create a private URL for the historical data, and then use Storage Transfer Service to copy the data to Cloud Storage
- D. Use trickle or ionice along with gsutil cp to limit the amount of bandwidth gsutil utilizes to less than 20 Mb/sec so it does not interfere with the production traffic

Answer: A

NEW QUESTION 160

- (Exam Topic 6)

You decided to use Cloud Datastore to ingest vehicle telemetry data in real time. You want to build a storage system that will account for the long-term data growth, while keeping the costs low. You also want to create snapshots of the data periodically, so that you can make a point-in-time (PIT) recovery, or clone a copy of the data for Cloud Datastore in a different environment. You want to archive these snapshots for a long time. Which two methods can accomplish this? Choose 2 answers.

- A. Use managed export, and store the data in a Cloud Storage bucket using Nearline or Coldline class.
- B. Use managed exportm, and then import to Cloud Datastore in a separate project under a unique namespace reserved for that export.
- C. Use managed export, and then import the data into a BigQuery table created just for that export, and delete temporary export files.
- D. Write an application that uses Cloud Datastore client libraries to read all the entitie
- E. Treat each entity as a BigQuery table row via BigQuery streaming inser
- F. Assign an export timestamp for each export, and attach it as an extra column for each ro
- G. Make sure that the BigQuery table is partitioned using the export timestamp column.
- H. Write an application that uses Cloud Datastore client libraries to read all the entitie
- I. Format the exported data into a JSON fil
- J. Apply compression before storing the data in Cloud Source Repositories.

Answer: CE

NEW QUESTION 165

- (Exam Topic 6)

You are designing a data processing pipeline. The pipeline must be able to scale automatically as load increases. Messages must be processed at least once, and must be ordered within windows of 1 hour. How should you design the solution?

- A. Use Apache Kafka for message ingestion and use Cloud Dataproc for streaming analysis.
- B. Use Apache Kafka for message ingestion and use Cloud Dataflow for streaming analysis.
- C. Use Cloud Pub/Sub for message ingestion and Cloud Dataproc for streaming analysis.
- D. Use Cloud Pub/Sub for message ingestion and Cloud Dataflow for streaming analysis.

Answer: C

NEW QUESTION 168

- (Exam Topic 6)

After migrating ETL jobs to run on BigQuery, you need to verify that the output of the migrated jobs is the same as the output of the original. You've loaded a table containing the output of the original job and want to compare the contents with output from the migrated job to show that they are identical. The tables do not contain a primary key column that would enable you to join them together for comparison. What should you do?

- A. Select random samples from the tables using the RAND() function and compare the samples.
- B. Select random samples from the tables using the HASH() function and compare the samples.
- C. Use a Dataproc cluster and the BigQuery Hadoop connector to read the data from each table and calculate a hash from non-timestamp columns of the table after sortin

- D. Compare the hashes of each table.
- E. Create stratified random samples using the OVER() function and compare equivalent samples from each table.

Answer: B

NEW QUESTION 172

- (Exam Topic 6)

You are designing storage for 20 TB of text files as part of deploying a data pipeline on Google Cloud. Your input data is in CSV format. You want to minimize the cost of querying aggregate values for multiple users who will query the data in Cloud Storage with multiple engines. Which storage service and schema design should you use?

- A. Use Cloud Bigtable for storag
- B. Install the HBase shell on a Compute Engine instance to query the Cloud Bigtable data.
- C. Use Cloud Bigtable for storag
- D. Link as permanent tables in BigQuery for query.
- E. Use Cloud Storage for storag
- F. Link as permanent tables in BigQuery for query.
- G. Use Cloud Storage for storag
- H. Link as temporary tables in BigQuery for query.

Answer: A

NEW QUESTION 177

- (Exam Topic 6)

You are selecting services to write and transform JSON messages from Cloud Pub/Sub to BigQuery for a data pipeline on Google Cloud. You want to minimize service costs. You also want to monitor and accommodate input data volume that will vary in size with minimal manual intervention. What should you do?

- A. Use Cloud Dataproc to run your transformation
- B. Monitor CPU utilization for the cluste
- C. Resize the number of worker nodes in your cluster via the command line.
- D. Use Cloud Dataproc to run your transformation
- E. Use the diagnose command to generate an operational output archiv
- F. Locate the bottleneck and adjust cluster resources.
- G. Use Cloud Dataflow to run your transformation
- H. Monitor the job system lag with Stackdrive
- I. Use the default autoscaling setting for worker instances.
- J. Use Cloud Dataflow to run your transformation
- K. Monitor the total execution time for a sampling of job
- L. Configure the job to use non-default Compute Engine machine types when needed.

Answer: B

NEW QUESTION 181

- (Exam Topic 6)

You are designing storage for very large text files for a data pipeline on Google Cloud. You want to support ANSI SQL queries. You also want to support compression and parallel load from the input locations using Google recommended practices. What should you do?

- A. Transform text files to compressed Avro using Cloud Dataflo
- B. Use BigQuery for storage and query.
- C. Transform text files to compressed Avro using Cloud Dataflo
- D. Use Cloud Storage and BigQuerypermanent linked tables for query.
- E. Compress text files to gzip using the Grid Computing Tool
- F. Use BigQuery for storage and query.
- G. Compress text files to gzip using the Grid Computing Tool
- H. Use Cloud Storage, and then import into Cloud Bigtable for query.

Answer: D

NEW QUESTION 183

- (Exam Topic 6)

You operate a database that stores stock trades and an application that retrieves average stock price for a given company over an adjustable window of time. The data is stored in Cloud Bigtable where the datetime of the stock trade is the beginning of the row key. Your application has thousands of concurrent users, and you notice that performance is starting to degrade as more stocks are added. What should you do to improve the performance of your application?

- A. Change the row key syntax in your Cloud Bigtable table to begin with the stock symbol.
- B. Change the row key syntax in your Cloud Bigtable table to begin with a random number per second.
- C. Change the data pipeline to use BigQuery for storing stock trades, and update your application.
- D. Use Cloud Dataflow to write summary of each day's stock trades to an Avro file on Cloud Storage.Update your application to read from Cloud Storage and Cloud Bigtable to compute the responses.

Answer: A

NEW QUESTION 185

- (Exam Topic 6)

You want to build a managed Hadoop system as your data lake. The data transformation process is composed of a series of Hadoop jobs executed in sequence. To accomplish the design of separating storage from compute, you decided to use the Cloud Storage connector to store all input data, output data, and intermediary data. However, you noticed that one Hadoop job runs very slowly with Cloud Dataproc, when compared with the on-premises bare-metal Hadoop environment (8-core nodes with 100-GB RAM). Analysis shows that this particular Hadoop job is disk I/O intensive. You want to resolve the issue. What should you

do?

- A. Allocate sufficient memory to the Hadoop cluster, so that the intermediary data of that particular Hadoop job can be held in memory
- B. Allocate sufficient persistent disk space to the Hadoop cluster, and store the intermediate data of that particular Hadoop job on native HDFS
- C. Allocate more CPU cores of the virtual machine instances of the Hadoop cluster so that the networking bandwidth for each instance can scale up
- D. Allocate additional network interface card (NIC), and configure link aggregation in the operating system to use the combined throughput when working with Cloud Storage

Answer: A

NEW QUESTION 187

- (Exam Topic 6)

Your team is working on a binary classification problem. You have trained a support vector machine (SVM) classifier with default parameters, and received an area under the Curve (AUC) of 0.87 on the validation set. You want to increase the AUC of the model. What should you do?

- A. Perform hyperparameter tuning
- B. Train a classifier with deep neural networks, because neural networks would always beat SVMs
- C. Deploy the model and measure the real-world AUC; it's always higher because of generalization
- D. Scale predictions you get out of the model (tune a scaling factor as a hyperparameter) in order to get the highest AUC

Answer: D

NEW QUESTION 188

- (Exam Topic 6)

You are implementing security best practices on your data pipeline. Currently, you are manually executing jobs as the Project Owner. You want to automate these jobs by taking nightly batch files containing non-public information from Google Cloud Storage, processing them with a Spark Scala job on a Google Cloud Dataproc cluster, and depositing the results into Google BigQuery.

How should you securely run this workload?

- A. Restrict the Google Cloud Storage bucket so only you can see the files
- B. Grant the Project Owner role to a service account, and run the job with it
- C. Use a service account with the ability to read the batch files and to write to BigQuery
- D. Use a user account with the Project Viewer role on the Cloud Dataproc cluster to read the batch files and write to BigQuery

Answer: B

NEW QUESTION 191

- (Exam Topic 6)

You are building a new application that you need to collect data from in a scalable way. Data arrives continuously from the application throughout the day, and you expect to generate approximately 150 GB of JSON data per day by the end of the year. Your requirements are:

- ☒ Decoupling producer from consumer
- ☒ Space and cost-efficient storage of the raw ingested data, which is to be stored indefinitely
- ☒ Near real-time SQL query
- ☒ Maintain at least 2 years of historical data, which will be queried with SQ

Which pipeline should you use to meet these requirements?

- A. Create an application that provides an AP
- B. Write a tool to poll the API and write data to Cloud Storage as gzipped JSON files.
- C. Create an application that writes to a Cloud SQL database to store the dat
- D. Set up periodic exports of the database to write to Cloud Storage and load into BigQuery.
- E. Create an application that publishes events to Cloud Pub/Sub, and create Spark jobs on Cloud Dataproc to convert the JSON data to Avro format, stored on HDFS on Persistent Disk.
- F. Create an application that publishes events to Cloud Pub/Sub, and create a Cloud Dataflow pipeline that transforms the JSON event payloads to Avro, writing the data to Cloud Storage and BigQuery.

Answer: A

NEW QUESTION 196

- (Exam Topic 6)

You need to set access to BigQuery for different departments within your company. Your solution should comply with the following requirements:

- ☒ Each department should have access only to their data.
- ☒ Each department will have one or more leads who need to be able to create and update tables and provide them to their team.
- ☒ Each department has data analysts who need to be able to query but not modify data.

How should you set access to the data in BigQuery?

- A. Create a dataset for each departmen
- B. Assign the department leads the role of OWNER, and assign the data analysts the role of WRITER on their dataset.
- C. Create a dataset for each departmen
- D. Assign the department leads the role of WRITER, and assign the data analysts the role of READER on their dataset.
- E. Create a table for each departmen
- F. Assign the department leads the role of Owner, and assign the data analysts the role of Editor on the project the table is in.
- G. Create a table for each departmen
- H. Assign the department leads the role of Editor, and assign the data analysts the role of Viewer on the project the table is in.

Answer: D

NEW QUESTION 201

- (Exam Topic 6)

You need to create a new transaction table in Cloud Spanner that stores product sales data. You are deciding what to use as a primary key. From a performance perspective, which strategy should you choose?

- A. The current epoch time
- B. A concatenation of the product name and the current epoch time
- C. A random universally unique identifier number (version 4 UUID)
- D. The original order identification number from the sales system, which is a monotonically increasing integer

Answer: C

NEW QUESTION 204

- (Exam Topic 6)

You have a query that filters a BigQuery table using a WHERE clause on timestamp and ID columns. By using bq query – -dry_run you learn that the query triggers a full scan of the table, even though the filter on timestamp and ID select a tiny fraction of the overall data. You want to reduce the amount of data scanned by BigQuery with minimal changes to existing SQL queries. What should you do?

- A. Create a separate table for each ID.
- B. Use the LIMIT keyword to reduce the number of rows returned.
- C. Recreate the table with a partitioning column and clustering column.
- D. Use the bq query - -maximum_bytes_billed flag to restrict the number of bytes billed.

Answer: B

NEW QUESTION 208

- (Exam Topic 6)

You need to migrate a 2TB relational database to Google Cloud Platform. You do not have the resources to significantly refactor the application that uses this database and cost to operate is of primary concern.

Which service do you select for storing and serving your data?

- A. Cloud Spanner
- B. Cloud Bigtable
- C. Cloud Firestore
- D. Cloud SQL

Answer: D

NEW QUESTION 210

- (Exam Topic 6)

You need to copy millions of sensitive patient records from a relational database to BigQuery. The total size of the database is 10 TB. You need to design a solution that is secure and time-efficient. What should you do?

- A. Export the records from the database as an Avro file
- B. Upload the file to GCS using gsutil, and then load the Avro file into BigQuery using the BigQuery web UI in the GCP Console.
- C. Export the records from the database as an Avro file
- D. Copy the file onto a Transfer Appliance and send it to Google, and then load the Avro file into BigQuery using the BigQuery web UI in the GCP Console.
- E. Export the records from the database into a CSV file
- F. Create a public URL for the CSV file, and then use Storage Transfer Service to move the file to Cloud Storage
- G. Load the CSV file into BigQuery using the BigQuery web UI in the GCP Console.
- H. Export the records from the database as an Avro file
- I. Create a public URL for the Avro file, and then use Storage Transfer Service to move the file to Cloud Storage
- J. Load the Avro file into BigQuery using the BigQuery web UI in the GCP Console.

Answer: A

NEW QUESTION 215

- (Exam Topic 6)

You have several Spark jobs that run on a Cloud Dataproc cluster on a schedule. Some of the jobs run in sequence, and some of the jobs run concurrently. You need to automate this process. What should you do?

- A. Create a Cloud Dataproc Workflow Template
- B. Create an initialization action to execute the jobs
- C. Create a Directed Acyclic Graph in Cloud Composer
- D. Create a Bash script that uses the Cloud SDK to create a cluster, execute jobs, and then tear down the cluster

Answer: A

NEW QUESTION 220

- (Exam Topic 6)

You need to create a near real-time inventory dashboard that reads the main inventory tables in your BigQuery data warehouse. Historical inventory data is stored as inventory balances by item and location. You have several thousand updates to inventory every hour. You want to maximize performance of the dashboard and ensure that the data is accurate. What should you do?

- A. Leverage BigQuery UPDATE statements to update the inventory balances as they are changing.
- B. Partition the inventory balance table by item to reduce the amount of data scanned with each inventory update.
- C. Use the BigQuery streaming table to stream changes into a daily inventory movement table
- D. Calculate balances in a view that joins it to the historical inventory balance table

- E. Update the inventory balance table nightly.
- F. Use the BigQuery bulk loader to batch load inventory changes into a daily inventory movement table. Calculate balances in a view that joins it to the historical inventory balance table.
- G. Update the inventory balance table nightly.

Answer: A

NEW QUESTION 222

- (Exam Topic 6)

You are implementing several batch jobs that must be executed on a schedule. These jobs have many interdependent steps that must be executed in a specific order. Portions of the jobs involve executing shell scripts, running Hadoop jobs, and running queries in BigQuery. The jobs are expected to run for many minutes up to several hours. If the steps fail, they must be retried a fixed number of times. Which service should you use to manage the execution of these jobs?

- A. Cloud Scheduler
- B. Cloud Dataflow
- C. Cloud Functions
- D. Cloud Composer

Answer: A

NEW QUESTION 225

- (Exam Topic 6)

You want to migrate an on-premises Hadoop system to Cloud Dataproc. Hive is the primary tool in use, and the data format is Optimized Row Columnar (ORC). All ORC files have been successfully copied to a Cloud Storage bucket. You need to replicate some data to the cluster's local Hadoop Distributed File System (HDFS) to maximize performance. What are two ways to start using Hive in Cloud Dataproc? (Choose two.)

- A. Run the gsutil utility to transfer all ORC files from the Cloud Storage bucket to HDFS.
- B. Mount the Hive tables locally.
- C. Run the gsutil utility to transfer all ORC files from the Cloud Storage bucket to any node of the Dataproc cluster.
- D. Mount the Hive tables locally.
- E. Run the gsutil utility to transfer all ORC files from the Cloud Storage bucket to the master node of the Dataproc cluster.
- F. Then run the Hadoop utility to copy them to HDFS.
- G. Mount the Hive tables from HDFS.
- H. Leverage Cloud Storage connector for Hadoop to mount the ORC files as external Hive table.
- I. Replicate external Hive tables to the native ones.
- J. Load the ORC files into BigQuery.
- K. Leverage BigQuery connector for Hadoop to mount the BigQuery tables as external Hive table.
- L. Replicate external Hive tables to the native ones.

Answer: BC

NEW QUESTION 227

- (Exam Topic 6)

Your neural network model is taking days to train. You want to increase the training speed. What can you do?

- A. Subsample your test dataset.
- B. Subsample your training dataset.
- C. Increase the number of input features to your model.
- D. Increase the number of layers in your neural network.

Answer: D

Explanation:

Reference: <https://towardsdatascience.com/how-to-increase-the-accuracy-of-a-neural-network-9f5d1c6f407d>

NEW QUESTION 232

- (Exam Topic 6)

You are deploying MariaDB SQL databases on GCE VM Instances and need to configure monitoring and alerting. You want to collect metrics including network connections, disk IO and replication status from MariaDB with minimal development effort and use StackDriver for dashboards and alerts. What should you do?

- A. Install the OpenCensus Agent and create a custom metric collection application with a StackDriver exporter.
- B. Place the MariaDB instances in an Instance Group with a Health Check.
- C. Install the StackDriver Logging Agent and configure fluentd in_tail plugin to read MariaDB logs.
- D. Install the StackDriver Agent and configure the MySQL plugin.

Answer: C

NEW QUESTION 234

- (Exam Topic 6)

You have a petabyte of analytics data and need to design a storage and processing platform for it. You must be able to perform data warehouse-style analytics on the data in Google Cloud and expose the dataset as files for batch analysis tools in other cloud providers. What should you do?

- A. Store and process the entire dataset in BigQuery.
- B. Store and process the entire dataset in Cloud Bigtable.
- C. Store the full dataset in BigQuery, and store a compressed copy of the data in a Cloud Storage bucket.
- D. Store the warm data as files in Cloud Storage, and store the active data in BigQuery.
- E. Keep this ratio as 80% warm and 20% active.

Answer: D

NEW QUESTION 239

- (Exam Topic 6)

You store historic data in Cloud Storage. You need to perform analytics on the historic data. You want to use a solution to detect invalid data entries and perform data transformations that will not require programming or knowledge of SQL.

What should you do?

- A. Use Cloud Dataflow with Beam to detect errors and perform transformations.
- B. Use Cloud Dataprep with recipes to detect errors and perform transformations.
- C. Use Cloud Dataproc with a Hadoop job to detect errors and perform transformations.
- D. Use federated tables in BigQuery with queries to detect errors and perform transformations.

Answer: A

NEW QUESTION 243

- (Exam Topic 6)

The marketing team at your organization provides regular updates of a segment of your customer dataset. The marketing team has given you a CSV with 1 million records that must be updated in BigQuery. When you use the UPDATE statement in BigQuery, you receive a quotaExceeded error. What should you do?

- A. Reduce the number of records updated each day to stay within the BigQuery UPDATE DML statement limit.
- B. Increase the BigQuery UPDATE DML statement limit in the Quota management section of the Google Cloud Platform Console.
- C. Split the source CSV file into smaller CSV files in Cloud Storage to reduce the number of BigQuery UPDATE DML statements per BigQuery job.
- D. Import the new records from the CSV file into a new BigQuery table.
- E. Create a BigQuery job that merges the new records with the existing records and writes the results to a new BigQuery table.

Answer: A

NEW QUESTION 247

- (Exam Topic 6)

You work for an advertising company, and you've developed a Spark ML model to predict click-through rates at advertisement blocks. You've been developing everything at your on-premises data center, and now your company is migrating to Google Cloud. Your data center will be migrated to BigQuery. You periodically retrain your Spark ML models, so you need to migrate existing training pipelines to Google Cloud. What should you do?

- A. Use Cloud ML Engine for training existing Spark ML models
- B. Rewrite your models on TensorFlow, and start using Cloud ML Engine
- C. Use Cloud Dataproc for training existing Spark ML models, but start reading data directly from BigQuery
- D. Spin up a Spark cluster on Compute Engine, and train Spark ML models on the data exported from BigQuery

Answer: A

NEW QUESTION 248

- (Exam Topic 6)

You have an Apache Kafka Cluster on-prem with topics containing web application logs. You need to replicate the data to Google Cloud for analysis in BigQuery and Cloud Storage. The preferred replication method is mirroring to avoid deployment of Kafka Connect plugins.

What should you do?

- A. Deploy a Kafka cluster on GCE VM Instance
- B. Configure your on-prem cluster to mirror your topics to the cluster running in GC
- C. Use a Dataproc cluster or Dataflow job to read from Kafka and write to GCS.
- D. Deploy a Kafka cluster on GCE VM Instances with the PubSub Kafka connector configured as a Sink connector
- E. Use a Dataproc cluster or Dataflow job to read from Kafka and write to GCS.
- F. Deploy the PubSub Kafka connector to your on-prem Kafka cluster and configure PubSub as a Source connector
- G. Use a Dataflow job to read from PubSub and write to GCS.
- H. Deploy the PubSub Kafka connector to your on-prem Kafka cluster and configure PubSub as a Sink connector
- I. Use a Dataflow job to read from PubSub and write to GCS.

Answer: A

NEW QUESTION 249

- (Exam Topic 6)

A data scientist has created a BigQuery ML model and asks you to create an ML pipeline to serve predictions. You have a REST API application with the requirement to serve predictions for an individual user ID with latency under 100 milliseconds. You use the following query to generate predictions: `SELECT predicted_label, user_id FROM ML.PREDICT (MODEL 'dataset.model', table user_features)`. How should you create the ML pipeline?

- A. Add a WHERE clause to the query, and grant the BigQuery Data Viewer role to the application service account.
- B. Create an Authorized View with the provided query
- C. Share the dataset that contains the view with the application service account.
- D. Create a Cloud Dataflow pipeline using BigQueryIO to read results from the query
- E. Grant the Dataflow Worker role to the application service account.
- F. Create a Cloud Dataflow pipeline using BigQueryIO to read predictions for all users from the query. Write the results to Cloud Bigtable using BigtableIO
- G. Grant the Bigtable Reader role to the application service account so that the application can read predictions for individual users from Cloud Bigtable.

Answer: D

NEW QUESTION 253

- (Exam Topic 6)

You are building a new data pipeline to share data between two different types of applications: jobs generators and job runners. Your solution must scale to accommodate increases in usage and must accommodate the addition of new applications without negatively affecting the performance of existing ones. What should you do?

- A. Create an API using App Engine to receive and send messages to the applications
- B. Use a Cloud Pub/Sub topic to publish jobs, and use subscriptions to execute them
- C. Create a table on Cloud SQL, and insert and delete rows with the job information
- D. Create a table on Cloud Spanner, and insert and delete rows with the job information

Answer: A

NEW QUESTION 255

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual Professional-Data-Engineer Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the Professional-Data-Engineer Product From:

<https://www.2passeasy.com/dumps/Professional-Data-Engineer/>

Money Back Guarantee

Professional-Data-Engineer Practice Exam Features:

- * Professional-Data-Engineer Questions and Answers Updated Frequently
- * Professional-Data-Engineer Practice Questions Verified by Expert Senior Certified Staff
- * Professional-Data-Engineer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * Professional-Data-Engineer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year