

# Exam Questions 1z0-083

Oracle Database Administration II

<https://www.2passeasy.com/dumps/1z0-083/>



**NEW QUESTION 1**

A container database (CDB) contains two pluggable databases PDB1 and PDB2. The LOCAL\_UNDO\_ENABLED database property is set to FALSE in the CDB. Data file 24 of PDB2 was deleted and you need to restore and recover it. The only RMAN backup that exists was created with the BACKUP DATABASE command while connected to CDB\$ROOT. Which three are true? (Choose three.)

- A. Data file 24 can be recovered only while connected to PDB2.
- B. Data file 24 can be restored and recovered while connected to CDB\$ROOT.
- C. Data file 24 can be restored only while connected to CDB\$ROOT.
- D. Data file 24 can be restored only while connected to PDB2.
- E. Data file 24 can be recovered while connected to PDB2.
- F. Data file 24 can be recovered while connected to CDB\$ROOT.

**Answer:** BCF

**NEW QUESTION 2**

Which three are true about Database Point-in-Time Recovery? (Choose three.)

- A. The database must have FLASHBACK DATABASE ON to perform Database Point-in-Time Recovery.
- B. The database must be in MOUNT state when performing Database Point-in-Time Recovery.
- C. Database Point-in-Time Recovery is performed by the Managed Recovery Process (MRP)
- D. The Database must be in ARCHIVELOG mode.
- E. The target point for the recovery must be specified as a time or System Change Number (SCN).
- F. The database must be open RESETLOGS after Database Point-in-Time Recovery.

**Answer:** BDF

**Explanation:**

[https://docs.oracle.com/cd/B19306\\_01/backup.102/b14192/flashptr006.htm#:~:text=Database%20point%2Din%](https://docs.oracle.com/cd/B19306_01/backup.102/b14192/flashptr006.htm#:~:text=Database%20point%2Din%20time%20recovery,)

**NEW QUESTION 3**

Examine this configuration:

- > CDB1 is a container database.
- > PDB1 and PDB2 are pluggable databases in CDB1. You execute these commands successfully:

```
$ export ORACLE_SID=cdb1
```

```
$ sqlplus / as sysdba
```

```
SQL> SHUTDOWN IMMEDIATE
```

```
...
```

```
Oracle instance shut down.
```

```
SQL> STARTUP MOUNT
```

```
...
```

```
Database mounted.
```

Which two are true? (Choose two.)

- A. PDB1 and PDB2 are in MOUNT state.
- B. Redo logs are opened.
- C. PDB1 and PDB2 are in READ ONLY state.
- D. CDB\$ROOT is in MOUNT state.
- E. PDB\$SEED is in READ ONLY state.

**Answer:** BE

**NEW QUESTION 4**

A database is configured in ARCHIVELOG mode.

Full RMAN backups are taken and no backup to trace has been taken of the control file. A media failure has occurred.

In which two scenarios is complete recovery possible? (Choose two.)

- A. when any archived log from, before, or after the most recent backup is corrupt.
- B. after losing all copies of the control file
- C. after losing an archived log from after the most recent backup
- D. after losing an archived log from before the most recent backup
- E. after losing the SYSTEM tablespace

**Answer:** DE

**NEW QUESTION 5**

Examine these actions:

- \* 1. Create a new database for a recovery catalog.
- \* 2. Create a tablespace with sufficient space in the catalog database for the recovery catalog.
- \* 3. Configure ARCHIVELOG mode for the catalog database.

- \* 4. Create a user to own the recovery catalog schema with quota on the tablespace that will contain the catalog.
- \* 5. Grant the RECOVERY\_CATALOG\_OWNER role to the recovery catalog schema owner.
- \* 6. Grant the SYSBACKUP privilege to the recovery catalog schema owner.

Which are the minimum actions that must be performed before executing the CREATECATALOG command?

- A. 2, 4, 5, 6
- B. 1, 2, 3, 4, 5, 6
- C. 1, 2, 4, 5
- D. 2, 4, 5
- E. 1, 3, 4, 5

**Answer: D**

#### NEW QUESTION 6

Which three are true in Oracle 19c and later releases? (Choose three.)

- A. If the password file location changes, then the new location is used automatically by the Oracle Server.
- B. Schema Only accounts can be granted administrator privileges.
- C. All the Oracle-supplied accounts are Schema Only accounts.
- D. Privilege Analysis is included in Oracle Enterprise Edition and no longer requires Database Vault.
- E. Unified Auditing can be configured to audit only events that are issued indirectly by an audited user.
- F. Unified Auditing can be configured to audit only events that are issued directly by an audited user.

**Answer: BCD**

#### NEW QUESTION 7

Which three can be done using Oracle Database Configuration Assistant (DBCA) starting from Oracle Database 19c? (Choose three.)

- A. cloning a remote container database in interactive mode
- B. cloning a remote pluggable database in silent mode
- C. relocating a remote pluggable database in interactive mode
- D. relocating a remote container database in silent mode
- E. cloning a remote container database in silent mode
- F. relocating a remote pluggable database in silent mode
- G. relocating a remote container database in interactive mode

**Answer: BEF**

#### NEW QUESTION 8

Which three are true about managing memory components in an Oracle database instance? (Choose three.)

- A. With Automatic Shared Memory Management, the database instance can increase the Large Pool size by reducing the Shared Pool size.
- B. With Automatic Memory Management, the database instance can increase the System Global Area size by reducing the Program Global Area size.
- C. Automatically tuned and resized System Global Area components will always revert to their initial sizes after an instance restart.
- D. Automatic Memory Management must be used together with locking the System Global Area into physical memory.
- E. With Automatic Shared Memory Management, the database instance can increase the Program Global Area size by reducing the System Global Area size.
- F. On Line Transaction Processing systems often use less Program Global Area than Decision Support Systems.

**Answer: AEF**

#### NEW QUESTION 9

Your CDB has two regular PDBs as well as one application container with two application PDBs and an application seed. No changes have been made to the standard PDB\$SEED. How many default temporary tablespaces can be assigned in the CDB?

- A. three
- B. eight
- C. seven
- D. six
- E. five

**Answer: C**

#### NEW QUESTION 10

Which three are true about thresholds, metrics, and server-generated alerts? (Choose three.)

- A. All metrics are instance related.
- B. Cleared stateful alerts are displayed by querying DBA\_ALERT\_HISTORY.
- C. A space usage management alert is automatically cleared after the underlying problem is resolved.
- D. They are generated by SMON when a tablespace is 97% full.
- E. Metrics are statistical counts for a specific unit.
- F. STATISTICS\_LEVEL must be set to ALL to generate alerts.

**Answer: BCE**

#### NEW QUESTION 10

Which four are true about RMAN backup sets? (Choose four.)

- A. A backup piece can belong to only one backup set.
- B. A data file can be split into multiple sections stored in different backup sets.
- C. A data file can be split into multiple sections stored in different backup pieces in the same backup set.
- D. Blocks from multiple data files can be contained in one backup piece.
- E. A backup set can contain only one backup piece.
- F. A backup set must be written to media.
- G. A backup set must be written to disk.
- H. Blocks from multiple data files can be contained in one backup set.

**Answer:** BEFH

#### NEW QUESTION 13

Which two are true about RMAN encryption? (Choose two.)

- A. RMAN encryption keys are stored in a database keystore.
- B. RMAN can encrypt the Oracle Database password file.
- C. Dual-mode encrypted backups can be restored only if both the password and the keystore used for encryption are available.
- D. The SET ENCRYPTION command overrides encryption settings specified by the CONFIGURE ENCRYPTION command.
- E. Password encryption can be persistently configured using the CONFIGURE ENCRYPTION command.

**Answer:** CD

#### NEW QUESTION 14

Which three are true about Automatic Workload Repository (AWR), Automatic Database Diagnostic Monitor (ADDM), and the Manageability Monitor (MMON) background process? (Choose three.)

- A. ADDM can recommend shrinking the buffer cache.
- B. ADDM can recommend extending the buffer cache.
- C. By default, MMON creates an AWR snapshot every 30 minutes.
- D. ADDM performs its analysis only when a DBA requests it.
- E. By default, AWR snapshots are automatically purged after eight days.
- F. AWR snapshots must be deleted when no longer required by ADDM.

**Answer:** AEF

#### NEW QUESTION 16

Which four are true about performing Tablespace Point-In-Time Recovery (TSPITR) using Recovery Manager (RMAN)?

- A. It can be performed using an auxiliary instance managed by a DBA.
- B. It can be used to recover a truncated table.
- C. RMAN automatically adds any required tablespaces to the recovery set to make it self-contained.
- D. RMAN always includes tablespaces containing undo segments in the recovery set.
- E. It can be performed repeatedly until the correct time is found without using an RMAN catalog.
- F. flashback database must be enabled for it to work.
- G. It can be used to recover a dropped tablespace.
- H. It can be performed using an auxiliary instance managed by RMAN.

**Answer:** AEFH

#### NEW QUESTION 17

Which three are true? (Choose three.)

- A. Virtual Private Database (VPD) policies on objects in an application root are automatically synchronized with all application PDBs contained in the application container.
- B. Application-common TSDP policies are always container specific.
- C. Application-common Transparent Security Data Protection (TSDP) policies can be created only within an application install/patch BEGIN-END block.
- D. Application-common Oracle Label Security (OLS) policies cannot be created in an application root outside an install/patch BEGIN-END block.
- E. Fine-grained auditing (FGA) policies in an application root are automatically synchronized to all application PDBs contained in the application container.
- F. Application-common OLS policies can be created in an application root inside an install/patch BEGIN-END block.
- G. Unified auditing can be automatically synchronized to all application PDBs in an application container.

**Answer:** ADG

#### NEW QUESTION 20

Which two are true about the Automatic Database Diagnostic Monitor (ADDM)? (Choose two.)

- A. It analyzes a period of time corresponding to the 12 hours of activity.
- B. It runs automatically after each AWR snapshot.
- C. A DBA can run it manually.
- D. Results are written to the alert log.
- E. It analyzes a period of time corresponding to the last day of activity.

**Answer:** BC

#### NEW QUESTION 21

Examine this configuration:

\* 1. The ORCL database data files are in Automatic Storage Management (Oracle ASM) disk group +DATA. \* 2. ORCL uses disk group +FRA for the Fast Recovery

Area.  
\* 3. LISTENER is the listener for ORCL.  
\* 4. The database, listener, ASM instance, and ASM disk groups are managed by Oracle Restart. 5. All components are currently shut down.  
You execute this command:  

```
$ srvctl start database -d ORCL
```

What is the outcome?

- A. The ORCL database, the Oracle ASM instances, the +DATA and +FRA disk groups, and the LISTENER are started.
- B. Only the ORCL database instance is started.
- C. Only the ORCL database and the ASM instances are started.
- D. Only the ORCL database instance, the Oracle ASM instance, and the +DATA and +FRA disk groups are started.
- E. Only the ORCL database instance and the +DATA and +FRA disk groups are started.

**Answer: D**

#### NEW QUESTION 22

Which three actions are performed by the Oracle Preinstallation RPM, oracle-database-server-xxxx-preinstall, for Oracle Grid Infrastructure, where xxxx is the Oracle version and release? (Choose three.)

- A. performing checks to ensure minimum configuration requirements for Oracle Grid Infrastructure are met
- B. creating the oracle OS user
- C. creating the OSDBA (dba) group
- D. creating the oraInventory (oinstall) group
- E. creating the grid OS user
- F. configuring the OS for Oracle Automatic Storage Management shared storage access

**Answer: BCD**

#### NEW QUESTION 27

Which two are true about the execution of operating system scripts starting from Oracle Database 19c? (Choose two.)

- A. oraInstRoot.sh can be executed automatically by the Database installer by using sudo or root credentials.
- B. root.sh can be executed automatically by the Database Installer only if it is provided with root credentials.
- C. The sudo password can be specified in a response file.
- D. root.sh can be executed automatically by the Database installer only by using sudo credentials.
- E. The sudo password must be specified in a response file.
- F. The root password cannot be specified in a response file.

**Answer: AF**

#### NEW QUESTION 28

While backing up to the Oracle Fast Recovery Area (FRA), you determined the backup is taking too long and suspect a performance bottleneck. Which three are true about diagnosing and tuning these problems? (Choose three.)

- A. If an RMAN BACKUP VALIDATE command takes roughly the same time as an actual backup, then both read and write I/O are likely bottlenecks.
- B. Setting DBWR\_IO\_SLAVES to a non zero value can improve backup performance when using synchronous I/O.
- C. If an RMAN BACKUP VALIDATE command takes noticeably less than an actual backup, then write I/O is a likely bottleneck.
- D. If an RMAN BACKUP VALIDATE command takes roughly the same time as an actual backup, then read I/O is a likely bottleneck.
- E. Data files with a high value in V\$BACKUP\_SYNC\_IO.DISCRETE\_BYTES\_PER\_SECOND are a potential performance bottleneck when synchronous I/O is used.
- F. Setting DBWR\_IO\_SLAVES to a non zero value can improve backup performance when using asynchronous I/O.
- G. Data files with a high value in V\$BACKUP\_ASYNC\_IO.SHORT\_WAITS are a potential performance bottleneck when asynchronous I/O is used.

**Answer: BCE**

#### NEW QUESTION 33

Which two are true about changing the LOCAL\_UNDO\_ENABLED property to false in a CDB? (Choose two.)

- A. After the change, only a common user with the required privilege can create an undo tablespace in CDB\$ROOT.
- B. Any new PDB and existing PDBs are automatically configured to use the default undo tablespace in CDB\$ROOT.
- C. After the change, only one undo tablespace can exist in CDB\$ROOT.
- D. After the change, any user with the required privilege can create an undo tablespace in the PDBs.
- E. Undo tablespaces existing in PDBs must be dropped before the change.
- F. After the change, each existing PDB has to be reopened for the new undo mode to take effect.

**Answer: BC**

#### Explanation:

You can set a CDB in local UNDO mode either at CDB creation or by altering the CDB property. When the database property LOCAL\_UNDO\_ENABLE is FALSE, which is the default, there is only one UNDO tablespace that is created in the CDB root, and that is shared by all containers. When LOCAL\_UNDO\_ENABLE is TRUE, every container in the CDB uses local undo and each PDB must have its own local UNDO tablespace. To maintain ease of management and provisioning, UNDO tablespace creation happens automatically and does not require any action from the user. When a PDB is opened and an UNDO tablespace is not available, it is automatically created.

#### NEW QUESTION 34

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 1z0-083 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 1z0-083 Product From:

<https://www.2passeasy.com/dumps/1z0-083/>

### Money Back Guarantee

#### **1z0-083 Practice Exam Features:**

- \* 1z0-083 Questions and Answers Updated Frequently
- \* 1z0-083 Practice Questions Verified by Expert Senior Certified Staff
- \* 1z0-083 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* 1z0-083 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year