



HP


Exam Questions HPE0-J68

HPE Storage Solutions

NEW QUESTION 1

- (Exam Topic 1)


You are handing over the installed array to customer. The customer wants to review the amount of HDDs and SSDs in the system. Click the relevant menu option where the front panel of the head shelf can be visualized.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 2

- (Exam Topic 1)

You have proposed a Primera array to a customer for new primary storage. The customer currently has an older 3PAR array that they will continue to use moving forward. The customer would like high availability configured. Which RMC Peer Copy pre-requisites do you need to point out to the customer? (Choose two.)

- A. No license is required
- B. 2-port 10 Gb Ethernet Adapter (NIC) is required
- C. 4-port 1 Gb Ethernet Adapter (NIC) is required in each array
- D. RMC 6.2 is required
- E. Target drive type must match source drive type

Answer: CD

NEW QUESTION 3

- (Exam Topic 1)

Match the feature to the appropriate C-Series DCNM license type.

Answer Area

SAN Essentials Edition		Bundled at no charge with the C-series switches
Advanced Edition		Provides configuration, real-time monitoring, and troubleshooting capabilities
		Switch/server-based license
		Historical performance monitoring for network traffic hotspot analysis

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, application Description automatically generated

NEW QUESTION 4

- (Exam Topic 1)

You need to create an N:M relationship between VMware hypervisors and virtual volumes with the least amount of administrative overhead. Click the option where you can create a group of VMware hypervisors for volumes provisioning.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text Description automatically generated

NEW QUESTION 5

- (Exam Topic 1)

A customer is implementing an SAP HANA environment and is looking for an alternative to an entirely in-memory database. Which storage technology should you recommend?

- A. SAS SSD
- B. NVMe SSD
- C. NVMe SCM
- D. Intel Optane

Answer: D

NEW QUESTION 6

- (Exam Topic 1)

You are configuring a new HPE 3PAR solution and need to create a new disk group with a defined RAID level. Click the appropriate option where the RAID can be selected.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 7

- (Exam Topic 1)

What is the purpose of WWN in FC SAN? (Choose two.)

- A. Identification of zone members
- B. Identification of entities denied access to a volume
- C. Identification of entities via Storage Name Server (SNS)
- D. Load balanced frame delivery
- E. Forward translation of DNS entries

Answer: CE

NEW QUESTION 8

- (Exam Topic 1)

You are designing a new HPE 3PAR StoreServ solution.

Which HPE tool allows editing the Customer Intent Document and adding specific instructions for packing?

- A. One Config Advanced
- B. SAF Collect
- C. NinjaSTARS
- D. Storage Sizing Tool

Answer: A

NEW QUESTION 9

- (Exam Topic 1)

Which tool is used to determine current compaction ratios on Primera arrays?

- A. WebUI
- B. Storage Management Utility (SMU)
- C. NinjaStars
- D. SSMC System Reporter

Answer: D

NEW QUESTION 10

- (Exam Topic 1)

What is the typical protocol used to access data from object storage?

- A. FC
- B. NVMe
- C. HTTP
- D. iSCSI

Answer: A

NEW QUESTION 10

- (Exam Topic 1)

Refer to the exhibit.



You are designing a new Primera solution and demonstrating performance numbers to the customer. The customer reviews the configuration and requests a change to the configuration that will increase Random Write IOPS. Which action will satisfy the customer request?

- A. Add more disks of smaller capacity
- B. Upgrade the HPE Primera base model
- C. Change to larger SSDs
- D. Add more FC Ports

Answer: C

NEW QUESTION 13

- (Exam Topic 1)

A customer asks you for a recommendation on setting up their new StoreOnce appliance. They plan to use NetBackup and need the highest performance setup they can get. Their local hosts are connected via FC and the rest are connected via a WAN. Which backup target type should you recommend?

- A. VTL
- B. S3
- C. CIFS
- D. Catalyst

Answer: A

NEW QUESTION 15

- (Exam Topic 1)

Select the correct initiation option for each HPE Primera function.

Answer Area

User Initiated		Stripe data across drives
Autonomic		Create Virtual Volumes
		Create Common Provisioning Groups
		Create RAID-6 Virtual Volumes
		Optional Performance Management
		Export LUNs

- A. Mastered
- B. Not Mastered

Answer: A


Explanation:

Graphical user interface, application Description automatically generated

NEW QUESTION 20

- (Exam Topic 1)

Refer to the exhibit.



You create two snapshots of a thin provisioned base volume in an HPE Primera. One snapshot is read only and the other is read-write. A write occurs at the location shown in in the diagram. Place the actions on the left into the order they are taken on the right.

Action

Copy block to snapshot CPG

Redirect the snapshots

Update the block with new data

Order

- A. Mastered

B. Not Mastered

Answer: A

Explanation:

A picture containing diagram Description automatically generated

NEW QUESTION 25

- (Exam Topic 1)

A customer purchased a StoreOnce 3620 earlier in the year and has decided to add a 10GBase- adapter to it, which the customer sourced elsewhere and installed themselves. They complain that the new adapter is not configurable. What is the most likely reason for this issue?

- A. The StoreOnce software requires updating

B. Secure boot must be enabled in the BIOS to securely enable HBAs

C. The customer failed to install a License to Use (LTU) for it

D. The StoreOnce needs to connect to InfoSight to validate the adapter authenticity

Answer: A

NEW QUESTION 26

- (Exam Topic 2)

Which SAN topology offers the highest centralized data access performance?

- A. Meshed

B. Cascaded

C. Core-Edge

D. Ring

Answer: C

NEW QUESTION 28

- (Exam Topic 2)

You are designing a solution that will have a new HPE Synergy frame and an HPE 3PAR StoreServ 8200 storage array with only the built-in ports. This new environment must keep the infrastructure within the data center to a minimum. Which interconnect module will achieve this goal?

- A. Synergy 25-50Gb F8 Switch Module

B. 6125G/XG Ethernet Blade Switch

C. Synergy 20Gb Interconnect Link Module

D. Virtual Connect SE 40Gb F8 Module

Answer: D

NEW QUESTION 31

- (Exam Topic 2)

Which built-in HPE 3PAR StoreServ technology reduces database transaction logs response time?

- A. Express Writes
- B. Adaptive Flash Cache
- C. Thin provisioning
- D. Thin Deduplication

Answer: B

NEW QUESTION 32

- (Exam Topic 2)

Which management interface uses four basic commands (Create ,read, update ad delete)to enable administrators to define ad radically simply management processes?

- A. Rest API
- B. WMI
- C. SMI-S
- D. WEBEM

Answer: A

NEW QUESTION 36

- (Exam Topic 2)

Which statement is correct when discussing the RAID layout of an HPE Nimble HF-series storage system?

- A. RAID 6 triple parity is set up -21 data drives are used for RAID stripes.
- B. RAID 6 triple parity is set up -18 data drives are used for RAID stripes.
- C. RAID 6 or RAID 1 can be set up -24 data drives are used for RAID stripes.
- D. RAID 6 or RAID 1 can be set up -18 data drives are used for RAID stripes.

Answer: A

NEW QUESTION 39

- (Exam Topic 2)

Which technology is used in a B-series SAN switch to prevent communicate between unauthorized device?

- A. Port isolation
- B. IVR
- C. Zoning
- D. VSAN

Answer: A

NEW QUESTION 42

- (Exam Topic 2)

During Technology workshop ,the customer asks about different between converged and fibre channel switches. What would be a benefits of using flex fabric switches in a fibre channel storage environment?

- A. Support for combining multiple physical switches in to one virtual switch with a single IP address
- B. Support for six Ethernet and two fibre channel ,or six Ethernet and two iSCSI or eight Ethernet adapters per server.
- C. Zones can be configured for QoS with high ,medium, and low priorities within a fabric on a zone by zone basic
- D. In-flight compression and encryption provides efficient link utilization and security

Answer: A

NEW QUESTION 47

- (Exam Topic 2)

Which 3PAR storeServ feature allow to host to continue I/O uninterrupted during a firmware update?

- A. Persistent Memory
- B. Persistent port (96)
- C. Peer persistenceD Persistent Cache

Answer: B

NEW QUESTION 52

- (Exam Topic 2)

A customer with several HPE 3PAR StoreServ arrays has reported latencies with newly updated applications. You have proposed changes to the AO configuration and need to provide high-resolution reports on how the change has affected the latencies.

What should you propose on delivering the service time and I/O workload information daily for you and the customer?

- A. Use IMC to schedule performance data gathering and email delivery.
- B. Schedule SSMC System Reporter to send the defined email reports.
- C. Enable the Service Processor to gather Performance data and schedule data transfer.
- D. Login to InfoSight and analyze Advanced Performance history.

Answer: D

NEW QUESTION 53

- (Exam Topic 2)

While demonstrating an HPE 3PAR StoreServ 9450 array, the customer asks you to demonstrate the File Persona features. Which objects do you need to create to demonstrate these features? (Choose two.)

- A. File share
- B. Storage container
- C. Host
- D. Remote copy group
- E. Virtual file server

Answer: AE

NEW QUESTION 54

- (Exam Topic 2)

A customer wants to expand his cascaded B-series based SAN but is concerned about latencies within the SAN backend. You recommend changing the topology to a full mesh.

Which switch feature will ensure that the latencies in the backend are at the lowest possible level?

- A. LACP
- B. NPIV
- C. FSPF
- D. VSF

Answer: C

NEW QUESTION 57

- (Exam Topic 2)

Which file protocols are commonly used in HPE StoreOnce environments? (Choose two.)

- A. CIFS
- B. NTFS
- C. VFS
- D. ZFS
- E. NFS

Answer: AE

NEW QUESTION 61

- (Exam Topic 2)

Which value does a Nimble solution provide in addition to other HPE storage solutions?

- A. Flat support pricing for all hardware components
- B. Future-proofed for newer technologies
- C. All-inclusive software licensing over 5 years and additional capacity upgrades
- D. Upfront option for free controller upgrade after 3 years

Answer: B

NEW QUESTION 65

- (Exam Topic 2)

What can move data directly from a snapshot to backup storage independent of backup server software?

- A. SSMC
- B. Virtual Lock
- C. CLI
- D. Express Protect

Answer: D

Explanation:

The Express Protect feature offers data protection by facilitating Express Protect of snapshots from HPE 3PAR StoreServ to HPE StoreOnce.

NEW QUESTION 66

- (Exam Topic 2)

A customer is looking for a centralized file-sharing solution that can provide print services in addition to 15TB of storage. Which solution component should you recommend?

- A. FC switch
- B. NAS
- C. FC-based array
- D. Disk enclosure with integrated SAS switch

Answer: B

NEW QUESTION 69

- (Exam Topic 2)

A customer needs to store a large amount of unstructured data that must be queried quickly. Which type of storage meets the customer's needs?

- A. object
- B. hash
- C. file
- D. flash

Answer: A

NEW QUESTION 71

- (Exam Topic 2)

A customer has a large amount of the data on their Primera that is mission critical. The business needs RPO to be under 5 minutes. Which protection technology should you recommend?

- A. synchronous replication
- B. asynchronous replication
- C. archiving
- D. backup to tape

Answer: A

NEW QUESTION 72

- (Exam Topic 2)

You are planning a single-site Nimble solution with iSCSI connectivity. Two 10GbE SFP+ dual port NICS are included in the configuration. You designed an intelligent Resilient Framework (IRF) stack with HPE FlexFabric 5900CP switches. Which statements is correct when discussing the IRF limits for this configuration?

- A. When connecting an iSCSI storage to an IRF stack, a minimum of four 10GbE ports must be used per switch.
- B. A maximum of two switches can be used in an IRF stack when connecting storage.
- C. In an IRF stack with storage connectivity, the 40GbE ports cannot be used.
- D. The used IRF ports for iSCSI traffic have to be configured as 10GbE converged ports.

Answer: B

NEW QUESTION 75

- (Exam Topic 2)

A customer need a new storage system for visual desktop infrastructure environment to reduce the time required to provision new desktop. Which HPE solution should you recommended to fulfill this customers requirements?

- A. Snapclones on HPE MSA 2040
- B. SmartClone on HPE store virtual VSA(54)
- C. Storage pool on HPE store Easy
- D. Virtual Copy on HPE 3Par storeServ

Answer: B

NEW QUESTION 80

- (Exam Topic 2)

A customer need to update the local sever at each of their branches keep up with the increasing demand for High-performance storage. The customer cannot afford to move to SAN at each state. Which HPE storage technology can increase performance for this customer?

- A. Smart Path
- B. SmartCache
- C. Adaptive Flash Cache
- D. Persistent Cache

Answer: B

NEW QUESTION 85

- (Exam Topic 2)

A customer is planning to connect a new HPE 3PAR StoreServ system to its existing Synergy based composable infrastructure via direct-attach. Which tool would be used to manage the storage?

- A. HPE SAN Network Advisor
- B. HPE Synergy Image Streamer
- C. HPE Synergy Composer
- D. HPE InfoSight for 3PAR

Answer: C

NEW QUESTION 88

- (Exam Topic 2)

Where does HPE 3PAR StoreServ Data-at-Rest Encryption occur?

- A. ASIC
- B. physical disk
- C. processor
- D. host

Answer: B

NEW QUESTION 92

- (Exam Topic 2)

Match the type of storage found in today's market to the HPE storage solution optimized for that capacity?

- A. HPE 3PAR StoreServ - Block
- B. MSA - Block
- C. Nimble - Block
- D. Scalability - Object
- E. StoreEasy - File
- F. StoreVirtual - Block

Answer: A

NEW QUESTION 96

- (Exam Topic 2)

Which statement is true when defining object storage ?

- A. It is most suited for sharing files and characterized by volumes
- B. It is most suited for unstructured data and characterized by file share protocols like NFS
- C. It is most suited for unstructured data and characterized by containers or buckets
- D. suited for database It is most and characterized by containers or buckets

Answer: C

NEW QUESTION 101

- (Exam Topic 2)

A customer currently has a CS1000H and wants to upgrade to a CS3000. What must be considered before upgrading?

- A. This upgrade is disruptive and needs planned downtime.
- B. A capacity upgrade to a fully populated array has to be performed first.
- C. Timeless storage support is not offered for CS1000H entry-level systems.
- D. A controller upgrade to a CS1000F has to be performed first.

Answer: B

NEW QUESTION 104

- (Exam Topic 2)

A customer with restricted budget has an existing HPE 3PAR storeserver 8200 using 10kfast class and near line drives because of the implementation of new application .the workload has shifted to be read intensive therefore ,they want to increase the read I/O performance What should they add to their environment ?

- A. A tier with 15k fast class 600 GB drive for new CPG, configure AO policy to advantage of new resources
- B. Two 400 GB SSD drives and enable adaptive flash cache (page 173) eed to check
- C. A tier with 15k fast class drive and implement thin provisioned deduplicated virtual volumes
- D. A tier of SSD and implement thin provisioned virtual volume

Answer: B

NEW QUESTION 109

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

HPE0-J68 Practice Exam Features:

- * HPE0-J68 Questions and Answers Updated Frequently
- * HPE0-J68 Practice Questions Verified by Expert Senior Certified Staff
- * HPE0-J68 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * HPE0-J68 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The HPE0-J68 Practice Test Here](#)