



F5-Networks

Exam Questions 101

Application Delivery Fundamentals

NEW QUESTION 1

TI SISSL prides which functionary when a web browser connects to web site using the HTTPS protocol?

- A. delivers secure communication over a network connection
- B. prevents the web server from being compromised
- C. protects network packets from interception by intermediaries
- D. stop the web browser from automatically downloading malware

Answer: A

NEW QUESTION 2

A client receives all of the expected data from a server and sends a FIN packet signaling the end of communication. What will the server do when it receives the FIN Packet from the client?

- A. send a SYN packet
- B. send an RST packet
- C. Send both FIN and RST packets
- D. send an ACK Packet

Answer: D

Explanation:

<https://www.geeksforgeeks.org/computer-networ-tcp-connection-termination/>

NEW QUESTION 3

A load balancing decision needs to be made based on custom a What is the most appropriate F5 feature (or this purpose?

- A. iApps
- B. Scale
- C. iControl
- D. iRules

Answer: D

NEW QUESTION 4

What does HTTP status code 500 mean?

- A. Service unavailable
- B. Internal server error
- C. Gateway timeout
- D. Had gateway

Answer: B

NEW QUESTION 5

Where is the MAC masquerade address configured?

- A. Virtual Server
- B. Virtual Address
- C. Device Groups
- D. Traffic Groups

Answer: D

NEW QUESTION 6

A BIG-IP Administrator wants to send packets from one subnet to another. What device is required to allow this to function?

- A. switch
- B. Router
- C. HUP
- D. Bridge

Answer: B

NEW QUESTION 7

Host A sends 10 TCP packets to Host B. All packets arrive at Host B quickly, but some arrive out of order. What will Host B do?

- A. ACK only packets that are in order
- B. drop all packets and wait for arrival in order
- C. drop any packets that arrive out of order
- D. ACK all packets and place them in order

Answer: D

NEW QUESTION 8

Which HTTP response code is returned when a web server requires authentication to access a resource?

- A. 500
- B. 401
- C. 302
- D. 100

Answer: B

NEW QUESTION 9

Which IP subnet mask can be used to send traffic to all network nodes?

- A. 192.168.0.255/23
- B. 192.168.1.11/31
- C. 172.16.1255/22
- D. 192.168.0.11/30

Answer: D

NEW QUESTION 10

What should the administrator investigate first to address this traffic slowness



- A. The virtual server indicates 14 slow connections killed
- B. The pool member is unchecked
- C. Interface 1.2 shows 9.2K errors
- D. The pool shows no current connections.

Answer: C

NEW QUESTION 10

What is an advantage of a packet forwarding architecture?

- A. allows for manipulation of HTTP headers
- B. allows for SSL offload
- C. reduces latency
- D. handles larger packet sizes

Answer: C

NEW QUESTION 15

VLAN test-vlan" is configured on interface 1 1 instead of interface 1.2. Which TMSH command should be used to correct this issue?

- A. modify /net test vlan interfaces {1.2}
- B. modify /net test-vlan interfaces replace all with {1 2}
- C. modify /net vlan test-vlan interfaces replace all with {12}

D. modify /net sian test-vlan interfaces {1 2}

Answer: C

NEW QUESTION 20

In which scenario is a full proxy TCP connection required?

- A. TCP routing
- B. IPv4 to IPv6 gateway
- C. UDP routing
- D. UDP to ICMP gateway

Answer: B

NEW QUESTION 21

User A and User B's workload are on the same VLAN, but connected through a transparent layer 2 bridge in use B's ARP table. Which MAC address is reported for user A's workstation?

- A. The physical port MAC address on the bridge for user A's workstation
- B. The MAC address of the 12 bridge
- C. The MAC address of User A's workstation
- D. The physical port MAC address on the bridge for user B's workstation

Answer: D

NEW QUESTION 24

Ethernet frame FCS errors occur when which calculation fails?

- A. FSCM
- B. CRC
- C. CSR
- D. HSTS

Answer: B

NEW QUESTION 27

What are the two primary functions of the OSI 7-layer model? (Choose two)

- A. to group communications into logical layers
- B. to define host-to-host communications
- C. to standardize HTTP communications between different vendors
- D. to go interoperability between products made by different vendors
- E. to define protocol behavior

Answer: AE

NEW QUESTION 28

A BIG IP virtual Server with an IP address of 10.100.43.108 must be available to public internet users. Which technology should be used to achieve this task?

- A. NDP
- B. DNS
- C. NAT
- D. ARP

Answer: C

Explanation:

10 x.x.x/8 is an RFC 1918 reserved private IP address. It must be NATted from a publicly accessible IP for access from the internet

NEW QUESTION 33

A BIG IP Administrator is trying to reach the internal web server from a workstation

- * The workstation has a MAC address of 00:00 00 00 00 01 and an IP address of 192. 168. 0. 1
 - * An internal web server has a MAC address of 00 00 00 00 00 02 and an IP address of 10. 10. 1. 1
 - * The workstations default gateway has a MAC address of 00 00 00 00 00 03 and IP address of 192 168 0 254
- What is the destination hardware address of the outbound packet when it leaves the workstation?

- A. 00:00:00:00:00:01
- B. 00:00:00 :00:00:00
- C. 00:00:00:00:00:03
- D. 00:00:00:00:00 02

Answer: C

NEW QUESTION 37

A user fails to provide credentials when requesting a web resource that requires authentication. Which HTTP response code does the server send?

- A. HTTP 200
- B. HTTP 302
- C. HTTP 401
- D. HTTP 502

Answer: C

Explanation:

<https://httpstatuses.com/401>

NEW QUESTION 39

in which scenario would an SSL VPN solution have an advantage over an IPSec VPN?

- A. when users are unable to install software on their PC
- B. when users require a secure connection to the corporate network
- C. when users work remotely
- D. when users require the ability to RDP to internal resources

Answer: C

NEW QUESTION 40

An administrator configures a default gateway for the host. What is the purpose of a default gateway?

- A. to replace the destination IP address with the default gateway
- B. to pass all traffic to the default gateway
- C. to forward packets to remote networks
- D. to populate the ARP table

Answer: C

NEW QUESTION 43

A BIG IP administrator is testing a web server behind ADC. The connection to a Virtual Server is successful but the page is still not loading Where should the administrator test to determine if the server is available?

- A. from server-side interface in ADC.
- B. from client side interface in ADC
- C. from Workstation client
- D. from switch connected to ADC and Server

Answer: A

NEW QUESTION 47

A BIG-IP Administrator configures three Network Time Protocol servers to keep the time of the devices in sync. Which tool should the administrator use to show the synchronization status with the Network Time Protocol servers ?

- A. ntpdate
- B. time
- C. mpa
- D. date

Answer: C

NEW QUESTION 52

in which scenario is a full proxy TCP connection required?

- A. when SSL offloading is used
- B. when Traffic is routed
- C. when administrators manage the servers directly
- D. when 3 server responds directly to the client

Answer: A

NEW QUESTION 55

An administrator needs a remote VPN solution for corporate users. The existing network infrastructure has web-based services. The administrator needs to select the VPN that is the least complicated to deploy.

Which VPN solution should the administrator choose?

- A. IPSec
- B. L2TP
- C. SSL
- D. PPTP

Answer: A

NEW QUESTION 60

A new web server VLAN has been created and the IP address 10.1.1.1/24 has been assigned to the BIG IP device. The BIG IP Administrator needs to create the new Self IP and prevent administrator access to the BIG-IP device from the newly created network. Which TMSH command should be used?

- A. create /net self internal address 10 1.1. 1/24 vlan VLAN 10 allow service none.
- B. add /net self internal address 10.1.1. 1/24 vlan VLAN 10 allow-service none
- C. create /net self internal address 10. 1. 1. 1/24 vlan VLAN 10 allow service default
- D. add /net self internal address 10 111 mask 265. 255. 2550 vlan VLAN 10 allow

Answer: A

Explanation:

White the default differs from version to version, H typically allows HTTP SSH and iQuety for BIG-IP to BIG-IP communication

NEW QUESTION 63

An administrator needs to selectively compress HTTP traffic based on geographical location Which FS Feature should the administrator use?

- A. One Connect
- B. iRules
- C. SPDY profile
- D. iSessions

Answer: B

NEW QUESTION 67

An IPv4 client tries to access to http://www myserver com


Which type of DNS request should the client send to its configured DNS server?

- A. type NS
- B. type A
- C. type AAAA
- D. type MX

Answer: B

NEW QUESTION 72

BIG-IP Administrator performs the capture as shown in the image! On which protocol is the application responding?



- A. RDP
- B. HTTPS
- C. DNS
- D. HTTP

Answer: D

NEW QUESTION 76

Which protocol does an internet host use to request the hardware address of an IP address?

- A. Reverse Address Resolution Protocol (RARP)
- B. Address Resolution Protocol (ARP)
- C. BOOTP
- D. Dynamic Host Configuration Protocol (DHCP)

Answer: B

NEW QUESTION 77

A BIO IP Administrator is troubleshooting a slow web application. A packet capture shows that some of the packets coming from a window size of zero A packet capture shows that som a window size of zero What does this mean?

- A. The client is trying to close the TCP connection
- B. The server is trying to close the TCP connection
- C. The server is temporary unable to receive any more data
- D. The client is temporarily unable to receive any more data

Answer: C

NEW QUESTION 79

An application uses a proprietary protocol running over TCP
Which FS BIG-IP feature should the administrator use to modify the protocol?

- A. SPDY
- B. rewrite profile
- C. TCP profile
- D. iRules

Answer: D

NEW QUESTION 81

An administrator needs to prepare change control documents for operations staff To reduce possible errors the administrator killed number of default configuration options is choose from. Which F5 feature is intended to help with this task?

- A. icontrol
- B. iCatl
- C. iApp
- D. iRules

Answer: A

Explanation:

<https://devcentral.f5.com/icontrol>

NEW QUESTION 82

in which scenario is a full proxy TCP connection required?

- A. when compression is actuated
- B. When Source NAT configured
- C. when a virtual server is configured
- D. When Source IP persistence is required

Answer: A

Explanation:

<https://devcentral.f5.com/articles/the-full-proxy-data-center-architecture>

NEW QUESTION 85

An administrator is designing a remote host connection using an ICMP based network troubleshooting utility and receive an ICMP error diagram with the following error code.

* 11. Times exceeded What does this mean?

- A. A faulty router on the network is unable to process the packet in a timely manner
- B. A switch on the network the frame due to an incorrect checksum
- C. The TTL field of the IP header was set to 255. and this was consequently dropped by a router
- D. The TTL field of the IP header was decremented to 0. and this was consequently dropped by a router

Answer: D

NEW QUESTION 87

Which two protocol are used for the retrieval of email? (Choose two)

- A. ICAP
- B. SMTP
- C. IMAP
- D. POP3
- E. SNMP

Answer: CD

NEW QUESTION 90

ICMP is used by which command line tool?

- A. curt
- B. tcpdump
- C. traceroute
- D. nslookup

Answer: C

NEW QUESTION 92

ARP provides translation between which two address types?


- A. IP addresses and hardware addresses
- B. Hardware addresses and VLAN

- C. VLAN and IP addresses
- D. Hostnames and IP addresses

Answer: A

NEW QUESTION 94

An administrator is having a connectivity issue with a server in the same network. Upon checking with the command `arp -a` on a Windows machine, the two outputs are taken on a 1 minute interval "hat is likely causing this issue?



Internet Address	Physical Address	Type
192.168.56.101	08-00-27-21-fb-45	dynamic
192.168.56.255	ff-ff-ff-ff-ff-ff	static

Internet Address	Physical Address	Type
192.168.56.101	08-00-27-74-17-01	dynamic
192.168.56.255	ff-ff-ff-ff-ff-ff	static

- A. Interface down
- B. MAC address conflict
- C. No route available
- D. IP address conflict

Answer: D

NEW QUESTION 96

A company deploys F5 load balancers to manage a large number of secure applications. The company manage certificates. Which F5 provides this functionality?

- A. iHealthy
- B. BIG-IQ
- C. GTM
- D. LTM

Answer: B

Explanation:

<https://devcentral.f5.com/articles/what-is-big-iq-26702>

NEW QUESTION 99

Which protocols are used for control and session establishment for streaming media?

- A. RTP
- B. RTSP
- C. OTLS
- D. SMB

Answer: A

Explanation:

https://en.wikipedia.org/wiki/Real_Time_Streaming_Protocol

NEW QUESTION 103

A client needs to learn if a web server supports POST Which HTTP method is used?

- A. OPTIONS
- B. TRACE
- C. LIST
- D. GET

Answer: A

Explanation:

<https://developer.mozilla.org/en-US/docs/Web/HTTP/Methods/OPTION>

NEW QUESTION 108


Ping and Traceroute outputs are provided for a connectivity issue. What is the cause of these results?

- A. routing loop
- B. packets that are routed with a high metric
- C. multiple paths toward the destination

Answer: A

NEW QUESTION 109

An administrator configures secure remote access to a server's shell. Given the netstat output, what did the administrator configure?



- A. telnet
- B. allowing connections only from IP address 10.1.10.46
- C. ssh
- D. listening on IP address 10.1.10.46
- E. ssh
- F. allowing connections only from IP address 10.1.10.46
- G. telnetd listening on IP address 10.1.10.46

Answer: B

Explanation:

Although it appears telnet is configured in this example (!) it is listening on all IP addresses of the system while ssh (port 22) is only on the 10.1.10.46 address.

NEW QUESTION 114

In the Network Map a red diamond appears next to the three member servers in the Virtual Server's pool. The nodes in the pool each show a green circle. What is the most likely reason for this scenario?

- A. The pool members health monitor has been disabled
- B. The pool members have been disabled
- C. The pool members have been powered off
- D. The pool member services have been shut down

Answer: D

NEW QUESTION 116

A BIG-IP Administrator has a cluster of devices.

What should the administrator do after creating a new Virtual Server on device 1?

- A. synchronize the settings of device 1 to the group
- B. create a new cluster on device 1
- C. create the new virtual server on device 2
- D. synchronize the settings of the group to device 1

Answer: A

NEW QUESTION 120

Why is it important that devices in a high availability pair share the same configuration?

- A. so that a spanning tree loop can be avoided
- B. so that application traffic can do gracefully resumed after a failover
- C. so that configuration Updates can occur instantly between two devices
- D. so that the load can be shared equally between the devices

Answer: B

NEW QUESTION 125

A BIG-P Administrator needs to upload a qkview view to evaluate software upgrade options. Which service should be used?

- A. AskF5
- B. iHeath
- C. DevCentral
- D. F5WedSubOon

Answer: B

NEW QUESTION 128

What is used to establish trust relationships between BIG-IP devices?

- A. trust ID
- B. device group identification
- C. certificate-based authentication
- D. unit IDs

Answer: C

NEW QUESTION 133

HTTP pool attached to a Virtual Server has three members Pool member A default HTTP monitor in red Pool member 6 custom HTTP monitor in green Pool member C does not monitor
Which pool members participate in the load balancing?

- A. Pool members A and C
- B. Pool members A B and C
- C. Pool members B and C
- D. Pool members A and B

Answer: C

NEW QUESTION 134

A BIG IP Administrator needs to create a virtual server for a new secure end-to-end web application After change in configuration the virtual server .3 still marked down. The configuration of the virtual server and the pool member are correct. A quick server shows the status.



To fix the issue, what should the BIG-IP Administrator inform the web server administrator to do?

- A. change web server configuration to use SSL/TLS
- B. reboot the server
- C. restart the web service
- D. change web server configuration to use SSH/SCP

Answer: A

Explanation:

If the application needs to be secure 'end-to-end' the web server needs to use SSL as well. Most web servers will not required to HTTP requests when configured with HTTPS, so the monitor is failing.

NEW QUESTION 139

What tool should the BIG-IP Administrator use to view the status of all virtual servers and associated resources in one place?

- A. System performance
- B. Network Map
- C. Pool statistics
- D. Virtual server statistics

Answer: B

NEW QUESTION 142

Which security model provides protection from unknown attacks?

- A. ACL Security model
- B. closed security model
- C. Negative security model
- D. Positive security model

Answer: D

Explanation:

https://www.owasp.org/index.php/Positive_security_model

NEW QUESTION 147

ATP administrator recently added a new VLAN and needs to confirm that the BIG IP sees traffic on this VLAN. The VLAN is untagged on interface 1.1 and is named VLAN704 in the BIG IP Configuration Unity.

Which tool should be used to generate a packet capture that shows all traffic on this VLAN?

- A. netstat
- B. map
- C. tcpdump
- D. ifconfig

Answer: C

NEW QUESTION 149

An administrator is currently designing the IP addressing scheme for a small company. They have been asked to use the 192. 168. 100 x block of addresses with a /27 network prefix. How many networks and hosts per network will be available when using the 27-bit network prefix.

- A. 255 networks each with 224 hosts
- B. 30 networks each with 8 hosts
- C. 8 networks each with 30 hosts
- D. 27 networks each with 30 hosts

Answer: C

NEW QUESTION 151

What does ICMP Time Exceeded" mean?

- A. The ping command exceeded the time limit.
- B. The traceroute command exceeded the time limit
- C. Remote host did not respond
- D. TTL has reached zero

Answer: D

NEW QUESTION 152

A client is transmitting a large amount of data to a server During this process, the server sets the window size to zero What is the likely cause of this issue?

- A. The server is unable to accept more data
- B. The server resets the connection
- C. The client runs out of network buffers
- D. The server reaches its maximum segment size

Answer: A

Explanation:

<https://wiki.wireshark.org/TCP%20ZeroWindow>

NEW QUESTION 154

Which protocol could be used to provide AAA Accounting?

- A. karberos
- B. SAML
- C. DIAMETER
- D. LDAP

Answer: C

Explanation:

https://en.wikipedia.org/wiki/Diameter_protocol

NEW QUESTION 158

An application has a mix of both and short and long lived connections. Which algorithm would provide and event distributionof all connections across the pool?

- A. Priority group activate
- B. Least connections
- C. Static ration
- D. Round robin

Answer: B

NEW QUESTION 162

What does response code HTTP 302 represent?

- A. The server encountered an unexpected condition that prevented it from Milling the request.
- B. The server has not found anything matching the Request URI
- C. The request has succeeded.
- D. The requested resource resides temporary under a different URI

Answer: D

NEW QUESTION 164

Pool A has three members. Why is the pool up?



- A. Heaton monitoring is enabled on only one member
- B. One member has a successful health monitor

- C. Member status is determined by volume of traffic
- D. There is no health monitoring

Answer: B

NEW QUESTION 167

How does file caching affect the web application?

- A. It reduces the load on the web application
- B. It speeds up traffic to the web application
- C. It slows traffic to the web application
- D. It increases the load on the web application

Answer: A

NEW QUESTION 172

Which device group type allows a BIG IP system to automatically become active in the event that the current active system fails?

- A. Sync-active
- B. sync-failover
- C. sync-standby
- D. sync-only


Answer: B

Explanation:

The sync-failover group allows for failover of a traffic group. The sync-only will synchronize ASM profiles and some other device information but does not deal with traffic groups

NEW QUESTION 177

Which device type in the topology will forward network packets without an OSI layer 3 address assigned to a data plane interface?



- A. Router
- B. Firewall
- C. Application Server
- D. Switch

Answer: D

NEW QUESTION 181

What is a primary benefit of employing a load balancer to manage traffic for an application?

- A. It reduces the number of client connections
- B. It provides a more uniform client experience
- C. It allows easy scaling up of the application
- D. It Reduces dropped connections

Answer: C

NEW QUESTION 184

If there are multiple applications authenticated against a single identity store, which technology solution will simplify access to all applications?

- A. RADIUS
- B. single sign on
- C. multifactor authentication
- D. LDAP

Answer: B

NEW QUESTION 187

What is a disadvantage of running a visualized load balancer

- A. more expensive than a hardware load balancer
- B. slower than a hardware load balancer
- C. less reliable than a hardware load balancer
- D. does not support high availability

Answer: B

NEW QUESTION 188

A company needs to use a custom value when making persistence decisions.Which F5 product provides this functionality?

- A. iControl
- B. (Rules
- C. IApps
- D. (Health

Answer: B

NEW QUESTION 190

What are three functions commonly performed by HTTP cookies? (Choose three)

- A. Track users' browsing activities
- B. hold User preferences
- C. maintain session state
- D. execute client side scripts
- E. execute server side scripts

Answer: ABC

NEW QUESTION 195

Cryptographic hash functions can be used to provide which service?

- A. data modification
- B. data encryption
- C. data validation
- D. data decryption

Answer: C

Explanation:

https://en.wikipedia.org/wiki/Hash_function

NEW QUESTION 197

A new virtual server is being tested to replace <http://myapp.mydomain.com>. The original virtual server is still on use. And the new virtual server is on a different ip address. What should be done to test this new virtual server using the fully qualified domain name for this application?

- A. add a DNS record for the fully qualified domain name
- B. add the fully qualified domain name to the browser cache
- C. make an entry in the client host file
- D. make an entry in the web server services file

Answer: C

NEW QUESTION 201

What are two examples of network layer protocols? (Choose two)

- A. ARP
- B. TCP
- C. IPv4
- D. BGP
- E. ICMP

Answer: AE

NEW QUESTION 206

in which scenario is a full proxy TCP connection required?

- A. when SIP UP P load balancing is defined
- B. when DNS load balancing is configured
- C. when compression is enabled
- D. when layer 3 load balancing is configured

Answer: C

NEW QUESTION 208

An administrator needs to deploy a VON solution that offers data integrity and origin authentication of IP packets. Which solution the administrator use?

- A. IPSecVPN
- B. PPTP
- C. GRE
- D. SSL VPN

Answer: A

NEW QUESTION 212

Which protocol Authenticates network traffic between hosts end without encryption?

- A. PPTP
- B. GRE
- C. IPSec AH
- D. iPSec ESP

Answer: C

Explanation:

<https://developer.ibmcom/answers/questions/37253/what-is-the-difference-between-the-ah-and- esp-port/>

NEW QUESTION 215

Which security mode. functions by defining what traffic is allowed and rejecting all other traffic?

- A. context-based access control mode!
- B. role-based access control mode!
- C. negative security model
- D. positive security model

Answer: D

NEW QUESTION 219

An administrator needs to rapidly deter e newly discovered security threat to a remote desktop application. Which F5 feature provides this functionality?

- A. iRules
- B. SSL profiles
- C. Proxy SSL
- D. SPDY

Answer: A

NEW QUESTION 222

A VoIP application requires that data payloads will NOT be fragmented. Which protocol controls network behavior in this situation?

- A. RTSP
- B. UDP
- C. TCP
- D. IP

Answer: A

NEW QUESTION 225

A BIG-IP administrator is interested in using some of the vCMP What should impact the administrator's decision?

- A. vCMP is available on all F5 hardware platforms.
- B. vCMP is only available on the virtual edition
- C. vCMP is hardware independent
- D. vCMP is only available on certain F5 platforms

Answer: D

NEW QUESTION 229

An administrator needs to connect a new device to a switched network. The interconnect must be both redundant and combined bandwidth than a single link Which low-level protocol will help facilitate this?

- A. Link Aggregation Control Protocol (LACP)
- B. Link Allocation & Configuration Protocol (LACP)
- C. Link Local Distribution Protocol (LLDP)
- D. Link Layer Discovery Protocol (LDP)

Answer: A

NEW QUESTION 231

The use of attack signature within an intrusion Detection System (IDS) is an application of which security model?

- A. Positive
- B. Context-based
- C. Negative
- D. Role-based

Answer: C

Explanation:

[https //www.dosarrpst.com/ddos-blog/the-difference-between-positive-s-negatto-wafi](https://www.dosarrpst.com/ddos-blog/the-difference-between-positive-s-negatto-wafi)

NEW QUESTION 236

An administrator needs to provide access to corporate resources for remote users. The administrator also needs to verify that the remote use has anti-virus software installed. Which F5 product provides this functionality?

- A. ASM
- B. APM
- C. AFM
- D. TGM

Answer: B

NEW QUESTION 240

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

101 Practice Exam Features:

- * 101 Questions and Answers Updated Frequently
- * 101 Practice Questions Verified by Expert Senior Certified Staff
- * 101 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 101 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 101 Practice Test Here](#)